

References

VII REFERENCES

- Adashkevich, B. P. 1975. Predatory syrphid flies. In: Entomophagous insects on vegetable crops. Kolos, Moscow. Translated by B. Cooper, Commonwealth Bureau of Plant Breeding, pp. 88-121.
- Agarwal, B. 1989. Factors affecting quality of tea during processing. S. L. J. Tea Sci. **58** (1): 64-72.
- Akinyaju, P. and Yudkin, J. 1967. Effect of coffee and tea on the serum lipids in rat. Nature **214**: 426-427.
- Allan, T. C.; Reiman, G. H. and McFarlane, J. S. 1940. Influence of planting data on potato leafhopper population and hopperburn development. Am. Pot. Jour. 17: 283-286.
- Ananthakrishnan, T. N. 1984. Bioecology of thrips. Indira Publishing House, Michigan, USA, p. 233.
- Ananthakrishnan, T. N. 1986. Dynamics of insect-plant interactions, Entomology Research Institute, Madras, pp 1-13.
- Ananthakrishnan, T. N.; Dhileepan, K. and Padmanaban, B. 1985. Behavioural responses in terms of feeding and reproduction in some grasshoppers (Orthoptera: Insecta); Proc. Indian Acad. Sci. (Anim. Sci.). **94**: 443-461.
- Ananthakrishnan, T. N., Sanjayan, K. P. and Daniel, A. M. 1986. Insect-Weed- Crop interactions. In: Dynamics of insect-plant interactions. Ed. T. N. Ananthakrishnan, pp. 52-65.
- Ananthakrishnan, T. N. and Sen, S. 1980. Taxonomy of Indian Thysanoptera. Handbook Series No. 1. Zoological Survey of India, Calcutta. pp.139 and 209.

- Ananthakrishnan, T. N. and Thirumalai, G. 1977. The grass-seed infesting thrips *Chirothrips mexicanus* Crawford on *Pennisetum typhoides* and its principal alternative host *Chloris Barbara*. *Curr. sci.* **46**: 193-194.
- Andrews, E. A. 1923. The tea greenfly (*Empoasca flavescens* Fabr.) *Quart. J. Indian Tea Assoc.* 109-117.
- Andrews, E. A. 1925. The thrips pest of tea in Darjeeling. *Quart. J. Indian Tea Ass.* **2** : 60-105.
- Anonymous. 1935. Annual Report, ITA, Tocklai Experimental Station, Jorhat, Assam, India.
- Anonymous. 1957. Annual Report, ITA, Tocklai Experimental Station, Jorhat, Assam, India, pp 176-178.
- Anonymous, 1974. Leaflet on *Chrysopa carnea*. Rincon-Vitova Insectaries, Inc. In: *Biological Control by Natural Enemies*, by P. DeBach. Cambridge University Press, Cambridge, England, 323 p.
- Anonymous. 1980. Insect pests of crops. In: *Handbook of Agriculture*. ICAR, New Delhi, India. pp. 434-548
- Anonymous. 1994. Pest of tea in North- East India and their control. Memorandum no. 27, Tea Research Association. Kolkata, India. pp. 131-138 and 163-168.
- Anonymous, 2003 a. Official web site of Darjeeling Planters' Association. www.darjeelingtea.com.
- Anonymous, 2003 b. A search for the arthropod enemies of tea pests from Darjeeling slopes and adjoining plains with a study on their efficacy. In: *Annual scientific report 2002-03*, National Tea Research Foundation, Tea Board, India, pp. 16-33.
- Antram, C. B. 1909. The "Thrips" insects of tea in Darjeeling. *Indian Tea*

Association, Memo. 3, p. 9.

Askari, A. and Stem, V.M. 1972. Biology and feeding habits of *Orius tristicolor* (Hemiptera: Anthocoridae), Ann. Ent. Soc. of America. **65** (1): 96-100.

Atwal, A. S. and Singh, B. 1989. Pest population and assessment of crop losses. Indian Council of Agricultural Research, New Delhi 12, page 131.

Auclair, J. L. 1963. Aphid feeding and nutrition. Ann. Rev. Entomol. **8**: 439-90.

Backus, E. A. 1985. Anatomical and sensory mechanisms of planthoppers and leafhoppers feeding behaviour. In: Leafhoppers and planthoppers. Eds. L. R. Nault and J. G. Rodriguez. Wiley, New York, pp. 163-194.

Backus, E. A.; Hunter, B. W. and Ame, C. N. 1988. Technique for staining leafhopper (Homoptera: Cicadellidae) salivary sheaths and eggs within unsectioned plant tissue. J. Econ. Entomol. **81** (6): 1819-1823.

Bagnall, R. S. 1918. On two species of Physothrips (Thysanoptera) injurious to tea in India. Bull. Ent. Res. **9** : 61-64.

Bajaj, K. L. 1975 a. Tocklai fermentation test. 27th Biennial Conf. 13th –15th November.

Bajaj, K. L. 1975 b. Medicinal and Nutritional Aspects of tea. Two and A Bud **22** (1): 13-15.

Balasubramanian, V. and Swamiappan, M. 1994. Development and feeding potential of the green lacewing *Chrysoperla carnea* (Stephens) (Neuroptera: Chrysopidae) on different insect pests of cotton. Unweltschut. **67**: 165-167.

Baldwin, I. T.; Karb, M. J. and Ohnmeiss, T. E. 1994. Allocation of 15N from nitrate to nicotine: production and turnover of a damage-induced mobile defense. Ecology **75**: 1703-1713.

- Baldwin, I. T.; Zhang Z. P.; Diab N.; Ohnmeiss T. E.; McCloud E. S.; Lynds G. Y. and Schmelz, E. A. 1997. Quantification, correlations and manipulations of wound-induced changes in jasmonic acid and nicotine in *Nicotiana sylvestris*. *Planta* **201**: 397-404.
- Banerjee, B. 1976. Pesticides and pesticide residues in tea. *Two and A Bud* **23** (2): 35-42.
- Banerjee, B. 1993. *Tea-Procuction and Processing*. Oxford & IBH Publishing Co. Pvt. Ltd. New Delhi and Calcutta, pp 262.
- Barua, D. N. 1989. *Science and practice in tea culture*. Tea Research Association, Kolkata, India, pp 91-99.
- Barua, G. C. S. 1983. Fungi in the biological control of tea pests and diseases in north-east India. *Two and A Bud* **30** (1&2): 5-7.
- Baruah, S. 1990. Investigation of some biochemical parameters in relation to tea culture and manufacture. Ph. D. Thesis, Dibrugarh University, Assam, India.
- Bedford, E. C. G. 1943. *The Biology and Economic Importance of the South African citrus Thrips*. Master of Science Thesis, Pretoria.
- Berberet, R. C.; Morrison, R. D. and Senst, K. M. 1981. Impact of the alfalfa weevil, *Hypera postica* (Gyllenhal) (Coleoptera: Curculionidae), on forage production in non irrigated alfalfa in the southern plains. *J. Kans. Entomol. Soc.* **54** (2): 312-318.
- Bhatia, I. S. and Ullah, M. R. 1968. Polyphenols of tea. IV. Qualitative and quantitative study of the polyphenols of different organs and some cultivated varieties of tea plant. *J. Sci. Food Agric.* **19** : 535-542.
- Bhattacharya, D. K. 2001. Neuroptera (Insecta) of the Western Himalayan region of India. In: *Recent advances in animal science research* (Vol.1).

- Eds. S. K. Ghosal and Dipak Ray. Orion press international, Kolkata, West Bengal. pp. 149-152.
- Biswas, A. K.; Biawas, A. K. and Sarkar, A. R. 1971. Biological and chemical factors affecting the valuation of North East Indian teas II. Statistical evaluation of the biochemical constituent and their effects on briskness, quality and cash valuations of black teas. *J. Sci. Food Agric.* **22**. 196-204.
- Blackman, R. L. and V. F. Eastop. 1984. *Toxoptera aurantii* (Boyer de Fon.) Black Citrus Aphid. In: Aphids on the World's Crops: An Identification and Information Guide. John Wiley & Sons, Chichester, New York, Brisbane, Toronto, Singapore. pp. 364-365
- Blee, E. 1998. Phytooxylipins and plant defense reactions. *Progress in Lipid Research* **37** (1): 33-72.
- Bokuchava, M. A. and Popov, V. R. 1954. The significance of amino acids in the formation of tea aroma by interactions with tannin substances under conditions of elevated temperature. *Dokl. Akad. Navk. USSR*, **99**:145-148.
- Bokuchava, M. A. and Skobeleva, N. I. 1969. The chemistry of biochemistry of tea and tea manufacture. *Adv. Food Res.* **17**: 215.
- Boland, W.; Feng, Z; Donath, J. and Gabler, A. 1992. Are acyclic C-11 and C-16 homoterpenes plant volatiles indicating herbivory? *Naturwissenschaften* **79** (8): 368-371.
- Borah, L. C. 1996. Impact of Jassid (*Empoasca flavescens* Fabr.) infestation on some quality attributes of tea (*Camellia sinensis* (L) O. Kuntze). Ph. D. thesis, Guwahati University, Assam, India. 200 p.
- Borthakur, M.; Sharma, M.; Rahman, A. and Singh, K. 2001. Biocontrol of tea

- pests using predators. Souvenir, 33rd Tocklai Conference held on 12 and 13 February, 2001. p. 47.
- Bowles, D. J. 1990. Defense related proteins in higher plants. *Ann. Rev. Biochem.* **59**: 873-907.
- Bragg, P. E. 1988. Praying mantids. www.ex.ac.uk/bugclub/.
- Brooks, S. J., and P. C. Barnard. 1990. The green lacewings of the world: a generic review (Neuroptera: Chrysopidae). *Bulletin of the British Museum of Natural History (Entomology)* **59**:117-286.
- Canard, M and Principi, M. M. 1984. Life histories and behavior. In: *Biology of the Chrysopidae*. Eds. Canard, M; Semeria, Y; New, T. R. Dr. W. Junk, The Hague.
- Carter, W. 1962. *Insects in relation to plant disease*. Interscience publ. New York , pp. 705.
- Carver, M. 1978. The Black Citrus Aphids, *Toxoptera citricidus* (Kirkaldy) and *T. auranti* (Boyer de Fonscolombe) (Homptera: Aphidiae). *J. Aust. Entomol. Soc.* **17**: 263-270.
- Chen, H. T.; Liew, T. L.; Ming, C. K. and Hu, C. C. 1978. Ecological studies on the tea leaf hopper, *Empoasca formosana* Paoli and its control. *Plant Protection Bulletin, Taiwan* **20** (2): 93-105.
- Chen, M. and Chen, M. K. 1994. Prediction of the start of the first peak of *Empoasca pirusuga* by computer. *Journal of Anhui Agricultural Sciences.* **22** (2): 181-183.
- Chen, Y. F. 1992. A survey on spiders in the tea plantations of the mountainous region of Zhejiang Province. *Chinese Journal of Biological Control* **8** (2): 68-71.
- Chen, Z. and Chen, X. 1989. An analysis of world tea pest fauna. *J. Tea Sci.* **9**:

- Coggon, P.; Moss, G. A. and Sanderson, G. W. 1973. Tea catecholoxidase, isolation, purification and kinetic characterisation. *Phytochemistry*, **12**: 1947-1955.
- Cowgill, U. M. and Prance, G. T. 1989. A comparison of the chemical composition of injured leaves in contrast to uninjured leaves of *Victorai amazonica*. (Nymphaeaceae). *Ann. Bot.* **64**: 697-706.
- Cramer, H. H. 1967. *Plant Protection and World Crop Production*, Bayer, Leverkusen.
- Creeiman, R. A. and Mullet, J. E. 1997. Biosynthesis and action of jasmonates in plants. *Ann. Rev. Plant Physiol. Plant Mol. Boil.* **48**: 355-381.
- Daniel, A. M., Suresh Kumar, N. and Bakthavatsalam, N. 1984. Weed / crop interaction with reference to *Caliothrips indicus* (Bagnall) (Thysanoptera, Thripidae) on *Arachis hypogaea* Wild. (Fabaceae) and an alternate weed host *Achyranthes aspera* Linn. (Amarantace). *Entomon.* **9**: 47-51.
- Das, G. M. 1959. Bionomics of the tea red spider, *Oligonychus coffeae* (Nietner). *Bull. Ent. Res.* **50** (2): 265-74.
- Das, O. N.; Ghosh, J. J., Bhattacharyya, K. C. and Guha, B. C. 1965. Tea II. Pharmacological aspects. *Indian J. Appl. Chem.* **28**: 15-40.
- Das, S. and Mukhopadhyaya, A., 2002. Natural control agents of red slug caterpillars, the defoliators of tea, from Darjeeling Terai with a study on their killing efficacy. Presented at : National seminar on Integrated pest management in the current century. November-29-30, 2002. Dept. of Agricultural Entomology. Faculty of Agriculture, B. C. K. V., Nadia. West Bengal.

- Das, S. C. 1974. Parasites and Predators of Pests of Tea, Shade Trees and Ancillary crops in Jorhat Circle. *Two and A Bud* 21(1) : 17-21.
- Das, S. C.; Kakoty, N. N., 1992. Biological studies on tea aphids, *Toxoptera aurantii* Boyer, and its natural enemy complex. *Two and A Bud* 39 (1) 29-33.
- DeBach, P. 1974. *Chrysopa carnea*. In: Biological Control By Natural Enemies, by P. DeBach. Cambridge University Press, Cambridge, England. pp. 323.
- Dev, H. N. 1964. Preliminary studies on the biology of the Assam thrips, *Scirtothrips dorsalis* Hood on tea. *Ind. J. Ent.* 26 (2): 84 – 94.
- Dev Choudhury, M. N. and Bajaj, K. L. 1980. Biochemical changes during withering of tea shoots. *Two and A Bud* 27(1): 13-16.
- Dev Choudhury, M. N. and Goswami, M. R. 1983. A rapid method for determination of polyphenolic matters in tea. *Two and A Bud* 30 (1 & 2): 59-61.
- Ding, Z.; Kuhr, S. and Engelhart, U. H. 1992. Influence of catechins and theaflavins on the astringent of black tea brews. *Z. Lenbensm. Unters. Forsch.* 195: 101-111.
- Du, J. W., 2001. Plant-insect chemical communication and its behaviour control. *Acta Phytobiologica Sinica*, 27 (3): 193-200.
- Ebel, J. and Cosio, E. G. 1994. Elicitors of plant defense responses, *Rev. Cytol.* 148: 1-36.
- Farmer, E. E., and Ryan, C. A. 1990. Interplant Communication: Airborne methyl jasmonate induces synthesis of protienase inhibitors in plant leaves. *Proc. Natl. Acad. Sci. USA*, 87: 7713-7716.
- Feenstra, W. J.; Johnson, B. L.; Gayon, P. R. and Geissman, T. A. 1963. The

- effect of virus infection on phenolic compound in flowers of *Matthiola incana*. *Phytochemistry* **2**: 273-279.
- Feldman, A. W. and Hanks, R. W. 1967. Phenolic contents in the roots and leaves of tolerant and susceptible citrus cultivars attacked by *Radopholus similis*. *Phytochemistry* **7**: 5-12.
- Finger, A. 1994. *In-vitro* studies on the effect of polyphenol oxidase and peroxidase on the formation of polyphenolic- black tea constituents. *J. Sci. Food Agric.* **66**: 293-305.
- Firempong, S. 1977. Biology of *Toxoptera aurantii* (Homoptera: Aphididae) on cocoa in Ghana. *J. Nat. Hist.* **11**: 409-416.
- Frey, M.; Stettner, C.; Pare, P.W.; Schmelz, E.A.; Tumlinson, J. H. and Gierl, A. 2000. A herbivore elicitor activates the gene for indole emission in maize. *Proc. Natl. Acad. Sci. USA* **97**: 14801-14806.
- Gagnon, C. 1967. Polyphenols and discoloration in the elm disease investigated by histochemical technique. *Can. J. Bot.* **45**: 2119-2124.
- Garland, J. A. 1981a. Effect of low-temperature storage on oviposition in *Hemerobius stigma* Steph. (Neuroptera: Hemerobiidae). *Entomol. Mon. Mag.* **116**: 149-150.
- Garland, J. A. 1981b. Observations on survival of eggs of *Hemerobius stigma* (Neuroptera: Hemerobiidae) following exposure to frost. *Manitoba Ent.* **12**: 61-62.
- Gerling, D.; Kravcheno. V. and Lazare, M. 1997. Dynamics of common lacewing (Neuroptera: Chrysopidae) in Israeli cotton field in relation to whitely (Homoptera: Aleyrodidae) populations. *Environmental Entomology* **26**: 815-827.
- Glover, P. M.; Das, C. M. and Mukherjee, T. D. 1961. Pesticide residue and

- taint in tea. SPAN 4 (3): 137-40.
- Gomez, K. A. and Gomez, A. A. 1984. Statistical procedure for agricultural research. John Wiley & Sons, New York, p. 387.
- Gordon, R.D. 1985, The Coccinellidae (Coleoptera) of America North of Mexico. J. NY Entomol. Soc., **93**: 1-912.
- Grassé, P. P. 1951. Traité de Zoologie, X (II) Paris, Masson, 976-1948 pp.
- Green, T. R. and Ryan, C. A. 1972. Wound-induced proteinase inhibitor in plant leaves: A possible defense mechanism against insects. Science **175**: 776-777.
- Gregory, R. P. F. and Bendall, D. S. 1966. Purification and properties of polyphenol oxidase from tea (*Camellia sinensis* L). Biochem. J. **101**: 569-581.
- Grice, W. J. 1967. Greenfly and flavour in Darjeeling. In: Proceeding of the 23rd Annual Conference, Tocklai: pp. 1-3.
- Grinfel'd, E. K. 1959. Feeding of thrips on the pollen of flowers and the asymmetry in their mouthparts. Ent. Rev., Wash. **38**:715-720.
- Habeck, D. H.; Bennett, F.D., and Frank, J.H. (Eds.). 1990. Classical Biological Control in the Southern United States. Southern Cooperative Series Bulletin No. 355, IFAS Editorial, University of Florida, Gainesville, FL.197 p.
- Han, B. Y., 2002. Population dynamics of tea aphid, *Toxoptera aurantii*, and its natural enemies in tea garden. J. Tea Sci. **22**: 2.
- Hara, T. 1989. Studies on the firing aroma and off-flavour compounds of green tea. Bull. Of National Res. Inst. of vegetables, ornamental plants and tea, Series B, No. 3, pp. 9-54.
- Hara, Y., Luo, S.; Wickremasinghe, R. L. and Yamanishi, T. 1995. Flavour of

tea. Food Rev. Int. **11** : 477-525.

Harlar, C. R. 1970. Tea manufacture. Oxford University Press.

Harris, K.M. 1970. Black Citrus Aphid (*Toxoptera auranti* (Boy.) on Camellias. Plant Pathology **19**:48.

Hatanaka, A. and Harada, T. 1973. Formation of cis-3-hexenal, trans-2-hexenal and cis-3-hexenal in macerated *Thea sinensis* leaves. Phytochem. **12**: 2341-2346.

Hazarika, L. K.; Sarmah, M.; Saikia, M. K.; Borthakur, M. and Singh, K. 1996. Evaluation of Green Lacewing as a Predator of Tea Pests. Two and A Bud **43**(1): 37-39.

Hazarika, M. and Mahanta, P. K. 1983. Studies on carotenoides and degradation products in tea. J. Sci. Food Agric. **34**:1390.

Hazarika, M.; Mahanta, P. K. and Takeo, T. (1984). Volatile Flavour Constituents in orthodox black teas of various clones and flushes in North East India. J. Sci. Food Agric., **35**: 1201-1207.

Henderson, D. E. and Raworth, D. A. 1991. Beneficial insects and common pests on strawberry and raspberry crops. Agriculture and Agri-Food Canada, Publication 1863/E, Cat. No. A53-1863/1991 E ISBN 0-662-18483-1.

Henn, T. and Weinzierl, R. 1990. Alternatives in insect pest management. Beneficial insects and mites. University of Illinois, Circular 1298, 24 pp.

Hill, D.S. 1983. *Toxoptera aurantii* (B. de F.). In: Agricultural Insect Pests of the Tropics and Their Control, Cambridge University, pp. 205-206.

Hoffmann, M.P. and Frodsham, A.C. (1993) Natural Enemies of Vegetable Insect Pests. Cooperative Extension, Cornell University, Ithaca, NY, 63 p.

- Hopke, J.; Donath, J.; Blechert, S. and Boland, W. 1994. Herbivore-induced volatiles: The emission of acyclic homoterpenes from leaves of *Phaseolus lunatus* and *Zea mays* can be triggered by a β -glucosidase and jasmonic acid. *EBS Letters* **352**: 146-150.
- Hori, K. 1973. Study on feeding habits of *Lygus disponsi* Linnavuori (Hemiptera :Miridae) and the injury to its host plant III. Phenolic compounds, acid phosphatase and oxidative enzyme in the injured tissues of sugar beet leaf. *Applied entomology and zoology* **8** : 103-112.
- Hori, K. 1976. Physiological changes in host and insect. In: *Lygus bug: Host plant interactions*. Eds. Scot, D. R. and O'Keeffe, E. O. University press of Idaho, Moscow, pp. 19-25.
- Horita, H. and Owuor. 1987. Composition of the tea aroma of black teas from Kenya and other main black tea producing parts of the world and their characteristics. *Bull. Natl. Res. Inst. Of Veg. Ornamental Plants Tea, Series B, I* : 55-65.
- Ikeda, N.; Horie, H.; Mukai, T. and Goto, T. 1993. Varietal difference of chemical constituents in first and autumn flushes of tea plant. *Tea Research J.* **77**: 13-21.
- Ishaaya, I. 1971. Observations on the phenol oxidase system in the armored scales *Aonidie aurantii* and *Chrysomphalus aonidum*. *Comp Biochem. Physiol.* **39**: 935-943.
- Jacot-Guillarmond, C. F. 1971. Catalogue of the Thysanoptera of the world. (Pt. 2) *Ann. Cape Prov. Mus. (Nat. Hist.)* **7**: 217-515.
- Johnson, P. R. and Ecker, J. R. 1998. The ethylene gas signal transduction pathway: A molecular perspective *Ann. Rev. Genet.* **32**: 227-254.

- Kahl, J.; Siemens, D. H.; Aerts, R. J.; Gabler, R.; Kuhnemann; Preston, C. A. and Baldwin, I. T. 2000. Herbivore-induced ethylene suppresses a direct defense but not a putative indirect defense against an adapted herbivore. *Planta* **210**: 336-342.
- Kalandadze, L. P. 1956. Development of the injurious fauna of the tea plant in the USSR. *Rev. Ent. USSR* **35** (3): 637-647.
- Karban, R. and Baldwin, I. T. 1997. *Induced Responses to Herbivory*. University of Chicago Press, Chicago, Illinois.
- Kawagishi, H and Sugiyama, K. 1992. Facile and large-scale synthesis of L-theanine, *Biosci, Biotech. Biochem.* **56**: 689.
- Kawakami, M.; Ganguly, S. N.; Banerjee, J. and Kobayashi, A. 1995. Aroma composition of oolong tea and black tea by brewed extraction method and characterizing compound of Darjeeling tea aroma. *J. Agric. Food chem.* **43**: 200-207.
- Kendall, D. M. and Bjostad, L. B. 1990. Phytochemical ecology: herbivory by *Thrips tabaci* induces greater ethylene production in intact onions than mechanical damage alone. *J. Chem. Ecol.* **16**:981-991.
- King, C. B. R. 1939. Report of the Entomologist for 1938. *Bull. Tea Res. Inst. Ceylon* No. **19**: 34-37.
- Klimaszewski, J. and Kevan, D. K. M. 1985. *The Brown Lacewing Flies of Canada and Alaska (Neuroptera : Hemerobiidae). Part 1. The Genus Hemerobius Linnaeus: Systematics, Bionomics and Distribution.* Macdonald College, McGill University, Lyman Entomological Museum and Research Laboratory, Memoir No. 15. Ste Anne de Bellevue, Quebec.
- Klimaszewski, J. and Kevan, D. K. M. 1992. Review of Canadian and Alaskan

- brown lacewing flies (Neuroptera: Hemerobiidae) with a key to the genera: Part IV. The genera *Megalomus* Rambur, *Boriomyia* Banks, *Psectra* Hagen and *Sympherobius* Banks. *Annals of the Transvaal Museum* **35** (30): 435-457.
- Kobayashi, A.; Kubota, K. and Yano, M. 1993. Formation of some volatile compounds of tea. *ACS Symposium Series* **525**: 49-56.
- Laidlaw, W.B.R. 1936. The brown lacewing flies (Hemerobiidae): their importance as controls of *Adelge cooleyi* Gillette. *Ent. Mon. Mag.* **72**: 164-174.
- Lawton, J. H. and Strong, D. R. 1981. Community patterns and competition in folivorous insects. *Am. Nat.* **118**: 317-338.
- Lefroy, H. M. 1909. Thrips in tea. *Agric. J. India* **4** : 280 –290.
- Leonard, M.D. and H.G. Walker. 1971. Host Plants of *Toxoptera aurantii* at the Los Angeles State and County Arboretum, Arcadia, California. *Proc. Entomol. Soc. Washington.* **73**: 324-326.
- Le Pelley R. H. 1942. A method of sampling thrips population. *Bull. Ent. Res.* **33**: 147-148.
- Le Pelley, R.H. 1968. *Toxoptera aurantii* Boyer de Fonscolombe 1841. In: *Pests of Coffee*. Longmans, Green & Co., Ltd., London and Harlow, pp. 311-312.
- Lewis, T. 1991. An introduction to the Thysanoptera: a survey of the group. In: *Towards understanding Thysanoptera*. Eds. B. L. Parker, M. Skinner and T. Lewis. General Technical Report NE 147, Radnor, PA: USDA Forest Service, pp. 3-20.
- Li, M. J., 2000. Alcohols in the volatiles of tea. In: *Chinese Tea Big Dictionary*. Ed. Z. M. Chen. Chinese Light Industry Press, Beijing, p. 352.

- Lin, Y. L.; Juan, I. M.; Chan, Y. L.; Liang, Y. C. and Lin, J. K. 1996. Composition of polyphenols in tea leaves and association of their oxygen radical absorbing capacity with antiproliferative action in fibroblast cells. *J. Agric. Food. Chem.* **44**: 1387-1394.
- Loughrin, J. H.; Manukian, A.; Heath, R. R.; Turlings, T. C. J. and Tumlinson, J. H. 1994. Diurnal cycle of emission of induced volatile terpenoids by herbivore-injured cotton plants. *Proc. Natl. Acad. Sci. USA*, **91**: 11836-11840.
- Lu, W. M.; Lou, Y. F.; Lu, W. M. and Lou, Y. F. 1994. Forecasting of the first peak of the tea green leafhopper by simplifying classic statistics. *China Tea* **16** (4): 30-31.
- Lyon, W. F. 2001. Praying Mantis (HYG-2154-98). Ohio State University Extension Fact Sheet, WWW. ohionline.ag.ohio-state.edu.
- Maeda, S. and Nakagawa, M. 1977. General chemical and physical analyze on various kinds of green tea. *Tea Res. J.* **45**: 85-92.**
- Mahanta, P. K. and Hazarika, M. 1985. Improve flavour – quality assured. *Two and A Bud* **32** (1&2): 25-29.
- Maitra, S. 1994. Studies on variation of tea thrips population and its feeding impact at histochemical level of the host. M. Sc. Dissertation (Zoology), University of North Bengal, India, 42 p.
- Martin, J. P. and Pemberton, C. E. 1942. Disease symptoms in lettuce and celtuce caused by the bean leafhopper *Empoasca Solana* (solani) Del. *Haw. Plantgers' Rec.* **46**: 111-118.
- Matheis, G.; Vitzthum, O. G. and Weder, J.K.P. (1987). On the polarographic determination of polyphenol oxidase activity in different teas. *Chem.*

- Matthew, E. H. and Douglas, A. P. 1997. Tea Chemistry. Critical reviews in plant sciences 16 (5): 415-480.
- Matsuura, T. and Butsugan, Y. 1968. 3, 7-Dimethyl-1,5,7-octatrien-3-ol from linalool by photo-oxidation, Nipponhagaku Zasshi 99: 513-519.
- Mazumdar, K. N. 1995. A study on changes at enzyme-levels of tea leaves under attack of tea mosquito bug, *Helopeltis theivora* (Hemiptera: Miridae). M. Sc. Dissertation, University of North Bengal, West Bengal, India.
- McAllan, J. W.; Adam, J. B. 1961. The significance of pectinase in plant penetration by aphids. Can. J. Zool. 39: 305-310.
- Mickoleit, E. 1963. Untersuchungen zur Kopfmorphologie der Thysanopteren. Zool. Jn. Abt. Anat. 81:101-150.
- Miles, P. W. 1959. The salivary secretions of plant-sucking bug, *Oncopeltus fasciatus* Dall. (Heteroptera: Lygaeidae) – 1. The types of secretion and their roles during feeding. J. Insect Physiol., 3: 243-55.
- Miles, P. W. 1964. Studies on salivary physiology of plant bugs : Oxidase activity in the salivary apparatus and saliva. J. Insect Physiol. 10: 121-129.
- Miles, P. W. 1968 a. Studies on the salivary physiology of plant bugs. Experimental induction of galls. J. Insect Physiol. 14 : 97-106.
- Miles, P. W. 1968 b. Insect secretions in plants. Annu. Rev. Phytopathology 6:137-164.
- Miles, P. W. 1969. Interaction of plant phenols and salivary phenolases in the relationship between plants and Hemiptera. Ent. Exp. Appl. 12: 736-744.

- Miles, P. W. 1972. The saliva of Hemiptera. *Adv. Insect Physiol.* **9**: 183-255.
- Miles, P. W. 1978. Redox reactions of hemipterous saliva in plant tissue. *Entomol. Exp. Appl.* **24** : 534-539.
- Miles, P. W. 1987. Feeding process of Aphidoidea in relation to effects on their food plants. In: *World crop pests : Aphids – their biology, natural enemies and control*. Vol. 2A, Eds. A. K. Minks and P. Harrewijn, Elsevier Science Publishers, Amsterdam. pp. 321-339.
- Miles, P. W. 1998. Insect secretions in plants. *Ann. Rev. Phytopathol.* **6** : 137-164.
- Millin, D. J.; Gispin, D. J. and Swaine, D. 1969. Non-volatile components of black tea and their contribution to character of beverage. *J. Agric. Food Chem.* **17**: 717-722.
- Millin, D. J. and Rustidge, D. W. 1967. Tea manufacture process. *Biochem.* **2** (6) : 9-13.
- Mitoma, C.; Sorich, T. J. and Neubauer, S. E. 1968. *Science. Oxford* **7**: 145.
- Mkwaila, B.; Rattan, P. S. and Grice, W. J. 1979. Tea thrips incidence, crop loss and control measures. *Quarterly News Letter, TRF of Central Africa* **51**: 4- 10.
- Mkwaila, B. 1982. The occurrence of tea thrips: A review. *Quarterly news letter, Tea Research Foundation, Central Africa* **66**: 7-12.
- Mochizuki, M.; Ohtaishi, M. and Honma, K. 1994. Yellow sticky trap of lat type is useful for monitoring the occurrence of tea green leafhopper, *E. onukii* Matsuda (Homoptera: Cicadellidae), in tea fields. *Bulletin of the National Research Institute of vegetables, ornamental plants and tea. Series B. No. 7*: 29-36.
- Mound, L. A. 1971. The feeding apparatus of thrips. *Bull. Ent. Res.* **60**: 547-

- Mound, L. A. and J. M. Palmer. 1981. Identification, distribution and host-plants of the pest species of Scirtothrips (Thysanoptera: thripidae). Bull. Ent. Res. **71**: 467-479.
- Mukherjee, S. L. 1966. Aroma complex of tea. Two and A Bud **13** (2): 67-69.
- Mukhopadhyaya, A. and Sannigrahi, S. 1993. Evaluation of predatory potentiality of *Geocoris ochropterus* (Hemiptera: Lygaeidae) on tea aphid *Toxoptera aurantii* (Hemiptera : Aphididae). Tea **14** (1): 44-49.
- Mukhopadhyay, A.; Sanigrahi, S. and Biswas, G. G. 1997. Colonization and utilization of young tea plants by some insects and mites in Darjeeling foothills. In: Ecology and evolution of plant-feeding insects in natural and man-made environment. Ed. A. Raman. International Scientific Publications, New Delhi. pp 59-69.
- Muraleedharan. N. 1991. Pest Management in Tea. UPASI, South India, pp. 41-49.
- Muraleedharan, N. 1992. Pest control in Asia. In: Tea cultivation to consumption. Ed. K. C. Willson and M. N. Clifford. Chapman & Hall, London, pp 375-412.
- Muraleedharan, N. and Ananthkrishnan, T. N. 1978. Bioecology of four species of Anthocoridae (Hemiptera: Insecta) predaceous on thrips, with key to genera of anthocorids from India. Occasional paper, Records of the Zoological Survey of India. Record 1980, No. 11: 1-32.
- Muraleedharan, N., Radhakrishnan, B., and Sevasundaram, R. 1988. Natural enemies of certain Tea Pests in Southern India. Insect Science and its Application **9** (5) : 647-654

- Muraleedharan, N.; Selvasundaram, R. and Radhakrishnan, B. 2001. Parasitoides and predators of tea pests in India. *Journal of Plantation Crops* **29** (2):1-10.
- Musser, R. O.; Hum-Musser, S. M.; Ervin, G.; Murphy, J. B.; Felton, G. W. 2002. Caterpillar saliva suppresses inducible plant defenses. *Nature* **416**: 599-600.
- Nault, L. R. and Gyrisco, G. G. 1966. Relation of the feeding process of the pea aphid to the inoculation of pea enation mosaic virus. *Ann. Entomol. Soc. Am.* **59**: 1185-97.
- Nguyen, A. 1999. "Praying Mantis." *Insecta Inspecta World*. www.insecta-inspecta.com/mantids/praying/index.html
- O'Donnell, P.J.; Calvert, C.; Atzorn, R.; Wastemack, C.; Leyser, H. M. O. and Bowles, D.J. 1996. Ethylene as a signal mediating the wound response of tomato plants. *Science* **274**: 1914-1917.
- O'Donnell, P. J.; Jones, J. B.; Antoine, F. R.; Ciardi, J., and Klee, H. J. 2001. Ethylene-dependent salicylic acid regulates an expanded cell death response to a plant pathogen. *Plant Journal* **25** (3): 315-323.
- Okada, T. and Kudo, I. 1982. Overwinter sites and stages of *Scirtothrips dorsalis* Hood (Thysanoptera: Thripidae) in tea field. *Japanese Journal of Applied Entomology and Zoology* **26** (3): 177-182.
- Onimaru T; Nagatomo 1986. Studies on the ecology and control of yellow tea thrips, *Scietothrips dorsalis* Hood in tea fields. 1. Seasonal prevalence of occurrence. *Proceeding of the Association for Plant Protection of Kyushu* **32**: 207-210.
- Owuor, P. O.; Horita, H.; Tsushida, T. and Murai, T. 1986. Comparison of the

chemical compositions of black tea from main black tea producing parts of the world. *Tea* 7 (2): 71-78.

- Paré, P. W. and Tumlinson, J. H. 1997. Induced synthesis of plant volatiles. *Nature* 385: 30-31.
- Parnell, F. R.; King, H. E. and Ruston, D. F. 1949. Jassid resistance and hairiness of cotton plant. *Bull. Ent. Res.* 39 : 539-575.
- Penninckx, I. A. M. A.; Thomma, B. P. H. J.; Buchala, A.; Mettraux, J. P.; and Broekaert, W. F. 1998. Concomitant activation of jasmonate and ethylene response pathways is required for induction of a plant defensive gene in *Arabidopsis*. *Plant Cell* 10:2103-211.
- Peterson, A. G. and Granovsky, A. A. 1950. Relation of *Empoasca fabae* to hopper burn and yield of potatoes. *Jour. Econ. Ent.* 43: 484-487.
- Pitkin, B. R. 1976. The hosts and distribution of British thrips. *Ecol. Ent.* 1: 41-47.
- Prestidge, R. A. 1982. Influence of nitrogenous fertilizer on the grassland *Auchenorrhyncha* (Homoptera). *J. Appl. Entol.* 19: 735-749.
- Quiroz, A. and Niemeyer, H. M., 1998. Olfactometer-assessed responses of aphid to wheat and oat volatiles. *J. Chem. Ecol.*, 24 (1): 113 – 124.
- Quiroz, A.; Pettersson, J.; Pickett, J. A.; Wadhams, L., J. and Niemeyer, H. M. 1997. Semiochemicals mediating spacing behavior of bird cherry-oat aphid, *Rhopalosiphum padi* feeding on cereals. *J. Chem. Ecol.* 23 (11): 2599 – 2607.
- Radhakrishnan, B. 1989. Studies on the aphid, *Toxoptera aurantii* (Bayer de Fonscolombe) Hemiptera: Aphididae) and its natural enemies in southern India tea Plantations. Ph. D. Thesis, Bharathiar University, Coimbatore, India, 154 p.

- Raffa, K. F. and Berryman, A. A. 1982. Accumulation of monoterpenes and associated volatiles following inoculation of grand fir with a fungus transmitted by the fir engraver, *Scolytus ventralis* (Coleoptera: Scolytidae). *Can. Entomol.* **114**: 797-810.
- Rao, V. P.; Dutta, B. and Ramasehiah G. 1970. Natural enemy complex of flushworm and phytophagous mites on tea in India. Tea Board Scientific Series No. 5. Tea Board, 52 p.
- Rattan, 1975. Yellow tea thrips. Quarterly news letter. Tea Research Foundation of central Africa **37**: 14-15.
- Regupathy, A.; Palanisamy, S.; Chandramohan, N. and Gunathilagaraj, K. 1989. A guide on crop pests. Rajalakshmi Publications, Nagercoil, Coimbatore, India. 242 p.
- Renold, W.; Naf-Muller, R.; Keller, U.; Willhalm, B. and Ohlaff, G. 1974. An investigation of tea aroma. Part1, New volatile black tea constituent. *Helv. Chim. Acto.* **57**: 1301-1308.
- Retan, A. H.; Curtis, J. 1972. Insect answers - minute pirate bug. Co-operative Extension Service, College of Agriculture, Washington State University, Pullman. E.M. 3702.
- Rice, E. L. 1974. Allelopathy: Academic Press, New York.
- Rivnay, E. 1938. Factors Affecting the Fluctuations in the Population of *Toxoptera aurantii* Boy. in Palestine. *Annals of Applied Biology* **25**: 143-154.
- Roberts, E. A. H. 1962. Economic importance of flavonoid substances. Tea fermentation. In: The chemistry of flavanoid compounds. Ed. Geissman, T. A. Pergamon Press New York. p. 486.
- Roberts, E. A. H. and Smith, R. F. 1961. Spectrophotometric determination of

theaflavin and thearubigin in black tea liquor in assessment of quality in teas. *The Analyst* **86** : 94-98.

Robertson, A. and Bendall, D. S. 1983. Production and HPLC analysis of black tea theaflavins and thearubigins during in vitro oxidation. *Phytochem.* **22**: 883-887.

Sakakibara, N. and Nishigaki, J. 1988. Seasonal abundance of the chilli thrips, *Scirtothrips dorsalis* Hood (Thysanoptera : Thripidae) in a kiwi fruit orchard. *Bulletin of the Faculty of Agriculture. Shizuoka University* **38**: 1-6.

Sakata, K.; Guo, W.; Moon, N.; Watanabe, K.; Ogawa, T.; Usui, T. and Luo, S. J. 1995. Molecular basis of alcoholic aroma formation in oolong tea. *Proceedings of 95 International Tea-Quality-Human Health Symposium Shanghai, Nov. 7-10*: 175-187.

Sakato, Y. 1949, *Nippon Nogeikagaku Kaishi* **23**:262-287.

Sannigrahi, S. and Mukhopadhyaya, A. 1992. Laboratory evaluation of predatory efficiency of *Geocoris ochropterus* Fieber (Hemiptera: Lygaeidae) on some common tea pests. *S.L.J. Tea Sci.* **61**(2), 39-44.

Sannigrahi, S. and Mukhopadhyay, A. 1993. Population dynamics of some tea pests infesting four young cultivars from Darjeeling plains. *J. Plant. Crops* **21** (Supplement): 195-201.

Sasidhar, R.; Muraleedharan, N. and R., Selvasundaram. 1999. Ecology and control of thrips. UPASI Tea Scientific Department, Bulletin no. 53, pp 22-26.

Sekhar, J. C.; Singh, K. M.; Singh, R. N. and Nathan, K. K. 1993. Incidence of green jassid, *Empoasca kerri* Pruthi on pigeopea cultivars. *Indian J. Ent.* **55** (4): 433-439.

- Selvendran, R. R.; Reynolds, J.; Galliard, T. (1978). Production of volatiles by degradation of lipids during manufacture of black tea. *Phytochem.* **17**:233-236.
- Singh, I. D. 1989. Tea breeding in Darjeeling. In: Souvenir, Joint Area Scientific Committee meeting, Tea Research Association, Darjeeling, pp. 9-14.
- Singh, S. P. and Jalali, S. K. 1994. Production and use of chrysopid predators. Technical Bulletin No. 10, Project Directorate of Biological control, Bangalore, pp. 14.
- Sivepalan, P. 1999. Pest Management in tea. In: Global advances in tea science. Ed. N. K. Jain. Aravali books international (P) Ltd, New Delhi, pp 625-646.
- Smee, C. 1943. Report of Entomologist Zomba, Dep.Agric. Nyasaland. 11 pp.
- Stagg, G. V. and Millin, D. J. 1975. The nutritional and therapeutic value of tea. *J. Sci. Food. Agric.* **26**: 1430-1459.
- Sudhakaran, R. 2000. Studies on the tea mosquito bug, *Helopeltis theivora* Waterhouse (Hemiptera: Miridae), infesting tea in southern India. Ph. D. thesis, Bharathiar University, Coimbatore, India.
- Sudoj, V. 1985. The effect of rainfall and shade on the incidence of yellow tea thrips *Scirtothrips kenyensis* in Kenya. *Tea* **6** (2) : 7-12.
- Sudoj, V. 1987. Thrips: Their identification spatial distribution and bio-control agents with reference to the genus *Scirtothrips* shall- A review. *Tea* **8** (1): 33-36.
- Sylvester, E. S. 1962. Mechanisms of plant virus transmission by aphids. In: Biological Transmission of Disease Agents. Ed. K. Maramorosch, Academic press, New York, pp.11-31.

- Takagi, K. 1978. Trap for monitoring adult parasites of the tea pest. JARQ, 12 (2): 99-103.
- Takami, C; Shimotsukasa, A; Kobayashi, A.1990. Aroma component of pomfon oolong tea. Nipon-Nogeikaagaku-Kaishi 64 (8) : 1349-1354.
- Takeo, T. 1981. Production of linalool and geraniol by hydrolytic breakdown of bound forms in disrupted tea shoots. Phytochemistry 20 : 2145-2147.
- Takeo, T. 1983. Effect of clonal specificity of the monoterpene alcohol composition of tea shoots on black tea profile. JARQ 17 (2): 120-124.
- Takeo, T. 1984. Effect of the withering process on volatile compound formation during black tea manufacture. J. Sci. Food Agric. 35 : 81-87.
- Takeo, T. and Mahanta, P. K. 1983. Comparison of black tea aromas of orthodox and CTC Tea and of black teas made from different varieties. J. Sci. Food Agric. 34: 307-310.
- Tauber, M. J. and Tauber, C.A. 1983. Life history traits of *Chrysopa carnea* and *Chrysopa rufilabris* (Neuroptera: Chrysopidae): influence of humidity. Ann. Entomol. Soc. Am. 76: 282-285.
- Tauber, M. J. and Tauber, C.A. 1993. Adaptations to temporal variation in habitats: categorizing, predicting, and influencing their evolution in agroecosystems In: Evolution of Insect Pests. Eds. K. C. Kim and B. A. McPheron. John Wiley & Sons, NY, pp.103-127.
- Thaler, J. S. 1999. Jasmonate-inducible plant defenses cause increased parasitism of herbivores. Nature 399 (6737): 686-688.
- Thaler, J. S.; Stout, M. J.; Karban, R. and Duffey, S. S. 1996. Exogenous jasmonates simulate insect wounding in tomato plants (*Lycopersicon esculentum*) in the laboratory and field. Journal of Chemical Ecology 22 (10): 1767-1781.

- Thipyapong, P.; Hunt, M. D. and Steffens, J. C. 1995. Systemic wound induction of potato (*Solanum tuberosum*) polyphenols oxidase. *Phytochemistry* **40**(3): 673-676.
- Tietz, H. M. 1972. An index to the described life-histories, early stages and hosts of the macrolepidoptera of the continental U. S. and Canada. Vol. 1 & 2 Sarasota, Fla. Allyn press.
- Tulashvili, N. 1930. Observations on Pests of Tea and Citrus on the Bohem Coast during 1927-28. *MiH PflschAlt. Volkekom Landis, USSR, George* No. 1: 189-230.
- Turlings, T. C. J.; Tumlinson, J. H.; and Lewis, W. J. 1990. Exploitation of herbivore-induced plant odors by host-seeking parasitic wasps. *Science* **250**: 1251-1253.
- Ullah, M. R. 1972. A simplified spectrophotometric method for measuring theaflavins and thearubigins of black tea liquor. *Curr. Sci.* **41** : 422-423.
- Ullah, M. R. 1985. Aroma constituent of Assam and China hybrid teas and their manifestation during tea processing. *Two and A bud* **32**:60-62.
- Ullah, M. R. and Roy, P. C. 1982. Effect of withering on the polyphenol oxidase level in the tea leaf. *J. Sci. Fd. Agric.* **33**: 492-495.
- Uvarov, B. P. 1964. Problems of insect ecology in developing countries. *J. appl. Ecol.* **1** : 159-168.
- Van Emden, H. F. 1965. The role of uncultivated land in the biology of crop pests and beneficial insects. *Sci. Hortic.* **17**: 121-136.
- Van Emden, H. F. 1981. Wild plants in the ecology of insect pests. In "Pests, pathogen, and vegetation. Ed. J. M. Thresh. Pitman, London. pp 251-261.
- Varatharajan, R. and James Keisa, T. 2000. Bioecology and management of

- thrips. In: IPM System in Agriculture. Eds. R. K. Upadhyay, K. G. Mukherji and O. P. Dubey, Aditya Books Pvt. Ltd., New Delhi, India. Vol. 7 Key Animal Pests, pp. 219-234.
- Visser, J. H.; Piron, P. G. M. and Hardie, J. 1996. The aphids' peripheral perception of plant volatiles. *Entomol. Exp. Appl.* **80**: 35-38
- Visser, J. H. and Taanman, J. W. 1987. Odour-conditioned anemotaxis of apterous aphids (*Cryptomyzus korschchelti*) in response to host plants. *Physiol. Entomol.* **12**: 473-479.
- Weatherstone, J. 1992. Historical introduction. In: Tea Cultivation to Consumption. Eds. K. C. Willson and M. N. Clifford. Chapman & Hall. pp 6-8.
- Weeden, C. R., Shelton, A. M. and Hoffmann, M. P. 2001. Biological Control : A guide to Natural Enemies in North America, www.nysaes.comell.edu/ent/biocontrol.
- Wickremasinghe, R. L. 1974. Mechanism of operation of climatic factors in the biogenesis of tea flavour. *Phytochemistry* **13**: 2057-2063.
- Wickremasinghe, R. L.; Ekanayake, A.; Rajasingham, C. C.; De Silva, M. J. 1979. Changes in polyphenols, amino acids, and volatile compounds during fermentation and firing in orthodox processing of tea. *J. Natn. Sci. Coun. Sri Lanka.* **7** (1):5-9.
- Wickremasinghe, R. L.; Roberts, G. R. and Perera, B. P. M. 1967. The localization of the polyphenol oxidase of tea leaf. *Tea Quart.* **28**: 309.
- Wickremasinghe, R. L. and Swain, T. 1964. The flavour of black tea. *Chem. & Ind.* 1574-1575.
- Winz, R. A. and Baldwin, I. T. 2001. Molecular interactions between the specialist herbivore *Manduca sexta* (Lepidoptera, Sphingidae) and its

- natural host *Nicotiana attenuata*. IV. Insect-induced ethylene suppresses jasmonate-induced accumulation of nicotine biosynthesis transcripts. *Plant Physiol.* **125**: 2189-2202.
- Wood, D. J.; Bhatia, I. S.; Chakravarty, S.; Debchoudhury, M. N.; Deb, S. B.; Roberts, E. A. H. and Ullah, M. R. 1964. The chemical basis of quality in tea. *J. Sci. Food Afric.* **15**: 19-25.
- Wood, D. J. and Roberts, E. A. H. 1964. The chemical basis of quality in tea III. Correlations of analytical results with tea tasters' reports and valuations. *J. Sci. Food Agric.* **15**, 19-25.
- Wright, Bob. 1994. Know Your Friends: Minute Pirate Bugs, Midwest Biological Control News Online. Vol.I, No.1.
- Xie, Z. L. 1993 a. Investigation on the structure sequence of insect populations in the tea gardens of Guangdong Province (China). *Tea in Guandong 1*: 2-10.
- Xie, Z. L. 1993 b. Predation of *Chrysilla versicolor* spiders on tea leafhoppers. *Tea in Guandong 1*: 41-44.
- Yamanishi, T. 1995. Flavour of tea. In: *Food Review International II*. Ed. R. Teranishi, I. Hornstein. Marcel Dekker Inc. N. Y. pp. 477-506.
- Yamanishi, T. 1999. Tea flavour. In: *Global Advances in tea science*. Ed. N. K. Jain. Aravali Books International (P) Ltd., New Delhi. pp. 707-722.
- Yamanishi, T.; Kobayashi, A.; Nakamura, H.; Uchida, A.; Mori, S.; Osawa, S. and Sasakura, S. 1968. Flavour of black tea: Part V. Composition of aroma of various type of black tea. *Agric. Biol. Chem.* **32**, 379-386.
- Yang, Y.O.; Shah, J. and Klessig, D. F. 1997. Signal perception and transduction in defense responses. *Genes Dev.* **11**:1621-1639.
- Zhang, J. W.; Wang, Y. J. and Ren, J. S. 1992. Eco-control of the green leaf

hopper (Homoptera: *Empoasca vitis*) and rational use of pesticides.

Journal of tea science. **12** (2): 139-144.

Zhang, Y.; Zhang, J.; Yang, Y.; Huang, Y.; Wang, Y.; Zhang, Y.; Zhang, J.; Yang, Y.; Huang, Y. and Wang, Y. 1994. Survey of the germplasm resistance to insect pests and the investigation on the resistance mechanism. II. Analysis on the relationship between the anatomical and biochemical characters of the shoots and resistance to tea jassid. Tea-Communication, no.-2, 4-6. Tea Research Institute, Hunan Academy of Agricultural Sciences, Chansha, China.

Zimmerman, E.C. 1948. *Toxoptera aurantii* (Boyer de Fonscolombe). pp. 100.

In Insects of Hawaii. A Manual of the Insects of the Hawaiian Islands, including Enumeration of the Species and Notes on Their Origin, Distribution, Hosts, Parasites, etc. Volume 5. Homoptera: Sternorhyncha. 464 p.