

CONTENTS

CHAPTER	Page No.
I. INTRODUCTION	1
1.1. Location and Physiognomy	1
1.2. Early history of tea cultivation	1
1.3. Present scenario of tea cultivation	3
1.4. Growth habit of tea, the flushes and the harvest	4
1.5. Major sucking pests of tea in hill slopes	6
1.5.1. Common thrips – <i>Mycterothrips setiventris</i> Bagnall (Thripidae: Thysanoptera)	8
1.5.2. Greenfly – <i>Empoasca (=Amrasca) flavescens</i> (Cicadellidae: Homoptera)	12
1.5.3. Aphid - <i>Toxoptera aurantii</i> Boyer de Fons (Aphididae: Homoptera)	14
II. OBJECTIVE	17
2.1. To know the seasonal incidence of thrips, greenfly and aphid	17
2.2. To know the feeding and colonizing impact of thrips and greenfly	17
2.3. To study the natural enemies associated with pest-infested tea plantation	18
III. REVIEW OF LITERATURE	19
3.1. Population dynamics	19
3.1.1. Common thrips	20
3.1.2. Greenfly	23
3.1.3. Aphid	25
3.2. Alternate host	27

CHAPTER	Page No.
3.3. Natural enemies of tea pests	28
3.3.1. Common thrips	29
3.3.2. Greenfly	29
3.3.3. Aphid	29
3.4. Feeding impact	32
3.4.1. Greenfly	36
3.4.2. Thrips	38
3.5. Chemical characteristic of tea	41
3.5.1. Phenolic compounds	41
3.5.1.1. The flavanol or tannins	42
3.5.1.2. The flavonols	42
3.5.1.3. Anthocyanin	42
3.5.2. Non-polyphenolic compound	42
3.5.2.1. Caffeine	42
3.5.2.2. Carbohydrates	43
3.5.2.3. Protein and amino acids	43
3.5.2.4. Chlorophylls	44
3.5.3. Enzymes	44
3.6. Tea flavour and tea aroma precursors	45
3.6.1. Tea taste	45
3.6.1.1. Catechins and their derivatives	45
3.6.1.2. Caffeine	46
3.6.1.3. Amino acids	46

CHAPTER	Page No.
3.6.2. Tea aroma	47
IV. MATERIALS AND METHODS	51
4.1. Selection of sites and planting materials	51
4.2. Population dynamics	52
4.2.1. Identification of thrips species	52
4.2.2. Layout of the experimental plots & Sampling methods	53
4.3. Alternative hosts	55
4.4. Colonizing and feeding impact	55
4.4.1. Preparation of made tea samples	55
4.4.1.1. Withering	56
4.4.1.2. Rolling	57
4.4.1.3. Fermentation	57
4.4.1.4. Drying or firing	57
4.4.2. Organoleptic taste	58
4.4.3. Biochemical investigations	59
4.4.3.1. Estimation of individual catechin and caffeine	60
4.4.3.2. Estimation of Volatile Flavour Constituent (VFC)	61
4.5. Natural enemies	62
4.5.1. Survey by suction machine	62
4.5.2. Survey by manual search	63
4.5.3. Biological note and identification	63
4.6. Meteorological data	64
4.7. Laboratory facilities used	64

CHAPTER	Page No.
4.8 Identification of species	64
4.9. Photograph	65
4.10. Statistics used	65
V. RESULTS AND DISCUSSION	65
5.1. Population dynamics	66
5.1.1. Common thrips (<i>Mycterothrips setiventris</i> Bagnall)	66
5.1.1.1. Common thrips population (without pest control measure)	66
5.1.1.1.1. Seasonal fluctuation	66
5.1.1.1.2. Common thrips population Vs planting materials	69
5.1.1.1.3. Common thrips population Vs elevation	71
5.1.1.1.4. Influence of weather factors on common thrips	72
5.1.1.2. Common thrips population (with pest control measure)	76
5.1.2. Greenfly (<i>Empoasca flavescens</i> Fabr.)	77
5.1.2.1. Greenfly population (without pest control measure)	77
5.1.2.1.1. Seasonal fluctuation	77
5.1.2.1.2. Greenfly population Vs planting materials	79
5.1.2.1.3. Greenfly population Vs elevation	81
5.1.2.1.4. Influence of weather factors on greenfly	82
5.1.2.2. Greenfly population (with pest control measures)	84
5.1.3. Aphid (<i>Toxoptera aurantii</i> Boyer de Fons)	85
5.1.3.1. Aphid population (without pest control measure)	85
5.1.3.1.1. Seasonal fluctuation	85
5.1.3.1.2. Aphid population Vs planting materials and elevation.	86

CHAPTER	Page No.
5.1.3.1.3. Influence of weather factors on aphid	86
5.1.3.2. Aphid population (with pest control measure)	87
5.1.4. A comparison of the incidence of common thrips, greenfly and aphid	88
5.2. Alternate host	90
5.2.1. Common thrips	90
5.2.2. Green fly	91
5.2.2.1. <i>Camellia japonica</i>	91
5.2.2.2. <i>Ricinus communis</i>	92
5.2.2.3. <i>Priotropis cytisoides</i>	92
5.2.3. Aphid	92
5.2.3.1. <i>Citrus medica</i>	92
5.3. Studies on feeding impact on made tea	93
5.3.1. Organoleptic taste	93
5.3.2. Biochemical investigation	96
5.3.2.1. Feeding impact on Catechin	96
5.3.2.2. Feeding impact on Caffeine	99
5.3.2.3. Feeding impact on Volatile Flavour Constituent (VFC)	100
5.4. Natural enemies active in tea fields of Darjeeling hills	104
5.4.1. Population of natural enemies	104
5.4.1.1. Natural enemies vs elevation	104
5.4.1.2. Natural enemies vs farming system	105
5.4.2. Natural enemies recorded by manual search	106
5.4.3. Identification of natural enemies	106

CHAPTER	Page No.
5.4.4. Biological notes on natural enemies	107
5.4.4.1. Green lacewing	107
5.4.4.2. Brown lacewings	110
5.4.4.3. Lady Beetles	114
5.4.4.4. Minute pirate bug	117
5.4.4.5. Syrphid flies	119
5.4.4.6. Praying mantids	122
5.4.4.7. Spiders	124
5.4.4.8. Hymenopterous parasites	125
5.4.4.8.1. Ichneumonids	126
5.4.4.8.2. Braconids	126
5.4.4.8.3. Mymarids	127
5.4.4.8.4. Tiphids	128
VI. SUMMARY	129
VII. REFERENCES	138
VIII. APPENDIX (Detailed tables I to XIII)	