

# LIST OF TABLES

Table No.	Title
1.	Chemical composition of green tea shoots (Assam variety)
2.	Volatile flavour compounds with their odour in black tea.
3.	Characteristics of the planting materials (Singh, 1989)
4.	Analysis of variance and LSD test on of the population of Common thrips ( <i>M. setiventris</i> ) on two planting materials at mid and high elevation.
5.	Multiple linear regression model for Common thrips ( <i>M. setiventris</i> ) against weather parameters
6.	Simple linear regression matrix: Effect of individual abiotic factor on the incidence of Common thrips ( <i>M. setiventris</i> )
7.	Analysis of variance and LSD test on weekly population of Greenfly ( <i>E. flavescens</i> ) on two planting materials at mid and high elevation.
8.	Multiple linear regression model for Greenfly ( <i>E. flavescens</i> ) against weather parameters
9.	Simple linear regression matrix: Effect of individual abiotic factor on the incidence of Greenfly ( <i>E. flavescens</i> )
10.	Analysis of variance on weekly population of Aphid ( <i>T. aurantii</i> ) on two planting materials at mid and high elevation.
11.	Multiple linear regression model for Aphid ( <i>T. aurantii</i> ) against weather parameters
12.	Simple linear regression matrix: Effect of individual abiotic factor on the incidence of Aphid ( <i>T. aurantii</i> )
13.	Organoleptic taste on Common thrips infested and uninfested leaves.

**Table No.****Title**

14. Organoleptic taste on Greenfly infested and uninfested leaves.
15. HPLC analysis of residual Catechins and caffeine in black tea made from Common thrips infested and uninfested shoots (in % dry weight, average of four sets).
16. HPLC analysis of residual Catechins and caffeine in black orthodox tea made from Greenfly infested and uninfested shoots (in % dry weight, average of four sets)
17. Flavour constituents of orthodox made tea manufactured from Greenfly infested and uninfested tea shoots (Amounts in ratio of the peak area with "Internal Standard")
18. Flavour constituents of orthodox made tea manufactured from Thrips infested and uninfested tea shoots (Amounts in ratio of the peak area with "Internal Standard')
19. Population of natural enemies (#) collected by vacuum suction machine
20. Population of natural enemies (#) in bio-organic Vs conventional gardens (irrespective of elevations)
21. Classification of natural enemies of tea pests commonly recorded from tea bushes at the elevations of Darjeeling.

# LIST OF FIGURES

- | Figure No. | Title   |
|------------|---|
| 1.         | a. Tea shoot severely infested by thrips, b. Sand papery line   |
| 2.         | Diagrammatic representation of life cycle of thrips   |
| 3.         | Common thrips (Female)  |
| 4.         | Tea shoot infested by greenfly  |
| 5.         | a. Greenfly adult, b. Greenfly nymph  |
| 6.         | Tea shoot infested by aphids (inset-close up of aphids)   |
| 7.         | a. A bush of china seed <i>jat</i> , b. A bush of T 78 clone  |
| 8.         | Miniature manufacturing factory at TRA, CPS, Ging   |
| 9.         | Weekly changes in population of <i>M. setiventris</i> (Mean + SE of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at mid elevation with average weather data    |
| 10.        | Weekly changes in population of <i>M. setiventris</i> (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at mid elevation with average weather data                  |
| 11.        | Weekly changes in population of <i>M. setiventris</i> (Mean + SE of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at high elevation with average weather data   |
| 12.        | Weekly changes in population of <i>M. setiventris</i> (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at high elevation with average weather data                 |
| 13.        | Weekly changes in population of common thrips ( <i>M. setiventris</i> ) (Mean of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea and clone T 78 at high elevation |
| 14.        | Weekly changes in population of common thrips ( <i>M. setiventris</i> ) (Mean of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea and clone T 78 at mid elevation  |
| 15.        | Weekly changes in population of common thrips ( <i>M. setiventris</i> ) (Mean of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at mid and high elevations       |

**Figure No.****Title**

16. Weekly changes in population of common thrips (*M. setiventris*) (Mean of 3 yrs, 1999-2001) on tea clone T 78 at mid and high elevations
17. Weekly changes in population of *M. setiventris* (Mean + SE of 3 yrs, 1999-2001) at different situations with pest control measures
18. Weekly changes in population of *E. flavescens* (Mean + SE of 3 yrs, 1999-2001) on china seed *jat* of tea at mid elevation with average weather data
19. Weekly changes in population of *E. flavescens* (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at mid elevation with average weather data.
20. Weekly changes in population of *E. flavescens* (Mean + SE of 3 yrs, 1999-2001) on china seed *jat* of tea at high elevation with average weather data
21. Weekly changes in population of *E. flavescens* (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at high elevation with average weather data
22. Weekly changes in population of Greenfly (*E. flavescens*) (Mean of 3 yrs, 1999-2001) on china seed *jat* and clone T 78 at high elevation
23. Weekly changes in population of Greenfly (*E. flavescens*) (Mean of 3 yrs, 1999-2001) on china seed *jat* and clone T 78 at mid elevation
24. Weekly changes in population of Greenfly (*E. flavescens*) (Mean of 3 yrs, 1999-2001) on china seed *jat* at mid and high elevations
25. Weekly changes in population of Greenfly (*E. flavescens*) (Mean of 3 yrs, 1999 to 2001) on tea clone T 78 at mid and high elevations
26. Weekly changes in population of *E. flavescens* (Mean + SE of 3 yrs, 1999-2001) at different situations with pest control measures

Figure No.	Title
27.	Weekly changes in population <i>T. aurantii</i> (Mean + SE of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at mid elevation with average weather data
28.	Weekly changes in population of <i>T. aurantii</i> (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at mid elevation with average weather data
29.	Weekly changes in population of <i>T. aurantii</i> (Mean + SE of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at high elevation with average weather data
30.	Weekly changes in population of <i>T. aurantii</i> (Mean + SE of 3 yrs, 1999-2001) on tea clone T 78 at high elevation with average weather data
31.	Weekly changes in population of <i>T. aurantii</i> (Mean + SE of 3 yrs, 1999-2001) at different situations with pest control measures
32.	A comparison of weekly changes in population of <i>M. setiventris</i> , <i>E. flavescens</i> and <i>T. aurantii</i> (Mean of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at mid elevation
33.	A comparison of weekly changes in population of <i>M. setiventris</i> , <i>E. flavescens</i> and <i>T. aurantii</i> (Mean of 3 yrs, 1999-2001) on tea clone T 78 at mid elevation
34.	A comparison of Weekly changes in population of <i>M. setiventris</i> , <i>E. flavescens</i> and <i>T. aurantii</i> (Mean of 3 yrs, 1999-2001) on china seed <i>jat</i> of tea at high elevation
35.	A comparison of weekly changes in population of <i>M. setiventris</i> , <i>E. flavescens</i> and <i>T. aurantii</i> (Mean of 3 yrs, 1999-2001) on tea clone T 78 at high elevation
36.	<i>Camellia japonica</i> infested by greenfly (Inset: A close up view)
37.	A typical VFC profile of a made tea sample analyzed for VFC by GC
38.	<i>Chrysoperla carnea</i> adult

**Figure No.****Title**

- 39. *Micromus timidus* adult
- 40. Lady beetle adults feeding on aphids
- 41. *Orius* sp. adult (dorsal & ventral view)
- 42. Syrphid fly larva feeding on aphids (inset- close up view)
- 43. Praying mantid (Nymph)
- 44. Spider species a, b, & c
- 45. *Apophua* sp. adult
- 46. *Cotesia* sp. adult
- 47. *Polynema dhenkunda* adult
- 48. Tiphid adult