

# Subject index

---

- Abdominal pain, 11-13, 21  
Acetylmethylcarbinol, 35, 36, 51, 52  
Acrylamide, 29, 41  
Adai, 7  
Additive, 76  
Aerobic plate count, 23  
Aerobic sporeformer, 11, 33, 34  
Agar-spot assay, 68, 80  
Amino acid, 1, 7, 8, 10, 12  
Aminoglycoside, 61, 75  
Ampicillin, 12, 18, 19, 60, 75  
Amriti, 4, 5, 45-50, 55, 58, 59, 61-63, 72-74  
Amylase, 39, 62, 76, 83  
Anaerobe, 14, 20  
Anaerobic sporeformer, 34  
AnaeroHiGas pack, 34, 51  
Analysis of variance, 44  
Ang-kak, 7  
Antagonistic activity, 5, 41, 67, 80  
Antibiogram, 5, 12  
Antibiotics, 12, 14, 19, 21, 61, 75, 83  
Antimicrobial, 5, 7, 16, 19, 31, 38, 60, 61, 75-77, 83  
Antimicrobial resistance, 76, 83  
Antimicrobial susceptibility, 38  
Antimicrobial susceptibility test disc, 31, 38  
Antiprotozoal drug, 75  
Appertization, 11, 76  
Ash, 10  
ATCC, 14, 25  
Autofermentation, 71, 79  
 $A_w$ , 11, 13-15, 18, 19, 77, 80  
Awaze, 24

- Ayib, 24  
 B-vitamin, 1, 10  
*Bacillus amyloliquefaciens*, 8  
*Bacillus (B.) cereus*, 3, 10-13, 21-24, 34, 39, 40, 42, 47, 51, 55, 58, 59, 61, 62, 64-71, 73-80, 83  
*Bacillus (B.) cereus* selective agar, 25, 34, 51  
*Bacillus peptonificans*, 10  
 Bacitracin, 31, 60, 75  
 Backslop, 8, 9  
 Bacteriocin, 80, 81  
 Bagoong, 7  
 Baird-Parker medium, 26, 34  
 Bakery food, 77  
 Baking, 76  
 Banku, 7  
 Bara, 23  
 Basi, 7  
 Batatawada, 23  
 Batter, 3, 4, 7-9, 12, 24, 33, 42, 46, 67-70, 72, 74, 78-80, 83  
 Beer, 7  
 Bengalgram, 5, 7, 42, 46, 74  
 Benzene derivative, 61, 75  
 Benzoic acid, 5, 12, 18, 40, 41, 63-66, 77, 78, 83  
 Beverage, 2, 79  
 BGGB, 26, 37, 53  
 Bhat bajraka, 2  
 Bismuth sulphite agar, 26, 34, 53, 55  
 Blackgram, 5, 8-10, 42, 74, 80  
 Boiling, 16, 26, 76  
 Bongkrek, 7  
 Boza, 23  
 Brain heart infusion, 15, 26, 39, 41, 76, 83  
 Bread, 2, 7  
 Breakfast, 4  
 Brilliant green bile broth, 26, 37, 53  
 Buffered peptone water, 29, 34  
 Buttermilk, 9  
 Canada, 22  
*Candida kefyr*, 8  
*Candida krusei*, 10  
*Candida sakei*, 9  
 Carbenicillin, 12, 31, 60, 75  
 Carbohydrate, 2  
 Carbon dioxide, 9, 33, 80, 81  
*Carica papaya*, 23  
 CCP, 4, 74, 83  
 Cephalothin, 12, 18, 19, 31, 60, 75  
 Cereal, 1, 3, 7, 9, 21, 22  
 Cereal-legume, 3, 4, 7  
 Cerulide, 12  
 Cfu, 13, 22-24, 33, 39, 55, 58, 59, 61, 68-71, 73, 74, 79, 80, 82  
 Challenge study, 42, 83  
 Channa, 23  
 Cheese, 7, 77  
 Chennai, 30  
 Chilly, 45, 73  
 Chloramphenicol, 12, 16, 18, 19, 31, 60, 75  
 Christian, 2  
*Cicer arietinum*, 7  
 Ciprofloxacin, 12, 19, 31, 60, 75  
*Clostridium perfringens*, 3, 13-15, 22, 25, 34, 35, 47, 51, 52, 55, 58, 83  
 Cloxacillin, 31, 60, 75  
 Cluster, 41, 66-68, 78  
 Coagulase, 36, 52, 53  
 Coagulase mannitol broth base, 26, 36  
 Coconut, 45, 73  
 Coliform, 17, 22, 23, 37, 47, 53, 54, 58, 59, 74, 82, 83  
 Combined effect, 40, 41, 65  
 Condiment, 23, 24  
 Contamination, 3, 4, 6, 7, 13, 14, 16, 17, 21, 22, 72-74, 76  
 Cooked meat medium, 26, 35, 51, 52  
 Cooking, 2, 4, 6, 10, 13, 14, 16, 20, 76, 79, 83  
 Cool pocket, 73, 79, 80  
 Coomassie brilliant blue, 29, 41  
 Correlation coefficient, 61, 76, 78  
 Country-cured ham, 7  
 Crystal violet, 30, 43  
 Culture, 23-25, 34-43, 52  
 Curry, 9, 73  
 Cyanogenic glucoside, 2  
 Dadhanvat, 2  
 Dahi, 2, 7  
 Dal, 5, 7-10, 42  
 Dairy, 2, 7, 24  
 Dal, 5, 7-10, 42  
 Datta, 24  
 Dawadawa, 7  
*Debaryomyces hansenii*, 8, 79  
 Decarboxylation/ deamination of lysine, 38  
 Decimal reduction time, 11, 61, 76  
 Delicacy, 72, 81, 82  
 Dendrogram, 41, 67, 68  
 Denmark, 22  
 Dhokla, 4, 5, 7, 42, 45-49, 55, 58, 59, 61-63, 67-70, 72-74, 78, 79, 82, 83  
 Diarrhoea, 10-14, 16-20, 21  
 Diet, 2, 3, 72, 82  
 Disc agar diffusion method, 38  
 Diversity, 5, 9, 18, 78, 83  
 DNase, 36, 53  
 DNase test agar, 26, 36, 53  
 Dosa, 2, 4, 5, 7, 8, 45-50, 55, 58, 59, 61-63, 67, 72-74, 78, 82  
 Double, 23  
 Dough, 2, 4, 9, 10, 24, 42, 43, 70, 71, 74, 80, 83  
 Drying, 6, 24, 33, 38, 42, 43, 70-72, 74, 75, 77, 80, 83  
 D-value, 11, 12, 14, 17, 39, 61, 73, 76, 83  
 $E_p$ , 14, 15  
 EHEC, 17  
 EIEC, 17  
 Electrophoresis, 41  
 Emesis, 12  
 Emetic toxin, 12  
 Endospore, 4, 11, 35, 43, 51, 79, 80, 83  
 England, 13-15, 22, 30  
*Enterobacter*, 8, 17  
 Enterobacteriaceae, 16, 17, 20, 22, 34, 36, 37, 47, 53, 54, 58, 59, 61, 74, 75, 82, 83  
*Enterococcus faecalis*, 8, 79  
 Enterohaemorrhagic *E. coli*, 17

- Enteroinvasive *E. coli*, 17  
 Enteropathogenic *E. coli*, 17, 18  
 Enterotoxigenic *E. coli*, 17, 18  
 Enterotoxin, 12-15, 21, 22, 24, 73  
 EPEC, 17, 18  
 Ergo, 24  
 Erythromycin, 12, 19, 32, 60, 75  
*Escherichia (E.) coli*, 3, 17, 18, 22-25, 34, 37, 39, 40, 42, 47, 53, 54, 58, 59, 62, 63, 68-71, 74, 76, 79, 80, 82, 83  
 ETEC, 17, 18  
 Exotoxin, 16  
 Extracellular enzyme, 5, 39, 62, 76  
 Faecal coliform, 17, 37, 47, 53, 54, 58, 59, 74, 82, 83  
 Faecal contamination, 17, 74  
 Faecal origin, 17  
 Fermentation, 2-10, 23, 24, 35, 36, 38, 41-43, 52, 68-72, 78-81  
 Fermented food, 2-5, 7, 9, 22, 32, 45, 46, 49, 55, 58, 60, 72-74, 76-79, 81-83  
 Fever, 18-21  
 Finland, 22  
 Fish, 7, 20, 79  
*Flavobacter*, 10  
 Flavour, 2, 3, 8, 9, 79  
 Fluid selenite cystine medium, 26, 34  
 Fluid thioglycolate medium, 26, 36  
 Foodborne disease, 13, 16, 21, 22  
 Foodborne illness, 3, 4, 7, 12, 20, 21  
 Food poisoning, 3, 10-16, 22, 73  
 Food spoilage, 76, 83  
 Fortified nutrient agar, 26, 38  
 Free fatty acid, 10  
 Fruit, 2, 7, 17  
 Gari, 3, 7  
 Gas gangrene, 13, 14  
 Gastritis, 75  
 Gastroenteritis, 11, 13, 15, 17, 18, 75, 79, 80  
 Gelatin liquefaction, 36, 52  
 Generally recognized as safe, 77  
 Gentamicin, 12, 18, 19  
 GHP, 81  
 Glacial acetic acid, 29, 30, 41  
 Glucose fermentation, 35, 37, 54  
 Glycerol, 31  
*Glycine max*, 9  
 GMP, 81  
 Goitrogenic factor, 2  
 Gundruk, 7  
 Hood hygienic practice, 81  
 Good manufacturing practice, 81  
 Gram reaction, 43  
 GRAS, 77  
 Greengram, 9  
*Guehomyces pullulans*, 8  
 Haat, 47  
 HACCP, 4, 81  
 Haemagglutinin, 2, 9  
 Halotolerant, 77  
 Hazard, 4, 5, 73-75, 81, 82  
 Hazard analysis and critical control points, 4, 81  
 Headach, 20, 21  
 Health, 1, 2-5, 11, 17, 21, 73-75, 77, 82, 83  
 Hinduism, 21  
 Hoke's experimental design, 64  
 Homogeneous, 78  
 Hotel, 4, 9  
 Hurdle, 40, 41, 64, 66, 78  
 Hydrogen, 9  
 Hydrogen sulphide, 18, 38  
 Hygiene, 4, 6, 16, 18, 20, 21, 72-74, 82  
 Iceland, 22  
 ICMSF, 17, 74  
 Idli, 2, 4, 5, 7-9, 21, 42, 45, 46-50, 55, 58, 59, 61-64, 67-70, 72-74, 78-80, 82, 83  
 Illness, 3, 4, 7, 11-13, 18, 20, 21, 73  
 IMF, 80  
 India, 1-4, 6-10, 22, 25, 31, 33, 38, 39-42, 45, 46, 82  
 Indicator organism, 70, 79, 80  
 Indole production, 37, 38, 56, 57  
 Infective dose, 13, 21  
 Inhibition zone, 41  
 Inoculation, 40-43, 70, 71, 83  
 Inoculum, 9, 24, 38  
 Intentional inoculation, 41, 70, 83  
 Intoxication, 2, 3, 13, 15, 22  
 Inyu, 7  
 Iodine, 30, 39, 43  
 Islam, 21  
 Isolate, 5, 11, 12, 14-16, 18, 19, 22, 34-39, 42, 43, 50-54, 56-58, 61-63, 67, 75-79, 82, 83  
 Izushi, 7  
 Jalebi, 5  
 Japan, 2, 22, 35  
 Kali, 2  
 Kanamycin, 19, 32, 60, 75  
 Kanji, 7  
 Katsuobushi, 7  
 Kefir, 7  
 Kenkey, 7  
 Kimchi, 7  
 Kinema, 7, 22, 73, 74  
 Kisk, 7  
*Kluyveromyces marxianus*, 8  
 Kolkata, 23, 46, 49, 50  
 Kombucha, 7  
 Koumiss, 7  
 $\beta$ -lactam, 16, 61, 75  
 Lactic acid, 4, 8, 24, 70  
 Lactic acid bacteria, 3, 5, 7-10, 23, 24, 43, 67-71, 78-80  
*Lactobacillus delbrueckii*, 7  
*Lactobacillus fermentum*, 7, 79  
*Lactococcus lactis*, 7  
 Lactose fermentation, 36, 37  
 Lactose gelatin medium, 27, 36  
 Lao-chao, 7  
 Lassi, 7  
 Leavening, 3, 8-10, 79  
 Legume, 1, 3-5, 7, 22, 32, 45, 46, 72, 73, 78, 79, 81-83  
*Lens culinaris*, 9  
 Lentil, 9  
*Leuconostoc mesenteroides*, 7, 79  
 Lipase, 12, 39, 62, 76, 83  
 Lysine iron agar, 27, 38, 53, 55-57  
 Macrolide, 16, 61, 75  
 Mageu, 23, 79

- Mannitol fermentation, 36, 53  
 Margarine, 77  
 Market, 5, 21-23, 42, 46, 47  
 Mawè, 7  
 Meal, 2, 4, 5, 9  
 Meat, 4, 7, 14-16, 20  
 Meitauza, 7  
 Mesophilic bacterial spores, 33, 47, 55, 58, 59, 61, 73  
 Mesu, 7  
 Methanol, 29  
 Metronidazole, 60, 75  
 Miang, 7  
 MIC, 18, 39, 63, 64, 83  
 Microbiota, 7-10, 58, 68, 70, 73, 79  
 Micro-organism, 2-4, 7-9, 11, 18, 21, 22, 77, 78, 82, 83  
 Milk agar, 27, 39  
 Mineral, 1, 2  
 Minimal inhibitory concentration, 18, 39, 63, 64, 83  
 Minimally processed food, 4  
 Miso, 2, 7  
 Moisture, 10, 24, 32, 33, 55, 58, 70-73, 80  
 Motility, 35, 36, 38, 43, 51-53  
 Motility nitrate medium, buffered, 27, 36  
 MRA, 4  
 MR-VP, 27  
 MTCC, 25  
 Mucilaginous paste, 8, 42  
 Mueller Hinton agar, 27  
 Multiple-antibiotic, 14  
 Mumbai, 23, 25, 38, 40  
*Murraya koenigii*, 73  
 Nalidixic acid, 19, 32, 60, 75  
 Natto, 7  
 Nausea, 12, 13, 16, 19, 20  
 Nem, 7  
 Netherlands, 22, 25  
 Nham, 7  
 Nisaplin, 30, 40  
 Nisin, 5, 12, 13, 15, 30, 40, 63-66, 77, 78, 83  
 Nitrate broth, 35  
 Nitrate reagent, 30, 35, 36  
 Nitrate reduction, 35, 36, 38, 51, 52, 56, 57  
 Nitro-imidazole, 61, 75  
 Norfloxacin, 19  
 Norway, 12, 22  
 Nutrient agar, 34, 35, 38-43, 63, 83  
 Nutrient broth, 19, 28, 35, 36, 39-41, 62, 65  
 Nutrition, 3, 21, 82  
 Nutritional value, 2, 9, 79  
 O-antigen, 20  
 Ogi, 7  
*Oosporidium margaritifera*, 8  
*Oryza sativa*, 7  
 Outbreak, 10, 12, 13, 22  
 Oxidase, 15-18, 20, 37, 53, 54  
 Oxidase disc, 37  
 Pancake, 5, 8, 45  
 Panir, 2  
 Papad, 4, 5, 7, 10, 45-50, 55, 58, 59, 61-64, 68, 72-75, 78, 82  
 Papad khar, 9  
 Papaya, 23  
 Pasteurization, 18, 20, 76  
 Pathogen, 3-5, 7, 10, 13, 17-24, 50, 58, 67, 69, 70, 72-74, 76-81  
 Patra, 23  
*Pediococcus cerevisiae*, 8  
*Pediococcus dextranicus*, 79  
 Penicillin, 12, 32, 60, 75  
 Pepperoni, 7  
 Peptide, 75  
 Peptone physiological saline, 30  
 Perfringens agar, 28, 33, 34, 51, 52  
 Periodic market, 47  
 pH, 4, 5, 7-15, 17-20, 23-31, 33, 39-41, 55, 58, 62-66, 68-71, 76-80, 83  
*Phaseolus vulgaris*, 9  
 Phenolphthalein, 30, 33  
 Phosphatidylcholine, 12  
 Phosphatidylinositol, 12  
 Phospholipase, 12  
 Phospholipid, 12  
 Phytate, 2  
*Pichia anomala*, 8, 79  
*Pichia membranefaciens*, 10  
*Pichia silvicola*, 7  
 Pickle, 7  
 Pickling, 23  
 Plate count agar, 28, 33, 73  
 Pollution, 4, 17  
 Polyene, 16  
 Polymixin, 12, 16, 26, 28, 32, 60, 75  
 Porridge, 23, 24  
 Potable water, 4  
 Poultry, 4, 19, 20  
 Pre-enrichment, 34  
 Preservation, 2, 6, 23, 77, 78  
 Protease, 16, 76, 83  
 Protein, 1, 3, 7-10, 12, 14, 16, 24, 75  
 Proteolysis, 12  
 Pulse, 1, 9, 21, 22, 72  
 Punjab, 2, 10  
 Purple agar, 28, 37  
 Quality, 2, 3, 5-8, 17, 20, 22, 23, 45, 55, 61, 74, 76, 78-80, 82, 83  
 Quinolone, 61, 75  
 Rabdi, 2  
 Raffinose fermentation, 36, 52  
 Raffinose gelatin medium, 28, 36  
 Rappaport-Vassiliadis medium, 28, 34  
 Rasgulla, 2  
 Raw material, 1-4, 7-9, 16, 22, 74, 76, 79, 80, 83  
 Ready-to-eat, 5, 21, 23, 45, 74  
 Redgram, 9  
 Restaurant, 4, 14, 32, 45  
 Retail outlet, 32, 45, 82  
 Rice, 2, 3, 7, 8, 10-13, 22, 42, 46, 72, 74  
 Rifampicin, 12, 19, 32, 60, 75  
 RTE, 5, 21, 23, 45, 74  
*Saccharomyces cerevisiae*, 8, 79  
 Safety, 3, 4, 6, 7, 13, 17, 22, 74, 75, 77, 78  
 Safranine, 30, 43  
 Salami, 7  
*Salmonella*, 3, 17-20, 22, 23, 25, 34, 37, 38-41, 47, 53, 56-58, 61-65, 67, 68, 74-76, 78, 82, 83  
*Salmonellae*, 18-20

- Salmonellosis, 19, 20  
 Salt, 8, 9, 17, 20, 42, 46, 77  
 Saltwort, 9  
 Samosa, 23  
 Sampling, 5, 32, 42, 43, 45, 46, 49  
 Saponin, 2  
 Sausage, 13, 15, 24, 79  
 Scotland, 14  
 SDS, 31, 41  
 SDS-PAGE, 66, 68  
 Selective media, 5, 17, 50  
 SEM, 44  
 Semi-log scale, 39  
 Sewage, 4, 18, 20, 21  
 Shelf-life, 3, 5, 12  
*Shigella*, 3, 16, 17, 20, 21, 23-25, 34, 37, 47, 53, 55, 56, 74, 83  
 Shigellae, 20, 21  
 Shigellosis, 21  
 Sinki, 7  
 Skimmed milk, 76  
 Slurry, 33, 42  
 Smoking, 6  
 Sodium chloride, 5, 13, 15, 19, 20, 39-41, 63-66, 77, 78, 83  
 Som-fak, 7  
 Sorbic acid, 5, 12, 13, 15, 18, 19, 40, 63, 77, 83  
 Sourdough, 2  
 Sourkraut, 7  
 South-east Asia, 3  
 Soya bean, 9, 11, 22, 23, 24  
 Soy sauce, 7  
 Sphingomyelinase, 12  
 Spice, 9, 10, 12, 23, 45, 73, 75  
 Spoilage, 21, 73, 76, 83  
 Sporeformers, 5, 11, 33, 34, 38, 61, 76, 77  
 Spot-on-the-lawn method, 41  
 Stability, 75, 77, 78  
 Staphylococci, 15, 16, 22, 23  
 Starter, 8, 23, 24, 80, 81  
*Staphylococcus (S.) aureus*, 3, 15, 16, 22-24, 25, 34, 36, 39, 40, 42, 47, 52, 53, 55, 58, 59, 61-63, 68-71, 74, 76, 77, 79-83  
 Starch agar, 28, 39  
 Stomach cramp, 10, 16  
 Storage, 2, 4, 16, 17, 24, 52, 74  
 Streptomycin, 12, 18, 19, 32, 44, 60  
 Subcluster, 66-68  
 Sufu, 7, 22, 73  
 Sulfonamide, 18  
 Sun drying, 6  
 Survivor curve, 12, 61  
 Syndrome, 11-13  
 TAMB, 33, 47, 55, 58, 59, 68-71, 73, 74, 80  
 Taoco, 7  
 Tarhana, 7  
 Tempe, 3, 7, 22-24, 73  
 Tetracycline, 18, 19, 32, 60, 61, 75  
 Thermal inactivation, 5, 38, 61, 76  
 Thermal resistance, 11  
 Thermostable DNase, 36, 53  
 Tiffin, 4, 8  
 Titratable acidity, 7, 33, 69, 70, 79, 80  
 Total aerobic mesophilic bacteria, 33, 47, 55, 58, 59, 68-71, 73, 74, 80  
 Toxin, 12, 15, 16, 73  
 Traditional, 3-5, 10, 22, 24, 32, 45, 46, 58, 72, 77, 80-83  
 Tributyrin, 28, 39  
*Trichosporon (T.) cutaneum*, 8, 79  
*Trichosporon (T.) pullulans*, 79  
 Trimethoprim, 12, 18, 19, 60, 61, 75  
 Triple sugar iron agar, 28, 38, 53, 55-57  
 Trypsin inhibitor, 2  
 Tryptone soya agar, 29, 34, 35  
 Tryptone soya broth, 29, 38  
 Tryptone water, 29, 37  
 TSA-VRBGA, 53, 54  
 TSI agar, 28, 38, 53, 55-57  
 Typhoid bacilli, 18  
 Ugba, 7  
 UK, 13, 15, 16, 33  
 Unweighted pair group method using arithmetic averages, 41, 67, 68  
 UPGMA, 41, 67, 68  
 USA, 14, 15, 19, 20, 22  
 Vada, 7  
 Vancomycin, 12, 19, 32, 60, 75  
 Vegetable, 7, 10, 12, 17, 47  
*Vibrio cholerae*, 23  
*Vigna radiata*, 9  
 Vinegar, 7  
 Violet red bile glucose agar without lactose, 29, 34  
 Voges-Proskauer (VP) reaction, 27, 29, 35, 36, 51, 53  
 Vomiting, 10, 12, 13, 16, 17, 19, 20  
 Wadi, 4, 5, 7, 10, 22, 33, 42, 45, 47-50, 55, 58, 59, 61-64, 67, 68, 70, 71, 73-75, 78, 80, 82, 83  
 Wales, 14, 15, 22  
 Water activity, 11, 13-15, 18, 19, 77, 80  
 WCPF, 41, 67, 78, 83  
 Well-assay plate method, 39  
 West Bengal, 4, 5, 45, 46, 49, 82  
 WHO, 3, 21  
 Whole-cell protein fingerprinting, 41, 67, 78, 83  
 Wine, 7  
 Yeast, 3, 7-10, 23, 43, 68, 69, 71, 79, 80  
 Yeast malt agar, 29, 43  
 Yogurt, 7  
 z-value, 11, 14