References

Agarwal, D.K., Gangopadhyay, S. and Sarbhoy, A.K. (1973). Effect of temperature on the charcoal rot disease of soybean. ***Indian Phytopath.*** **26** : 587

Agnelon, M. and Dunez, J. (1984). Immunoenzymatic techniques for the detection of *Phoma exigua* in infeced potato tissues. ***Ann. Appl. Biol.*** **105** : 463 - 469.

Akhtar, M. and Garraway., M.O. (1990). Effect of sodium bisulfite on peroxidase activity and electrolyte leakage in maize in relation to sporulation of *Bipolaris maydis* Race T. ***Ohio J. Sci.*** **3** : 71 - 76

Alba, A.P.C. and DeVay, J.E. (1985). Detection of cross reactive antigens between *Phytophthora infestans* (Mont.) de Bary and *Solanum* species by indirect enzyme linked immunosorbent assay. ***Phytopathology*** **112** : 97 - 104

Alba, A.P.C., Guzzo, S.D., Mahlow, M.F.P. and Moraes, W.B.C. (1983). Common antigens in extracts of *Hemileia vastarix* Berk. et Br. urediniospores and *Coffea arabica* L. leaves and roots. ***Fitopathol. Brasiliera*** **8** : 473 - 483

Amouzon - Alladaye, E., Dunez, J. and Clerjean, M. (1988). Immunoenzymatic detection of *Phytophthora fragariae* in infected strawberry plants, ***Phytopathology*** **78** : 1022 - 1026

Antonova, T.S., Terborg, S.J. (1996). The role of peroxidase in the resistance of sunflower against *Orobanche cumana* in Russia. ***Weed Res.*** **36** : 113 - 121

Arie, T., Namba, S., Yamashita, S. and Doi, Y. (1988). Detection of resting spores of *Plasmodiophora bassicae* Woron. from soil and root by fluorescent antibody technique. ***Phytopathol. Soc. of Japan*** **54** : 242 - 245

Avazkhodjaev, M.H., Zeltser, S.S., Nuritdinova, H.V. and Dani, G.R. (1995). Phytoalexins as a factor in the wilt resistance of cotton. In **Handbook of Phytoalexin Metabolism and Action.** (Eds. M. Daniel and R.P. Pukayastha). Marcel Dekker, Inc. pp. 129 - 160

Benhoff, A., Loyal, R., Ebel, J. and Grisebach, H. (1986). Race : cultivar - specific induction of enzymes related to phytoalexin biosynthesis in soybean roots following infection with *Phytophthora megasperma* f.sp. *glycinea*. ***Arch. Biochem. Biophys.*** **246** : 149 - 154

Benson, D.M. (1991). Detection of *Phyophthora cinnamomi* in azalea with commercial serological assay kit. ***Plant Dis.*** **75** : 478 - 482.

Bertagnolli, B.L., Dalsoglio, F.K. and Sinclair, J.B. (1996). Extra cellular enzyme profiles of the fungal pathogen *Rhizoctonia solani* isolate 2B - 12 and of two antagonists, *Bacillus megatarium* strain B 153 - 2 -2 and *Trichoderma harzianum* isolate Th 008 .1. Possible correlations with inhibition of growth and biocontrol. ***Physiol. Mol. Plant Pathol.*** **48** : 145 - 160

Bhattacharyya, M.K. and Ward, E.W.B. (1985). Differential sensitivity of *Phytophthora megasperma* f.sp. *glycinea* isolates to glyceollin isomers. ***Physiol. Plant Pathol.*** **27** : 299

Bhattacharyya, M.K. and Ward, E.W.B. (1986). Resistance, susceptibility and accumulation of glyceollins I - III in soybean organs inoculated with *Phytophthora megasperma* f.sp. *glycinea*. ***Physiol .Mol. Plant Pathol.*** **29** : 227 - 23

Bhattacharyya, M.K. and Ward, E.W.B. (1987). Biosynthesis and metabolism of glyceollin I in soybean hypocotyls following wounding or inoculation with *Phytophthora megasperma* f. sp. *glycinea*. ***Physiol .Mol. Plant Pathol.*** **31** : 387 - 405

Bhattacharyya, M.K. and Ward, E.W.B. (1987a). Temparature induced susceptibility of soybeans to *Phytophthora megasperma* f.sp. *glycinea* : Phenylalanine ammonia-lyase and glyceollin in the host growth and glyceollin I sensitivity of the pathogen. ***Physiol. Mol. Plant Pathol,*** **31**, 407 - 419

Bhattacharyya, M.K. and Ward, E.W.B. (1988). Phenylalanine ammonia lyase activity in soybean hypocotyls and leaves following infection with *Phytophthora megasperma* f.sp. *glycinea*. ***Can. J. Bot.*** **66** : 18 - 23

Bollman, J. and Klaus, H. (1990). Timing of changes in protein synthesis pattern in elicetor treated cell suspension cultures of Parsley *(Petroselinum crispum)*, ***Z. Natur. far Sch Sect. Biosci.* 45** : 1011 - 1020.

Bowen, J.K., Peart, J., Lewis, B.G., Cooper, C. and Matthews, P. (1996). Development of monoclonal antibodies against the fungi of the '*Ascochyta* complex'. ***Plant Pathol.* 45** : 393 - 406

Brill, L.M., McClary, R.D. and Sinclair, J.B. (1994). Analysis of two ELISA formats and antigen preparations using poly clonal antibodies against *Phomopsis longicolla*. ***Phytopathology* 84** : 173 - 179

Bryngelsson, T., Gustafsson, M., Leal, M.R. and Bartonek, E. (1988). Induction of Pathogenesis - related Proteins in Barley during the Resistance Reaction to Mildew ***J.Phytopathol.* 123** : 193 - 198

Bryngelsson, T. and Green, B. (1989). Characterization of a pathogenesis - related, thaumatin like protein isolated from barley challenged with an incompatible race of mildew. ***Physiol. Mol. Plant Pathol.* 35** : 45 - 52

Callow, J.A. (1982). Molecular aspects of fungal infection. In **The molecular biology of plant development** (Eds. H. Smith, D. Grierson) Blackwell, Oxford, pp 467 - 497

Callow, J.A. (1983). Biochemical Plant Pathology (Ed.). Wiley, New York, Chichester, Brisbane ,Toronto

Carver, T.L.W., Zeyen, R.J., Robbins, M.P., Vance, C.P. and Boyles, D.A. (1994). Suppression of host cinnamyl alcohol dehydrogenase and phenylalanine ammonia lyase increases oat-epidermal cell susceptibility to powdery mildew penetration. ***Physiol. Mol. Plant Pathol.* 44** : 243 - 259

Chakraborty, B.N. (1988). Antigenic disparity. In **Experimental and Conceptual Plant Pathology** (Eds. R.S. Singh, U.S. Singh, W.M. Hess and D.J. Weber) p. 477. Oxford and 1BH Publishing Co. Pvt. Ltd. New Delhi.

Chakraborty, B.N., Basu, P., Das, R., Saha, A. and Chakraborty, U. (1995). Detection of cross reactive antigens between *Pestalotiopsis theae* and tea leaves and their cellular location. ***Ann. Appl. Biol.* 127** : 11 - 21

Chakraborty, B.N. and Purkayastha, R.P. (1983). Serological relationship between *Macrophomina phaseolina* and soybean cultivars. ***Physiol. Plant Pathol.* 23** :197 - 205

Chakraborty, B.N. and Purkayastha, R.P. (1987). Alteration of glyceollin synthesis and antigenic patterns after chemical induction of resistance in soybean to *Macrophomina phaseolina*. ***Can. J. Microbiol.* 33** : 835 - 840

Chakraborty, B.N. and Saha, A. (1994). Detection and cellular location of cross reactive antigens shared by *Camellia sinensis* and *Bipolaris carbonum*. ***Physiol. Mol. Plant Pathol.* 44** : 403 - 416

Chakraborty, B.N. and Shil, B.C. (1989). Suppression of root rot of soybean by organic amendments. ***Indian Botanical Contractor,* 6** : 91

Chakraborty, U., Basu, P., Das, R., Saha, A. and Chakraborty, B.N. (1996). Evaluation of antiserum raised against *Pestalotiopsis theae* for detection of grey blight disease of tea by ELISA. ***Folia Microbiol.* 41** : 413 - 418

Chakraborty, U. and Chakraborty, B.N. (1989). Interaction of *Rhizobium leguminosarum* and *Fusarium solani* f.sp. pisi on pea affecting disease development and phytoalexin poduction. ***Can. J. Bot. 67*** : 1698 - 1701

Chakraborty, U., Chakraborty, B.N. and K&apoor, M. (1993). Changes in the levels of peroxidase and phenylalanine ammonia - lyase in Brassica napus cultivars showing variable resistance to Lepto sphaeria maculans. ***Folia Micobiol.* 38** : 491 - 496

Chakraborty, U., Chakraborty, B.N. and Purkayastha R.P. (1959). Application of growth substances and Mineral Nutrition Affecting Disease Development and Glyceollin Production of Soybean. ***Folia Microbiol.* 34** : 490 - 497

Chakraborty, U. and Purkayastha, R.P. (1984). Role of rhizobitoxine in protecting soybean roots from *Macrophomina phaseolina* infection. ***Can. J. Microbiol.* 30** : 285 - 289

Charudattan, R. and Devay, J.E. (1981). Purification and partial characterization of an antigen from *Fusarium oxysporum* f. sp. *vasinfectum* that cross-reacts with antiserum to cotton (*Gossypium hirsutum*) root antigens. ***Physiol. Plant Pathol.* 18** : 289 - 295

Clark, M.F. (1981). Immunosorbent assays in plant pathology. ***Ann. Rev. Phytopathol.* 19** : 83 - 106

Clark, T.A., Zeyen, R.J., Smith, A.G., Carver, T.L.W. and Vance, C.P. (1994). Phenylalanine ammonia lyase mRNA accumulation, enzyme activity and cytoplasmic responses in barley isolines, differing at Ml-a and Ml-o loci, attacked by *Erysiphe graminis* f.sp. *hordei.* ***Physiol. Mol. Plant Pathol.* 44** : 171 - 185

Clausen, J. (1988). Laboratory technique in Biochemistry and Molecular Bilogy. Vol. 1. Part - III, (eds. R.H. Burdon and P.H. Van Knippenberg), pp. 64 - 65

Craft, C.M., Nelson, E.B. (1996). Microbial properties of composts that suppress damping off and root rot of creeping bentgrass caused by *Pythium graminicola.* ***App. Environ. Microbiol.* 62** : 1550 - 1557

Cristinzio, G., Mazzlano, F. and Giannattasio, M. (1988). Agglutination response of the conidia of eight *Fusarium* species to lectins having different sugar binding specifications. ***Plant Pathol.* 37** : 120 - 124

Cubeta. M.A., Hartman, G.L., Sinclairs, J.B. (1985). Interaction between *Bacillus subtilis* and fungi associated with soybean seeds. ***Plant Dis.* 69** : 506 - 509

Cui, Y., Magill, J., Frederiksen, R. and Magill, C. (1996). Chalcone synthase and phenylalanine ammonia - lyase mRNA levels following exposure of sorghum seedlings to three fungal pathogens. ***Physiol. Mol. Plant Pathol.* 49** : 187 - 199

Cuypers,B.,Schmelzer,E.and Halbrock,K.(1988). *In situ* localization of rapidly accumulated phenyalanine ammonia- lyase mRNA around penetration sites of *Phytophthora infestans* in potato leaves. ***Mol.Plant-Microbe Interact.* 1**: 157-160

Dalkin, K., Robert E., Edington, B. and Dixon A. (1990). Stress response in al&falfa (*Medicago sativa* L.) : Induction of phenyl propanoid biosynthesis and hydrolytic enzymes in elicitor treated cell suspension cultures. ***Plant Physiol.*** (Bethesda) **92** : 440 - 446

DaSilva, S.R. and Pascholati, S.F. (1992). *Saccharomyces cerevisiae* protects maize plants, under green house conditions, against *Colletotrichum graminicola*. ***Plant Dis. Protect.*** **99** : 159 - 167

Day, A.W., Gardiner, R.B. Smith, R. Svireev, A.M. and Mckeen, W.e. (1986). Detection of fungal fimbriae by protein A - gold immunocytochemical labelling in host plants infected with *Ustilago heufleri* or *Peronospora hyoscyami* f.sp. *tabacina*. ***Can. J. Microbiol.*** **32** : 577 - 584

DeVay, J.E. and Adler, H.E. (1976). Antigens common to host and parasites. ***Ann. Rev. Microbiol.*** **30** : 147

DeVay, J.E., Wakeman, R.J., Kavanagh, J.A. and Charudattan, R. (1981). The tissue and cellular location of a major cross - reactive antigen shared by cotton and soil - borne fungal parasite. ***Physiol. Plant Pathol.*** **18** : 59 - 66

Dewey, F.M., Barett, D.K., Vose, I.R. and Lamb, C.J. (1984). Immunofluorescence microscopy for the detection and identification of propagules of *Phaseolus schweinitzii* in infested soil. ***Phytopathology*** **74** : 291 - 296

Dong, Y., Xu, J.H. and Guo, F.S. (1990). The change of some enzyme activities from cucumber leaves after inoculation with cucumber powdery mildew. ***Acta. Bot. Sin.*** **32** : 160 - 164

Douville, Y. and Boland, G.J. (1992). A note on the antibiotic properties of *Bacillus subtilis* against *Colletotrichum trifolii*. ***Phytoprotection*** **73** : 31 - 36

Dubey, S.K. (1996). Combined effect of *Bradyrhizobium japonicum* and phosphate solubilizing *Pseudomonas stiata* on nodulation, yield attributes and yield of rainfed soybean (*Glycine max*) under different sources of phosphorus in Vertisols. ***Indian J. Agric Sci.*** **66** : 28 - 32

Dunne, C., Delany, I., Fenton, A. and Ogara, F.(1996). Mechanisms involved in biocontrol by microbial inoculants. ***Agronomie*** **16** : 721 - 729

Ebel, J. and Grisebach, H. (1988). Defense strategies of soybean against the fungus *Phytophthora megasperma* f.sp. *glycinea* : a molecular analysis. ***Trends Biochem. Sci.*** **13** : 23 - 27

Ebel, J., Bhagwat, A.A., Cosio, E.G., Feger, M., Kissel, U., Mithoefer, A. and Waldmueller, T. (1995). Elicitor binding proteins and signal transduction in the activation of a phytoalexin defence response. ***Can. J. Bot.* 73** : 5506 - 5510

Edens, R.M., Anand, S.C. and Bolla, R.I. (1995). Enzymes of the phenylpropanoid pathway in soybean infected with *Meloidogyne incognita* or *Heterodera glycines*. ***J. Nematol.* 27** : 292 - 303

Ehteshamul-Haque, S. and Ghaffar, A. (1995). Role of *Bradyrhizobium japonicum* and *Trichoderma* spp. in the control of root rot disease of soybean. ***Acta Mycologica* 30** : 35 - 40

Ekiund, C. and Lankford, C.E. (1967). Laboratory manual for General Microbiology. Prentice Hall Inc., Englewood Cliffs, **New Jersey, U.S.A., pp**. 299

El-Abyad, M.S., El-Sayed, M.A., El-Shanshoury, A.R., El,-Sabbagh, S.M. (1993). Towards the biological control of fungal and bacterial disease of tomato using antagonistic *Streptomyces* spp. ***Plant and Soil* 149** : 185 - 195

Ellis, J.S., Jenning, A.C., Lesley, A.E., Mavandad, M., Lamb, C.J. and Dixon, A.R. (1989). Defence gene expression in elicitor treaed cell suspension cultures of French bean cultivar Imuna. ***Plant Cell. Rep.* 8** : 504 - 507

Esnault, R., Chibbar, R.N., Lee, D., Huystee, R.B. Van. (1987). Early differences in production of mRNAS for phenylalanine ammonia-lyase and chalcone synthase in resistant and susceptible cuttivars of soybean inoculated with *Phytophothora megasperma* f. sp. *glycinea*.***Physiol. Mol. Plant Pathol.* 30** : 293 - 297.

Essenberg, M. and Pierce, M.L. (1995). Sesquiterpenoid phytoalexins synthesized in cotton leaves and cotyledons during the hypersensitive response to *Xanthomonas campestris* pv. *malvacearum*. In **Handbook of Phytoalekin Metabolism and Action** (Eds M. Daniel and R.P. Purkayastha) Marcel Dekker Inc. pp. 183 - 198

Estabrook, E.M. and Sengupta, Gopalan. C. (1991). Differential expression of phenylalanine ammonia lyase and chalcone synthase during soybean nodule development. ***Plant Cell* 3** : 299 - 308.

Fuhrmann, J. (1990). Symbiotic effectiveness of indigenous soybean bradyrhizobia as related to serological, morphological, rhizobitoxine, and hydrogenase phenotypes. ***App. Environ. Microbiol.* 56** : 224 - 229.

Gangopadhyay, S., Agarwal, D.K. and Sarbhoy, A.K. and Wadhi, S.R. (1973). Charcoal rot disease of soybean in India. ***Indian Phytoath.* 26** : 730

Gendloff, E. H., Ramsdell, D.C., and Burton, C.L. (1983). Fluorescent antibody studies with *Eutypa armeniacae* ***Phytopathology* 73** : 760 - 764.

Gerik, J. S., Lommel, S.A. and Huisman, O.C. (1987). A specific serological staining procedure for *Verticillium dahliae* in cotton root tissue. ***Phytopathology* 77** : 261 - 265.

Gerik,J. S. and Huisman, O.C. (1988). Study of field grown cotton roots infected with *Verticillium dahliae* using an immunoenzymatic staining technique. ***Phytopathology* 78** : 1174 - 1178

Ghosh, S. and Purkayastha, R. P. (1990). Analysis of host-parasite cross reactive antigens in relation to *Myrothecium* infection of soybean. ***Indian j. Expt. Biol.* 28** : 1 - 5.

Graham, T.L. and Graham, M.Y. (1996). Signaling in soybean phenylpropanoid responses. ***Plant Physiol.* 110** : 1123 - 1133

Green, A. A. and Hughes, W. L. (1995). Protein fractionation on the basis of solubilltes in aqueous solutions of salts and orgainc solvents. In **Methods in Enzymology.** Vol. I (ed.) S. P. Academic Press, New York, p. 67.

Grisebach, H. (1981). Lignins. In **The Biochemistry of Plants,** Volume 7, Secondary Plant Products (Ed. by E.E. Conn). pp. 457 - 478

Gupta, S. C. and Creasy, L. I. (1991). The effect of sunflower L - Phenylalanine ammonia lyase inactivating factor or *Rhodotorula glutinis* L- Phenylalanine ammonia lyase. OXF 30 : 85 - 88

Habereder, H. Gudrun, S. and Juergen, E (1989). Rapid induction of PAL and chalcone synthetase mRNA during fungus infection of soybean *(Glycine max* L.) roots or elicitor treatment of soybean cell structure at the outset of phytoalexin synthesis. 87(9) : AB - 889

Handelsman, J., Raffel. S., Master, E.H., Wunderlich, L., Grau, C.R. (1990). Biological control of damping off of alfalfa seedlings with *Bacillus cereus* UW 85. ***Appl. Env. Microbiol.* 56** :713 - 718

Hansen, M. A. and Wick, R.L. (1993). Plant disease diagnosis : Present Status and future prospects. ***Adv. Plant Pathol. 10*** : 66 - 126.

Harrison, J. G. , Barker, H., Lowe, R. and Rees, E.A. (1990). Estimation of amounts of *Phytophthora infestans* mycelium in leaf tissue by enzyme-linked immunosorbent assay. ***Plant Pathol.* 39** : 274 - 277.

Hessenmuller, A., Zeller, W. (1996). Biological control of soilborne *Phytophthora* species on strawberry with bacterial antagonists. 1. Antagonistic effect and colonization of rhizoplane. ***J. Plant Dis. Prot.* 103** : 602 - 609.

Holtz, B.A., Karn, A.E. and Weinhold, A. R. (1994). Enzyme linked immunosorbent assay for detection of *Thielaviopsis basicola.* ***Phytopathology* 84** : 977 - 983.

Hughes, R.K. and Dickenson, A.M. (1989). The effect of ethylene on PAL induction by a fungal elicitor in *Phaseolus vulgaris.* ***Physiol. Mol. Plant Pathol.* 88** : 976

Ingham, J. L., Keen, N. T., Mulheirn, L. J. and Lyne, R.L. (1981). Inducibly-formed isoflavanoids from leaves of soybean. ***Phytochemistry* 20** : 795 - 798

Irving, R. H. and Kuc, A. J. (1990). Local and systemic induction of peroxidare, chitinase, and resistance in cucumber plants by K_2HPO_4 . ***Physiol. Mol. Plant Pathol.* 37** : 355 - 366.

Israil, D.W. (1981). Cultivar and *Rhizobium* strain effects. on nitrogen fixation and remobilization by soybeans. ***Agron. J.* 73** : 509 - 516.

Jamaux, L. and Spire, D.(1994). Development of a polyclonal antibody based immuno assay for the early detection of *Sclerotinia sclerotiorum* in rapeseed petals. ***Plant Pathol.* 43** : 847 - 862.

Janas K. M. and Knypl, J.S. (1990). Regulation of phenyl alanine ammonia lyase activity by 1 - amino. 2 - phenyl ethyl phosphoric acid and inhubition of the enzyme by L - phenyl alanine in seedling of *Amaranthus caudatus L., Acta. Physiol. Plant.* **12** : 119 - 126.

Ji, C. and Kuc, J. (1996). Antifungal activity of cucumber B - 1,3 glucanase and chitinase. ***Physiol. Mol. Plant Pathol.* 49** : 257 - 265.

Johnson, M.C., Pirone, T.P., Siegel, M. R. and Varney, D.R. (1982). Detection of *Epichlox typhina* in tall fescue by means of enzyme-linked immunosorbent assay. ***Phytopathology*** **72** : 647 - 650.

Jorrin, J., Valbuena, R. L., Manuel, T. (1990). Effects of actinomycin D, Cordycepin and cycloheximide on phenylalanine ammonia layse turn over in sunflower hypocotyl. ***J. Plant Physiol.* 137** : 252 - 255.

Kaplan, D.T., Keen, N.T. and Thomason, I,J. (1980). Studies on the mode of action of glyceollin in soybean incompatibility to the root knot nematode, *Meloidogyne incognita.* ***Physiol. Plant Pathol.* 16** : 319 - 325

Kato, M. (1989). *Camellia sinensis* L. (Tea) *In Vitro* regeneration, In **Biotechnology in Agriculture and Forestry** (Ed. Y.P.S. Bajaj) Springer-Verlag, Berlin - Heidelberg, pp. 81 - 98

Keen, N.T. (1990). Gene for gene complementarity in plant pathogen interactions. ***Ann. Rev. Genetic* 24** : 447

Keen, N.T. , Sims, J. J., Erwin, D.C., Rice, E. and Partridge, J.E. (1971). 6a- Hydroxyphaseollin : anantifungal chemical induced in soybean hypocotyls by *Phytophthora meagasperma* var. *sojae.* ***Phytopathology* 61** : 1084 - 1089.

Knypl, J.S. and Janas, M.K. (1990). The stimulatory effect of 1 - amino - 2 - phenyl ethyl phosphonic acid on growth and phenylalanine ammonia lyase activity in *Allium cepa* L. ***Acta. Physiol. Plant.* 12** : 127 - 130

Kristensen, B.K., Brandt, J., Bojsen, K., Thordal christensen, H., Kerby, K.B., Collinge, D. B., Makkelsen, J.D. and Rasmussen, S.K. (1997). Expression of a defence related inter cellular barley peroxidase in transgenic tobacco. ***Plant Science*** **122** : 173 - 182.

Kuc, J. (1983). Induced systamic resistance of plants to disease caused by fungi and bacteria. In **The Dynamics of Host Defence,** Ed. by J.A. Bailey & B.J. Deverall, pp. 191 - 221. Academic Press, Sydney.

Kuc, J. (1985). Expression of latent genetic information for disease resistance in plants. In **Cellular and Molecular Biology of Plant adaptation,** Ciba Foundation 102. Pitman, Zordon. pp. 100 - 118.

Kuc, J. (1995). Phytoalexins, stress metabolism, and disease resistance in plants. ***Ann. Rev. Phytopathol.*** **33 :** 275-297

Kumar, B.S.D. (1996). Crop improvement and disease suppression by a *Bacillus* sp. SR2 from peanut rhizosphere. ***Indian J. Exp. Biol.*** **34** : 794 - 798

Kumar, S. and Sridhar, R. (1984). Phytoalexin production in rice - Pyricularia oryzal interaction : induction by wounding. ***Acta. Phytopathol. Acad. Sci Hungar.*** **19** : 237 - 243.

Laemmli, U.K. (1970). Cleavage of structural proteins during assembly of the head of the bacteriophage. T4. ***Nature*** **27** : 680 - 685.

Lamb, C.J., Lawton, M.A., Dron, M. and Dixon, A. (1989). Signals and transduction mechanisms for activation of plant defenses against microbial attack. ***Cell*** **56** : 215.

Lawrence, C. B., Joosten, M.H.A.J. and Tuzun, S. (1996). Differential induction of pathogenesis. related proteins in tomato by *Alternaria solani* and the association of a basic chitanase isozyme with resistance. ***Physiol. Mol. Plant Pathol.*** **48** : 361 - 377.

Lazerovits, G. (1990). The dot immunobinding assay (DIA). - bacteria. In **Serological methods for detection and identification of viral and bacterial plant pathogens.**(Eds. R. Hampton. E. Ball and S. De. Boer) American Phytopathological Society. Minnesota. USA p. 249 - 263

Li, G., Xue, Ying-Long. and Ouyang, G.C. (1989). Enzyme activity of phenyl propanoid metabolism and apperance of a new protein in immunized Hamimelon. ***Acta. Phytophysiol. Sin.*** **15** : 360 - 364.

Lin, Q. and Northcote, D.H. (1990). Expression of PAL gene during tracheary element differentiation from cultured mesophyll cells of *Zinnia elegans* L. ***Planta (Heidel b)*** **182** : 591 - 598.

Linfield, C.A. (1993). A rapid serological test for detecting *Fusarium oxysporum* f.sp. *narcissi* in *Narcissus*. ***Ann. Appl. Biol.*** **123** : 685 - 693.

Lis, H. and Sharon, N. (1986). Lectins as molecules and as tools. ***Ann. Rev. Biochem.*** **55** : 35 - 47.

Long, M., Barton, W. P., Staskawicz, B.J., Dahlbeck, D. and Keen, N.T. (1985). Further Studies on the relationship between glyceollin accumulation and the resistance of soybean leaves to *Pseudomonas syringae* pv. *glycinea*. ***Phytopathology*** **75** : 235 - 239

Lowry, O.H., Reseborough, N. J., Farr, A. L. and Rand all, R. J. (1951). Pretein measurement with folin phenol reagent. ***J. Biol. Chem.*** **193** : 265- 275.

Lyons, N.F. and White, J. G. (1992). Detection of *Pythium violae* and *Pythium sulcatum* in carrots with cavity spot using competition ELISA. ***Ann. Appl. Biol.*** **120** : 235 - 244.

MacDonald, J.D., Stites, J. and Kabashima, J. (1990). Comparison of serological and culture plate method for detecting species of *Phytophthora, Pythium* and *Rhizoctonia* in ornamental plants. ***Plant Dis.*** **74** : 655 - 659

Mandeel, Q. (1996). Integration of biological and chemical control of *Fusarium* wilt of radish. ***J. Plant Dis. Prot.*** **103** : 610 - 619.

Mavandad, M., Edward, R., Llang, X., Lamb, C.J. and Dixon, A.R. (1990). Effect of trans cinnamic acid on expression of the bean PAL gene family. ***Plant Physiol.*** **94** : 671 - 680.

Mercure, E.W., Kunoh, H. and Nicholson, R.L. (1995). Visualization of meterials released from adhered, ungerminated conidia of *Collectotrichum graminicola*. ***Physiol. Mol. Plant Pathol.*** **46** : 121 - 135

Metraux, J. P. and Boller, T. H. (1986). Local and systemic induction of chitinase in cucumber. plants in response to viral, bacterial and fungal infections. ***Physiol. Mol. Plant Pathol.*** **28** : 161 - 169.

Metraux, J. P., Streit, L. and Staub, T. H. (1988). A pathogenesis related protein in cucumber is a chitinase. ***Physiol. Mol. Plant Pathol.*** **33** : 1 -9

Miller, R. H. and May, S. (1991). Legume inoculation : Success and failures. In **The Rhizophere and Plant Growth** (Eds. D. L. Keister and P.B. Gregan) 123 - 134 Kluwer, Dordrecht.

Mitchell, L.A. (1988). A sensitive dot immunoassay employing monoclonal antibodies for detection of *Sirococcus strobilinus* in spruce seed. ***Plant Dis.*** 72 : 664 - 667.

Mithoefer, A., Bhagwat, A.A., Feger, M. and Ebel, J. (1996). Suppression fo fungal beta-glucan-induced plant defence in soybean (*Glycine max* L.) by cyclic 1, 3 - 1, 6 beta-glucans from the symbiont *Bradyrhizobium Japonicum.* ***Planta*** **199** : 270 - 275

Mohan, S.B. (1988). Evaluation of antisera raised against *Phytophthora fragarie* for detecting the red core disease of strawberries by enzyme linked immunosorbent assay (ELISA). ***Plant Pathol.*** **7** : 206 - 216.

Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassay with tobacco tissue culture. ***Physiol. Planta.*** **15** : 473 - 497

Nemestothy, G. S. and Guest, D. L. (1990). Phytoalexin accumulation, phenylalanine ammonia lyase activity and ethylene biosynthesis in fosetyl - Al treated resistant and susceptible tobacco cultivars infected with *Phytophthora nicotianae* var. *nicotianae* ***Physiol.Mol. Plant Pathol.*** **37** : 207 - 219.

Novikova, I.I., Litvinenko, A.I. and Kalko, G.V. (1995). New biopreparations created on to basis of microbial strains-Antagonists to the cucumber root rot pathogens. ***Mykol. V Fictopatol.*** **29** : 5 - 6

Oku, H. and Shiraishi, T. (1995). Phytoalexins and Host specificity in Plant Diseases. In, **Handbook of Phytoalexin Metabolism and Action** (Eds. M. Daniel & R.P. Purkayastha) Marcel Dekker, Inc. P. 41 - 60.

Orczyk, W. , Hipskind, W., De Neergrad,E.,Goldsbrough, P. and Nicholson, R. L. (1996). Stimulation of phenylalanine ammonia-lyase in sorghum in response to inoculation with *Bipolaris maydis.* ***Physiol. Mol. Plant Pathol.*** **48** : 55 - 64.

Orellana, K.G. and Worley, J.F. (1976). Cell dysfunction in root nodules of soybeans grown in the presence of *Rhizoctonia solani.* ***Physiol. Plant Pathol.*** **9** : 183

Oswald, T.H. and Wyllie, T.D. (1973). Effects of growth regulator treatments on severity of charcoal rot disease of soybean. ***Plant Dis. Reptr.*** **57** : 789

Ouchterlony, O. (1967). In **Handbook of experimental immunology**.(Ed. Weir) Blackwell Inc.,London p. 655.

Ozeki, Y. Matshi K., Masa-aki S., Matsnoka, M., Yoko, O., Murakami, Y.K., Naoki, Y. and Tanaka, Y. (1990). Differential regulation of PAL gene during anthocyanin synthesis and by transfer effect in carrot cell suspension cultures. ***Physiol. Planta.*** **80** : 379 - 387

Parent, J.G. and Asselin, A. (1984). Detection of pathogenesis - related proteins (PR or b) and of other proteins in the intercellular fluid of hypersensitive plants infected with tobacco mosaic virus. ***Can. J.Bot.*** **62** : 564 - 569

Paxton, J. (1995). Soybean phytoalexins, nature, elicitation, mode of action and role. In **Hand book of Phytoalexin Metabolism and Action.** (Eds. M. Daniel and R.P. Purkayastha). Marcel Dekker, Inc. New York, pp. 69 - 83.

Peltier, G. L., Georgi, C.E., and Lindgren, L. F. (1961). Laboratory manual for general bacteriology. Fifth edition, John Wiley & Sons, Inc., New York, pp.295.

Purkayastha, R. P. (1994). Phyto-immunology: an emerging discipline of plant science. ***Everyman's science*** **29** : 41.

Purkayastha, R. P. (1995). Progress in phytoalexin research during the past 50 years. In **Handbook of Phytoalexin Metabolism and Action** (Eds. M. Daniel & R.P.Purkayastha) Marcel Dekker, Inc. p. 1 - 39

Purkayastha, R.P. and Banerjee, R. (1986). Immunoiogical studies on anthracnose disease of soybean. ***Int. J. Trop. Plant Dis.* 4** : 77

Purkayastha, R.P. and Banerjee, R. (1990). Immunoserological studies on cloxacillin induced resistance of soybean against anthracrose. ***J. Plant Dis.* 97** : 349 - 359

Purkayastha, R. P. and Chakraborty, B.N. (1983). Immuno-electrophoretic analysis of plant antigens in relation to biosynthesis of phytoalexin and disease resistance of soybean. ***Trop. Plant Sci. Res.* 1** : 89 - 96

Purkayastha, R.P. and Ghosal, A. (1985). Analysis of cross reactive antigens of *Acrocylindrium oryzae* and rice in relation to sheath rot disease. ***Physiol. Plant Pathol.* 27** : 245 - 252.

Purkayastha, R.P. and Ghosal, A. (1987). Immuno serological studies on root rot of ground nut (*Arachis hypogea* L.). ***Can. J. Microbiol.* 33** : 647 - 651.

Purakayastha, R.P., Menon, U. and Chakraborty, B. N. (1981). *Rhizobium - Macrophomina* interaction affecting phytoalexin production and disease resistance of soybean. ***Indian J. Expt. Bioi.*19** : 462 - 465.

Purakayastha, R. P. and Pradhan, S. (1994). Immunological approach to study the etiology of *Sclerotium* rot disease of groundnut. ***Proc. Indian Natn. Sci. Acad.*, B. 60, No. 2** pp 157

Raghuchander, T., Samiappan, R. and Arjunan, G. (1993). Biocontrol of *Macrophomina* root rot of mungbean. ***Indian Phytopathology.* 46** : 379 - 382.

Rao Subba, P.V., Wadia, K.D.R. and Strange, R. N. (1996). Biotic and abiotic elicitation of phytoalexins in leaves of groundnut (*Arachis hypogea* L.) ***Physiol. Mol. Plant Pathol.* 49** : 343 - 357.

Reddy, M. K. and Ananthanarayanan, T. V. (1984). Detection of *Ganoderma lucidum* in betelnut by the fluorescent antibody technique. ***Trans. Br. Mycol. Soc.* 82** : 559 - 561.

Reiss, E. and Bryngelsson, T. (1996). Pathogenesis. related proteins in barley leaves, induced by infection with *Drechslera teres* (Sacc.) Shoem. and by treatment with other biotic agents. ***Physiol. Mol. Plant Pathol.* 49** : 331 - 341.

Resende, M. L. V., Flood, J. , Ramsden, J. D., Rowan, M.G., Beale, M.H. and Cooper, R.M. (1996). Novel phytoalexins including elemental sulphur in the resistance of cocoa (*Theobroma cacao* L.) to Verticillium wilt (*Verticillium dahliae* Kled). ***Physiol. Mol. Plant Pathol.* 48** : 347 - 359

Ricker, R.W., Marols, J.J., Dlott, J.W., Bostock, R.M. and Morrison, J.C. (1991). Immunodetection and quantification of *Botrytis cinerea* on harvested wine grapes,. ***Phytopathology* 81** : 404 - 411

Rizvi, S.S.A. and Yang, X. B. (1996). Fungi associated with soybean seedling disease in Iawa. ***Plant Dis.* 80** : 57 - 60

Rouxel, T., Sarniguet, A., Kolimann and Bousquet, J.F. (1989). Accumulation of phytoalexin in *Brassica* spp. in relation to hypersensitive reaction to *Leptosphaeria maculans*. ***Physiol. Mol. Plant Pathol.* 34** : 507

Rupe, J.C., Becton, C.M., Williams, K.J. and Yount, P. (1996). Isolation, identification and evaluation of fungi for the control of sudden death syndrome of soybean. ***Can. J. Plant Pathol.* 18** : 1 - 6

Saindrenan, P., Barchietto, T. and Bompeix, G. (1988). Modification of the phosphite - induced resistance response in leaves of cowpea infected with *Phytophthora cryptogea* by α-aminooxyacetate. ***Plant Science* 58 :** 245 - 252.

Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989). Molecular cloning. Vol. 3. Cold Spring Harbor Laboatory Press. U.S.A.

Savada, Y. (1982). Interaction of rhizobial nodulation of alfalfa and root rot by *Fusarium oxysporum*. ***Sochi Shikenjo Kenkyu Hokoku,* 6** : 19 - 26

Schmitthenner, A.F. (1988). ELISA detection of *Phytophthora* from soil (Abstr). ***Phytopathology* 78** : 1576

Seung, Y. and Byung, K. H. (1996). Differential induction and accumulation

of B-1,3 glucanase and chitinase isoforms in soybean hypocotyls and leaves after compatible and incompatible infection with *Phytophthora megasperma* f.sp. *glycinea*. ***Physiol. Mol. Plant Pathol.* 48** : 179 - 192

Shane, W.W. (1991). Prospects for early detection of *Pythium* blight epidemic on turfgrass by antibody aided monitoring. ***Plant Dis.* 75** : 921 - 925

Shiraishi, T., Yamada ,T., Nicholson, R.L. and Kunoh, A. (1995). Phenylalanine ammonia-lyase in barley : activity enhancement in response to *Erysiphe graminis* f.sp. *hordei* (race 1) a pathogen, and *Erysiphe pisi*, a nonpathogen. ***Physiol. Mol. Plant Pathol.* 46** : 153 - 162

Sinclair, J.B. (1991). Latent infection of soybean plants and seeds by fungi. ***Plant Dis.* 75** : 220 - 224

Sinha, A.K. (1995). Possible role of phytoalexin inducer chemicals in plant disease control. In **Handbook of Phytoalexin Metabolism and Action**, (Eds M. Daniel and R.P. Purkayastha), Marcel Dekker, Inc. pp. 555 - 591

Skipp, K.A. and Deverall, B.J. (1973). Studies on cross protection in the anthracnose disease of bean. ***Physiol. Plant Pathol.* 3** : 299 -314

Southerton, S.G. and Deverall, B.J. (1990). Changes in phenylalanine ammonia lyase and peroxidase activities in wheat cultivars expressing resistance to the leaf rust fungus. ***Plant Pathol.* 39** : 223 - 230

Stab, M.R. and Ebel, J. (1987). Effects of Ca^{2+} on phytoalexin induction by fungal elicitor in soybean cells. ***Arch. Biochem. Biophys.* 257** : 416 - 423

Sundaram, S. Plaseneia, J. and Banttari, E.E. (1991). Enzyme linked immunosorbent assay for detection of *Verticillium* spp. using antisera produced to *V. dahliae* from potato, ***Phytopathology* 81** : 1485 - 1489

Tahiri-Alaoui, A., Dumas - Gaudot, E. and Gianinazzi, S. (1993). Immunocytochemical localization of pathogenesis related PR-1 proteins in tobacco root tissues infected invitro by the black root rot fungus *Chalara elegans*. ***Physiol. Mol. Plant Pathol.* 42** : 69 - 82

Tegtmeier, K.J. and VanEtten, H.D. (1982). The role of pisatin tolerance and degradation in the virulence of *Nectria haematococca* on peas : A Genetic analysis. ***Phytopathology* 72** : 608- 612

Troxler, J., Berling, C.H., Moenne-Loccoz, Y., Keel, C. and Defago, G. (1997). Interactions between the biocontrol agent Pseudomonas fluorescens CHAO and Thielaviopsis basicola in tobacco roots observed by immunofluorescence microscopy. ***Plant Pathol.* 46** : 62 - 71

Tu, J.C. (1978). Production of Soybean from severe *Phytophthora* root rot by *Rhizobium*. ***Physiol Plant Pathol.* 12** : 233 - 240

Urbanek, H., Gajewska, E. ,Karwowska, R.and Wielanek, M. (1996). Generation of superoxide anion and induction of superoxide dismutase and peroxidase in bean leaves infected with pathogenic fungi. ***Acta Biochemica Polonica* 43** : 679 - 685

Velichetl, R.K., Kollipara, K.P., Sinclair, J.B. and Hymouritz, T. (1992). Selective degradation of proteins by *Cercospora kikuchii* and *Phomopsis longicolla* in soybean seed coats and cotyledons ***Plant Dis.* 76** : 779 - 782.

Wakeham, A.J. and White, J.G. (1996). Serological detection in soil of *Plasmodiophora brassicae* resting spores ***Physiol. Mol. Plant Pathol.* 48** : 289 - 303

Walcz, I., Pacsa, A.S., Emody, I. and Szabo, L.G. (1985). Detection of *Sclerotinia sclerotiorum* in sunflower by enzyme linked immunosorbent assay (ELISA). ***Trans. Br. Mycol. Soc.* 85** : 485 - 488

Waldmuelier, T. and Grisebach, H. (1987). ***Planta,* 172** : 424 - 430.

Walsh, J.A., Merz, U. and Harrison, J.G. (1996). Serological detection of spore balls of *Spongospora subterranea* and quantification in soil. ***Plant Pathol.* 45** : 884 - 895

Ward, E.W.B. (1986). Biochemical mechanisms involved in resistance of plants to fungi. In **Biology and Molecular Biology of Plant Pathogen Interaction**(Ed. J.A. Bailey) pp. 107-131. Springer - Verlag, Berlin, Heidelberg

Ward, E.W.B. (1989). Susceptibility of immature soybean leaves to *Phytophthora* species ***Physiol. Mol. Plant Pathol.* 34**: 393 - 402

Watabe, M. (1990). Immuno fluorescent antibody technique for detecting *Phytophthora* in soil. ***Phytopathol. Soc. Japn* 56** : 269 - 272

Werres, S. and Steffens, C. (1994). Immunological techniques used with fungal plant pathogens, antibodies and assays for diagnosis. ***Ann. Appl. Biol.* 125** : 615 - 643

Wibber, J.P., Lawrence, C.B., and De Wit, P.J.G.M.(1996). Differential induction of chitinase and 1,3 - B glucanase gene expression in tomato by *Cladosporium fulvum* and its race-specific elicitors. ***Physiol. Mol. Plant Pathol.* 48** : 105 - 116

Yamada, T., Hashimoto, H., Shiraishi, T. and Oku, H. (1989). Suppression of pisatin, phenylalanine ammonia - lyase mRNA, and chalcone synthase mRNA accumulation fungus *Mycosphaerella pinodes* ***Mol. Plant Microbe Interact.* 2** : 256 - 261.

Ye, X.S., Pan, S.Q. and Kuc., J. (1990). Activity, isozyme pattern, and cellular localization of peroxidase as related to systemic resistance of tobacco to blue mold (*Peronospora tabacina*) and to tobacco mosaic virus. ***Phytopathology* 80** : 1295 - 1299

Ye, X.S., Pan, S.Q. and Kuc, J. (1990a). Association of pathogenesis - related proteins and activities of peroxidase, B - 1,3 glucanase and chitinase with systemic induced resistance to blue mould of tobacco but not to systemic tobacco mosaic virus. ***Physiol. Mol. Plant Pathol.* 36** : 523 - 531

Yoshikawa, M. (1995). Elicitor and the molecular bases of phytoalexin elicitation. In **Handbook of Phytoalexin Metabolism and Action** (Eds M. Daniel and R.P.Purkayastha) Marcel Dekker Inc. pp. 61- 67

Zeringue, H. J. (1995). Cotton (Gossypium hirsutum) - Strategies of Defence Expression. Accumulation of Unique Asperigellus flavus control substances. In **Handbook of Phytoalexin Metabolism and Action** (Eds. M. Daniel and R.P. Purkayastha) Marcel Dekker Inc.pp 161- 181

Zhang, F. and Smith, D.L. (1996). Inoculation of soybean [*Glycine max*. (L.) Merrill] with genistein-preincubated *Bradyrhizobium japonicum* or genlstein directly applied into soil increases soybean protein and dry matter yeild under short season conditions. **Plant and Soil 179 :** 233 - 241

** ..... **
.....
***

*

North Bengal University
Library
Raja Rammohunpur