

REFERENCES

- Abreu, M.M.M. de Araujo (1960). Contribuicao para o estudo dos Simuliidae de Angola (Diptera:Nematocera). Alguns dados sobre a sua ecologia, biologia e relacoes com a epidemiologia da oncocercose. Ann. Int. Med. Trop. 17:113-171.
- Anderson, J.R. and de Foliart, G.R. (1961). Feeding behaviour and host preferences of some black flies (Diptera: Simuliidae) in Wisconsin. Ann. Entomol. Soc. Amer. 54:716-729.
- Andrews, H.L. (1931). Moth trap experiences in Dorset. Entomologist. 64:86-90 and 104-106.
- Banerjee, S.N. and Basu, A.C. (1951). On the suitability of light trap for quantitative studies on insect population. Proc. 38th Ind. Sci. Cong. (3):215.
- (1956). The Chinsura light trap. Proc. Zool. Soc. Calcutta. 9:27-32.
- Bates, M. (1949). The natural history of mosquitoes. New York. 1-379.
- Becher, E. (1884). A new species of Simulium from Assam. Jour. Asiat. Soc. Beng. 53(2): 199-200.
- Beck, E.C. (1958). A population study of Culicoides of Florida (Diptera:Heleidae). Mosq. News. 18(1):6-11.
- Bennett, G.F. (1960). On some ornithophilic blood-sucking Diptera in Algonquin Park, Ontario, Canada. Can. J. Zool. 38:377-389.
- Brunetti, E. (1911). New Oriental Nematocera (Simuliidae). Rec. Ind. Mus. 4(7):282-288.

- Cameron, A.E. (1922). The morphology and biology of a Canadian cattle-infesting black fly, Simulium simile Mall. (Diptera:Simuliidae). Can. Dept. Agr. Bull. 5 (N.S.), Entomol. Bull. 20: 1-26.
- Chaudhuri, P.K. (1970). Studies on Systematics and Distribution of Alluaudomyia and Stilobezzia species of biting midges (Ceratopogonidae:Diptera) of India. D.Phil. Thesis in Zoology, Burdwan University.
- Cook, W.C. (1921). Studies on the flight of nocturnal Lepidoptera. St.Ent.Minnesota 1920 Rep. 18:43-56.
- (1923). Studies on the physical ecology of the Noctuidae. Minnesota Agr. Exp. St. Tech. Bull. 12.
- (1930). Field studies of the Pale Western cutworm. Bull. Montana Agr. Exp. St. 225.
- Crisp, G. (1956). Simulium and onchocerciasis in the Northern Territories of the Gold coast. Lond. Brit. Emp. Soc. Bld., Lond.:1-171 (Rev.App.Ent.(B)45:191. 1957).
- Dalmat, H.T. (1954). Ecology of simuliid vectors of onchocerciasis in Guatemala. Amer.Midl.Natur. 52:175-196.
- (1955). Black flies (Diptera, Simuliidae) of Guatemala and their role as vectors of onchocerciasis. Smith. Misc. Coll. 125(1):1-425.
- Das Gupta, S.K. (1961). Studies on the incidence of some Indian Culicoides (Diptera:Ceratopogonidae). Ind. Agric. 5(2):189-206.
- (1967). Notes on a blood-sucking Culicoides (Diptera: Ceratopogonidae) from India. Proc.Rajasthan Acad.Sci. 11:58-60.
- , Sharma, T., Mitra, A. and Dasgupta, B. (1969). On the incidence and blood meal of biting insects (Diptera, ceratopogonidae, Simuliidae) of Darjeeling, India. Entomol. Obozr. 48(4):770-773.

- Davies, D.M. (1950). A study of the black fly population of a stream in Algonquin Park, Ontario, Canada. Trans. Roy. Canad. Inst. 28:121-160.
- (1951). Some observations of the number of black flies (Diptera, Simuliidae) landing on coloured cloths. Canad. J. Zool. 29:65-70.
- (1952). The population and activity of adult female black flies in the vicinity of a stream in Algonquin Park, Ontario, Canada. Ibid. 30:287-321.
- (1961). Colour effects the landing of blood sucking black flies (Diptera:Simuliidae) on their hosts. Proc. Ent. Soc. Ont. 91:267-270.
- and Peterson, B.V. (1956). Observations on the mating, feeding, ovarian development and oviposition of adult black flies (Simuliidae:Diptera). Can. J. Zool. 34:615-655.
- and Syme, P.D. (1958). Three new Ontario black flies of the genus Prosimulium (Diptera:Simuliidae). Part II. Can. Entomol. 90(12):744-759.
- Davies, L. (1951). Some field observations on Simuliidae (Diptera) at Holandsfjord, Norway. Oikos 3(2):193-199.
- (1955). Behaviour of young and old females of the black fly, Simulium ornatum Mg. Nature 176:979-980.
- (1957). A study of the black fly Simulium ornatum Mg. (Diptera) with particular reference to its activity on grazing cattle. Bull. Ent. Res. 48:407-424.
- , Downe, A.E.R., Weitz, B. and Williams, C.B. (1962). Studies on black flies (Diptera:Simuliidae) taken in a light trap in Scotland. Part II. Trans. R. ent. Soc. Lond. 114(1):21-27.

- and Williams, C.B. (1962). Studies on black flies (Diptera:Simuliidae) taken in a light trap in Scotland. Part I. Ibid. 114(1):1-20.
- Downe, A.E.R. (1957). Precipitin test studies on rate of digestion of blood meals in black flies (Diptera:Simuliidae). Can. J. Zool. 35:459-462.
- and Morrison, P.E. (1957). Identification of blood meals of black flies (Diptera:Simuliidae) attacking farm animals. Mosq. News. 17:37-40.
- Edwards, F.W. (1920). On the British species of Simulium. Part II. Bull. Ent. Res. 11:211-246.
- , Oldroyd, H. and Smart, J. (1939). British blood sucking flies. Lond. Brit. Mus. (Nat. Hist):1-156.
- Eligh, G.S. (1952). Factors influencing the performance of the precipitin test in the determination of blood meals of insects. Can. J. Zool. 30(4):213-218.
- Fain, A. (1950). Simulies nouvelles du Ruande-Urundi. Rev. Zool. Bot. Afr. 43:101-123. (Rev. App. Ent. (B)41:29. 1953).
- Fallis, A.M. (1964). Feeding and related behaviour of female Simuliidae (Diptera). Exptl. Parasitol. 15:439-470.
- and Bennett, G.F. (1958). Transmission of Leucocytozoon bonasae Clarke, to ruffed grouse (Bonasa umbellus L.) by the black flies Simulium latipes Mg. and Simulium aureum Fries. Can. J. Zool. 36:533-539.
- Fox, I. (1953). Notes on Puerto Rican Simuliidae from a light trap. Proc. Ent. Soc. Wash. 55:135-140.
- Fredeen, F.J.H. (1959). Collection, extraction, sterilization and low-temperature storage of black fly eggs (Diptera:Simuliidae). Canad. Ent. 91:450-453.
- (1961). A trap for studying the attacking behaviour of black flies, Simulium arcticum. Ibid. 93(1):73-78.

- Frost, S.W. (1949). Simuliidae of Pennsylvania. Ent. News 60:129-131.
- (1957a). The Helicidae of the Tennessee river basin. Jour. Tennessee Acad. Sci. 52(1):18-36.
- (1957b). The Pennsylvania light trap. J. Econ. Ent. 50(3):287-292.
- (1962). Winter insect light-trapping at the Archbold Biological Station. Florida Ent. 45(4):175-190.
- (1963). Winter insect light-trapping at the Archbold Biological Station, Florida. Ibid. 46(1):23-43.
- (1964a). Insect taken in light traps at the Archbold Biological Station, Highlands County, Florida. Ibid. 47(2):130-161.
- (1964b). Killing agents and containers for use with insect light traps. Entomol. News. 75(6):163-166.
- Glasgow, J.P., Isherwood, F., Leejones, F. and Weitz, B. (1958). Factors influencing the stable food of tsetse flies. J. Anim. Ecol. 27:59-69.
- Grenier, P. (1949). Contributions a l etude biologique des Simuliidae de France. Physiol. Comp. 1:165-330.
- Hanna, H.M. (1968). On the time of flight of certain nocturnal Lepidoptera as measured by a light trap. Bull. Soc. Entomol. Egypte. 52:535-545.
- Hargreaves, H. (1925). Annual report of the Government Entomologist Uganda. Ann. Rep. Dept. Agric. 21-28. (Rev. App. Ent. (B) 13:167. 1925).
- Headlee, T.J. (1932). The development of mechanical equipment for sampling the mosquito fauna and some results of its use. Proc. Ann. Meet. New Jersey Mosquito Extrem. Assoc. 106-126.

- Hocking, B. (1953). The intrinsic range and speed of flight of insects. Trans. Roy. ent. Soc. Lond. 104:223-345.
- Johnson, W.B. and Rawson, P.H. (1927). Use of precipitin test to determine the food supply of tsetse flies; a preliminary note. Trans. Roy. Soc. Trop. Med. Hyg. 21:135-149.
- Judd, W.W. (1957). Studies of the Byron Bog in South Western Ontario. Part IV. Entomol. News 68(10):263-265.
- Kettle, D.S. (1955). Sex ratio among British Culicoides. Proc. R. ent. Soc. Lond. (A). 30:70-72.
- Kohler, C.E. and Fox, I. (1951). The relative attractiveness of New Jersey light traps painted (a) green and (b) yellow to Puerto Rican Culicoides. J. Econ. Ent. 44(1):112-113.
- Kundu, H.L., Datta Gupta, A.K. and Gupta, B.B. (1964). A study of the abundance of certain insects of Pilani with the help of a light trap. Proc. Rajasthan Acad. Sci. 8:79-87.
- Kurashige, Y. (1970). Nocturnal succession of the mosquitoes captured by a light trap in Utsunomiya city (in Japanese). Jap. J. Sanit. Zool. 20(4):236-239.
- Kureck, A. (1969). Diurnal rhythms in Lapland Simuliidae (Diptera). (In German). Oecologia 2(4):385-410.
- Lewis, D.J. (1953). Simulium damnosum and its relation to onchocerciasis in the Anglo-Egyptian Sudan. Bull. Ent. Res. 43:597-644.
- (1957). Simuliidae and their relation to onchocerciasis in the Sudan. Bull. World Health Org. 16:671-674.
- (1960a). Observations on the Simulium neavei complex at Anami in Tanganyika. Bull. Ent. Res. 51:95-113.
- (1960b). Observations on Simulium damnosum in the southern Cameroons and Liberia. Ann. Trop. Med. Parasitol. 54:208-223.

- Lloyd, R.B., Napier, L.E. and Smith, R.O.A. (1924). The blood meal of Phlebotomus argentipes identified by precipitin anticera. Ind. J. Med. Res. 12:811-817.
- Mazokhin-Porshnyakov, G.A. (1956). The night catch of insects with a mercury light trap, and its application in Applied Entomology (In Russian). J.Zool. 35(2):238-244.
- McMahon, J.P. (1947). Simuliidae of Kenya. E.Afr.Med.J. 24(1):51-56.
- Minář, J. (1962). Observations on the effect of meteorological factors on some parasitic Diptera (Ceratopogonidae, Simuliidae, Tabanidae). (In Czeck). Op. Cit. 9:331-342. (Rev.App.Ent.(B) 52:163-164. 1964).
- Ogata, K. (1954). Studies on the diurnal rhythm of biting activity in Simulium venustum Say. Jap.J.Appl.Zool. 19:136-141.
- Perti, S.L. and Lt.Col.Lopez, W.A. (1962). Bionomics and control of Simulium flies in NEFA area. Part I. Armed Forces Med.Jour. 18(4):536-544.
- Peterson, B.V. (1956). Observations on the biology of Utah black flies (Diptera:Simuliidae). Can.Ent. 88:496-507.
- (1959). Observations on mating, feeding and oviposition of some Utah species of black flies (Diptera: Simuliidae). Ibid. 91:147-155.
- Peterson, D.G. and Wolfe, L.S. (1956). The Biology and control of black flies (Diptera: Simuliidae) in Canada. Proc. Xth Int.Cong.Entomol. 3:551-564.
- Pickard, E. and Snow, W.E. (1955). Light trap collections of punkies (Family Heleidae, Genus Culicoides) McMinn County, Tennessee, April-September, 1952. Jour. Tennessee Acad. Sci. 30(1):15-18.

- Pinchin, R.D. and Anderson, J. (1936). On the nocturnal activity of Tipulinae (Diptera) as measured by a light trap. Proc. R. ent. Soc. Lond. (A) 11:69-75.
- Puri, I.M. (1932a). Studies on Indian Simuliidae. Part I. Ind. J. Med. Res. 19(3):883-897.
- (1932b). Studies on Indian Simuliidae. Part III. Ibid. 19(4):1125-1143.
- Rempel, J.G., Riddell, W.A. and McNelly, E.M. (1946). Multiple feed habits of Saskatchewan mosquitoes. Can. J. Res., E, 24:71-78.
- Rice, J.B. and Barbar, M.A. (1935). Malaria studies in Greece. A modification of the Uhlenhuth-Weidanz precipitin test for determining the sources of blood meals in mosquitoes and other insects. J. lab. Clin. Med. 20:876-883.
- Riddell, W.A., Rempel, J.G. and McNelly, E.M. (1947). The specificity of the precipitin reaction as used in the study of mosquito feeding habits. Can. J. Res., E, 25:210-215.
- Roux, le P.L. (1929). Onchocerciasis of cattle with special reference to its possible life-cycle and control. Pan-Afr. Agric. Veter. Conf., Pretoria 1929.
Par. Veter. Sec. 107-112 (Rev. App. Ent. (B) 18:213.1930).
- Rubtzov, I.A. (1935). Data on the Biology and Ecology of Simuliidae (In Russian). Bull. Inst. Sci. Biol. Geogr. Univ. Irkoutsk 6(2-4):109-133. (Rev. App. Ent. 25:56-57.1937)
- (1936). On the Biology and Ecology of the Simuliidae of Eastern Siberia. (In Russian). Mag. Parasitol. (Leningrad) 6:169-200.

- (1939). Factors of outbreaks of the black flies (In Russian). Trav. Acad. Milit. Méd. Kiroff Armée Rouge 19:177-207. (Rev.App.Ent.34:42-44. 1946).
- (1951). Contribution to the biology and ecology of the midges (Simuliidae) of Central Asia (In Russian) Parasitol. Sbornik. 13:328-342. (Rev.App.Ent.(B) 42:68. 1954).
- Sailer, R.I. (1953). The black fly problem in Alaska. Mosq. News. 13:232-235.
- Schubert, J.H. and Kelley, M.H. (1950). The precipitin technique for determining species of host blood in mosquitoes - modifications and improvements. J.Natl.Malaria Soc. 9:341-348.
- Sen, P. and Das Gupta, S.K. (1959). Nocturnal periodicity of biting midges (Diptera: Ceratopogonidae). Science and Culture. 25:374-375.
- Senior-White, R. (1922). Notes on Indian Diptera. Mem. Dept. Agric. India Ent. Ser. 7(9):126-131.
- Service, M.W. (1969). Light trap catches of Culicoides spp. (Diptera: Ceratopogonidae) from Southern England. Bull. Ent. Res. 59(2):317-322.
- Shewell, G.E. (1955). Identity of the black fly that attacks ducklings and goslings in Canada (Diptera: Simuliidae) Can. Ent. 87:345-349.
- Sinharay, D.C., Hajra, D.P. and Das Gupta, S.K. (1969). A survey of Darjeeling insects by periodic light-trappings. Jour. Beng. Nat. Hist. Soc. 35(2):76-85.
- Smart, J. (1936). Notes on the Simuliidae occurring at Fortingal, Perthshire. Scot. Nat. 22-26.
- Smith, S.G. (1923). Records of experiments with light for attracting British moths. Chester 1923:1-33.

- Snow, W.E. and Pickard, E. (1954). Observations on the seasonal activity of some night-biting Diptera. Jour. Tennessee Acad. Sci. 29(1):17-22.
- Strong, R.P., Sandground, J.H., Bequart, J.C. and Ochoa, M. (1934). Onchocerciasis with special reference to the Central American Form of the disease. Contr. Dept. Trop. Med., Harv. Univ. 6:175-224. (Rev. App. Ent. (B) 23:172-173. 1935).
- Stukolkina, N.N. (1939). Studies on the Biology of black flies in Transbaikalia (In Russian). Trav. Acad. Milit. Méd. Kiroff Armée Rouge 19:49-60. (Rev. App. Ent. (B) 34:42. 1946).
- Underhill, G.W. (1939). Two simuliids found feeding on turkeys in Virginia. J. Econ. Ent. 32:765-768.
- (1940). Some factors influencing feeding activity of simuliids in the field. Ibid. 33:915-917.
- (1944). Black flies found feeding on turkeys in Virginia, (Simulium nigroparvum Twinn and Simulium glossosae Dyar and Shannon). Virg. Polyt. Inst. Agric., Exp. St. Tech. Bull. 94:1-32.
- Ussova, Z.V. (1961). Flies of Karelia and the Murmansk region (Diptera: Simuliidae). (In Russian). Izdatel'stvo Acad. Nauk SSSR: 1-267.
- Uvarov, B.P. (1931). Insects and climate. Trans. Entomol. Soc. Lond. 79:1-247.
- Vargas, L. (1945). Simulidos del nuevo mundo. Monog. Inst. Salubridad Enferm. Trop. Mexico 1:1-241.
- Weitz, B. (1956). Identification of blood meals of blood sucking arthropods. Bull. World Hlth. Org. 15:474-490.
- Williams, C.B. (1923). A new type of light trap for insects. Tech. Bull. Minist. Agric. Egypt 28:1-2.

- (1924). An improved light trap for insects.
Bull. Ent. Res. 15:57-60.
- (1936). The influence of moon light on the activity of certain nocturnal insects, particularly the family Noctuidae, as indicated by a light trap. Phil. Trans. (B) 226:357-387.
- (1939). An analysis of four years' captures of insects in the light trap. Part I. Trans. R. ent. Soc. Lond. 89:79-132.
- (1940). An analysis of four years' captures of insects in light trap. Part II. Ibid. 90:227-306.
- (1948). The Rothamsted light trap. Proc. R. ent. Soc. Lond. (A) 23:80-85.
- (1951). Changes in insect populations in the field in relation to preceding weather conditions. Proc. R. Soc. Lond. (B) 132:130-156.
- (1961). Studies in the effect of weather conditions on the activity and abundance of insect populations. Phil. Trans. R. Soc. Lond. (B) 224(713):331-378.
- (1962). Studies on black flies (Diptera: Simuliidae) taken in a light trap in Scotland. Part III. Trans. R. ent. Soc. Lond. 114(1):28-47.
- (1964). Nocturnal activity of black flies (Simuliidae). Nature 201 (4914):105.
- and Davies, L. (1957). Simuliidae attracted at night to a trap using ultra-violet light. Ibid. 179:924.
- , French, R.A. and Hosni, M.M. (1955). A second experiment of testing the relative efficiency of insect traps. Bull. Ent. Res. 46(1):193-204.
- Wolfe, L.S. and Peterson, D.G. (1959). Black flies (Diptera: Simuliidae) of the forests of Quebec. Can. J. Zool. 37:137-159.

- (1960). Diurnal behaviour and biting habits of black flies (Diptera: Simuliidae) in the forests of Quebec. Ibid. 38:489-497.
- Worms, de C.G.M. (1930). A season's collecting with an electric light trap during 1929 near Egham, Surrey. Entomologist 63:226-234.
- (1931). Moth trap notes for 1930. Ibid. 64:147-149.
- (1932). Moth trap results, 1931. Ibid. 65:230-231.
- (1933). Moth trap records at Egham for 1932. Ibid. 66:140-141.
- Wu, Y.F. (1931). A contribution to the biology of Simulium (Diptera). Papers Mich. Acad. Sci. 13:543-599.
- Zahar, A.R. (1951). The ecology and distribution of black flies (Simuliidae) in South-east Scotland. J. Anim. Ecol. 20:33-62.
-