



- Andre, P.G., D.A. Conroy, D.McGregor, R.J. Roberts and H. Young, 1970. Acute hemorrhagic septicemia in captive European eel (Anguilla vulgaris): A clinical pathological study. Vet. Rec. 90: 726-729.
- Angelini, N.M. and G.N. Seigneur. 1988. Fins disease of Rhamdia sp. Isolation of pathogenic organisms and experimental infection. Rev. Argent. Microbiol. 20(1): 37-48.
- Anonymous. 1981. Five years of agricultural research and development of Indonesia 1977 - 1980. Central Bur. Stat. Min. Agric. Min. Trade, Gaje Tebruk Bogor. pp. 128.
- Antipa, R. and D. F. Amend. 1977. Immunization of Pacific salmon: Comparison of intraperitoneal injection and hyperosmotic infiltration of Vibrio anguillarum and Aeromonas salmonicida bacterins. J. Fish. Res. Bd. Can. 34: 203-208.
- Austin, B. and C.J.Rodgers, 1981. Preliminary observations on Aeromonas salmonicida vaccines. Develop. Biol. Stand. 49: 387-393.
- Barham, W.T., H.S. Schoonbee and G.L.Smit. 1979. The occurrence of Aeromonas and Streptococcus in rainbow trout (Salmo gairdneri). J. Fish. Biol. 15: 457-460.

- Barham, W.T., G.L. Smit and H.T.Schoonbe, 1980. The haematological assessment of bacterial infections in rainbow trout Salmo gairdneri Richardson. J. Fish Biol. 17: 275-281.
- Bartholomew, J.W. 1962. Variables influencing results, and the precise definition of the steps in Gram staining as a means of standardizing the results obtained. Stain Technol. 37(3): 139-155.
- Baba, T., J. Imamura and K. Izawa, 1988b. Immune protection in carp, Cyprinus carpio L., after immunization with Aeromonas hydrophila crude lipopolysaccharide. J. Fish Dis., 11: 237-244.
- Baba, T., J. Imamura and K. Izawa. 1988a. Cell-mediated protection in carp. Cyprinus carpio L., against Aeromonas hydrophila. J. Fish.Dis., 11: 171-178 .
- Baxa, D.V., K.H. Kenji and R. Kusuda, 1985. Edwardsiella tarta and Streptococcus isolated from cultured red sea bream. Rep.Usa. Mar.Biol. Inst. Kochi Univ.(7): 1-8.
- Baxa, D.V., J.M. Groff, A. Wishkovsky and R.P.Hedrick, 1990. Susceptibility of non-ictularid fishes to experimental infection with Edwardsiella ictaluri Dis. aquat. Org. 8: 113-117.

- Bellet, R. 1958. Du Syndrome antero-hepatorenal chez la truite arc-en-ciel de pisciculture. Bull. Franc. Piscicult. 189: 113-124.
- Bellet, R. 1965. Viral hemorrhagic septicemia (VHS) of the rainbow trout bred in France. Ann.N.Y. Acad.Sci. 126: 461-467.
- Bernheimer, A.W. and L. Avigad. 1974. Partial characterization of aerolysin, a lytic exotoxin from Aeromonas hydrophila. Infection and Immunity. 9: 1016-1021.
- Blazer, V.S., E.B. Shotts, W.D. Waltman, 1985. Pathology associated with Edwardsiella ictaluri in catfish (Ictalurus punctatus) and danio (Danio devario). J. Fish Biol. 27: 167-176.
- Bohm, K.H., H. Fuhrmann, H.J. Schlotfeldt and W. Korting. 1986. Aeromonas salmonicida from salmonids and cyprinids - Serological and cultural identification. J. Vet. Med. B 33: 777-783.
- Boomker, J., M.M. Henton, T.W. Naude and F.W. Tunchzermeyer. 1984. Furunculosis in rainbow trout (Salmo gairdneri) raised in sea water. Onderstepoort J.Vet. Res.,51: 91-94.

- Bragg, R.R., F.A.K. Hildegard, Huchzermeyer and A.M. Monica Hanisch. 1990. Mycobacterium fortuitum isolated from three species of fish in South Africa. Onderstepoort J. Vet. Res. 57 (1): 101-102.
- Bruno, D.W. and A.L.S. Munro. 1982. Detection of the causative agent of bacterial kidney disease. Bulletin of the European Association of Fish Pathologists, 2: 10-12.
- Bruno, D.W. 1986. Histopathology of bacterial kidney disease in laboratory infected rainbow trout Salmo gairdneri Richardson, and Atlantic Salmon, Salmo salar L. With reference to naturally infected fish. J.Fish Dis. 9: 523-537.
- Bruno, D.W. and A.L.S. Munro. 1986. Haematological assessment of rainbow trout, Salmo gairdneri Richardson and Atlantic salmon, Salmo salar L, infected with Renibacterium salmoninarum. J. Fish Dis. 9: 195-204.
- Buckeley, J.T., L.N. Halasa, K.D. Lund and S. Macintyre. 1981. Purification and some properties of the hemolytic toxin aerolysin. Can. J. Biochem., 59: 430-435.
- Bullock, G.L. and J.J. McLaughlin. 1970. Advances in knowledge concerning bacteria pathogenic to fishes (1954-1968). Spec. Publs. Am. Fish. Soc. No. 5: 231-242.

- Bullock, G.L. 1971. Diseases of Fish Book 2B: Identification of fish pathogenic bacteria. T.F.H. Neptune City N.J. pp. 384.
- Bullock, G.L., D.A. Conroy and S.F. Snieszko. 1971. Bacterial Diseases of Fish. T.F.H. Publication, New Jersey, pp. 21-41.
- Bulleck, G.L., and Anderson, D.P. 1984. Immunization against Yersinia ruckeri, cause of enteric red-mouth disease. In: (P.de Kinkelin ed.), Symposium on fish vaccination, February, 1984, Paris Office International des Epizooties, Paris, pp. 151-166.
- Burke, V., J. Robinson, R.J. Berry and M. Gracey. 1981. Detection of enterotoxin of Aeromonas hydrophila by a suckling mouse test. J. Med. Microbiol., 14: 401-408.
- Calkins, G.N. 1899. 4th. Ann. Report of the Commissioners of Fisheries, Game and Forests, State of New York, p. 175.
- Carson, J. and J. Handlinger. 1988. Virulence of the aetiological agent of goldfish ulcer disease in Atlantic Salmon, Salmo salar. L. J. Fish Dis. 11: 471-479.

- Chabot, D.J., and R.L. Thune. 1991. Protease of Aeromonas hydrophila complex: identification, Characterization and relation to virulence in channel catfish, Ictalurus punctatus (Rafinesque). J. Fish. Dis. 14: 171-183.
- Chaudhuri, S.R. and M.M. Chakravarty. 1970 . Studies on the Myxosporidia (Protozoa: sporozoa) from the food fishes of Bengal 1. Three New species from Ophiocephalus punctatus (Bloch). Acta. Protozool. 8: 167-173.
- Chen, S.N. and G.H. Kou. 1981. A cell line derived from Japanese eel (Anguilla japonica): Ovary. Fish Pathol., 16: 129-137.
- Chen, S.N., Y. Ueno and G.H. Kou. 1982. A cell line derived from Japanese eel (Anguilla japonica) Kidney. Proc. Natl. Sci. Cong. B. Roc. 6: 93-100.
- Chen, S.N., S.C. Chi, Y. Ueno and G.H. Kou. 1983a. A cell line derived from tilapia ovary. Fish Pathol. 18: 13-18.
- Chen, S.N., Y. Ueno, S.C. Wen and G.H. Kou. 1983b. Establishment of a cell line from kidney of tilapia. Bull. Eup. Assoc. Fish. Path., 4: 1-4.
- Chen, F., Martin and E. Marsha, Kumlin. 1989. Enteric Septicemia of Channel Catfish in California (USA) Calif. Fish Game 75(3): 141-147.

- Cone, D.K. 1982. A Lactobacillus sp. from diseased female rainbow trout Salmo gairdneri Richardson. in New foundland. Canad. J. Fish.Dis.5: 479-485.
- Costa, H.H. and M.J.S. Wijeyaratne.1989. Epidemiology of epizootic ulcerative syndrome occurring for the first time in Sri Lanka. J. Appl. Ichthyol.
- Csaba, G Y., M. Prigli, L. Bekesi, E.Kovacs-Gayer, E. Bajmocy and B. Fazekas. 1981. Septicemia in Silver carp, Hypophthalmichthys molitrix, Vol., and Bighead, Aristichthys nobilis, Rich., caused by Pseudomonas fluorescens. Proc. Int. Sem. on Fish, Pathogens and Environment in European Polyculture (Szarvas, Hungary) : 111-123.
- ..... ve
- ..... syndrome - an overview. Souv. Inland Fish. Soc. Barrackpore, India, pp. 25-30.
- Das, M.K., R.N. Pal, A.K.Ghosh, R.K.Das, H.C. Joshi, M.K.Mukhopadhy and A. Hajra. 1990. Epizootic ulcerative syndrome: A Comprehensive account. Abst. Proc. of National Workshop on Ulcerative disease syndrome in fish 6-7 March, 1990, Calcutta.

- Diener, B., L. Carrick (Jr) and R.S. Berk. 1973. In vivo studies with collagenase from Pseudomonas aeruginosa Infect. Immun. 7: 212-217.
- Dobos, P. 1976. Size and structure of the genome of infectious pancreatic necrosis virus. Nucleic Acids Res. 3: 1903 - 1924.
- Dobos, P., B.J. Hill, R. Hallett, D.T.C. Kells, H. Becht and D. Teninges. 1979. Biophysical and Biochemical characteristics of five animal viruses with bisegmented double - stranded RNA genome. J. Virol., 32: 593-605.
- Duff, D.C.B., 1942. The oral immunization of trout against Bacterium salmonicida. J. Immunol., 44: 87-94.
- Egidius, E., R. Wilk, K. Anderson, K.A. Hoff and B. ...
- Eras, J.C. and A. Saravia. 1986. Nutritional factors as the cause of an outbreak of Pseudomonas fluorescens in rainbow trout, Salmo gairdneri Richardson. Publ. Inst. Zool. Dr. Augusto Nobre Fac. Cienc. Porto 0(192): 1-8.
- fish from seven locations. J. Fish Dis. 3: 133-143.

- Ellis, A.E., T.S. Hastings and A.L.S. Munro. 1981. The role of Aeromonas salmonicida extracellular products in the pathology of furunculosis. J. Fish Dis. 4: 41-51.
- Evelyn, T.P.T., 1984. Immunization against pathogenic vibriosis. In symposium on Fish vaccination. Theoretical background and practical results on immunization against infectious diseases (P. de Kinkelin, ed.). Office International des Epizootic, Paris, France, 121-150.
- Fijan, N.N. 1972. Infectious dropsy in carp - A disease complex. Symp. Zool. Soc. Lond. Zo: 39-51.
- Fryer, G. 1968. The parasitic crustacea of African fresh water fish. Their biology and distribution, J. Zool. 156: 45-95.
- Fryer, J.L. and J.E. Sanders. 1981. Bacterial kidney disease of salmonid fish. Ann. Rev. Microbiol. 35: 273-298.
- Ferguson, H.W. and D.H. McCarthy. 1978. Histopathology of furunculosis in brown trout Salmo trutta L. J. Fish. Dis. 1: 165-174.
- Gelev, I., E. Gelev, A.G. Steigerwalt, G.P. Carter and D.J. Brenner. 1990. Identification of the bacterium associated with hemorrhagic septicemia in rainbow trout as Hafnia alvei Res. Microbiol., 141 (5): 573-576.

- Ghittino, P. 1962. L' "Ipertrofiarenale e degenerazione epatica infettiva" della trota iridea di allevamento (Salmo gairdneri) caratteristiche cliniche, eziologiche, ed anatomo-isto-pathologiche. Vet. Ital., 13: 457-489.
- Ghittino, P. 1965. Viral hemorrhagic septicemia (VHS) in rainbow trout in Italy. Ann. N.Y. Acad.Sci. 126: 468-477.
- Ghittino, P. 1970. Piscicoltura e Ittiopatologia. 2 Ittiopatologia. Ed. Riv.Zootee. Stampa Strata, Sesto. S. Giovanni.
- Ghittino, P. 1972. The principal aspects of bacterial fish diseases in Italy. Symp. Zool.Soc.Lond. 30: 25-38.
- Ghittino, P., H.Schwedler, P. de.Kinkelin. 1984. The main infectious disease of intensively reared fish and their control methods. In symposium on fish vaccination (P. de Kinklen ed.) pp.5-38.
- Goncharov, G.D. 1951. Proc. Tr. VNIRO. 19: 133-135.
- Goncharov, G.D. 1965. Rubella, A viral fish disease. Ann. N.Y. Acad.Sci. 126: 598-600.
- Gopalakrishnan, V. 1963. Controlling pest and diseases of cultured fishes. Indian Livestock. 1(1): 51-54.

- Gopalakrishnan, V. 1964. Recent developments in the prevention and control of fishes cultured in Indian water. Proc. Zool. Soc. Bengal. 17: 95-100.
- Gopalakrishnan, V. 1966. Diseases and parasites of fishes in warm water ponds in Asia and the far East. Proc. FAO. World Symp. on warm water pond
- Graevenitz, A. von. 1977. The role of opportunistic bacteria in human disease, Ann. Rev. Microbiol. 31: 447-471.
- Gray, L.D., and A.S. Kreger. 1979. Microscopic characterization of rabbit lungs damage produced by Pseudomonas aeruginosa protease. Infect. Immun. 23: 150-159.
- Haines, A.K. 1983. Fish Fauna and Ecology, The Purari-Tropical Environment of High Rainfall River Basin. (T. Petr, ed.) pp. 367-384. Gravenhage: Dr. W.Junk Publishers.
- Hamilton, R.C., H.Kalkins, N.R.Ackland and L.D.Ashburner. 1981. An extra layer in the surface layers of an atypical Aeromonas salmonicida isolated from Australian gold fish. J.Gen.Microbiol. 122: 363-366.
- Hara, T., K.Inoue, S.Morikawa, and F.Tashiro. 1976. Vaccination trials for control of furunculosis in salmonids in Japan. Fish Pathol., 10: 227-235.

- Harrell, L.W., A.J. Novotony, M.H. Schiewe and H.O. Hedgins. 1976. Isolation and description of two vibrios pathogenic to Pacific salmon in Puget sound, Washington. Fish Bull. 74: 447-449.
- Hatai, K. and S. Egusa. 1975. Candida sake from gastrolympanites of amago. Oncorhynchus rhodurus. Bull. Japanese Soc. Sci. Fish. 41: 993.
- Hatai, K. and S. Egusa. 1977. Studies on visceral mycosis of salmonids fry-III. Characteristics of fungi isolated from the abdominal cavity of amago salmon fry. Fish Path. 11: 187-193.
- Hatai, K. and S.S.Kubota. 1989. A visceral mycosis in cultured masu salmon (Oncorhynchus masou) caused by a species of Ochroconis. J. Wildl. Dis. 25(1): 83-88.
- Hatai, K., Y. Fujimaki, S. Egusa and Y. Jo. 1986. A visceral mycosis in ayu fry, Plecoglossus altivelis Temminck and Schlegel, caused by a species of Phoma. J. Fish. Dis. 9: 111-116.
- Hayasaka, S.S. and J. Sullivan. 1981. Furunculosis in cultured American eel. Anguilla rostrata. J. Fish. Biol., 18(6): 655-660.
- Hayakawa, Y., T. Harada, K. Hatai, S.S. Kubota, T. Punya and G. Hoshiai. 1989. Histopathology of BKD (Bacterial Kidney Disease) occurred in sea-cultured coho salmon (Oncorhynchus kisutch) Fish Pathol., 24(1): 17-21.

- Hawke, J.P. 1979. A bacterium associated with disease of pond cultured channel catfish Ictalurus punctatus. J. Fish. Res. Bd. Can., 36: 1508-1512.
- Hawke, J.P., A.C. McWhorter, A.G. Steigerwalt and D.J. Brenner. 1981. Edwardseilla ictaluri sp. nov., The causative agent of enteric septicemia of catfish. Internat. J. Syst. Bact., 31: 396-400.
- Hendricks, J.D. and S.L. Leek. 1975. Kidney disease post orbital lesions in spring Chinook salmon (Oncorhynchus tshawytscha) Trans. Am. Fish. Soc., 104: 805-807.
- Herman, R.L., 1968. Fish furunculosis. Trans. Am. Fish. Soc., 97: 221-230.
- Hill, B.J. 1975. Physico-Chemical and serological characterization of five rhabdoviruses infecting fish. J. Gen. Virol., 27: 369-378.
- Horne, M.T. 1982. The pathogenicity of V. anguillarum (Bergeman). In: Microbial Disease of Fish (ed. R.J. Roberts). Academic Press, New York, N.Y., pp. 305.
- Hoshina, R. 1962. Studies on red disease of Japanese eel. J. Tokyo Univ. Fish. 6 (1): 1 - 104.
- Hugh, R. and E. Leifson. 1953. The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various gram negative bacteria. J. Bact., 66: 24.

- Huizinga, W.A., G.W.Esch and T.C.Hazan. 1979. Histopathology of red sore disease (Aeromonas hydrophila) in naturally and experimentally infected large mouth bass. J.Fish.Dis., 2: 264-277.
- Iida, Y., K. Masumura, T. Nakai, M.Sorimachi and H. Matsuda. 1989. A viral disease in Larvae and Juveniles of the Japanese flounder Paralichthys divaceus. J. Aquat. Anim. Health. 1: 7-12.
- Jain, A.K. 1990. Status paper on the occurrence of epizootic ulcerative disease syndrome in fish and its adverse effect on fresh water fisheries in West Bengal. Proc. Natl. workshop on Ulcerative disease Syndrome in Fish. 6-7 March, 1990, Calcutta.
- Jhingran, V.G. 1974. Fish pathology: In: Fish and Fisheries of India, pp. 811-813. Hindusthan Publishing Corpn. (India), New Delhi.
- Jhingran, A.G. 1990. Status of research on epizootic ulcerative syndrome: Strategy for containing the disease in India. Proc. Natl. Workshop on Ulcerative disease syndrome in fish 6-7 March, 1990, Calcutta.
- Jhingran, A.G. and M.K.Das, 1990. Epizootic Ulcerative Syndrome in Fishes. Bull. 65, CICFRI, 1-14.
- Jhonson, W.M. and H.Lior. 1981. Cytotoxicity and suckling mouse reactivity of Aeromonas hydrophila isolated from human sources. Can.J.Microbiol. 27: 1019-1027.

- Jo, Y. and K.Muroga. 1972. Vibrio anguillarum isolated from eels cultured in fresh water Ponds. Fish Pathol., 6: 117-119.
- Jo, Y., K. Muroga and K.Onishi. 1975. Studies on red spot disease of pond cultured eel III. A case of the disease in the European eels (Anguilla anguilla) cultured in Tokushima Prefectures. Fish Pathol., 9(2): 115-118.
- Jo, Y. 1978. Therapeutic experiments on red spot disease. Fish Pathol., 13(1): 41-42.
- Jo, Y., K. Onishi and K. Muroga. 1979. Vibrio anguillarum isolated from cultured yellow tail. *ibid*, 14: 43-47.
- Jo, Y., and K. Onishi. 1980. Aeromonas hydrophila isolated from cultured ayu (Plecoglossus altivelis) Fish Pathol., 15: (2): 85-90.
- Kabata, Z. 1985. Parasites and diseases of fish cultured in the tropics. Taylor and Francis Pub. London, Philadelphia. pp. 92-107.
- Kanai, K., H. Wakabayashi and S. Egusa. 1977. Comparison of intestinal microflora between healthy and diseased pond-cultured eel. Fish Pathol., 12: 199-204.
- Kanai, K. and H. Wakabayashi, 1984. Purification and some properties of protease from Aeromonas hydrophila. Bull. Jpn. Soc. Sci.Fish., 50(8): 1367-1374.

- Kanai, K., and Y. Takagi. 1986. Alpha-hemolytic toxin of Aeromonas hydrophila produced in vivo. Fish Pathol. 21(4):245-250.
- Karunasagar, I., P.K.M.M. Ali and G.Jeyasekaran. 1986. Ulcerative form of Aeromonas hydrophila infection of Catla catla. Curr.Sci., 55: 1194-1195.
- Kasornchandra, J., W.A. Rodgers and J.A. Plumb. 1987. Edwardsiella ictaluri from walking catfish, Glarias batrachus L. in Thailand. J.Fish Dis. 10: 137-138.
- Kawaharajo, K., J.Y.Homma, Y. Aoyama and K.Morihara, 1975a. In vivo studies on protease and elastase from Pseudomonas aeruginosa. Jpn. J. Exp.Med. 45: 89-100.
- Kawaharajo, K., J.Y. Homma, Y. Aoyama, K. Okada and K. Morihara. 1975b. Effects of protease from Pseudomonas aeruginosa on skin. Jpn. J.Exp.Med. 45: 79-88.
- Kelly, R.K., O.Nielsen, S.C.Mitchell and T.Yamamoto. 1983. Characterization of Herpesvirus vitreum isolated from hyperplastic epidermal tissue of walleye, Stizostedion vitreum vitreum (Mitchill). J.Fish. Dis. 6: 249-260.
- Kent, M.L., J.M.Lyons. 1982. Edwardsiella ictaluri in the green knife fish, Eigemannia virescens. Fish Health News. 2:2.

- Kimura, T., and T. Awakura. 1977. Bacterial kidney disease of salmonid: first observation in Japan. Bull. Jpn. Soc.Sci. Fish. 43: 443-450.
- Kimura, T. 1978. Bacterial kidney disease of salmonids Fish Pathol., 13: 43-52.
- Kimura, T., M.Yoshimizu, M. Tanaka and H.Sannohe.1981. Studies on a new virus (OMV) from Oncorhynchus masou I. Characteristics and pathogenicity. Fish Pathol., 15: 143-147.
- King, E.O., M.K.Ward, and D.E.Raney. 1954. Two simple media for the demonstration of pyocyanin and fluorescin. J. Lab. Clin.Med., 44: 301.
- Kirilenko, T.C. and M.A. All-Achmed. 1977. Onchroconis tshawytschae (Doty et slater) Comb. nov. Mikrobiologichnii Zhurnal. 39: 303-306.
- Kitao, T., T. Aoki and R.Sakoh. 1982. Epizootic caused by  $\beta$ -hemolytic Streptococcus sp. in cultured fresh water fish. Fish Pathol., 15(3/4): 301-307.
- Klontz, G.W., W.T.Yasutake and A.J. Ross. 1966. Bacterial disease in the salmonidae in the western United States: Pathogenesis of furunculosis in rainbow trout. Am.J.Vet.Res.27: 1455-1460.
- Kocur, M. 1986. Genus I. Micrococcus. In: Bergey's Manual of systematic Bacteriology. Vol. II (P.H.A.Sneath, N.S. Mair, and M.E.Sharpe and J.G.Holt, eds) pp. 1004-1008. William and Wilkins, Baltimore.

- Kocylowski, B. 1965. The role of virus in septicemia of carp (Cyprinus carpio) and pox of carp. Influence of environment of infection. Ann.N.Y. Acad. Sci., 126: 616-619.
- Krantz, G.E. J.M. Reddecliff, and C.E.Heist. 1964a. Immuneresponse of trout to Aeromonas salmonicida. Part I. Development of agglutinating antibodies and protective immunity. Prog. Fish.Cult.26:3-10.
- Krantz, G.E., J.M.Reddecliff, and C.E.Heist. 1964b. Immune response of trout to Aeromonas salmonicida. Part II. Evaluation of feeding techniques. Prog. Fish Cult. 26: 65-69.
- Kumar, D., K. Suresh, R.K.Dey and B.K.Mishra 1986c. Stress-mediated columnaris disease in rohu, Labeo rohita (Hamilton) J. Fish. Dis. 9: 87-89.
- Kumar, D., R.K.Dey, B.K.Mishra, and K.Kumar, 1987a. Ulcerative disease in Catla catla (Ham.) Research Highlight in the First Indian Fisheries Forum, Dec. 6-10, Manglore, India.
- Kumar, D. and R.K.Dey, 1991. Fish diseases in India. In: Aquaculture productivity (eds.V.R.P.Sinha and H.C.Srivastava) Oxford and IBH Publishing Co. New Delhi 110 001, pp. 315-343.

- Kumar, D., R.K. Dey and A. Sinha, 1991. Outbreak of epizootic ulcerative syndrome of fish in India. In. Aquaculture Productivity (eds. V.R.P.Sinha and H.C. Srivastava) Oxford and IBH Publishing Co. New Delhi 110 001, pp. 345-356.
- Kuo, S.K. and G.H. Kou, 1978. Pseudomonas anguilliseptica isolated from red spot disease of pond - cultured eel. Anguilla japonica. Rep. Inst. Fish. Biol. Min. Econ. Aff. Nat. Taiwan Univ. 3: 19-23.
- Kusuda, R. and Y. Takahashi. 1970. Studies on the scale protrusion disease of carp fishes I. Characteristics of Aeromonas liquefaciens isolated from diseased fishes. Fish. Pathol. 4(2): 87-97.
- Kusuda, R., K. Kawai, T. Toyoshima and I. Komatsu. 1976. A new pathogenic bacterium belonging to the genus Streptococcus isolated from an epizootic of cultured yellow tail. Bull. Jpn. Soc. Sci. Fish. 42: 1345-1352.
- Kusuda, R., J. Komatsu and K. Kawai. 1978. Streptococcus sp. isolated from an epizootic of cultured eel. Bull. Jpn. Soc. Sci. Fish. 44: 295.
- Kusuda, R. 1980. Pathogenic bacteria and diseases in marine fishes. Mari. Sci. Month. 126: 293-298.

- Kusuda, R., K. Kawakami and K. Kawai, 1987. A fish pathogenic Mycobacterium sp. isolated from an epizootic of cultured yellow tail. Bull. Jpn. Soc. Sci. Fish. 53(10): 1797-1804.
- Landsberg, J.H., I. Paperna. 1987. Intestinal infections by Eimeria (S.L.) vanasi n. sp. (Eimeriidae, Apicomplexa, Protozoa) in cichlid fish. Am. Parasitol. Hum. Comp. 62: 283-293.
- Lewis, D.H. 1985. Vibriosis in channel catfish. Ictalurus punctatus (Rafinesque) J. Fish. Dis. 8: 539-545.
- Levin, M.A., R.E. Wolke and V.J. Cabelli. 1972. V. anguillarum as a cause of disease in winter flounder (Pseudopleuronectes americanus) Can. J. Microbiol. 13: 405-412.
- Lillehaug, A., 1990. A field trial of vaccination against cold-water vibriosis in Atlantic salmon (Salmo salar L) Aquaculture. 84: 1-12.
- Liu, P.V. 1974. Extracellular toxins of Pseudomonas aeruginosa J. Infect. Dis. 130: S94-S99.
- Ljungh, A., B. Wretling and R. Molby. 1981. Characteristic of enterotoxin and two hemolysins from Aeromonas hydrophila. Acta Pathologica et Microbiologica Scandinavica, Section B: Microbiol. Immunol., 89: 387-393.

- Llobrera, A. and R.Gacutan. 1987. Aeromonas hydrophila associated with ulcerative disease epizootic in Laguna de Bay, Philippines. Aquaculture. 67 (3/4): 273-278.
- Lucky, Z. 1977. Methods for the diagnosis of fish disease (Glenn L.Hoffman, ed.) Amerind Publishing Co. Pvt. Ltd. New Delhi.
- Mac Lean, D.C. and W.G. Yoders. 1970. Kidney disease among Michigan Salmon in 1967. The progressive Fish culturist. 32: 26-30.
- Mallergaard, S. and I. Dalsgaard. 1986. Hanbog i Alesygdomme. Danmarks Fiskeriog Havundersogelser rapport no. 293: 46.
- Marks, J.E., D.H. Lewis, and G.S.Trevino, 1980. Mixed infection in columnaris disease of fish. J.Am. Vet.Med.Assoc. 177(9): 811-814.
- Mawdesley-Thomas, L.E. 1967. Salmon disease. Lancet ii: 616.
- Mawdesley Thomas, L.E. and D.W.Jolly. 1967. Disease of Fish II: The Goldfish (Carassius auratus) J. Small Anim. Pract. 8. 533-541.
- Mawdesely-Thomas, L.E. and D.W.Jolly, 1968. Disease of fish-III. The trout. J. small Anim. Pract. 9: 167-188.

- Mawdesley-Thomas, L.E. 1969. Furunculosis in the goldfish (Carassius auratus L.) J.Fish Biol. 1: 19-23.
- McCarthy., D.H. 1975. Detection on Aeromonas salmonicida antigen in diseased fish tissue. J. Gen. Microbiol. 88: 384-386.
- McCarthy, D.H., 1976. Vibrio disease in eels. J. Fish Biol. 8: 317-320.
- McCarthy, D.H. and R.J. Roberts. 1980. Furunculosis of fish. The present state of our knowledge. In Advances in Aquatic Microbiology (M.R. Droop and H.W.Jannaseb ed.) pp. 293-341. Academic Press, New York.
- McGraw, B.M. 1952. Furunculosis of fish. United States Fish and Wildlife services. Spl. Sci.Repot. 84: 1-87.
- Meguro, Y. T. Nakai, K. Muroga and M.Sorimachi, 1991. A Cell line derived from the fin of Japanese Flounder, Paralichtys olivaceus. Gyobyo Kenkyu, 26 (2): 69-75.
- Miaczynski, T.B. 1965. Viral diseases and diseases of uncertain etiology in fish in Poland. Ann. N.Y. Acad.Sci., 126: 620-628.
- Michel, C. 1989. Pathology of tilapia. Aquat.Living Resour. 2: 117-126.

- Mirle, C., H. Bocklisch, A. Engelhardt, K. Freudenberg and R. Hiltner. 1986. Studies into aetiology of erythrodermatitis of carp. Monatshefte für veterinärmedizin 41: 559-562.
- Mishra, B.K., R.K.Dey, D.Kumar and K.Suresh, 1982. Observation on renal myxosporidiasis in Indian major carps. Abst. published in Proc. Symp. Diseases of fin Fish and Shell Fish. Univ. Agricult. Sci. College of Fisheries, Manglore. 1-3 March, 1982.
- Miyashita, T. 1984. Pseudomonas fluorescens and Edwardsiella tarta isolated from diseased tilapia. Fish Pathol. 19(1): 45-50.
- Miyazaki, T. and S.S.Kubota. 1975. Histopathological studies on furunculosis in amago. Fish Pathol. 9: 213-218.
- Miyazaki, T. and S. Egusa, 1977. Histopathological studies of Red spot disease of the Japanese eel (Anguilla japonia) I. Natural Infection. Fish Pathol., 12 (1): 39-49.
- Miyazaki, T. 1980. Histopathological study on bacterial infections in fishes. Bull. Fac. Fish. Mie Univ., 7(1): 63-149.
- Miyazaki, T. 1982. Pathological study on streptococcosis. Histopathology of infected fishes. Fish Pathol. 17(1): 39-47.

- Miyazaki, T., S.S. Kubota and T. Miyashita. 1984a. A histopathological study of Pseudomonas fluorescens infection in tilapia. Fish Pathol. 19(3): 161-166.
- Miyazaki, T., S.S. Kubota, N. Kaige and T. Miyashita, 1984b. A histopathological study of streptococcal disease in tilapia. Fish. Pathol. 19(3): 167-172.
- Miyazaki, T., and J.A. Plumb. 1985. Histopathology of Edwardsiella ictaluri in channel catfish. Ictalurus punctatus. (Rafinesque). J. Fish Dis. 8: 389-392.
- Miyazaki, T. and Y. Ja. 1985. A histopathological study of motile aeromonad disease in ayu. Fish Pathol. 20(1): 55-59.
- Miyazaki, T. and N. Kaige, 1985b. Comparative histopathology of Edwardsiellosis in fishes. Fish Pathol. 20(2/3): 219-227.
- Miyazaki, T. and N. Kaige, 1985a. A histopathological study on motile aeromonad disease of crucian carp. Fish Pathol. 21(3): 181-185.
- Monohar, L., M.G. Shenoy, K.C. Chandramohan and M.K.K. Reddy, 1976. A new bacterial fish pathogen causing skin disease in catfish, Clarias batrachus Linn. curr. Res. 5: 76-77.

- Morand, M. 1985. Project pilote de développement de l'aquaculture lagunaire: rapport de mission d'appui Ichthyopathologic Lab. Vet. départ. du Jura. Lons-le-Saunier p.67.
- Munkittrick, K.R. and J.F. Leatherland. 1984. Abnormal pituitary gonad function in two feral populations of gold fish Carassius auratus (L), suffering epizootics of an ulcerative disease. J. Fish Dis. 7: 433-447.
- Muroga, K. and S. Egusa. 1967. Vibrio anguillarum from an endemic disease of Ayu in Lake Hamana. Bull. Japan Soc. Sci. Fish., 33: 636-640.
- Muroga, K. and S. Egusa. 1970. Vibrio anguillarum isolated from ayu in fresh water farm ponds. Fish Pathol. 5: 16-19.
- Muroga, K., Y. Jo, and M. Yano. 1973. Studies on red spot disease of pond cultured eel-I. The occurrence of the disease in eel cultured ponds in Tokushima prefecture in 1972. Fish Pathol., 8: 1-9.
- Muroga, K. and K. Nakajima. 1981. Red spot disease of cultured eels - methods for artificial infection. Fish Pathol. 15 (3/4): 315-318.
- Muroga, K. and M. Tatani. 1982. Isolation of Vibrio anguillarum from juvenile red sea bream (Pargus major) Fish Pathol., 16: 211-214.

- Muroga, K., H. Yamanoi, Y. Hironaka, S. Yamamoto, M. Tatani, Y. Jo., S. Takahashi and H. Hanada. 1984. Detection of Vibrio anguillarum from wild fingerlings of ayu Plecoglossus altivelis. Bull of Japanese Soc.Sci.Fish. 50: 591-596.
- Muroga, K. and M.C.De la Cruz. 1987. Fate and Location of Vibrio anguillarum in tissues of artificially infected ayu (Plecoglossus altivelis) Fish. Pathol. 22(2): 99-103.
- Nakai, T., K. Muroga, and H. Wakabayashi. 1981. Serological properties of Pseudomonas anguilliseptica in agglutination. Bull. Japan. Soc. Sci. Fish., 47(6) 699-703.
- Nakai, T. and K. Muroga, 1982. Pseudomonas anguilliseptica isolated from European eels (Anguilla anguilla) in Scotland. Fish Pathol. 17(2): 147-150.
- Nakai, T., Y. Kanemori, K. Nakajima and K. Muroga. 1985a. The fate of Pseudomonas anguilliseptica in artificially infected eels Anguilla japonica Fish Pathol. 19(4): 253-258.
- Nakai, T., H. Hanada and K. Muroga, 1985b. First records of Pseudomonas anguilliseptica infection in cultured ayu, Plecoglossus altivelis. Fish Pathol. 20; 481-484.

- Nakai, T., M. Miyakawa, K. Muroga and K. Kimato. 1989. The tissue distribution of atypical Aeromonas salmonicida in artificially infected Japanese eel, Anguilla japonica. Fish Pathol., 24(1): 23-28.
- Nakajima, K., K. Muroga, R. Hancock. 1983. Comparison of fatty acid, protein and serological properties distinguishing outer membrane of Pseudomonas anguilliseptica strain from those of fish pathogens and other pseudomonads. Inst. J. Syst. Bact. 33: 1-8.
- Novotony, A.J. 1978. Vibriosis and furunculosis in marine fish cultured in puget sound, Washington Mar. Fish. Rev. 40: 52-55.
- Ohtsuka, H., T. Nakai, K. Muroga and Y. Jo. 1984. Atypical Aeromonas salmonicida isolated from diseased eels. Fish Pathol. 19(2): 101-107.
- Okaeme, A.N. 1989. Bacteria associated with mortality in tilapias, Heterobranchus bidorsalis and Clarias lazera in indoor hatcheries and outdoor ponds. J. Aqua. Trop. 4: 143-146.
- Olufemi, B.E., C. Agius, R.J. Roberts. 1983. Aspergillomycosis in intensively cultured tilapia from Kenya. Vet.Rec., 112: 203-204.

- Ostland, V.E., B.D. Hicks and J.G. Daly. 1987. Furunculosis in bait fish and its transmission to salmonid. *Dis. Aquat. Org.* 2(3): 163-166.
- Pal, J., B.C. Pal, and R. Banerjee, 1978. Epithelial carcinoma in Anabas testudineus. *J. Fish Biol.* 13: 693-694.
- Pal, R.N. 1984. Effect of sulphadiazine on induced dermal ulcers of singhi (H. fossilis). *CIFRI Newslett.* 7: 3.
- Pal, J. and B.C. Pal. 1986a. A fluorescent pseudomonad capable of growth at 42°C and a Micrococcus isolated from epithelial carcinoma in Anabas testudineus. *Proc. 73rd. Sess. Ind. Sci. Cong. Part 3*: 84-85.
- Pal, J. and B.C. Pal, 1986b. Induction of tumours by bacterial culture. In: *Perspective in cytology and Genetics*, Vol. 5 (G.K. Manna and U. Sinha, eds.), pp. 661-668. New Delhi. India Congress of Cytology and Genetics.
- Pal, J., and K. Pradhan, 1990a. Ulcerative fish disease; Involvement of bacteria. *Proc. Natl. Workshop on Ulcerative disease syndrome in fish.* 6-7 March, 1990, Calcutta.
- Palleroni, N.J. 1984. Genus. I, Pseudomonas. In: *Bergey's Manual of systematic Bacteriology*. Vol. 1 (N.R. Krieg and J.G. Holt eds) pp. 141-199. William and Wilkins, Baltimore.

- Pai, J. and K. Pradhan. 1990 b. Bacterial involvement in ulcerative condition of air-breathing fish from India. J. Fish Biol. 36; 833-839.
- Paperna, I. 1970. Infection by Icthyophthirius multifiliis of fish in Uganda. Prog. Fish Cult. 34: 162-164.
- Paperna, I., 1974. Lymphocystis in fish from East African Lakes. J. Wildl. Dis., 9: 331-335.
- Paperna, I., 1980. Parasites infections and diseases of fish in Africa CIFA technical paper, No.7, FAO, Rome 216 P.
- Paterson, W.D. and G.L. Fryer. 1974. Immune response of juvenile coho salmon to Aeromonas salmonicida cells administered intraperitoneally in Freund's complete adjuvant. J. Fish Res. Bd. Can. 31: 1751-1755.
- Pilcher, R.S. and J.L. Fryer, 1980. The viral diseases of fish: a review through 1978: Part I: Diseases of Proven viral etiology, CRC Crit. Rev. Microbiol., 7: 287-363.
- Plumb, J.A. and D.J. Sanchez, 1983. Susceptibility of five species of fish to Edwardsiella ictaluri. J. Fish.Dis. 6: 261-266.
- Popoff, C. 1984. Genus III. Aeromonas. In Bergey's Manual of Systematic Bacteriology, Vol. I (ed. N. Krieg and J.G. Holt), pp.545-548. Williams and Wilkins, Baltimore.

- Prabhuji, S.K. and G.C. Srivastava, 1977. Some members of seproleguioceae occuring in the soils of Gorakhpur. *Geobios.* 4: 258-259.
- Pradhan, K. and J. Pal, 1990. Experimental Induction of ulcer in the fish Channa punctatus by bacteria. *Environ. Ecol.* 8(3): 812-815.
- Prasad, P.S. and J.P.Sinha, 1990. Status paper on the occurence of ulcerative disease Syndrome in fishes of Bihar. Proc. Natl. Workshop on Ulcerative disease syndrome in fish. 6-7 March, 1990, Calcutta.
- Pridham, T.G. and Gottlieb, D. 1948. The utilization of carbon compounds by some Actinomycetales as an aid for species determination. *J. Bacteriol.* 56: 107-114.
- Prusty, S.K. and S.K. Nayak. 1990. Status paper on the occurence of UDS in the state of Orrisa. Proc. Natl. Workshop on ulcerative disease syndrome in fish. 6-7 March, 1990, Calcutta.
- Rahim, Z., K.M.S. Aziz, M.I. Haque and H. Saeed. 1985. Isolation of Aeromonas hydrophila from the wounds of five sp. of brakish water fish of Bangladesh. *Bangladesh J. Zool.* 13: 37-42.

- Rai, P. and B. P. Pande, 1965. Fresh-water carps as second intermediate host of an opisthorchid fluke parasitic in silurid fishes, *Curr .Sci.* 34(12): 378-379.
- Rand, T.G. and M. Wiles, 1988. Bacterial involvement in a saddleback disease of the reef silver-side, *Atherina harringtonesis* (Pisces: Antherinidae) from Bermuda water (Atlantic Ocean), *J. Fish Biol.* 32(6): 805-816.
- Ransom, D.P., C.N. Lannan, J.S. Rohovec and J.L. Fryer, 1984. Comparison of histopathology caused by Vibro anguillarum and Vibrio ordalii in three species of pacific salmon. *J. Fish Dis.* 7: 107-115.
- Rasheed, V., C.Limsuwan and J. Plumb. 1985. Histopathology of bullminnows Fundulus grandis Baird and Girard, infected with a non-haemolytic group B-streptococcus sp. *J. Fish Dis.* 8: 65-74.
- Roberts, R.J. 1972. Ulcerative dermal necrosis (UDN) of salmon (Salmo salar). *Symp. Zool.Soc.Lond.* 30: 53-81.
- Roberts, R.J., J. Macintosh, K. Tonguthai, S. Boonyaratpalin, N.Tyaputch, M.J. Phillips and S.D.Miller. 1986. Field and laboratory investigations into ulcerative fish disease in the Asia-Pacific region. Technical report of FAO. Project TCP/RAS 4508, p.214.

- Rodgers, L.J. and J.B. Burke, 1977. Ulcer disease in Fish - N.F.Committee Res.Sess.July 1977. Res. Rep. 1976-77, Queensland Fish. Serv., 12-14.
- Rodgers, L.J. and J.B. Burke, 1981. Seasonal variation in the prevalence of 'Red Spot' disease in estuarine fish with particular reference to sea mullet, Mugil cephalus L.J. Fish Dis. 4: 297-307.
- Rodgers, C.J. and B. Austin. 1984. Oral immunisation against furunculosis: An evaluation of two field trials. In: Manning, M.J. Tatner, M.F. (eds.) Fish Immunology. Academic Press, London pp. 185-194.
- Rodgers, C.J. 1990. Immersion vaccination for control of fish furunculosis. Dis aquat. Org. 8: 69-72.
- Ross, A.J. and R.J. Toth. 1974. Lactobacillus a new fish pathogen? The progressive Fish culturist. 13: 135-137.
- Saeed, M.O., M.M. Alamoudi and A.H.Al Harbi. 1987. A Pseudomonas associated with disease in cultured rabbit fish Siganus rivulatus in the red sea. Dis. Aquat. Org. 3(3): 177-180.
- Saha, D., B.K.Mahapatra and N.C.Datta. Recent Occurences of epizootic ulcerative disease in the fishes of the Sundarbans, West Bengal with a note on its prevention. Proc.Natl.Workshop on ulcerative disease syndrome to fish 6-7 March, 1990, Calcutta.

- Sakai, M., S. Atsutu and M. Kobayashi. 1989. Pseudomonas fluorescens isolated from the diseased rainbow trout Oncorhynchus mykiss. Kitasato Arch. of Exp. Med. 62(4): 157-162.
- Sanders, J.E. and J.L. Fryer. 1980. Renibacterium salmoninarum gen. nov. sp. Nov., the causative agent of bacterial kidney disease in salmonid fishes. Int. J. Syst. Bactol. 30:496-502.
- Sano, T. 1976. Viral diseases of cultured fishes in Japan. Fish Pathol., 10: 221-226.
- Sano, T., H. Fukuda., M.Furukawa, H.Hosoya and Y. Moria. 1985. A herpesvirus isolated from carp papilloma in Japan. In fish and Shellfish pathology (A.E.Ellis, ed). pp. 307-311. Academic Press, San Diego, California.
- Sarig, S. 1971. Diseases of warmwater fishes. TFH Publ. Neptune City, New Jersey.
- Schäperclaus, W. 1930. Pseudomonas punctata ab Krankheitserreger bei Fischen. Untersuchungen Über Süßwasseraalrotseuche, Leibeshölenwas-Oersucht der Cypriniden, insbesondere des Karpfen und Fleckenseuche der weisfische. Z.Fischerei 28: 289-370.
- Schäperclaus, W. 1934. Untersuchungen über die Aalseuchen in deutschen kinner- und kusten wasseren 1930-1933. Zeit.Fisch. 32: 191-217.

- Schäperclaus, W. and K.Mann. 1939. Zeit. Fisch 37: 1-182.
- Schäperclaus, W. 1965. "Etiology of infectious dropsy"  
Ann. N.Y. Acad.Sci. 126: 587-600.
- Schäperclaus, W. 1969. Virus infektionen befischen; In  
Handbuch der virus infektionen bei Tieren.  
(H. Rohrer, ed). pp. 1067-1141. VEB Gustav.  
Fischer, Jena.
- Schubert, R.H.W. 1974. Genus II Aeromonas. In Bergy's  
Manual of Determing Bacteriology. 8th. edn.  
(R.E. Buchanan and N.E. Gibbons, eds),  
pp. 345-348. Baltimore: The William and  
Wilkin Co.
- Seenappa, D. and L.Monohar. 1980a. Two new species of  
Myxobolus (Myxosporidia: Protozoa) Parasitic  
on Cirrhina mrigala (Hamilton) and Puntius  
curmuca (Hamilton) Curr.Sci.49: 204-206.
- Seenappa, D. and L.Monohar. 1980b. Myxobolus vanivilasae  
n.sp. parasitic in Cirrhina mrigala (Hamilton)  
Proc. Indian Acad.Sci.89(5): 485-491.
- Shiose, J., H. Wakabayashi, M.Tominaga and S.Egusa. 1972.A  
report on a disease of cultured carp due to a  
capsulated Pseudomonas. Fish Pathol.9(1): 79-83.
- Smith, I.W. 1964. The occurence and pathology of Dee disease.  
Freshwater and salmon. Fish Res.No.34, pp.12.
- Sneiszko, S.F. and G.L.Bullock. 1965. Freshwater fish disease  
caused by bacteria belong to the genera Aeromonas  
and Pseudomonas. Fishery leaf 1.Fish Wild.Serv.  
U.S.No. 459: 7.

- Spence, K.D. and J.L.Fryer. 1965. Active and passive immunization of certain salmonid fishes against Aeromonas salmonicida. Can.J.Micro.Biol.11: 397-405.
- Srivastava, G.C. and R.C.Srivastava, 1976. A note on the destruction of eggs of Cyprinus carpio var communis by the members of the Saprolegniaceae. Sci. and Cult. 42: 612-614.
- Srivastava, G.C. and R.C.Srivastava, 1977a. Host range of Saprolegnia ferax (Gruith) Thuret on certain fresh water teleost. Curr.Sci. 46:87.
- Srivastava, G.C. and R.C.Srivastava (1977b). Ability of Saprolegniaceae fungi to parasitize Colisa fasciatus (BL). Geobios. 4: 31-39.
- Stanier, R.Y., N.J. Palleroni and M.Doudoroff 1966. The aerobic pseudomonads: a taxonomic study. J. Gen. Microbiol. 43: 159-271.
- Stewart, D.J., K.Woldemarios, G.Dear, F. Mochaba.1983. An outbreak of 'Sekiten-byo' among cultured European eels Anguilla anguilla, L. in Scotland. J.Fish. Dis. 6: 75-76.
- St. Nicolau, E.A. 1951. Studii se certania de Inframicrob Microb as Parasitol. AN. 2:53-93.

- Suzumoto, B.K., C.B. Schreck and J.D.McIntyre. 1977. Relative resistances of three transferrin genotypes of coho salmo (Oncorhynchus-kisutch) and their haematological responses to bacterial kidney disease. J. Fish. Res. Board of Can. 34: 1-8.
- Takahashi, Y. and R. Kusuda. 1979. Studies on the aeromonas disease of carp fishes IV. On the changes of erythrocyte characters in colored carp inoculated with Aeromonas liquefaciens. Rept. Usa. Mar.Biol. Inst. 1: 33-40.
- Takahashi, Y. 1984a. A appearance mechanism of haematological symptoms of the aeromonas disease in carp. J. Shimonoseki, Univ. Fish. 32(3): 67-74.
- Takahashi, Y. 1984b. Studies on the Aeromonas disease of cyprinids. J. Shimonoseki Univ.Fish. 33(1): 37-112.
- Tec, V.I. and Jakovleva, 1962. . Polučenic Kultury tkaney Karpa i ee primence pri izučen ii etiologii krasnuhi ryb Nauchn. Tekhn. Byul. Gos NIORU 15: 73-77.
- Thornley, M.J. 1960. The differentiation of Pseudomonas, from other Gram negative bacteria on the basis of organic metabolism. J.Appl. Bact.23(1): 37-52 .

- Thune, R.L., T.E. Grahm, L.M. Riddle and R.L. Amborski. 1982. Extracellular protease from Aeromonas hydrophila: partial purification and effects of age-0 channel catfish. Trans. Am. Fish. Soc. 111: 749-754.
- Tomasec, I., 1951. Intraživanja o etiologiji zarazne vodene bolesti šerana (Cyprinus carpio L) Vet. Arch. 21(3-4): 101-143.
- Tomasec, I. 1963. Le proble'me de la lutte contre l'Hydropsie infectieuse de la carpe. Bull. off. Intern. Epiz. No. 59. 147-152.
- Tomasec, I., and N.N. Fijan. 1965. The etiology of infectious dropsy of carp. Ann. N.Y. Acad. Sci. 126: 606-615.
- Tonguthai, K. 1985. A preliminary <sup>in</sup> account of Ulcerative fish diseases in the Indo-Pacific regions: a comprehensive study based on Thai experience. Natn. Inland Fish. Inst. FAO-TCP/RAS/4508 Project, Dept. Fish. Min. Agric. Coop. Bangkok, Thailand.
- Trust, T.J. 1986. Pathogenesis of infectious diseases of fish. Ann. Rev. Microbiol. 40: 479-502.
- Volf, F. and J. Havelka. 1965. Investigation of the cause of the infectious dropsy (I.D) of carp. Ann. N.Y. Acad. Sci., 126: 601-605.

Waltman, W.D., E.B. Shotts and V.S. Blazer, 1985.

Recovery of Edwardsiella ictaluri from danio  
(Danio devario). Aquaculture, Amsterdam.  
46: 63-66.

Wakabayashi, H. and S. Egusa. 1972. Characteristics of  
a Pseudomonas sp. from an epizootic of pond-  
cultured eels (Anguilla japonica) Bull. Japan.  
Soc. Sci. Fish. 38: 577-587.

Wakabayashi, H., K. Kanai, I. Hsu and S. Egusa. 1981.

Pathogenic activities of Aeromonas hydrophila  
biovar hydrophila (Chester) POPOFF and VERON,  
1976 to fishes. Fish Pathol. 15: (3/4) 319-325.

Wedemeyer, G.A. and A.J. Ross. 1973. Nutritional fac-  
tors in the biochemical pathology of cory-  
nebacterial kidney disease in Coho salmon  
(Oncorhynchus kisutch) J. Fish Res. Board. Canad.  
30: 296-298.

Whittington, R.J., N. Gudkovs, M.J. Carrigan, L.D.

Ashburner and S.J. Thurstan. 1987. Clinical,  
microbiological and epidemiological findings  
in recent outbreaks of goldfish ulcer  
disease due to a typical Aeromonas salmonicida  
in South eastern Australia. J. Fish Dis. 10:  
353-362.

- Wiklund, T., and I. Dalsgaard. 1987. Disease outbreaks caused by Pseudomonas anguilliseptica in Finland fish farms. In: Parasite and diseases in natural waters and aquaculture in nordic countries (eds. A. Stenmark, G. Malmberg). Swedish Museum of Natural History, Stockholm. p.131 (Abstract).
- Wiklund, T. and G. Bylund. 1990. Pseudomonas anguilliseptica as a pathogen of salmonid fish in Finland. Dis Aquat. Org. 8: 13-19.
- Wolf, K. and R.W. Darlington. 1971. Channel Catfish virus: a new herpesvirus of ictalurid fish. J. virol., 8: 525-533.
- Wolke, R.E. 1975. Pathology of bacterial and fungal diseases affecting fish. In: The Pathology of fishes (ed. W.E. Ribelin and G. Migaki), pp. 33-116. The University of Wisconsin Press, Madison, Wisconsin.
- Wolf, K. R.W. Darlington, W.G. Taylor, M.C. Quimby and T. Nagabayashi. 1978. Herpesvirus salmonis. Characterization of a new pathogen of rainbow trout. J. Virol., 27: 659-666.
- Wood, E.M. and B.A. Yasutake. 1956. Histopathology of kidney disease in fish. Am. J. Pathol., 32: 845-857.

Woods, D.E. and B.H. Iglewski, 1983. Toxins of Pseudomonas aeruginosa. New perspectives. Rev. Inf. Dis. 5: 5715-5721.

Yasushi, M., T. Nakai, K. Muroga and M. Sorimachi. 1991. A cell line derived from the fin of Japanese Flounder Paralichthys olivaceus. Gyobyo Kenkyo. 26 (2): 69-75.