

7. BIBLIOGRAPHY

- Achi, O.K. (1990) Microbiology of 'obiolor': a Nigerian fermented non-alcoholic beverage. *Journal of Applied Bacteriology* **69**: 321-325.
- Adegoke, G.O., Nwaigwe, R.N. and Oguntimein, G.B. (1995) Microbiological and biochemical changes during the production of *sekete* – a fermented beverage made from maize. *Journal of Food Science and Technology* **32 (6)**: 516-518.
- AOAC (1990) *Official Methods of Analysis*, 15th edition. Association of Official Analytical Chemists, Virginia.
- Ardhana, M.M. and Fleet, G.H. (1989) The microbial ecology of tapé ketan fermentation. *International Journal of Food Microbiology* **9**: 157-165.
- Arora, G., Lee, B.H. and Lamoureux, M. (1990) Characteristics of enzyme profiles of *Lactobacillus casei* species by a rapid API-ZYM system. *Journal of Dairy Sciences* **73**: 264-273.
- Bartholomew, J.W. (1962) Variables influencing results and the precise definition of the steps in Gram staining as a means of standardizing the results obtained. *Stain Technology* **37**:139-155.
- Basuki, T. (1977) The less well-known fermented foodstuffs of Indonesia. In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.
- Batra, L.R. and Millner, P.D. (1974) Some Asian fermented foods and beverages and associated fungi. *Mycologia* **66**: 942-950.
- Batra, L.R. and Millner, P.D. (1976) Asian fermented foods and beverages. *Development in Industrial Microbiology* **17**: 117-128.
- Bhatia, A.K., Singh, R.P. and Atal, C.K. (1977) Chhang – the fermented beverage of Himalayan folk. *Indian Food Packer* 1-8.
- Calmette, A. (1892) Contribution à l'étude des ferments de l'amidon. La levure chinoise. *Ann. Inst. Pasteur* **6**: 604-622.
- Campbell-Platt, G. (1987) *Fermented Foods of the World: A Dictionary and Guide*. Butterworths, England.
- Campbell-Platt, G. (1994) Fermented foods - a world perspective. *Food Research International* **27**: 253-257.

- Census of India (1991a) *District Census Handbook, Series 22, Sikkim*. Government of India.
- Census of India (1991b) *District Census Handbook, Series 26, West Bengal*. Government of India.
- Chung, J.H. (1967) Studies on the identification of organic acids and sugars in the fermented mass of the Takju made from different raw materials. *Journal of Korean Agriculture and Chemical Society* **8**: 39-43.
- Claus, D. and Berkeley, R.C.W. (1986) Genus *Bacillus* Cohn 1872, 174. In: *Bergey's Manual of Systematic Bacteriology*, vol. 2, pp. 1105-1139 (Eds: Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G.) Williams & Wilkins, Baltimore, MD.
- Cronk, T.C., Mattick, L.R., Steinkraus, K.H. and Hackler, L.R. (1979) Production of higher alcohol during the Indonesian tapé ketan fermentation. *Applied and Environmental Microbiology* **37**: 892-896.
- Cronk, T.C., Steinkraus, K.H., Hackler, L.R. and Mattick, L.R. (1977) Indonesia tapé ketan fermentation. *Applied and Environmental Microbiology* **33**: 1067-1073.
- Dahiya, D.S. and Prabhu, K.A. (1977) Indian jackfruit wine. In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.
- Darby, W.J. (1979) The nutrient contributions of fermented beverages. In: *Fermented Food Beverage In Nutrition*, pp. 61-79 (Eds: Gastineau, C.F., Darby, W.J. and Turner, T.B.) Academic Press, New York.
- Davis, B.D. and Mingioli, E.S. (1950) Mutants of *Escherichia coli* requiring methionine or vitamin B₁₂. *Journal of Bacteriology* **60**: 17-28.
- de Man, J.C., Rogosa, M. and Sharpe, M.E. (1960) A medium for the cultivation of lactobacilli. *Journal of Applied Bacteriology* **23**: 130-135.
- Dhamcharee, B. (1982) Traditional fermented food in Thailand. In: *Traditional Food Fermentation as Industrial Resources in ASCA*

- Countries*, pp. 85-90 (Eds: Saono, S., Winarno, W.J. and Karjarki, D.). The Indonesian Institute of Science (LIPI), Jakarta.
- Dwidjoseputro, D. and Wolf, F.T. (1970) Microbiological studies of Indonesian fermented foodstuffs. *Mycopathologia et Mycologia Applicata* **41**: 211-222.
- Ekundayo, J.A. (1969) The production of 'Pito', a Nigerian fermented beverage. *Journal of Food Technology* **4**: 217-225.
- Elegado, F.B. and Fujio, Y. (1993) Polygalacturonase production by *Rhizopus* spp. *Journal of General and Applied Microbiology* **39**: 409-418.
- Fuwa, H. (1954) A new method for microdetermination of amylase activity by the use of amylose as the substrate. *Journal of Biochemistry* **41** (5): 583-603.
- Geisen, R. and Holzapel W.H. (1996) Genetically modified starters and protective cultures. *International Journal of Food Microbiology* **30**: 315-324.
- Gopalan, C., Rama Sastri, B.V. and Balasubramanian, S.C. (1995) *Nutritive Value of Indian Foods*. National Institute of Nutrition, Hyderabad.
- Gordon, R.E., Haynes, W.C. and Pang, C.H.-N (1973) The genus *Bacillus*, Handbook No. 427. United States Department of Agriculture, Washington D.C.
- Gorer, G. (1938) *The Lepchas of Sikkim*. Gian Publishing House, Delhi.
- Hadisepoetro, E.S.S., Takada, N. and Oshima, Y. (1979) Microflora in ragi and usar. *Journal of Fermentation Technology* **57**: 251-259.
- Hammes, W.P. and Vogel, R.F. (1995) The Genus *Lactobacillus*. In: *Lactic Acid Bacteria*, vol. 2: *The Genera of Lactic Acid Bacteria*, pp. 19-54 (Eds: Wood, B.J.B. and Holzapel, W.H.). Chapman and Hall, London.
- Harrigan, W.F. (1998) *Laboratory Methods in Food Microbiology*. Academic Press, 3rd edition, London.
- Hesseltine, C.W. (1965) A millenium of fungi, food and fermentation. *Mycologia* **57**: 149-197.

- Hesseltine, C.W. (1979) Some important fermented foods of Mid-Asia, the Middle East, and Africa. *Journal of American Oil Chemists' Society* **56**: 367-374.
- Hesseltine, C.W. (1983) Microbiology of oriental fermented foods. *Annual Review of Microbiology* **37**: 575-601.
- Hesseltine, C.W. (1991) Zygomycetes in food fermentations. *Mycologist* **5** (4): 162-169.
- Hesseltine, C.W. and Kurtzman, C.P. (1990) Yeasts in amyolytic food starters. *Anals. Inst. Biol. Uni. Nac. Antón. México Ser. Bot.* **60**: 1-7.
- Hesseltine, C.W. and Ray, M.L. (1988) Lactic acid bacteria in murcha and ragi. *Journal of Applied Bacteriology* **64**: 395-401.
- Hesseltine, C.W., Rogers, R. and Winarno, F.G. (1988) Microbiological studies on amyolytic Oriental fermentation starters. *Mycopathologia* **101**: 141-155.
- Hooker, J.D. (1854) *Himalayan Journals: Notes of a Naturalist in Bengal, the Sikkim and Nepal Himalayas, the Khasia Mountains* John Murray, London.
- Hutchinson, C.M. and Ram-Ayyar, C.S. (1925) Bakhar the Indian rice beer ferment. *Mem. India Dept. Agric. Bact.* **1**: 137-168.
- Iizuka, H. (1979) Art of mold in wine making in the Orient. *Shokuno-kagaku* **47**: 30-38.
- Inoue, T., Tanaka, J. and Mitsui, S. (1992) *Recent Advances in Japanese Brewing Technology*, vol. 2 (1). Gordon and Breach Science Publishers, Tokyo.
- IS (1971) Indian Standard Guide for Sensory Evaluation of Foods. Part II Methods and Evaluation Cards, IS:6273. Indian Standards Institution, New Delhi.
- Ishimaru, Y and Nakano, M. (1960) Study on the microorganisms in the ragi. *Report of the Food Research Institute* **18**: 158-163.
- Iswaran, V. (1980) *A Treatise on Media and Methods Used in Bacteriological Techniques*. Today and Tomorrow's Printers and Publishers, New Delhi.

- Karki, T.B. (1994) Food processing industries in Nepal. In: *The Proceedings of the International Workshop on Application and Control of Microorganisms in Asia*, p.71-81 (Eds: Komogata, K., Yoshida, T., Nakase, T. and Osada, H.). The Institute of Physical and Chemical Research and Japan International Science and Technology Exchange Centre, Japan.
- Kato, K., Kuiswanto, K., Banno, I. And Harada, T. (1976) Identification of *Endomycopsis fibuligera* isolated from ragi in Indonesia and properties of its crystalline glucoamylase. *Journal of Fermentation Technology* **54**: 831-837.
- Kawaguchi, T., Nagae, H., Murao, S. and Arai, M. (1992) Purification and some properties of a haim-sensitive α -amylase from newly isolated *Bacillus* sp. No 195. *Bioscience, Biotechnology and Biochemistry* **56**: 1792-1796.
- Kim, C.J. (1963) Studies on the quantitative changes of organic acid and sugars during the fermentations of Takju. *Journal of Korean Agricultural and Chemical Society* **4**: 33-42.
- Kim, C.J. (1968) Microbiological and enzymological studies on Takju brewing. *Journal of Korean Agricultural and Chemical Society* **10**: 69-99.
- Kim, C.J. (1970) Studies on the differentiation and the population changes of Takju yeasts by the TTC-agar overlay techniques. *Korean Journal of Microbiology* **8**: 69-76.
- Kim, C.J. and Choi, W.Y. (1970a) Studies on the quantitative changes of thiamine during Takju brewing. *Journal of Korean Agriculture and Chemical Society* **13**: 105-109.
- Kim, C.J. and Choi, W.Y. (1970b) Studies on the quantitative changes of riboflavin during Takju brewing. *Journal of Korean Agriculture and Chemical Society* **13**: 219-222.
- Kim, J.O. and Kim, J.G. (1993) Microbial and enzymatic properties related to brewing of traditional ewhaju. *Korean Journal of Society of Food Science* **9** (4): 266-271.

- Kim, J.O. and Lee, B.H. (1970) Taxonomical studies of yeasts in Korea. I. On yeasts isolated from Takju. *Korean Journal of Microbiology* 8: 77-84.
- Ko, S.D. (1972) Tapé fermentation. *Applied Microbiology* 23: 976-978.
- Ko, S.D. (1982) Indigenous fermented food. In: *Economic Microbiology* vol. 7. Fermented Foods, pp. 16-37 (Ed: Rose, A.H.). Academic Press, London.
- Kobayashi, Y., Tubaki, K. and Soneda, M. (1961) Several moulds and a yeast used for brewing native beer (Kodok Jar) among the Sikkimese of India. *Journal of Japanese Botany* 36: 321-331.
- Kodama, K. and Yoshizawa, K. (1977) Saké. In: *Economic Microbiology* vol. 1. pp. 432-475 (Ed: Rose, A.H.). Academic Press, New York.
- Koizumi, T. (1968) Aroma produced by yeasts. I. Comparison of aroma compounds produced by various yeasts. *Nippon Jozo Kyokai Zasshi* 63: 446-456.
- Kozaki, M. (1976) Fermented foods and related microorganisms in Southeast Asia. *Journal of Applied Mycotoxicology* 2:1.
- Kozaki, M. and Uchimura, T. (1990) Microorganisms in Chinese starter 'bubod' and rice wine 'tapuy' in the Philippines. *Journal of Brewing Society of Japan* 85 (11): 818-824.
- Kreger-van Rij, N.J.W. (1984) *The Yeasts - a Taxonomic Study*. Elsevier Science Publishers, Amsterdam.
- Kurtzman, C.P. and Fell, J.W. (1998) *The Yeast, A Taxonomic Study*, 4th edition, Elsevier, Amsterdam.
- Kwon, T.W. (1994) The role of fermentation technology for the world food supply. In: *Lactic Acid Fermentation of Non-dairy Food and Beverages*, pp. 1-7 (Eds: Lee, C.H., Adler-Nissen, J. and Bärwald, G.). Ham Lim Won, Seoul.
- Lee, Z.S. and Rhee, T.W. (1970) Studies on the microflora of Takju brewing. *Korean Journal of Microbiology* 8: 116-133.
- Lelliott, R.A., Billing, E. and Hayward, A.C. (1966) A determinative scheme for the fluorescent plant pathogenic pseudomonads. *Journal of Applied Bacteriology* 29: 470-489.

- Lim, G. (1991) Indigenous fermented food in South East Asia. *ASEAN Food Journal* 6: 83-101.
- Lotong, N. (1985) Koji. In: *Microbiology of Fermented Food* vol. 2. pp. 237-270 (Ed: Wood, B.J.B.). Elsevier Applied Science Publishers, London.
- Meilgaard, M., Civille, G.V. and Carr, B.T. (1990) *Sensory Evaluation Techniques*. CRC Press, Florida.
- Merican, Z. and Norrijah, O. (1985) Adapting modern technology for traditional fermented food: The tapai experience. In: *The Seminar Proceedings 1984*. Food Technology Division MARDI: 339-346.
- Merican, Z. and Yeoh, Q.L. (1989) Tapai proceeding in Malaysia: A Technology in Transition. In: *Industrialization of Indigenous Fermented Foods* (Ed: K.H. Steinkraus) 4: 169-189. Marcel Dekker, Inc., USA.
- Murakami, H. (1972) Some problems on saké brewing. In: *Fermentation Technology*, pp. 639-643 (Ed: Terui, G.). Kyoto, Japan.
- Niche, P.F. (1995) Innovations in the production of Kenkey, a traditional fermented maize product of Ghana. *Ph.D Thesis*, Agricultural University, Wageningen, The Netherlands.
- Nikkuni, S., Karki, T.B., Terao, T. and Suzuki, C. (1996) Microflora of mana, a Nepalese rice koji. *Journal of Fermentation and Bioengineering* 81 (2): 168-170.
- Norris, J.R., Berkeley, R.C.W., Logan, N.A. and O'Donnell, A.G. (1981) The Genus *Bacillus* and *Sporolactobacillus*. In: *The Prokaryotes: A Handbook on Habitats, Isolation and Identification of Bacteria*, vol. 2, pp. 1711-1742 (Eds: Starr, M.P., Stolp, H.G., Trüper, A., Balows and Schlegel, H.G.). Springer-Verlag, New York.
- O' Malley, L.S.S. (1907) *Darjeeling District Gazetteer*. Gyan Publishing House, New Delhi.
- Otani, S. (1973) Alcoholic beverages in China II. Fermented Wine – Yellow – Wine. *Journal of Brewing Society of Japan* 68: 579-586.
- Park, K.I., Mheen, T.I., Lee K.H., Chang, C.H., Lee, S.R. and Kwon, T.W. (1977) Korean yakju and takju. In: *The Proceeding and Symposium*

on *Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.

- Phittankpol, B., Varayanond, W., Reungmanee-paitoon, S. and Wood, H. (1995) *The Traditional Fermented Foods of Thailand*. ASEAN Food Handling Bureau, Kuala Lumpur.
- Pichyangkura, S. and Kulprecha, S. (1977) Survey of mycelial moulds in loogpang from various sources in Thailand. In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.
- Platt, B.S. (1964) Biological ennoblement: improvement of the nutritive value of foods and dietary regiments by biological agencies. *Food Technology* 18, 662-670.
- Prakash, O. (1961) *Food and Drinks in Ancient India*. Munshi Ram Monoharlal Publ., Delhi.
- Pretorius, I.S. (2000) Review: Tailoring wine yeast for the new millennium: novel approaches to the ancient art of wine making. *Yeast* 16: 675-729.
- Ray, P.C. (1906) On the Hindu method of manufacturing spirit from rice, and its scientific explanation. *Journal of Asiatic Society of Bengal* 2: 129-142.
- Reddy, O.V.S. and Basappa, S.C. (1996) Direct fermentation of cassava starch to ethanol by mixed cultures of *Endomycopsis fibuligera* and *Zymomonas mobilis*: synergism and limitations. *Biotechnology Letters* 18 (11): 1315-1318.
- Risley, H.H. (1928) *The Gazetteer of Sikkim*. D. K. Publishing Distributors (P) Ltd., New Delhi.
- Robinson, J. (1994) *The Oxford Companion to Wine*. Oxford University Press, Oxford.
- Samantray, G.T., Misra, P.K. and Patnaik, K.K. (1989) Mineral composition of ragi. *Indian Journal of Nutrition and Dietetics* 26: 113-116.

- Sanchez, P.C. (1986) Traditional fermented foods of the Philippines. In: *Traditional Foods: Some Products and Technologies*, pp.84-96 (Ed: Director, CFTRI). CFTRI, Mysore.
- Sanchez, P.C. and Kozaki, M. (1984) Improved production of Basi (Sugarcane wine). *The Philippine Agriculturist* 67: 391-405.
- Saono, S. and Basuki, T. (1978) The amylolytic, lipolytic, and proteolytic activities of yeasts and mycelial molds from ragi and some Indonesian traditional fermented foods. *Annales Bogorienses* 6: 207-219.
- Saono, S., Basuki, T. and Sastraatmadja, D.D. (1977) Indonesian ragi. In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GLAMI, Bangkok.
- Saono, S., Gandjar, I., Basuki, T. and Karsono, H. (1974) Mycoflora of ragi and some other traditional fermented foods of Indonesia. *Annales Bogorienses* V (4): 187-204.
- Saono, S., Hosono, A., Tomomatsu, A., Matsuyama, A., Kozaki, M and Baba, T. (1984) The preparation of brem ragi – an improved method. *Proceedings of IPB – JICA* (July 31 – August 2) pp. 152-158.
- Schillinger, U. and Lücke, F.K. (1987) Identification of lactobacilli from meat and meat products. *Food Microbiology* 4: 199-208.
- Schipper, M.A.A. (1976) *Mucor circinelloides*, *Mucor racemosus* and related species. *Studies in Mycology* 12: 1-40.
- Schipper, M.A.A. (1984) A revision of the genus *Rhizopus*. The *Rhizopus stolonifer*-group and *Rhizopus oryzae*. *Studies in Mycology* 25: 1-19.
- Selvakumar, P., Ashakumary, L. and Pandey, A. (1996) Microbial synthesis of starch saccharifying enzyme in solid cultures. *Journal Science and Industrial Research* 55: 443-449.
- Shin, Y.D. and Cho, D. H. (1970) A study on the microflora changes during Takju brewing. *Korean Journal of Microbiology*. 8: 53-54.
- Sneath, P.H.A. and Collins, V.G. (1974) A study in test reproducibility between laboratories: Report of a *Pseudomonas* working group. *Antonie van Leeuwenhoek* 40: 481-527.

- Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. (1986) *Bergey's Manual of Systematic Bacteriology*, vol. 2. Williams & Wilkins, Baltimore, MD.
- Snedecor, G.W. and Cochran, W.G. (1989) *Statistical Methods*, 8th edition. Iowa State University Press, Ames, IA, USA.
- Soedarsono, J. (1972) Some notes on 'ragi tapé' an inoculum for 'tapé' fermentation. *Majalah Ilmu Pertanian* 1: 235-241.
- Somogyi, M. (1945) A new reagent for the determination of sugars. *Journal of Biological Chemistry* 160: 61-62.
- Standal, B.R. (1963) Nutritional value of proteins of oriental soybean foods. *Journal of Nutrition* 81: 279-285.
- Steinkraus, K.H. (1983) *Handbook of Indigenous Fermented Food*, vol. 9. Marcel Dekker, Inc., USA.
- Steinkraus, K.H. (1994) Nutritional significance of fermented foods. *Food Research International* 27: 259-267.
- Stiles, M.E. and Holzapfel, W.H. (1997) Lactic acid bacteria of foods and their current taxonomy. *International Journal of Food Microbiology* 36: 1-29.
- Sukhumavasi, J., Kato, K. and Harada, T. (1975) Glucoamylase of a strain of *Endomycopsis fibuligera* isolated from mould bran (Look Pang) of Thailand. *Journal of Fermentation Technology* 53 (8): 559-565.
- Suprianto, Ohba, R., Koga, T. and Ueda, S. (1989) Liquefaction of glutinous rice and aroma formation in tapé preparation by ragi. *Journal of Fermentation and Bioengineering* 64 (4): 249-252.
- Tamang, J.P. (1998) Role of microorganisms in traditional fermented foods. *Indian Food Industry* 17 (3): 162-167.
- Tamang, J.P. (2000) Traditional fermented foods and beverages of the Sikkim Himalayas in India: Indigenous Process and Product Characterisation. In: *The Proceedings of the 1997 International Conference on Traditional Foods* (Ed: Director, CFTRI.), pp. 99-116. CFTRI, Mysore.
- Tamang, J.P. and Sarkar, P.K. (1995) Microflora of murcha: an amylolytic fermentation starter. *Microbios* 81: 115-122.

- Tamang, J.P., Sarkar, P.K. and Hesseltine, C.W. (1988) Traditional fermented foods and beverages of Darjeeling and Sikkim - a review. *Journal of Science of Food and Agriculture* 44: 375-385.
- Tamang, J.P., Thapa, S., Tamang, N. and Rai, B. (1996) Indigenous fermented food beverages of the Darjeeling hills and Sikkim: process and product characterisation. *Journal of Hill Research* 9(2): 401-411.
- Tanaka, T. (1982) Microbial starter cultured with granular substrate or ball or cake shaped dough (Bara-koji and Mochi-koji), In: *The Proceeding of the 14th Symposium on Brewing*, Sept. 9-10. Brewing Society of Japan, Tokyo, Japan, pp. 4-8.
- Tanaka, T. and Okazaki, N. (1982) Growth of mould on uncooked grain. *Hakkokogaku* 60: 11-17.
- Tanimura, W., Sanchez, P.C. and Kozaki, M. (1977) The fermented food in the Philippines (Part 1) Tapuy (rice wine). *Journal of Agricultural Science of the Tokyo University of Agriculture* 22(1): 118-134.
- Tanimura, W., Sanchez, P.C. and Kozaki, M. (1978) The fermented foods in the Philippines. (Part-II). Basi (Sugarcane wine). *Journal of Agricultural Society (Japan)* 22: 118-133.
- Tanuwidjaja, L. (1972) Sticky rice fermentation (tapé ketan fermentation). Bull.L.K.N.K-12. Indonesian Institute Sciences, National Institute Chem. Bandung.
- Thornley, M.J. (1960) The differentiation of *Pseudomonas* from other Gram-negative bacteria on the basis of arginine metabolism. *Journal of Applied Bacteriology* 23: 37-52.
- Ueda, S. and Kano, S. (1975) Multiple forms of glucoamylase of *Rhizopus* species. *Die Stärke* 27(4): 123-128.
- Ueda, S. and Saha, B.C. (1983) Behavior of *Endomycopsis fibuligera* glucoamylase towards raw starch. *Enzyme and Microbial Technology* 5:196-198.
- Uchimura, T, Kojima, Y. and Kozaki, M. (1990) Studies on the main saccharifying microorganism in the Chinese starter of Bhutan "Chang poo". *Journal of Brewing Society of Japan* 85(12): 881-887.

- Uchimura, T., Niimura, Y., Ohara, N. and Kozaki, M. (1991) Microorganisms in Luck Pang used for vinegar production in Thailand. *Journal of Brewing Society of Japan* **86** (1): 62-67.
- Uchimura, T., Okada, S. and Kozaki, M. (1991) Identification of lactic acid bacteria isolated from Indonesian Chinese starter, "ragi". Microorganisms in Chinese Starters from Asia (Part-4). *Journal of Brewing Society of Japan* **86** (1): 55-61.
- Uyenco, F. R. and Gacutan, R.Q. (1977) Philippine tapuy. In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.
- Vachanavinich, K., Kim, W.J. and Park, Y.I. (1994) Microbial study on krachae, Thai rice wine. In: *Lactic Acid Fermentation of Non-alcoholic Dairy Food and Beverages*, pp. 233-246 (Eds: Lee, C.H., Adler-Nissen, J. and Bärwald, G.). Ham Lim Won, Seoul.
- Wang, H.L. and Hesseltine, C.W. (1970) Sufu and Lao-Chao. *Journal of Agricultural and Food Chemistry* **18**: 572-575.
- Wei, D. and Jong, S. (1983) Chinese rice pudding fermentation: fungal flora of starter cultures and biochemical changes during fermentation. *Journal of Fermentation Technology* **61**(6): 573-579.
- Went, F.A.C. and Prinsen-Geerligs, H.C. (1896) Beobachtungen über die Hefearten and zuckerbildenden Pilz der Arackfabrikation. *Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurh., Tweede Sect. II* **4**: 3-31.
- Wickerham, L.J. (1951) Taxonomy of yeasts. *Technical Bulletin 1029*, United States Department of Agriculture, Washington, D.C.
- Winarno, F.G. (1986) Traditional technologies of Indonesia with special attention to fermented foods. In: *Traditional Foods: Some Products and Technologies*, pp. 136-147 (Ed: Director, CFTRI). CFTRI, Mysore.
- Wong, P.C. and Jackson, H. (1977) Fermented foods of Sabah (Malaysia). In: *The Proceeding and Symposium on Indigenous Fermented Foods*, November 21-27, GIAMI, Bangkok.
- Wood, B.J.B. and Holzapel. W.H. (1995) *The Lactic Acid Bacteria*, vol. 2: *The Genera of Lactic Acid Bacteria*. Chapman and Hall, London.

arrow, D. (1998) Methods for the isolation, maintenance and identification of yeast. In: *The Yeast, a Taxonomic Study* (4th Edition), chapter 11, pp.77-100 (Eds: Kurtzman, C.P. and Fell, J.W.) Elsevier, New York.

okotsuka, T. (1991) Non-proteinaceous fermented foods and beverages produced with koji molds. In: *Handbook of Applied Mycology* vol. 3. pp. 293-328 (Eds: Arora, D.K, Mukerji, K.G. and Marth, E.H.). Marcel Dekker, Inc., New York.

Yoshizawa, K. (1966) On the esters contained in alcoholic beverages. *Nippon Jozo Kyokai Zasshi* 61: 629-632.

Yoshizawa, K. and Ishikawa, T. (1974) The nature of rice used for saké brewing and its processing. *Nippon Jozo Kyokai Zasshi* 69: 945-650.

Yoshizawa, K. and Ishikawa, T. (1989) Industrialization of saké manufacture. In: *Industrialization of Indigenous Fermented Foods* vol.3.pp. 127-168 (Ed: Steinkraus, K.H.). Marcel Dekker, Inc., USA.