

CONTENTS

PART I

“AN INTRODUCTION TO SOLID PHASE CHEMISTRY”

I.1.	Why use Solid Phase Synthesis?	15
I.2.	Synthesis of Functionalized Polystyrene Resin	17
I.3.	Immobilization Techniques	18
I.4.	Covalent Binding of Reagents: Linkers	18
I.4.1.	Traceless Linkers	19
I.4.1.A.	Nitrogen linker	19
I.4.1.B.	Phosphorous Linker	19
I.4.1.C.	Boron Linker	20
I.4.1.D.	Sulfur Linker	21
I.4.2.	Photo-Labile Linkers	22
I.4.3.	Safety Catch Linkers	22
I.4.4.	Reusable or Recyclable Linkers	23
I.5.	Immobilization by Ion-pairing: Ion Exchange resins	23
I.5.1.	Definition	23
I.5.2.	Types	24
I.5.3.	Properties	25
I.5.4.	Uses	25
I.5.5.	As Catalyst in Organic Reactions: A Few Applications	26
I.5.5.A.	Cation Exchange Resin	26
I.5.5.B.	Anion Exchange Resin: Reduction	26
I.5.5.C.	Anion Exchange resin: Oxidation	27
I.6.	Microencapsulation of Catalyst	29
I.6.1.	Encapsulated Pd(0)	30
I.6.2.	Encapsulated Osmium Tetroxide	31
I.6.3.	Microencapsulated Scandium trifluoromethanesulfonate	32
I.6.4.	Microencapsulated Ru	32
I.7.	Solid Phase Catalyst in Heterocyclic Chemistry	33
I.7.1.	Furan synthesis	33

I.7.2.	Pyrazole Synthesis	34
I.7.3.	Thiazole Synthesis	34
I.7.4.	Indole Synthesis	35
I.8.	Solid Phase Reagent and Scavenger Resins	36

SECTION A: “PALLADIUM IMMOBILIZED ON POLY-IONIC RESINS AS EFFICIENT, LIGAND-FREE & RECYCLABLE CATALYST FOR HECK, SUZUKI-MIYAUURA AND SONOGASHIRA REACTIONS”

I.A.1.	Introduction	40
I.A.2.	Background and Objectives	43
I.A.3.	Present Work: Results and Discussion	47
I.A.3.1.	Catalyst Preparation	49
I.A.3.2.	Characterisation of ARF-Pd	50
I.A.4.	Catalytic Activity	56
I.A.4.1.	Heck Coupling Reaction	56
I.A.4.2.	Suzuki-Miyaura Coupling Reaction	57
I.A.4.3.	Sonogashira Coupling Reaction	60
I.A.5.	Minimum Concentration of Palladium on the Surface required for Efficient Catalytic Activity	61
I.A.6.	Recycle Experiments and Leaching of Palladium	63
I.A.7.	Conclusion	65
I.A.8.	Experimental Section: General	65
I.A.8.1.	Representative Procedure for Heck Reaction	66
I.A.8.2.	Representative Procedure for Suzuki-Miyaura Coupling Reaction	66
I.A.8.3.	Representative Procedure for Sonogashira Coupling Reaction	66
I.A.9.	Spectral Analysis	67
I.A.9.1.	Spectral Data for Heck Coupled Products	67
I.A.9.2.	Spectral Data for Suzuki-Miyaura Coupled Products	68
I.A.9.3.	Spectral Data for Sonogashira Coupled Products	70
	NMR Spectra of Some Selected Compounds	72
	<i>Synthesis</i> , 2009 , 1137-1146.	

**SECTION B: "POLYIONIC HETEROGENEOUS PHENYLATING AGENT FOR
BASE-FREE SUZUKI-MIYAJIMA COUPLING REACTION"**

I.B.1.	Introduction	88
I.B.2.	Background and Objective	89
I.B.3.	Results and Discussion	92
I.B.4.	Conclusion	96
I.B.5.	Representative Procedure	96
I.B.6.	Spectral Analysis of Compounds	97
	NMR Spectra of Some Selected Compounds	99
	<i>Synlett</i> , 2008 , 255-259.	
	References	103

PART II

**CATALYTIC TRANSFER HYDROGENATION: CHEMOSELECTIVE REDUCTION
OF ALDEHYDES WITH RUTHENIUM TRICHLORIDE AND RESIN-BOUND
FORMATES**

II.1.	Catalytic Transfer Hydrogenation: Introduction	114
II.2.	Ru-Complexes in CTH Reactions	115
II.2.1.	Reduction of C=C bond	116
II.2.2.	Reduction of C=X (X = O, N, S) bond	117
II.3.	Background and Objective	119
II.4.	Results and Discussion	122
II.4.1.	Reduction of Aldehydes	123
II.4.2.	Reduction of 1,2-Dicarbonyl Compounds	127
II.5.	Conclusion	128
II.6.	Experimental Procedure	129
II.6.1.	Representative Procedure for RuCl ₃ .3H ₂ O-catalyzed transfer hydrogenation of aryl aldehyde using ARF	129
II.6.2.	Representative Procedure for RuCl ₃ .3H ₂ O-catalyzed transfer hydrogenation of aryl aldehyde using HCOOK	129
II.7.	An Account of our Unsuccessful Experiments	130

II.7.1.	Reduction of aryl ketones (using RuCl ₃ / phosphine ligands)	130
II.7.2.	Reduction of aryl ketones [using {RuCl ₂ (<i>p</i> -cymene)} ₂]	130
II.7.3.	Reduction of unsymmetrical dicarbonyl compounds	130
II.8.	Spectral Analysis	131
	NMR Spectra and HRMS of Some Selected Compounds	134
	References	141

Beilstein J. Org. Chem., **2008**, 4, No. 53; (doi:10.3762/bjoc.4.53).

PART III

SECTION A: ROLE OF COPPER IN CATALYZING ARYL AND HETEROARYL - NITROGEN (OR -OXYGEN) BOND FORMATION UNDER LIGAND- FREE AND SOLVENT-FREE CONDITIONS

III.A.1.	Introduction	148
III.A.2.	Present Work: Results and Discussions	150
III.A.3.	Conclusion	155
III.A.4.	Experimental Procedure	155
III.A.4.1.	Representative Procedure for Cu(I)-Catalyzed Amination	155
III.A.4.2.	Representative Procedure for Cu(I)-Catalyzed Etherification	155
III.A.5.	Spectral Data	155
	NMR Spectra of Some Selected Compounds	160

Indian J. Chem. **2008**, 47B, 1701-1706.

SECTION B: CATECHOL VIOLET AS NOVEL AND EFFICIENT LIGAND FOR CU(I)-CATALYZED C-S COUPLING REACTIONS

III.B.1.	Introduction	167
III.B.2.	Background	168
III.B.3.	Results and Discussion	171
III.B.4.	Conclusion	176
III.B.5.	Experimental Procedure	176
III.B.6.	Spectral Data	177
	NMR Spectra and HRMS Some Selected Compounds	182
	References	195