



# REFERENCES

- Abdel-Barry J A, Abdel-Hassn I A, Al-Hakiem M H H (1997).** Hypoglycemic and antihyperglycemic effects of *Trigonella foenum-graecum* leaf in normal and alloxan induced diabetic rats. *J Ethnopharmacol* **58**: 149-155.
- Ahmad M, Khan M A, Qureshi R A (2003).** Ethnobotanical study of some cultivated plants of Chhuch region (district of Attock). *J Hamdard Medicus* **VI**: 15-19.
- Ahmed I, Ahmad F, Hussain S (1995).** *In vitro* antimicrobial activity of leaf and bark extracts of *Azadirachta indica* A Juss. *Ind Vet Med J* **19**: 204-206.
- Ahmed I, Mehmood Z and Mohammad F (1998).** Screening of some medicinal plants for their antimicrobial properties. *J Ethnopharmacol* **62**: 183-193.
- Ajabnoor M A, Tilmisany A K (1988).** Effect of *Trigonella foenum graceum* on blood glucose levels in normal and alloxan-diabetic mice. *J Ethnopharmacol* **22**: 45-49.
- Ajgaonkar S S (1979).** Herbal drugs in the treatment of diabetes, a review. *IDF Bulletin* **24**: 10-17.
- Alarcon-Aguilar F J, Calzada-Bermejo F, Hernandez-Galicia E, Ruiz-Angeles C, Roman-Ramos R (2005).** Acute and chronic hypoglycemic effect of *Ibervillea sonorae* root extracts-II. *J Ethnopharmacol* **97**:447-452.
- Alarcon-Aguilar F J, Roman-Ramos R, Flores-Saenz J L, Aguirre-Garcia F (2002).** Investigation on the hypoglycaemic effects of extracts of four Mexican medicinal plants in normal and alloxan-diabetic mice. *Phytother Res* **16**:383-386.
- Alarcon-Aguilara F J, Roman-Ramos R, Perez-Gutierrez S, Aguilar-Contreras A, Contreras-Weber C C, Flores-Saenz J L (1998).** Study of the anti-hyperglycemic effect of plants used as antidiabetics. *J Ethnopharmacol* **61**:101-10.
- Al-Shamaony L, Al-Khazraji S M, Twaiji I I A (1994).** Hypoglycemic effect of *Artemisia herba alba* II. Effect of a valuable extract on some blood parameters in diabetic animals. *J Ethnopharmacol* **43**:167-171.
- Anjali P, Monoj K M (1995).** Some comments on diabetes and herbal therapy. *Ancient Sci Life* **15**: 27-29.

- Annida B, Stanely P, Mainzen P (2005).** Supplementation of Fenugreek Leaves Reduces Oxidative Stress in Streptozotocin-Induced Diabetic Rats. *J Medicinal Food* **8** :382-385.
- Anuradha C V, Selvam R (1993).** Effect of oral methionine on tissue lipid peroxidation and antioxidants in alloxan-induced diabetic rats. *J Nutr Biochem* **4**: 212-217.
- Armando C, Lidia M G, Silvia R A and Miguel F T (1987).** Screening of antimicrobial activity of plants popularly used in guatemala for the treatment of dermatomucosal diseases. *J Ethnopharmacol* **20**: 223-237.
- Avella E M, Diaz A, Gracia de I, Tello de R, Gupta M P (1991).** Evaluation of traditional medicine: effects of *Cajanus cajan* L. and of *Cassia fistula* L. on carbohydrate metabolism in mice. *Rev Med Panama* **16**:39-45.
- Ayyanar M, Ignacimuthu S (2005).** Traditional knowledge of Kani tribals in Kouthalai of Tirunelveli hills, Tamil Nadu, India. *J Ethnopharmacol.* **102** :246-55.
- Babu P S, Stanely M P P (2004).** Antihyperglycaemic and antioxidant effect of hyponiod, an ayurvedic herbomineral formulation in streptozotocin-induced diabetic rats. *J Ethno Pharmacol* **56**:1435-1442.
- Bailey C J, Day C (1989).** Traditional plant medicines as treatment for diabetes. *Diab Care* **12**: 553-564.
- Bajpai M, Pande A, Tewari S K, Prakash D (2005).** Phenolic contents and antioxidant activity of some food and medicinal plants. *Intern J Food Sci and Nutr* **56**: 287 – 291.
- Ballab B, Chaurasia O P (2007).** Traditional medicinal plants of cold desert Ladakh-used in treatment of cold, cough and fever, *J Ethnopharmacol* **112**: 341-349.
- Banskota A H, Tezuka Y, Adnyana I K, Xiong Q, Hase K, Tran K Q, Tanaka K, Saiki J, Kadota S (2000).** Hepatoprotective effect of *Commobretum quadrangulare* and its constituents. *Biol Pharm Bull* **23**:456-60.
- Baquer N Z, Gupta D, Raju J (1998).** Regulation of metabolic pathways in liver and kidney during experimental diabetes: Effects of antidiabetic compounds. *Ind J Clin Biochem* **13**: 63-80.

- Barrett B and David K (1996).** Ethnomedical, Biological, and Clinical Support for Medicinal Plant Use on Nicaragua's Atlantic Coast, *J Herbs, Spices, Med Plants* **4**: 3.
- Baydas G, Canatan H, Turkoglu A (2002).** Comparative analysis of the protective effects of melatonin and vitamin E on streptozocin induced diabetes mellitus. *J Pineal Res* **32**: 225-230.
- Baynes J W, Thrope S R (1999).** Role of oxidative stress in diabetic complications. *Diabetes* **48**: 1-9.
- Behera, K K (2006).** Potential medicinal plants and possible threats for their survival in the District of Nupada, Orissa, India. National seminar on forest biodiversity, OUAT, Bhubaneswar. 12-15.
- Belachew D K H (1993).** Antimicrobial activity of *Plumbago zeylanica*. *J Ethnopharmacol* **39**: 129-139.
- Benedict, S. R. (1908).** A Reagent for the detection of reducing sugars. *J Biol Chem* **5**: 485-487.
- Berger M R, Habs M, Jahn S A, Schmahl S (1984).** Toxicological assessment of seeds from *Moringa oleifera* and *Moringa stenopetala*, two highly efficient primary coagulants for domestic water treatment of tropical raw waters. *East Afr Med J* **61**: 712-716.
- Bermejo B P, Martinez A M J, Sen S A M, Gomez S A, Fernandez M L, Sanchez C S, Diaz L A M (1998).** Effects of some iridoids from plant origin on arachidonic acid metabolism in cellular systems. *Planta Med* **66**: 324-328.
- Bharali R, Tabassum J, Azad M R H (2003).** Chemomodulatory effect of *Moringa oleifera*, Lam, on hepatic carcinogen metabolising enzymes, antioxidant parameters and skin Papillomagenesis in mice. *Asian Pacific J Cancer Prev*, **4**: 133-139.
- Billo M, P Cabalion, Waikedre J, Fourneau C, Bouttier S, Hocquemiller R and Fournet A (2005).** Screening of some new Caledonian and Vanuatu medicinal plants for antimycobacterial activity. *J Ethnopharmacol* **96**: 195-200.

- Bodding, P O (1927).** Studies in santhal medicine and connected folklore-II, Santhal Medicine, *Ibid* **10**: 133-426.
- Britto D, Nalini M A J, Jeyaraman G D, Saraswathy P A, and Brindha P. (2005).** Pharmacognostical and Phytochemical Studies on some medicinal plants of Tirunelveli hills in Tamilnadu in India. *Acta Hort. (ISHS)* **675**:129-131.
- Broadhurst C L, Polansky M M, Anderson R A (2000).** Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro, *J Agric Food Chem* **48**: 849-852.
- Buwa L V, Staden J V (2006).** Antibacterial and antifungal activity of traditional medicinal plants used against venereal diseases in South Africa. *J Ethnopharmacol* **103**: 139-142.
- Celik S, Baydas G, Yilmaz O (2002).** Influence of vitamin E on the leaves of fatty acids and MDA in some tissues of diabetic rats. *Cell Biochem Funct* **20**: 67-71.
- Chakraborty B N, Basu P, Saha A, Chakraborty U (1995):** Detection of Cross-reactive antigens between *Psetalotiopsis theae* and tea leaves and their cellular location. *Ann. Appl. Biol.* **127**: 11-21.
- Chakraborty U, Dalli A K, and Saha G (2006).** Characterization of antimicrobial compounds from a common fern, *Pteris biaurita*. *Ind J Exp Biol* **45** : 285-290.
- Chamratpan S, Homchuen S (2005).** Ethnobotany in upper north eastern Thailand. *ActaHort.(ISHS)* **675**: 67-74.
- Chandra Prakash K, Pitamber P D and Bikram S S (2006).** Developing the medicinal plants sector in northern India: challenges and opportunities, *J Ethnobiol and Ethnomed* **2**: 32.
- Chandrasekar B, Mukherjee B, Mukherjee S K (1989).** Blood sugar lowering potentiality of selected Cucurbitaceae plants of Indian origin. *Indian J Med Res* **90**: 300-305.
- Chandravadana M V, Nidry E J, Venkateshwarlu G (1997):** Antifungal activity of momordicines from *Momordica charantia*. *Filoterapia* **68**: 383-384.

- Chang H J, Song Z, Ding G X, Kim J H, Hong M H, Yong-Cheol S, Kim G J and Seong-Gyu K O (2006).** Antihyperglycemic Activity of Herb Extracts on Streptozotocin-Induced Diabetic Rats, *Biosci Biotechnol Biochem* **70**: 2556-2559.
- Chattopadhyay R R (1993).** Hypoglycemic effect of *Ocimum sanctum* leaf extract in normal and streptozotocin diabetic rats. *Ind J Exp Biol* **31**: 891-893.
- Chattopadhyay R R (1999).** A comparative evaluation of some blood sugar lowering agents of plant origin. *J Ethnopharmacol* **67**: 367-372.
- Chen Z, Young T E, Ling J, Chang S C, and Gallie D R (2003).** Increasing vitamin C content of plants through enhanced ascorbate recycling. *PNAS* **100**: 3525 - 3530.
- Chen, Shuangyan L, Hongjie L, Gongshe (2006).** *Transgenic Research*, **15**: 655-665.
- Chevolleau S, Mallet JF, Debel A, Ucciani E (1993).** Antioxidant activity of Mediterranean plant leaves: occurrence and antioxidant importance of  $\mu$ -tocopherol. *J Am Oil Chem Soc* **70**: 807-809.
- Chhetri D R, Parajuli P and Subba G C(2005).** Antidiabetic plants used by Sikkim and Darjeeling Himalayan tribes, India. *J Ethnopharmacol* **99**: 199-202.
- Chopra R N, Nayer S L and Chopra (1956).** Glossary of Indian medicinal plants, CSIR publication, New Delhi.
- Chow S Y, Chen S M, Yang C M, Hsu H (1974).** Pharmacological studies on China herbs (1) Hypotensive effect of 30 chinese herbs. *J formosan Med Assoc* **73**:729-739.
- Chun-Ching S, Yueh-Wern W, Wen-Chuan L (2002).** Antihyperglycaemic and antioxidant properties of *Anoectochilus formosanus* in diabetic rats. *Clin and Exper Pharmacol and Physiol* **29**: 684–688.
- Chun-lin L and Rong L (2004).** Ethnobotanical studies on medicinal plants used by the Red-headed Yao People in Jinping, Yunnan Province, China. *J Ethnopharmacol* **90**: 389-395.

- Circosta C, Rita D P, Stefania S, Annalisa P and Francesco O (2007).** Biological and analytical characterization of two extracts from *Valeriana officinalis*. *J Ethnopharmacol* **112**: 361-367.
- Civelek S, Seven A, Seymen O, Burcak G, Guzel S, Bolayirli M, Uncu M (2004).** Effects of vitamin E supplementation on oxidative stress in streptozotocin induced diabetic rats: investigation of liver and plasma. *Yonsei Med J* **45**: 703-710.
- Cowan M M (1999).** Plant products as antimicrobial agents. *Clin Microbiol Rev* **12**: 564-582.
- Daniel R S, Devi K S, Augusti K T, Sudhakaran N C R (2003).** Mechanism of action of antiatherogenic and related effects of *Ficus bengalensis* Linn. flavonoids in experimental animals. *Ind J Exp Biol* **41**: 296-303.
- Das A K, Mandal S C, Banerjee S K, Sinha S, Saha B P, Pal M (2001).** Studies on the hypoglycaemic activity of *Punica granatum* seed in streptozotocin induced diabetic rats. *Phytother Res* **15**: 628-629.
- David M (1997).** Antimicrobial activity of Garlic. *Antimicrobial Agents and Chemother* **41**: 2286.
- DeFeudis F V, Papadopoulos V, Drieu K (2003).** *Ginkgo biloba* extracts and cancer: a research area in its infancy. *Fundam Clin Pharma-col* **17**: 405-17.
- Didry N, Dubreuil L, Trotin F and Pinkas M (1998).** Antimicrobial activity of aerial parts of *Drosera peltata* smith on oral bacteria. *J Ethnopharmacol* **60**: 91-96.
- Dimo T, Silvere V. Rakotonirina, Paul V T, Jacqueline A, Dongo E, Kamtchouing P, Gerard C (2007).** Effect of *Sclerocarya birrea* (Anacardiaceae) stem bark methylene chloride/methanol extract on streptozotocin-diabetic rats. *J Ethnopharmacol* **110**: 434-438.
- Edeoga H O, Okwa D E, Mbaeble (2005).** Phytochemical constituents of some Nigerian medicinal plants. *African J Biotech* **4**: 685-688.

- El-Fiky F K, Abou-Karam M A, Afify E A (1996).** Effect of *Luffa aegyptiaca* (seeds) and *Carissa edulis* (leaves) extracts on blood glucose level of normal and streptozotocin diabetic rats. *J Ethnopharmacol*, **50**: 43-47.
- Ellman G L (1959).** Plant antioxidants, *Arch Biochem Biophys* **82**: 70-77.
- Emam A M, Diaz L A M, Fernandez M L, Faure R, Moussa A M (1997).** Biological activities of budlejasaponin isolated from *Budleja madagascariensis* and *Scrophularia scorodonia*. *Pharmazie* **52**: 76-77.
- Essawi T, Srour M (2000).** Screening of some Palestinian medicinal plants for antibacterial activity. *J Ethnopharmacol* **70**: 343-349.
- Eun-Mi C, Jae-Kwan H (2005).** Effect of some medicinal plants on plasma antioxidant system and lipid levels in rats. *Phyto Research* **19**: 382 – 386.
- Fahey J W, Dinkova-Kostova A T, and Talalay P (2004).** The ‘Prochaska’ microtiter plate bioassay for inducers of NQO1. *Methods in Enzymol* **382**: 243-258.
- Farias F S M, Silva Emin J A, Lapa A J, Souccar C, Brandao Torres L M (1993).** Analgesic and anti-inflammatory properties of *Scoparia dulcis* L. extract and glutinol in rodents. *Phytother Res* **7**:408-414.
- Farnsworth N R, (1994).** Ethnopharmacology and drug development in pranca. In: Ethnobotany and the search for New Drugs. Pranca, G.T. (ED.), Wiley Chichester, *Ciba Foundation Symposium*, **185**: 42-59.
- Faulks P J (1995).** *An introduction to Ethnobotany*, Moredale, London.
- Fiddamann PJ, Rosall S (1994).** Effect of substrate on the production of antifungal volatiles from *Bacillus subtilis*. *J Appl Bacteriol* **76**: 395-405.
- Foster D W, Isselbacher K J, Brawnwald E, Wilson J D, Martin J B, Fauci A S, Kasper D L (1994).** Diabetes mellitus. *Harrison's Principles of Internal medicine*. MC-Graw. Hill, New York: pp. 1979-1981.



- Gabriela R, Levaro J, Tortoriello J and Navarro V (2001).** Antimicrobial evaluation of certain plants used in Mexican traditional medicine for the treatment of respiratory diseases. *J Ethnopharmacol*, **74**: 97-101.
- Ganesan S, and Kesavan L, (2003).** Ethnomedicinal plants used by the ethnic group of Valaiyans of Vellimalai hills (Reserved forest), Tamil nadu, India, *J Econ. Taxon. Bot*, **27**: 754-760:
- Garg M C, Bansal D D (2000).** Protective antioxidant effect of vitamins C and E in streptozotocin induced diabetic rats. *Indian J Exp Biol* **38**: 101-104.
- Gassenschmidt U, Jany K D, Tauscher B, and Niebergall H (1995).** Isolation and characterization of a flocculating protein from *Moringa oleifera* Lam.. *Biochimica Biophysica Acta* **1243**: 477-481.
- Gebrie E, Makonnen E, Debella A and Legesse Z (2005).** Phytochemical screening and pharmacological evaluations for the antifertility effect of the methanolic root extract of *Rumex steudelii*, *J Ethnopharmacol* **96**: 139-143.
- Gholap S, Kar A (2004).** Hypoglycaemic effects of some plant extracts are possibly mediated through inhibition in corticosteroid concentration. *Pharmazie* **59**: 876-878.
- Gonzales T D M (1986).** Cataogo de plantas medicinales (y alimenticias y utiles) Usada en Paraguay, Asuncian, Paraguay, pp 394.
- Gonzalez M, Zarzuelo A, Gamez M J, Utrilla M P, Jimenez J, Osuna I (1992).** Hypoglycemic activity of olive leaf. *Planta Med* **58**: 513-515.
- Grover J K, Yadav S P, Vats V (2003).** Effect of feeding *Murraya koeingii* and *Brassica juncea* diet kidney functions and glucose levels in streptozotocin diabetic mice. *J Ethnopharmacol* **85**:1-5.
- Guisalberti E L (1998).** Biological and pharmacological activity of naturally occurring iridoids and secoiridoids. *Phytomedicine* **5**: 147-163.
- Gundidza M, Norrin G (1993).** Antimicrobial activity of *Dalbergia melanoxylon* extracts. *J Ethnopharmacol* **40**: 127-130.

- Gupta M P, Mireya D C A, Pablo N S, Jones A, Galdames C, Guionneau-Sinclair F (1993).** Medicinal plant inventory of Kuna Indians: Part 1. *J Ethnopharmacol* **40**: 77-109.
- Hale P J, Horrocks P M, Wright A D, Fitzgerald M G, Natrass M, Baily C J (1989).** Xioake tea, a Chinese herbal treatment for diabetes mellitus. *Diabetic Med* **6**: 675-676.
- Halliwell B, Gutteridge J M C (1984).** Lipid peroxidation, oxygen radicals, cell damage and antioxidant therapy, *Lancet* **1**: 1396-1397.
- Harborne J B (1973).** Phytochemical methods, London. Chapman and Hall Ltd. Pp. 49-188.
- Harborne J B (1973).** Phytochemical methods, Chapman and Hall, London Toppan Company Ltd. Tokeyo, Japan. pp 278.
- Hardy K J, McNutty S J (1997).** Oral hypoglycemic agents. *Medicine Digest* **23**: 5-9.
- Harsberger J W (1985).** Some new ideas. *Philadelphia, Evening Telegraph*.
- Harsha V H, Hebbar S S, Shripathi V, Hegde G R (2003).** Ethnomedicobotany of Uttara Kannada District in Karnataka, India-plants in treatment of skin diseases, *J Ethnopharmacol* **84**: 37-40.
- Hartmann T (1991).** Alkaloids in Herbivores: Their Interactions with Secondary Plant Metabolites, 2<sup>nd</sup> edn. Academic prees, San Diego 1:9.
- Hartwell J L (1967-1971).** Plants used against cancer: a survey. *Lloydia* 30-34.
- Hawk P B, Bernard L O (1954).** *Practical Physiological Chemistry*, XIII ed., New York, McGraw Hill Co., pp. 573-575.
- Hayashi T, Kawaski M, Miwa Y, Taga T, Morita N (1990).** Antiviral agents of plant origin III. Scopadulin, a novel tetracylic diterpene from *Scoparia dulcis* L.. *Chem Pharma Bull* **38**: 945-947.
- Head K A (2000).** Natural therapies for ocular disorders, part two: Cataract and glaucoma. *Altern Med Rev* **6**: 141-166.

- Heras B de L, Slowing K, Benedí J, Carretero E, Ortega T, Toledo C, Bermejo P, Iglesias I, Abad M J, Gómez-Serranillos P, Liso P A, Villar A and Chiriboga X (1998).** Antiinflammatory and antioxidant activity of plants used in traditional medicine in Ecuador. *J Ethnopharmacol* **61**: 161-166.
- Hill A F (1952).** Economic Botany. A textbook of useful plants and plant products. 2<sup>nd</sup> edn. McGraw-Hill Book Company Inc, New York.
- Hirschmann G S, Theoduloz C, Franco L, Esteban F B, Rojas A D A (1987).** Preliminary pharmacological studies on *Eugenia uniflora* leaves: Xanthine oxidase inhibitory activity. *J Ethnopharmacol* **21**: 183-186.
- Huang X, Vaag A, Hanson M, Weng J, Goop L (2000).** Impaired insulin stimulated expression of the glycogen synthase gene in skeletal muscle of type 2 diabetic patients in acquired rather than inherited. *Clin Endocrin Metabol* **85**: 1584.
- Ignacimuthu S, Ayyanar M, Sivaraman K S (2006).** Ethnobotanical investigations among tribes in Madurai District of Tamil Nadu (India), *J Ethnobiol Ethnomedicine* **11**: 2-25.
- Ihara Y, Yamada Y, Toyokuni S, Miyawaki K, Ban N, Adachi T, Kuroe A, Iwakura T, Kubotan A, Hiai H, Seino Y (2000).** Antioxidant alpha – tocopherol ameliorates glycemic control of GK rats, a model of type 2 diabetes. *FEBS Lett* **473**: 24-26.
- Ihm S H, Yoo H J, Park S W, Ihm J (1999).** Effect of aminoguanidine on lipid peroxidation in streptozotocin-induced diabetic rats. *Metabolism*. **48**: 1141-5.
- Irobi O N and Daramola S O (1993).** Antifungal activities of crude extracts of *Mitracarpus villosus* (Rubiaceae). *J Ethnopharmacol* **40**: 137-140.
- Ivorra M D, Paya M, Villar A (1989).** A review of natural products and plants as potential antidiabetic drugs. *J Ethnopharmacol* **27**: 243-275.
- Jackson R I, Hess R L, England J D (1979).** Hb<sub>1c</sub> values in children with over diabetes maintained in varying degree. *Diabetes Care* **2**: 391-395.

- Jain A, Katewa S S, Chaudhary B L, Galav P (2004).** Folk herbal medicines used in birth control and sexual diseases by tribals of southern Rajasthan, India. *J Ethnopharmacol* **90**: 171-7.
- Jain A, Katewa S S, Galav P K, Sharma P (2005).** Medicinal plant diversity of Sitamata wildlife sanctuary, Rajasthan, India. *J Ethnopharmacol* **102**: 143-57.
- Jain S K (1963).** Studies in Indian Ethnobotany: The Origin and utility of some Vernacular plant names. *Prac Nat Acad Sci India* **33**: 525-530.
- Jain S K (1965).** On the prospects of some new or less common medicinal plant resources. *Ind Med J* **59**: 270-272.
- Jain S K (2007).** Ethnobotany and Research on Medicinal Plants in India; Ciba foundation symposium 185- Ethnobotany and the search for new drugs.
- Jain S K, Goel A K (1995).** *A Manual of Ethnobotany*, edited by Jain S. K (Scientific Publishers, Jodhpur).
- Jain S P, Puri H S (1984).** Ethnomedicinal plants of Jaunsar-Bawar Hills, Uttar Pradesh, India. *J Ethnopharmacol* **12**: 213-222.
- Jain S K (1994).** Ethnobotany and research on medicinal plants in India. *Ciba Found Symp* **185**: 153-64.
- Jain S R (1968).** Hypoglycaemic principle in the *Musa sapientum* and its isolation. *Plant Med* **1**: 43-47.
- Jain S K (1986).** Ethnobotany – Its scopes and various sub-disciplines, proceeding of the training course and workshop on Ethnobotany, Lucknow: p-1-9.
- Jain S K (1995).** *A Manual of Ethnobotany*, (Second edition Scientific Publishers, Jodhpur). p-179.
- Junod A, Lambert A E, Stauffacher W, Renold A E (1969).** Diabetogenic action of streptozotocin. Relationship of dose to metabolic response. *J Clin Invest* **48**: 2129-2139.

- Kamalakkannan N, Stanley M P (2004).** Antidiabetic and antioxidant activity of *Aegle marmelos* extract in streptozocin- induced rats. *Pharmaceutical Biol* **42**: 125-130.
- Kar A, Choudhary B K, Bandyopadhyay N G (2003).** Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *Ethnopharmacol* **84**: 105-108.
- Kariba R M, Siboe G M, Dossaji S F(2001).** In vitro antifungal activity of *Schizogygia coffaeoides* Bail. (Apocynaceae) extracts. *J Ethnopharmacol* **74**: 41-44.
- Kayang H, Kharbuli B, Myrboh B, Syiem D (2005).** Medicinal plants of Khasi hills of Meghalaya, India. *Acta Hort. (ISHS)* **675**:75-80
- Kayoko M, Hasegawa T, Murabayashi K, Fukuyama A, Michihiro O (2005).** Effects of Long-Term oral administration of green tea cultivated in different Districts in Japan on body weight, blood lipid and glucose levels on db/db mice. *J Food Biochem* **29**: 295-304.
- Kesari A N, Gupta R K, Watal G (2005).** Hypoglycemic effects of *Murraya koenigii* on normal and alloxan-diabetic rabbits. *J Ethnopharmacol* **97**: 247-25.
- Khaleeva L D, Maloshtan L N, Sytnik A G (1987).** Comparative evaluation of the hypoglycemic activity of the vegetal complex of *Phaseolus vulgaris* and chlorpropamide in experimental diabetes. *Probl Endokrinol (Mosk)* **33**: 69-71.
- Kiritikar K R and Basu B D (1935).** *Indian Med Plants* **III**: 2011-2012.
- Koenig R J, Peterson C M, Jones R L, Saudek C, Lehrman M, Cerami A (1976).** Correlation of glucose regulation and hemoglobin A<sub>1c</sub> in diabetes mellitus. *New Engl J Med* **295**: 417-420.
- Kokoska L, Polesny Z, Rada V, Nepovim A, Vanek T (2002).** Screening of some Siberian medicinal plants for antimicrobial activity. *J Ethnopharmacol* **82**: 51-3.
- Konyalioglu S, Husniye S and Kivcak B (2005).**  $\mu$ -tocopherol, flavonoid and phenol contents and antioxidant activity of *Ficus carica* leaves. *Pharmaceutical Biol* **43**: 683-686.

- Kowluru R A, Kern T S, Engerman R L, Armstrong D (1996).** Abnormalities in retinal metabolism in diabetes or experimental galactosemia III. Effects of antioxidant. *Diabetes* **45**: 1233-1237.
- Koyama Y, Abe K, Sano Y, Ishizaki Y, Njelekela M, Shoji Y, Hara Y, Isemura M (2004).** Effects of green tea on gene expression of hepatic gluconeogenic enzymes in vivo. *Planta Med* **70**: 1100-1102.
- Krishnakumar K, Augusti K T, Vijayammal P L, (1999).** Hypoglycaemic and Antioxidant activity of *Salacia ablonga* wall. Extract in streptozotocin induced diabetic rats. *Ind J Physiol and Pharmacol* **43**: 510-14.
- Kumar V P, Chauhan N S, Padh H, Rajani M (2006).** Search for antibacterial and antifungal agents from selected Indian medicinal plants. *J Ethnopharmacol* **107**: 182-8.
- Kupeli E, Şahin F P, Ihsan C, Erdem Y, Nurten E (2007).** Phenolic compounds of *Sideritis ozturkii* and their in vivo anti-inflammatory and antinociceptive activities. *J Ethnopharmacol* **112**: 356-360.
- Lacaille D M A, Wagner H (1996).** Importance pharmacologique des derives polyphenoliques. *Acta Bot Gallica* **143**: 555-562.
- Lajubutu B A, Pinney R J, Roberts M F, Odeloal H A and Oso B A (1995).** Antibacterial activity of disiquinone and plumbagin form the roots of *Diospyrus mespiliformis*. *Phytother Res* **9**: 346-350.
- Lako J, Craige T V, Wahlqvist M, Wattanapenpaiboon N, Subramanium S, Robert P (2007).** Phytochemical flavonols, carotenoids and the antioxidant properties of a wide selection of Fijian fruit, vegetables and other readily available foods. *Food chemistry* **101**: 1727-1741.
- Latha M, K M Ramkumar, Pari L, Damodaran P N, Rajeshkannan V, Suresh T (2006).** Phytochemical and antimicrobial study of an antidiabetic plant: *Scoparia dulcis* L. *J Med Food* **9**: 391 -394.

- Lemus, García R, Delvillar E, Knop G (1999).** Hypoglycaemic activity of four plants used in Chilean popular medicine. *Phytotherapy Research* **13**: 91-94.
- Leporatti M L, Posocco E A P (1985).** Some new therapeutic uses of several medicinal plants in the province of Terni (Umbria, Central Italy) *J Ethnopharmacol* **14**: 65-68.
- Liaquot A, Abu Kalam A K, Zahid H, Mohammad M, Nilufar N (1995).** Characterization of the hypoglycemic effects of *Trigonella foenum-graecum* seed. *Planta Med* **61**: 358-360.
- Lichtenthaler I I K (1987).** Chlorophylls and Carotenoids: Pigments of Photosynthetic biomembranes. *Meth Enzymol* **148**: 350-382.
- Lopez R, Hinojosa A (1988).** *Catalogo de plantas medicinales sonorenses*. Universidad de Sonora, Hermosillo Son, Mexico. p-133.
- Lowry O H, Rosenburgh N J, Farr A L, Randall R L (1951).** Protein measurement with Folin-phenol reagent. *J Biol Chem* **193**: 265-275.
- Maiti R, Jana D, Das U K, Ghosh D (2004).** Antidiabetic effect of aqueous extract of seed of *Tamarindus indica* in streptozotocin-induced diabetic rats. *J Ethnopharmacol* **92**: 85-91.
- Makonnen E, Hunde A, Damecha G (1998).** Hypoglycaemic Effect of *Moringa stenopetala* aqueous extract in rabbits. *Phytotherapy Res* **11**: 147-148.
- Malalavidhane S, Wickramasinghe S M D N, Jansz E R (2001).** An aqueous extract of the green leafy vegetable *Ipomoea aquatica* is as effective as the oral hypoglycaemic drug tolbutamide in reducing the blood Sugar levels of Wistar rats. *Phytotherapy Res* **15**: 635-637.
- Manilal K S (1989).** Linkages of ethnobotany with other science and disciplines. *Ethnobotany*. **1**: 15-24.
- Marine-Bettolo G B (1980).** Present aspects of the uses of plants in traditional medicine. *J Ethnopharm* **2**: 5-7.

- Marles R J, Farnsworth N R (1995).** Antidiabetic plants and their active constituents. *Phytomedicine* **2**: 137-189.
- Maroo J, Ghosh A, Mathur R, Vasu V T, Gupta S (2003).** Antidiabetic efficacy of *Enicostemma littorale* methanol extract in alloxan-induced diabetic rats. *Pharmaceutical Biol* **41**: 388-391.
- Martínez M J, Betancourt J, Alonso-González N, Jauregui A (1996).** Screening of some Cuban medicinal plants for antimicrobial activity. *J Ethnopharmacol* **52**: 171-4.
- Maxwell, S R J, Thomason H, Sandler D, LeGuen C, Baxter M A, Thorpe G H, Jones A F, Barnett A H (1997).** Poor glycaemic control is associated with reduced serum free radical scavenging (antioxidant) activity in non-insulin dependent diabetes mellitus. *Annals of Clinical Biochemistry* **34**: 638-44.
- McCune L M, Timothy J (2007).** Antioxidant activity relates to plant part, life form and growing condition in some diabetes remedies. *J Ethnopharmacol* **112**: 461-469.
- McDonald S, Prenzler P D, Antolovich M, Robards K (2001).** Phenolic content and antioxidant activity of olive extract. *Food Chem* **73**: 73-84.
- Merel G, Konyaloglu S (2003).** Comparison of total phenol contents and antioxidant capacities of three *Hypericum* L. species growing in Turkey. *Acta Pharm Turcica* **45**: 183-185.
- Misra M K (1999).** Need for conservation of indigenous medicinal knowledge and the herbs. *J Hum Ecol* **10**: 403-406.
- Mitra A, Chakraborty S, Auddy B, Tripathi P, Sen S, Saha A V and Mukherjee B (2002).** Evaluation of chemical constituents and free-radical scavenging activity of Swarnabhasma (gold ash), an ayurvedic drug. *J Ethnopharmacol* **80**: 147-153.
- Morris G, Leon L M (1960).** Protein metabolism and protein synthesis in perfused livers of normal and alloxan diabetic rats. *J Biol Chem* **235** : 3202-3208.



- Moses N, Ngemenya, James A, Mbah, Pierre T, Vincent P K T (2006).** Antibacterial effects of some Cameroonian medicinal plants against common pathogenic bacteria. *Afri j trad complemen and alter med* **3**: 84-93.
- Mothana R A A, Lindequist U (2005).** Antimicrobial activity of some medicinal plants of the island Soqotra. *J Ethnopharmacol* **96**: 177-181.
- Mukherjee P K, Saha K, Pal M, Saha B P (1997).** Effect of *Nelumbo nucifera* rhizome extract on blood sugar level in rats. *J Ethnopharmacol* **58**: 207-213.
- Mukherjee P K, Maiti K, Mukherjee K, Houghton P J (2006).** Leads from Indian medicinal plants with hypoglycemic potentials. *J Ethnopharmacol* **106**: 1-28.
- Mukherjee S P, Choudhuri M A (1983).** Implications of water stress-induced changes in the levels of endogenous ascorbic acid and H<sub>2</sub>O<sub>2</sub> in *Vigna* seedlings. *Physiol Plant* **58**: 166-170.
- Muthu C, Ayyanar M, Raja N, Ignacimuthu S (2006).** Medicinal plants used by traditional healers in Kancheepuram District of Tamil Nadu. *J Ethnobiol Ethnomedicine* **7**: 2-43.
- Nadkarni A K (1954).** *Indian Materia Medica*, 3<sup>rd</sup> edn, Popular Prakasan Pvt. Ltd., Mumbai, 1:114.
- Nagarajan S, Jain H C, Aulakh G S (1987).** *Indigenous Plants Used in the Control of Diabetes*. New Delhi, Publication and information Directorate. CSIR.
- Nannipieri M, Alberto L, Santerini D, Carlo C, Gerald V D W, Ferrannini E (2001).** Influence of Long-Term Diabetes on Renal Glycogen Metabolism in the Rat", *Nephron* 2001; **87**:50-57.
- Nascimento, G G F, Locatelli J, Freitas P C, Silva G L (2000).** Antibacterial activity of plant extracts and phytochemicals on antibiotic-resistant bacteria. *Braz J Microbiol* **31**: 247- 256
- Nelson N (1944).** A photometric adaptation of the Somogyei's method for the determination of glucose. *J Biol Chem* **153**: 357-380.

- Ngane N A, Biyiti L P H, Amvam Z P A, Bouchet P (2000).** Evaluation of antifungal activity of extracts of two Cameroonian Rutaceae: *Zanthoxylum leprieurii* Guill. et Perr. and *Zanthoxylum xanthoxyloides* Waterm. *J Ethnopharmacol* **70**: 335-342.
- Nishibe S (1994).** Bioactive phenolic compounds in traditional medicines, *Pure and Appl Chem* **66**: 2263-2266.
- Niyonzima G, Vlietinck A J (1993).** Hypoglycaemic activity of *Spathodeal campanulatal* stem bark decoction in mice. *Phytother Res* **7**: 64-67.
- Noor H, Ashcroft S J (1989).** Antidiabetic effects of *Tinospora crispa* in rats. *J Ethnopharmacol* **27**: 149-161.
- Okhawa H, Oshishi N and Yag K (1979).** Assay of lipid peroxidation in animal tissue by thiobarbituric acid reaction. *Anal Biochem* **95**: 351-358.
- Okusa P N, Penge O, Devleeschouwer M, Duez P (2007).** Direct and indirect antimicrobial effects and antioxidant activity of *Cordia gillettii* De Wild (*Boraginaceae*). *J Ethnopharmacol* **112**: 476-481.
- Okyar A, Can A, Akev N, Baktir G, Sutlupinar N (2001).** Effect of *Aloe vera* leaves on blood glucose level in type I and type II diabetic rat models. *Phytother Res* **15**: 157-161.
- Olatunji L A, John I Okwusidi J I, Ayodele O S (2005).** Antidiabetic effect of *Anacardium occidentale* stem-bark in fructose-diabetic rats. *Pharmaceutical Biol* **43**: 589-593.
- Olsen A (1987).** Low technology water purification by bentonite clay and *Moringa oleifera* seed flocculation as performed in Sudanese villages. Effects on *Schistosoma mansoni cercariae*. *Water research* **21**: 517-522.
- Onderoglu S, Sozer S, Erbil K M, Ortac R, Lermioglu F (1999).** The evaluation of long-term effects of cinnamon bark and olive leaf on toxicity induced by streptozotocin administration to rats. *J Pharm Pharmacol* **51**: 1305-1312.

- Onocha P A, Audu E O, Ekundayo O, Dosumu O O (2005).** Phytochemical and antimicrobial properties of extracts *Combretum racemosum*. *Acta Hort. (ISHS)* **675**: 97-101.
- Palada M C (1996).** Moringa (*Moringa Oleifera* Lam.): A versatile tree crop with horticultural potential in the subtropical United States. *Hort Science* **31**, 794-797.
- Palit P, Furman B L, Gray A I (1999).** Novel weight-reducing activity of *Galega officinalis* in mice. *J Pharm Pharmacol* **51**: 1313-1319.
- Palmer A M, Thomas C R, Gopaul N, Dhir S, Anggard E E, Poston L, Tribe R M (1998).** Dietary antioxidant supplementation reduces lipid peroxidation but impairs vascular function in small mesenteric arteries of the streptozotocin diabetic rats. *J Ethnopharmacol* **68**: 148-156.
- Parameshwar S, Srinivasan K K, Mallikarjuna R C (2002).** Oral Antidiabetic Activities of Different Extracts of *Caesalpinia bonducella* Seed Kernels. *Pharmaceutical Biol* (Formerly International Journal of Pharmacognosy) **40**: 590-595.
- Pari L, Latha M (2002).** Antidiabetic activity of *Cassia auriculata* flowers: Effect on lipid peroxidation in streptozotocin diabetes rats. *Pharmaceutical Biol* **40**: 512-517.
- Pari L, Satheesh M A (2004).** Antidiabetic activity of *Boerhaavia diffusa* L.: effect on hepatic key enzymes in experimental diabetes, *J Ethnopharmacol* **91**: 109-113.
- Pari L, Maheswari U J (2000).** Antihyperglycemic activity of *Musa sapientum* flowers: Effects on lipid peroxidation in alloxan diabetic rats. *J Ethnopharmacol* **14**: 136-138.
- Pari L, Subramanian V (2002).** Hypoglycaemic activity of *Scoparia dulcis* L. extract in alloxan induced hyperglycaemic rats. *Phytother Res* **16**: 662-664.
- Pari L, Latha M (2004).** Protective role of *Scoparia dulcis* plant extract on brain antioxidant status and lipidperoxidation in STZ diabetic male Wistar rats. *BMC Complementary and Alternative Medicine* **4**: 16.
- Pari L, Subramanian V (2004).** Protective Role of *Phaseolus vulgaris* on changes in the fatty acid composition in experimental diabetes. *J Med Food* **7**: 204-209.

- Perez C, Dominguez E, Ramiro J M, Romero A, Campillo J E, Torres M D (1998).** A study on the glycaemic balance in streptozotocin-diabetic rats treated with an aqueous extract of *Ficus carica* (fig tree) leaves. *Phytother Res*, **10**: 82-83.
- Perry L M (1980).** Medicinal plants of East and Southeast Asia: Attributed properties and Uses. *The MIT Press*, Cambridge, pp 385.
- Perumalsamy R, Ignacimuthu S and Sen H (1988).** Screening of 34 Indian Medicinal Plants for their antibacterial properties. *J Ethnopharmacol* **62**: 178-182.
- Peterson J, Dwyer J (1998).** Flavonoids: Dietary occurrence and biochemical activity. *Nutri Research* **18**: 1995-2018.
- Peungvicha P, Thirawarapan S S, Watanabe H (1996).** Hypoglycemic effect of water extract of the root of *Pandanus odoratus* RIDL. *Biol Pharm Bull* **19**: 364-366.
- Peungvicha P, Thirawarapan S S, Rungravi T, Watanabe H, Prasain J K, Kadota S (1998).** Hypoglycemic effect of the water extract of *Piper sarmentosum* in rats. *J Ethnopharmacol* **60**: 27-32.
- Pieroni A (2000).** Medicinal plants and food medicines in the folk traditions of the upper Lucca Province, Italy. *J Ethnopharmacol* **70**: 235-273.
- Pieroni A, Houlihan L, Ansari N, Hussain B, Aslam S (2007).** Medicinal perceptions of vegetables traditionally consumed by South-Asian migrants living in Bradford, Northern England. *J Ethnopharmacol* **113**: 100-110.
- Plummer D T (1979).** An Introduction to practical biochemistry. *Tata Mc Graw Hill Publication*, New Delhi, pp 362.
- Ponnachan P T, Paulose C S, Panikkar K R (1993).** Effect of leaf extract of *Aegle marmelose* in diabetic rats. *Indian J Exp Biol* **31**: 345-347.
- Prayoonrat P (2005).** Biodiversity of medicinal weeds in Chonburi region, Thailand. *Acta Hort.(ISHS)*, **675**: 23-29.

- Prieto P, Pineda M, Aguilar M (1999).** Spectrophotometric quantation of antioxidant capacity through the formation of a phosphomolybdenum complex: Specific application to the determination of vitamin E. *Anal Biochem* **269**: 337-341.
- Prince S M P, Menon V P, Pari L (1998).** Hypoglycemic activity of *Syzigium cumini* seeds: effects on lipid peroxidation in alloxan diabetic rats. *J Ethnopharmacol* **61**: 1-7.
- Prince S M P, Menon V P (2000).** Antioxidant action of *Tinospora cordifolia* root extract in alloxan diabetic rats. *Phytother Res* **14**: 14-16.
- Prince S M P, Menon V P (2001).** Antioxidant action of *Tinospora cordifolia* root extract in alloxan diabetic rats. *Phytother Res* **15**: 213-218.
- Prince S M P, Menon V P (1999).** Antioxidant activity of *Tinospora cordifolia* roots in experimental diabetes. *J Ethnopharmacol* **65**: 277-281.
- Pugazhenti S, Khandelwal R L, Angel J F (1991).** Insulin like effects of vanadate on malic enzyme and glucose-6-phosphate dehydrogenase activities in streptozotocin-induced diabetic rat liver. *Biochem Biophys Acta* **1083**: 310-312.
- Quiroga E N, Antonio R S, Vattuone M A (2001).** Screening antifungal activities of selected medicinal plants. *J Ethnopharmacol* **74**: 89-96.
- Raghuramulu N, Madhavan N K, Kalyanasundaram S (2003).** A manual of laboratory techniques. National Institute of Nutrition. *Ind Coun of Med Res* Hyderabad. p.105-106.
- Rai P C, Sarkar A, Bhujel R B, Das A P (1998):** Ethnobotanical studies in some fringe areas of Sikkim and Darjeeling Himalayas. *J Hill Res* **11**: 12-21.
- Rajan S, Sethuraman M, Mukherjee P K (2002).** Ethnobiology of the Nilgiri Hills, India, *Phytother Res* **16**: 98 – 116.
- Rajendran A, Rao N R, Henry A N (1997).** Rare and noteworthy plants of Eastern Ghats in Andhra Pradesh with their ethnic uses. *Ethnobotany* **9**: 39-43.
- Rang H P, Dale M M (1991).** The endocrine system. In: Longman A ed. *Pharmacol* 2<sup>nd</sup> edn, Langman Group Ltd. UK, pp. 504-508.

- Rapin J R, Rene G Y, Christine Bouvier C, Katy D (1998).** Effects of repeated treatments with an extract of *Ginkgo biloba* (EGb 761) and bilobalide on liver and muscle glycogen contents in the non-insulin-dependent diabetic rat. *Drug Develop Res* **40**: 68-74.
- Rathi S S, Grover J K, Vikrant V, Biswas N R (2002).** Prevention of experimental diabetic cataract by Indian Ayurvedic plant extracts. *Phytother Res*, **16**: 774-777.
- Ravi K, Rajasekaran S, Subramanian S (2005).** Antihyperlipidemic effect of *Eugenia jambolana* seed kernel on streptozotocin-induced diabetes in rats. *Food and Chem Toxicol* **43**: 1433-1439.
- Rios J L, Recio M C, Villar A (1987).** Antimicrobial activity of selected plants employed in the Spanish mediterranean area. *J Ethnopharmacol* **21**: 139-152.
- Rizvi S I, Zaid M A (2001).** Intracellular reduced glutathione content in normal and type 2 diabetic erythrocytes: effect of insulin and (-) epicatechin, *J Physiol Pharmacol* **52**: 483-8.
- Roessler J W, Khandelwal R L (1986).** Quantitation of glycogen synthase and phosphorylase protein mouse liver. Correlation between enzymatic protein and enzymatic activity. *Arch Biochem Biophys* **244**: 397-407.
- Roman-Ramos R, Flores- Saenz J L, Alarcon-Aguilar F J (1995).** Anti-hyperglycemic effect of some edible plants. *J Ethnopharmacol* **48**: 25-32.
- Ruvín Kumara N K V M, Pathirana R N, Pathirana C (2005).** Hypoglycemic activity of the root and stem of *Salacia reticulata* var.  $\beta$ -*diandra* in alloxan diabetic rats. *Pharmaceutical Biol* **43**: 219-225.
- Ruvín Kumara N K V M (1998).** An investigation of the hypoglycemic properties of some plant treatment for diabetes. Ph.D. Thesis, University of Ruhuna, Sri Lanka.
- Sabu M C, Kuttan R (2002).** Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol*. **81**: 155-160.

- Saha K, Mukherjee P K, Das J, Mandal S C, Pal M, Saha B P (1998).** Hypoglycaemic activity of *Leucas lavandulaefolia* Rees. in streptozotocin-induced diabetic rats. *Phytother Res* **11**: 463-466.
- Said M (1969).** Hamdard pharmacopoea of eastern medicine. Karachi, Pakistan, *Hamdard National Foundation, Times Press*, p-42.
- Sajem A L, Gosai K (2006).** Traditional use of medicinal plants by the Jaintia tribes in North Cachar Hills district of Assam, northeast India. *J Ethnobiol Ethnomed* **2**: 33.
- Sambrook J, Fritch E F, Maniatis T (1989).** Molecular Cloning- a Laboratory manual 2<sup>nd</sup> Edition **3**: 18.60-18.74.
- Sarada S K S, Dipti P, Anju B, Pauline T, Kain A K, Sairam M, Sharma S K, Ilavazhagan G, Kumar D, Selvamurthy W (2002).** Antioxidant effect of beta-carotene on hypoxia induced oxidative stress in male albino rats. *J Ethnopharmacol* **79**: 149-153.
- Satyanarayana K (1969).** Chemical examination of *Scoparia dulcis* (Linn.): Part I. *J Ind Chem Soc* **46**: 765-766.
- Satyanarayana S, Sarma G S, Ramesh A, Sushruta K, Srinivas N (2003).** Evaluation of herbal preparations for hypoglycemic activity in normal and diabetic rabbits. *Pharmaceutical Biol* (Formerly International Journal of Pharmacognosy) **41**: 466-472.
- Sauvaire Y, Baissae V H, Leconte O, Petit P, Ribes G (1996).** Steroid saponins from fenugreek and some of their biological properties. *Adv Exp Med Biol* **405**: 37-46.
- Savithramma N, Sulochana C, Rao K N (2007).** Ethnobotanical survey of plants used to treat asthma in Andhra Pradesh, India. *J Ethnopharmacol* **113**: 54-61.
- Saxena A M, Murthy P S, Mukherjee S K (1996).** Mode of action of three structurally different hypoglycemic agents: a comparative study. *Indian J Exp Biol* **34**: 351-355.
- Saxena A P, Vyas K M (1986).** Antimicrobial activity of seeds of some etnomedicinal plants. *J Econ Tax Bot* **8**: 291-299.

- Scott L N D (1998).** A review of plants used in the treatment of liver diseases: Part-1. *Alternat Med Rev.* **3**: 410.
- Sen S, Batra A (1997).** Ethno-medico-botany of household remedies of Phagi Tehsil of Jaipur district (Rajasthan). *Ethnobotany* **9**: 122-128.
- Shabana M M, Mirhom Y W, Genenah A A, Aboutabl E A, Amer H A (1990).** Study into wild Egyptian plants of potential medicinal activity. Ninth communication: hypoglycaemic activity of some selected plants in normal fasting and alloxanised rats. *Arch Exp Veterinarmed* **44**: 389-394.
- Shamsi M A, Amin A, Adeghate E (2006).** Effect of Vitamin C on Liver and Kidney Functions in Normal and Diabetic Rats. *Ann NY Acad Sci* **1084**: 371–390.
- Sharma S R, Dwivedi S K, Varshney V P, Swarup D (1996).** Antihyperglycemic and insulin release effects of *Aegel marmelose* leaves in streptozotocin-diabetic rats. *Phytother Res* **10**: 426-428.
- Shirwaikar A, Rajendran K, Punitha I S R (2005).** Antihyperglycemic activity of the aqueous stem extract of *Coscinium fenestratum* in non-insulin dependent diabetic rats. *Pharma Biol* **43**: 707-712.
- Shirwaikar A, Rajendran K, Punitha I S R (2005).** Antidiabetic activity of alcoholic stem extract of *Coscinium fenestratum* in streptozotocin-nicotinamide induced type 2 diabetic rats. *J Ethnopharmacol* **97**: 369-374.
- Shumin L, Xun L, Yu-Long L, Chun-Hong S, Keshore R, Bidasee, George J, Rozanski (2007).** Insulin regulation of glutathione and contractile phenotype in diabetic rat ventricular myocytes. *Am J Physiol Heart Circ Physiol* **292**: H1619-H1629.
- Siddique O, Sun Y, Lin J C, Chien Y W (1987).** Facilitated transdermal transport of insulin. *J Pharma Sci* **76**: 341-345.
- Singh S N, Praveen V, Shoba S, Radhey S, Kumria M M L, Ranganathan S, Sridharan K (2001).** Effect of an antidiabetic extract of *Catharanthus roseus* on enzymic activities in streptozotocin induced diabetic rats. *J Ethnopharmacol* **76**: 269-277.



- Slover H T (1983).** Determination of tocopherols and sterols by capillary gas chromatography. *J Am Oil Chem Soc* **60**: 1524-1528.
- Smirnoff N and Wheeler G L (2000).** Ascorbic acid in plants: biosynthesis and function. *Critical Reviews in Biochem and Molecur Biol* **35**: 291-314.
- Sofowara A (1993).** Medicinal plants and Traditional medicine in Africa. *Spectrum Books Ltd*, Ibadn, Nigeria, p. 289.
- Sofrankova A (1975).** Glycogen metabolism in white and red muscle or normal and diabetic rats. The glycogen concentration and glycogen synthesis from glucose. *Physiol Bohemoslov* **24**: 509-14.
- Sokomba E, Wambebe C, Chowdhury B K, Jessie I, Ogbeide O N, Orkor D (1986).** Preliminary phytochemical, pharmacological and antibacterial studies of the alkaloidal extracts of the leaves of *Synclisia scabrida* miers. *J Ethnopharmacol* **18**: 173-185.
- Somogyi N (1945).** A new reagent for the determination of sugars. *J Biol Chem* **160**: 61-75.
- Srinivas N, Murthy K B, Srinivas D L, Behara S R B (2003).** The juice of fresh leaves of *Catharanthus roseus* Linn. reduces blood glucose in normal and alloxan diabetic rabbits. *BMC Complementary and Alternative Medicine* **3**: 4.
- Stevens R, Buret M, Duffe P, Garchery C, Baldet P, Rothan C, Causse M (2007).** Candidate genes and quantitative trait Loci affecting fruit Ascorbic Acid content in three tomato populations. *Plant Physiol* **143**: 1943 - 1953.
- Strzaka K, Kostecka-Gugaa A, Latowski D (2003).** Carotenoids and Environmental Stress in Plants: Significance of Carotenoid-Mediated Modulation of Membrane Physical Properties. *Russian J Plant Physiol* **50**: 168-173.
- Swanston-Flatt S K, Day C, Bailey C J, Flatt P R (1989a).** Evaluation of traditional plant treatments for diabetes: studies in streptozotocin diabetic mice. *Acta Diabetol Lat* **26**: 51-55.

- Swanston-Flatt S K, Day C, Bailey C J, Flatt P R (1990).** Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetologia* **33**: 462-464.
- Swanston-Flatt S K, Day C, Flatt P R, Gould B J, Bailey C J (1989b).** Glycaemic effects of traditional European plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetes Res* **10**: 69-73.
- Tachi, Okuda Y, Bannai Y, Bannai C, Shinohara S, Shimpuku M, Yamashita H, Ohura K (2001).** Hyperglycemia in diabetic rats reduces the glutathione content in the aortic tissue. *Life-Sci* **69**: 1039-47.
- Tahraoui A, El-Hilaly J, Israili Z H, Lyoussi B (2007).** Ethnopharmacological survey of plants used in the traditional treatment of hypertension and diabetes in south-eastern Morocco (Errachidia province). *J Ethnopharmacol* **110**: 105-117.
- Takeda Y, Takaaki H, Toshiya M, Honda G, Yoshihisa T, Michiho I, Otsuka H, Katsuyoshi M, Olimjon K. Khodzhimatov, Ozodbek A A (2007).** Chemical constituents of an Uzbek medicinal plant, *Perovskia scrophularifolia*. *J Natural Med* **61**: 84-85.
- Takeoka G R, Dao L T (2003).** Antioxidant constituent of almond [*Prunus dulcis* (Mill.) D A. Webb.] hulls. *J Agric Food Chem* **51**: 496-501.
- Trease G E, Evans W C (1989):** *Pharmacognosy*, 11<sup>th</sup> edn. Brailliar Tiridel Can. Macmillian publishers.
- Trivedi N, Sinha A K (1976):** Resistance induced in rice plants against *Helminthosporium* infection by treatment with various fungal fluids. *Phytopath Z*, **86**: 335.
- Ueno Y, Kizaki M, Nakagiri R, Kamiya T, Sumi H, Osawa T (2002).** Dietary glutathione protects rats from diabetic nephropathy and neuropathy. *J Nutr* **132**: 897-900.
- Upadhyay A S, Kumbhojkar M S, Kulkarni D K (1997):** Ethno-medico-botany of some sacred plants of Western Maharashtra, *Ethnobotany* **9**: 65-68.

- Vats V, Yadav S P, Biswas N R , Grover J K (2004):** Anti-cataract activity of *Pterocarpus marsupium* bark and *Trigonella foenum-graecum* seeds extract in alloxan diabetic rats. *J Ethnopharmacol* **93**: 289-294.
- Vats V, Yadav S P, Grover J K (2003):** Efect of *T. foenum graecum* on glycogen content of tissues and the key enzymes of carbohydrate metabolism. *J Ethnopharmacol* **85**: 237-242.
- Venkatesh S, Dayanand R, Madhava B R (2003).** Antyperglycemic activity of *Helicteres ixora* roots in alloxan-induced diabetic rats. *Pharmaceutical Biol* **41**: 347-350.
- Venkateswaran S and Pari L (2002).** Effect of *Coccinia indica* on blood glucose, insulin and key hepatic enzymes in experimental diabetes. *Pharmaceutical Biol* **40**: 165-170.
- Venkateswaran S, Pari Leelavinothan (2002).** Antioxidant effect of *Phaseolus vulgaris* in streptozotocin-induced diabetic rats. *Asia Pacific J Clinical Nutri* **11**: 206–209.
- Vijaykumar P R, Bhaskara B P S, Arulmozhi S, Sridhar Y, Purnima A (2006).** Antihyperglycaemic and Antioxidant Activity of *Brassica Oleracea* in Streptozotocin Diabetic Rats. *The Internet J Pharmacol* **4**: 2.
- Viswanathan P, Menon V P, Balasubashini M S, Rukkumani R (2004).** Ferulic acid alleviates lipid peroxidation in diabetic rats. *Phytother Res* **18**: 310-314.
- Wadood N, Wadood A, Nisar M (2003).** Effect of *Ficus relegiosa* on blood glucose and total lipid levels of normal and alloxan diabetic rabbits. *J Ayub Med Coll Abbottabad*, **15**: 40-42.
- Wang W, Pang C C P, Rogers M S, Chang A M Z (1996):** lipid peroxidation in cord blood at birth. *Am J Obset Gynecol* **174**: 62-65.
- Weiss M G (1987).** Karma and Ayurveda. *Anc Sci Life* **6**: 129-134.
- WHO (1978):** The Promotion and Development of Traditional Medicine, WHO Technical Report 622, WHO, Geneva.

- Wilson R L (1988):** Free radicals and tissue damage, mechanistic evidence from radiation studies. In *MG Simic (Ed.), Biochemical Mechanisms of Liver Injury*. New York, Academic Press.
- Xiang-Fan Z, Kwong-Huat B T (2000).** Antihyperglycaemic and anti-oxidant properties of *Andrographis Paniculata* in normal and diabetic rats. *Clinical and Experimental Pharmacol and Physiol* **27**: 358–363.
- Xolapa- Molina S (1994):** Flora Medicinal Mayo de la region de EI Fuerte y Choix, Sinaloa. In: Insituto Nacional Indigenista, ed., Biblioteca de la Medicina Traditional Mexicana. Flora Medicinal Indigena de Mexico. *Tomo I Mexico* pp-363-411.
- Yadava R N, Barsainya D (1998):** Chemistry and antimicrobial activity of the essential oil from *Anisomeles indica* (L). *Ancient Soc Life* **18**: 41-45.
- Yagi K (1987):** Lipid peroxides and human diseases, *Chem Phys Lipids* **45**: 337-351.
- Yazdanparast R, Amin A, Shirin J (2007).** Experimental diabetes treated with *Achillea santolina*: Effect on pancreatic oxidative parameters. *J Ethnopharmacol* **112**: 13-18.
- Zimmet P Z (1999).** *Diabetologia* **42**: 499-518.

