

BIBLIOGRAPHY

- Adams, M.R. (1986) Fermented flesh foods. *Progress in Industrial Microbiology* 23: 159-198.
- Adams, M.R. (1998) Fermented Fish. In: *Microbiology Handbook Fish and Seafood*, vol. 3 (Eds. Lawley, R.A. and Gibbs, P.) pp. 157-177. Leatherhead Food RA, Leatherhead, Surrey.
- Adams, M.R. (1999) Safety of industrial lactic acid bacteria. *Journal of Biotechnology* 68: 171-178.
- Adams, M.R. and Nicolaides, L. (1997) Review of the sensitivity of different foodborne pathogens to fermentation. *Food Control* 8 (5/6): 227-239.
- Adams, M.R., Cooke, R.D. and Pongpen Rattagool (1985) Fermented fish products of S.E. Asia. *Tropical Science* 25: 61-73.
- Adams, M.R., Cooke, R.D. and Twiddy, D.R. (1987) Fermentation parameters involved in the production of lactic acid preserved fish-glucose substrates. *International Journal of Food Science and Technology* 22: 105-114.
- Al-Jedah, J.H., Ali, M.Z. and Robinson, R.K. (1999) Chemical and microbiological properties of *mehiawah* – a popular fish sauce of golf. *Journal of Food Science and Technology* 36 (6): 561-564.
- AOAC (1990) *Official Methods of Analysis*, 15th Edition. Association of Official Analytical Chemists, Virginia.
- Arora, G., Lee, B.H. and Lamoureux, M. (1990) Characteristics of enzyme profiles of *Lactobacillus casei* species by a rapid API-ZYM system. *Journal of Dairy Sciences* 73: 264-273.

- Arroyo, P.T., Ludovico-Pelayo, L.A., Solidum, H.T., Chiu, Y.N., Lero, M.C. and Alcantara, E.E. (1978) Studies on rice-shrimp fermentation, balao-balao. *Philippines Journal of Food Science and Technology* 2 (1&2): 106-125.
- Aryanta, R.W., Fleet, G.H. and Buckle, K.A. (1991) The occurrence and the growth of microorganisms during the fermentation of fish sausage. *International Journal of Food Microbiology*. 13: 143-156.
- Avurhi, J. B. and Owens, J.D. (1990) The influence of oxygen accessibility on the growth of yeast in fish/rice fermentation. *Journal of Food Science and Technology* 27: 104-106.
- Backhoff, P. H. (1976) Some chemical changes in fish silage. *Journal of Food Technology* 11: 353-363.
- Baens-Arega, L. (1977) Patis, a traditional fermented fish sauce and condiment of the Philippines. In: *The Proceeding of the Symposium on Indigenous Fermented Foods*, November 21-27, 1977, GIAM-V, Bangkok.
- Barile, L.E., Milla, A.D., Reilly, A. and Villadsen, A. (1985) Spoilage pathogens of mackerel (*Rastrelliger faughni*) 1. Delays in icing. *ASEAN Food Journal* 1: 70-77.
- Bartholomew, J.W. (1962) Variables influencing results and the precise definition of the steps in Gram staining as a means of standardizing the results obtained. *Stain Technology* 37:139-155.

- Beddows, C.G., Ardeshir, A.G. and Daud, W.J.B. (1979) Biochemical changes occurring during manufacture of budu. *Journal of Science of Food and Agriculture* 30: 1097-1103.
- Beddows, C.G. (1985) Fermented fish and fish products. In: *Microbiology of Fermented Foods*. Vol 2 (Ed. Wood, B.J.B.) pp 1-39. Elsevier Applied Science Publishers, London.
- Bernet, F.M., Brassart, D., Nesser, J.R. and Servin, A. (1993) Adhesion of human bifidobacterial starters to cultured human intestinal epithelial cells and inhibition of enteropathogen cell interaction. *Applied Environmental Microbiology* 59: 4121-4128.
- Beumer, R.R. (2001) Microbiological hazards and their control: bacteria. In: *Fermentation and Food Safety* (Eds: Adams, M.R. and Nout, M.J.R.), pp. 141-157. Aspen Publishers, Inc. Gaithersburg, Md., USA.
- Boehringer-Mannheim (1989) UV method for the determination of L-lactic acid and D-lactic acid in foodstuffs and other materials. In: *Methods of Biochemical Analysis and Food Analysis using Single Reagents* pp. 78-81. Boehringer-Mannheim GmbH, Biochemica.
- Bover-Cid, S. and Holzapfel, W.H. (1999). Improved screening procedure for biogenic amine production by lactic acid bacteria. *International Journal of Food Microbiology* 53: 33-41.
- Campbell-Platt, G. (1987) *Fermented Foods of the World: A Dictionary and Guide*. Butterworths, England.
- Campbell-Platt, G. (1994) Fermented foods - a world perspective. *Food Research International* 27: 253-257.

- Cha, Y.J. and Lee, E.H. (1985) Processing conditions of low salt fermented anchovy and yellow corvenia. *Bulletin of Korean Fishery Society* 18: 206-213.
- Chaiyanan, S., Robb, F.T., Huq. A. and Colwell, R.R. (1996) Proteases of a halophilic *Bacillus* isolated from fermented fish sauce. *Abstract of General Meeting of American Society of Microbiology* 309.
- Chaudhuri, H. and Banerjea, S.M. (1965) Report on the fisheries of Manipur, with special refrence to the development of the Takmu Beel area of Loktak Lake. *Miscellaneous Contr., Central Inland Fishery Research Institute, Barrackpore* (4): 1-29.
- Claus, D. and Berkeley, R.C.W. (1986) Genus *Bacillus* Cohn 1872, 174. In: *Bergey's Manual of Systematic Bacteriology*, Vol. 2, pp. 1105-1139 (Eds: Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G.) Williams & Wilkins, Baltimore, MD.
- Clucas, J.J. and Sutcliffe, P.J. (1981) An introduction to fish handling and processing. 86 pp. Tropical Products Institute, London.
- Cooke, R.D., Twiddy, D.R. and Alan Reilly, P.J. (1993) Lactic fermentation of fish as a low-cost means of food preservation. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 291-300. United Nations University Press, Tokyo.
- Crisan, E.V. and Sands, A. (1975) Microflora of four fermented fish sauces. *Applied Microbiology* 29: 106-8.

- Daeschel, M. (1992) Procedures for the detection of antimicrobial activity of microorganisms. In: *Food Biopreservation of Microbial Origin*, (Eds: Bibek, R. and Daeschel, M.), pp. 57-81. CRC Press, Mexico.
- de Man, J.C., Rogosa, M. and Sharpe, M.E. (1960) A medium for the cultivation of lactobacilli. *Journal of Applied Bacteriology* 23: 130-135.
- Dhanmatitta, S., Puwastien, P., Yhoun-Aree, J. (1989) Fermented Fish Products Study (Thailand) Phase 1. Baseline study (1987-1988) Institute of Nutrition, Mahidol University, Thailand.
- Ding, H. and Lämmle, C. (1992). Cell surface hydrophobicity of *Actinomyces pyogenes* determined by hexadecane adherence- and salt aggregation studies. *Zentralblatt für Veterinärmedizin (B)* 39: 132-138.
- Dykes G.A., Britz T. J. and von Holy A (1994). Numerical taxonomy and identification of lactic acid bacteria from spoiled, vacuum packaged Vienna sausages. *Journal of Applied Bacteriology* 76: 246-52.
- Einarsson, H. and Lauzon, H.L. (1995) Biopreservation of brined shrimp (*Pandalus borealis*) by bacteriocins from lactic acid bacteria. *Applied and Environmental Microbiology* 61:669-676.
- FAO (1981) *The Prevention of Losses in Cured Fish*. FAO Fish Technology Paper (219).

- Fujii, T., Matsubara, M., Itoh, Y. and Okuzumi, M. (1994) Microbial contributions on ripening of squid shiokara. *Nippon Suisan Gakkaishi* 60: 265-270.
- Fujii, T., Hiraishi, A. and Kobayashi, T. (1997) Identification of the psychrophilic histamine-producing marine bacteria previously referred to as the N-group bacteria. *Fisheries Science* 63 (5): 807-810.
- Fujii, T., Wu, Y.C., Suzuki, T and Kimura, B. (1999) Production of organic acids by bacteria during the fermentation of squid shiokara. *Fisheries Science* 65 (4): 671-672.
- Fuwa, H. (1954) A new method for microdetermination of amylase activity by the use of amylose as the substrate. *Journal of Biochemistry* 41 (5): 583-603.
- Gardini, F., Martuscelli, M., Caruso, M.C., Galgano, F., Crudele, M.A., Favati, F., Guerzoni, M.E. and Suzzi, G. (2001) Effects of pH, temperature and NaCl concentration on the growth kinetics, proteolytic activity and biogenic amine production of *Enterococcus faecalis*. *International Journal of Food Microbiology* 64: 105-117.
- Geisen, R. and Holzapfel W.H. (1996) Genetically modified starters and protective cultures. *International Journal of Food Microbiology* 30: 315-324.
- Gordon, R.E., Haynes, W.C. and Pang, C.H.-N (1973) The genus *Bacillus*, Handbook No. 427. United States Department of Agriculture, Washington D.C.

- Halász A., Baráth, A., Simon-Sarkadi, L. and Holzapfel, W.H. (1994) Biogenic amines and their production by microorganisms in food. *Trends in Food Science and Technology* 5: 42-49.
- Harrigan, W.F. (1998) *Laboratory Methods in Food Microbiology*, 3rd Edition. Academic Press, London.
- Hauschild, A. H. W. (1992) Epidemiology of human foodborne botulism. *Clostridium botulinum: Ecology and Control in Foods*. Marcel Dekker, New York.
- Hesseltine, C.W. (1979) Some important fermented foods of Mid-Asia, the Middle East, and Africa. *Journal of American Oil Chemists' Society* 56: 367-374.
- Hesseltine, C.W. (1983) Microbiology of oriental fermented foods. *Annual Review of Microbiology* 37: 575-601.
- Holzapfel, W.H., Giesen, R. and Schillinger, U. (1995) Biological preservation of foods with reference to protective cultures, bacteriocins and food-grade enzymes. *International Journal of Food Microbiology* 24: 343-362.
- Holzapfel, W.H., Schillinger, U., Toit, M.D. and Dicks, L. (1997) Systematics of probiotic lactic acid bacteria with reference to modern phenotypic and genomic methods. *Microecology and Therapy* 26: 1-10
- Holzapfel, W.H., Haberer, P., Snel, J., Schillinger, U. and Huis in't Veld, J.H.J. (1998) Overview of gut flora and probiotics. *International Journal of Food Microbiology* 41: 85-101.

- Ishige, N. (1986) *Narezushi* in Asia -a study of fermented aquatic products (1). *Bulletin of the National Museum of Ethnology* 11 (1):1-41.
- Ishige, N. (1993) Cultural aspects of fermented fish products in Asia. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 13-32. United Nations University Press, Tokyo.
- Ishige, N. and Ruddle, K. (1987) Gyosho in Southeast Asia -a study of fermented aquatic products (3). *Bulletin of the National Museum of Ethnology* 12 (2): 235-314.
- Itoh, H., Tachi, H. and Kikuchi, S. (1993) Fish fermentation technology in Japan. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 177-186. United Nations University Press, Tokyo.
- Jeppensen, V.F. and Huss, H.H. (1993) Characteristics and antagonistic activity of lactic acid bacteria isolated from chilled fish products. *International Journal of Food Microbiology* 18: 305-320.
- Jhingran, V.G. (1977) *Fish and Fisheries of India*. Hindustan Publishing Corporation (India), Delhi.
- Joosten, H.M.L.J. and Northolt, M.D. (1989) Detection, growth and amine-producing capacity of lactobacilli in cheese. *Applied Environmental Microbiology* 55: 2356-2359.
- Kandler, O. (1983) Carbohydrate metabolism in lactic acid bacteria. *Antonie van Leeuwenhoek* 49: 209-224.

- Karim, M.I.A. (1993) Fermented fish products in Malaysia. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 95-106. United Nations University Press, Tokyo.
- Kawaguchi, T., Nagae, H., Murao, S. and Arai, M. (1992) Purification and some properties of a haim-sensitive α -amylase from newly isolated *Bacillus* sp. No 195. *Bioscience, Biotechnology and Biochemistry* 56: 1792-1796.
- Kawamura, Y. and Kara, M.R. (1987) *Umami: A Basic Taste*. Marcel Dekker, New York.
- Kim, H.K., Kim, G.T., Kim, D.K., Choi, W.A., Park, S.H., Jeong, Y.K. and Kong, I.S. (1997) Purification and characterization of a novel fibrinolytic enzyme from *Bacillus* sp. KA38 originated from fermented fish. *Journal of Fermentation and Bioengineering* 84(4): 307-312.
- Kim, Y.B., Seo, Y.G. and C.H. Lee (1993) Growth of microorganisms in dorsal muscle of gulbi during processing and their effect on its quality. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 281-289. United Nations University Press, Tokyo.
- Kobayashi, T., Kimura, B. and Fujii, T. (2000a) Strictly anaerobic halophiles isolated from canned Swedish fermented herrings (Suströmming). *International Journal of Food Microbiology* 54: 81-89.
- Kobayashi, T., Kimura, B. and Fujii, T. (2000b) *Haloanaerobium fermentans* sp. nov., a strictly anaerobic, fermentative halophile

- isolated from fermented puffer fish ovaries. *International Journal of Systematic and Evolutionary Microbiology* 50: 1621-1627.
- Kobayashi, T., Kimura, B. and Fujii, T. (2000c) Differentiation of *Tetragenococcus* populations occurring in products and manufacturing processes of puffer fish ovaries fermented with rice-bran. *International Journal of Food Microbiology* 56: 211-218.
- Kozaki, M. (1976) Fermented foods and related microorganisms in Southeast Asia. *Journal of Applied Mycotoxicology* 2:1-4.
- Kreger-van Rij, N.J.W. (1984) *The Yeasts - a Taxonomic Study*. Elsevier Science Publishers, Amsterdam.
- Kurtzman, C.P. and Fell, J.W. (1998) *The Yeast, A Taxonomic Study*, 4th Edition, Elsevier, Amsterdam.
- Lee, C.H. (1984) Present status and development of lactic acid fermented foods in the Republic of Korea. In: *Symposium on the Importance of Lactic Acid Fermentation in the Food Industry*, Mexico. UNIDO ID. WG 431.
- Lee, C.H. (1993) Fish fermentation technology in Korea. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 187-201. United Nations University Press, Tokyo.
- Lee, C.H., Steinkraus, K.H. and Allan Reilly, P.J. (1993) *Fish Fermentation Technology*. United Nations University Press, Tokyo.

- Lee, E.H. and Kim, S.H. (1975) Degradation of nucleotides and their related compounds in yellow corvenia *Pseudosciaena manchurica*, muscle during gulbi processing. *Bulletin of National Fishery University*, Pusan 14: 29-40.
- Leisner, J.J., Millan, J.C., Huss, H.H. and Larsen, L.M. (1994) Production of histamine and tyramine by lactic acid bacteria isolated from vacuum-packed sugar-salted fish. *Journal of Applied Bacteriology* 76: 417-423.
- Leisner, J.J., Rusul, G., Wee, B.W., Boo, H.C. and Mohammad, K. (1997) Microbiology of Chili Bo, a popular Malaysian food ingredient. *Journal of Food Protection* 60: 1235-1240.
- Leuschner, R.G., Kenneally, P.M. and Arendt, E.K. (1997) Method for the rapid quantitative detection of lipolytic activity among food fermenting microorganisms. *International Journal of Food Microbiology* 37: 237-240.
- Lindgren, S.E. and Dobrogosz, W.J. (1990) Antagonistic activities of lactic acid bacteria in food and feed fermentations. *FEMS Microbiology Reviews* 87: 149-164.
- Lukton, A. and Olcott, H.S. (1958) Content of free imidazole compounds on the muscle tissue of aquatic animals. *Food Research* 23: 611-618.
- Mabesa, R.C. and Babaan, J.S. (1993) Fish fermentation technology in the Philippines. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 85-94. United Nations University Press, Tokyo.

- Mabesa, R.C., Castillo, M.M., Revilla, S.V. and Bandian, V.T. (1983) Safety evaluation of fermented fish and shellfish products. I Microbiological contaminants. *Philippines Journal of Science* 112 (1-2): 91-102.
- Maeda, T., Takagi, M. and Imanaka, T. (1993) Purification and characterization of a new metal protease which hydrolyzes the cyclic decapeptide, gramicidin S. *Journal of Fermentation and Bioengineering* 75: 173-177.
- Merican, Z. (1977) Budu (fish sauce). In: *The Proceeding of the Symposium on Indigenous Fermented Foods*, November 21-27, 1977, GIAM-V, Bangkok.
- Mheen, T. (1993) Microbiology of salted-fermented fishery products in Korea. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 231-247. United Nations University Press, Tokyo.
- Mitsuoka, T. (1992) The human gastrointestinal tract. In: *The Lactic Acid Bacteria, Vol. 1, The lactic acid bacteria in health and disease*. (Ed: Wood, B.J.B.), pp. 69-114. Elsevier Applied Science, London.
- Mizutani, T., Kimizuka, A., Ruddle, K. and Ishige, N. (1988) A chemical analysis of fermented fish products and discussion of fermented flavours in Asian cuisines-a study of fermented aquatic products (6). *Bulletin of the National Museum of Ethnology* 12 (3): 801-806.

- Mizutani, T., Kimizuka, A., Ruddle, K. and Ishige, N. (1992). Chemical components of fermented fish products. *Journal of Food Composition and Analysis* 5: 152-159.
- Motwani, M.P., Jayaram, K.C. and Sehgal, K.L. (1962) Fish and fisheries of Brahmaputra river system, Assam. I. Fish fauna with observation on their zoo-geographical significance. *Tropical Ecology* 3 (1-2): 17-43.
- Nagai, T., Nishimura, K., Suzuki, H. Banba, Y., Sasaki, H. and Kiuchi, K. (1994) Isolation and characterization of *Bacillus subtilis* strain producing natto with strong Umami-taste and high viscosity. *Nippon Shokuhin Kogyo Gakkaishi* 41: 123-128.
- Nikku-Paavola, M.-L., Laitila, A., Mattila-Sandholm, T. and Haikara, A. (1999) New types of antimicrobial compounds produced by *Lactobacillus plantarum*. *Journal of Applied Microbiology* 86: 29-35.
- Nishimura, M. and Shinano, H. (1991) The effect of trimethylamine-N-oxide on microbial flora in 'Ika-shiokara'. *Nippon Suisan Gakkaishi* 57: 1141-1145.
- Norris, J.R., Berkeley, R.C.W., Logan, N.A. and O'Donnell, A.G. (1981) The Genus *Bacillus* and *Sporolactobacillus*. In: *The Prokaryotes: A Handbook on Habitats, Isolation and Identification of Bacteria*, Vol. 2, (Eds: Starr, M.P., Stolp, H.G., Trüper, A., Balows and Schlegel, H.G.), pp. 1711-1742. Springer-Verlag, New York.

- Nout, M.J.R., Bakshi, D. and Sarkar, P.K. (1998) Microbiology safety of kinema, a fermented soya bean food. *Food Control* 9(6): 357-362.
- Nychas, G.J.E. and Arkoudelos, J.S. (1990) Staphylococci: their role in fermented sausages. *Journal of Applied Bacteriology Symposium Supplement* 19: 167S-188S.
- Orejana, F.M. (1983) Fermented fish products. In: *Handbook of Tropical Foods* (Eds: Chan, H.T.), pp. 255-295. Marcel Dekker Inc., New York.
- Owens, J.D. and Mendoza, L.S. (1985) Enzymatically hydrolysed and bacterially fermented fishery products. *Journal of Food Technology* 20: 273-293.
- Phithakpol, B. (1987) *Plaa-raa* traditional Thai fermented fish. In: *Proceedings of Conference on Foods and their Processing in Asia*. pp. 182-188. NODAI Research Institute, Tokyo University of Agriculture, Tokyo.
- Phithakpol, B. (1993) Fish fermentation technology in Thailand. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 155-166. United Nations University Press, Tokyo.
- Putro, S. (1993) Fish fermentation technology in Indonesia. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 107-128. United Nations University Press, Tokyo.

- Reddi, P. K., Constantinides, S. M. and Dymysza, H. A. (1972) Catheptic activity of fish muscle. *Journal of Food Science* 37: 643-647.
- Riddervold, A. (1990) Lutefisk, Rakefish and Herring in the Norwegian Tradition. Novus Press, Oslo.
- Roberts, T.A., Baird-Parker, A.C. and Tompkin, R.B. (1996) In: *Microorganisms in Foods, 5, Microbiological Specifications of Food Pathogens.*, Blackie Academic and Professional, London.
- Rodriguez-Jerez, J. J., Lopez-Sabater, E. I., Hernandez-Herrero, M. M. & Mora-Ventura, M.T. (1994). Histamine, putrescine and cadaverine formation in Spanish semipreserved anchovies as affected by time/temperature. *Journal of Food Science* 59: 993-997
- Rosenberg, M. (1984) Bacterial adherence to hydrocarbons: a useful technique for studying cell surface hydrophobicity. *FEMS Microbiology Letters* 22: 289-295.
- Rosenberg, M., Gutnick, D. and Rosenberg, E. (1980). Adherence of bacteria to hydrocarbons: a simple method for measuring cell-surface hydrophobicity. *FEMS Microbiology Letters* 9: 29-33.
- Saisithi, P. (1987) Traditional fermented fish products with special reference to Thai products. *ASEAN Food Journal* 3: 3-10
- Saisithi, P., Kasemsarn, B.O., Liston, J., Dollar, A.M. (1966) Microbiology and chemistry of fermented fish. *Journal of Food Science*, 31: 105-110.

- Sakai, H., Caldo, G. A., and Kozaki, M. (1983a) Yeast-flora in red burong-isda a fermented fish food from the Philippines. *Journal of Agricultural Science* (Tokyo) 28: 181-185.
- Sakai, H., Caldo, G. A. and Kozaki, M. (1983b) The fermented fish food, burong-isda, in the Philippines. *Journal of Agricultural Science* (Tokyo) 28: 138-144.
- Salminen, S., Isolauri, E., Salminen, E., (1996). Clinical uses of probiotics for stabilizing the gut mucosal barrier: successful strains for future challenges. *Antonie van Leeuwenhoek*. 70: 347-358.
- Saono, S., Hull, R.R. and Dhamcharee, B. (1986) *A concise Handbook of Indigenous Fermented Foods in the ASCA Countries*. The Government of Australia, Canberra, pp. 157.
- Satomi, M., Kimura, B., Mizoi, M., Sato, T., and Fujii, T. (1997). *Tetragenococcus muriaticus* sp. nov., a new moderately halophilic lactic acid bacterium isolated from fermented squid liver sauce. *International Journal of Systematic Bacteriology*. 47 (3): 832-836.
- Schillinger, U. and Lücke, F.K. (1987) Identification of lactobacilli from meat and meat products. *Food Microbiology* 4: 199-208.
- Schillinger, U. and Lücke, F.K. (1989) Antibacterial activity of *Lactobacillus sake* isolated from meat. *Applied and Environmental Microbiology* 55 (8): 1901-1906.

- Schillinger, U., Stiles, M.E. and Holzapfel, W.H. (1993) Bacteriocin production by *Carnobacterium piscicola*, LV 61. *International Journal of Food Microbiology* 20: 131-147.
- Schillinger, U., Geisen, R. and Holzapfel, W.H. (1996) Potential of antagonistic microorganisms and bacteriocins for the biological preservation of foods. *Trends in Food Science and Technology* 7: 158-164.
- Schillinger, U., Becker, B., Vignolo, G. and Holzapfel, W.H. (2001) Efficacy of nisin in combination with protective cultures against *Listeria monocytogenes* Scott A in tofu. *International Journal of Food Microbiology* 71: 159-168.
- Shah, N.P. (2001) Functional foods from probiotics and prebiotics. *Food Technology* 55 (11): 46-53.
- Shewan, J.M. (1962) The bacteriology of fish and spoiling fish and some related chemical changes. *Recent Advances in Food Science* 1: 167-193.
- Shinano, H., Sato, M. and Akiba, M. (1975) Studies on the microorganisms in foods. Distribution of yeasts in fermented and salted foods. *Bulletin of Faculty of Fish, Hokkaido University* 26: 207-215.
- Silla-Santos, M.H. (2001) Toxic nitrogen compounds produced during processing: biogenic amines, ethyl carbamides, nitrosamines. In: *Fermentation and Food Safety* (Eds: Adams, M.R. and Nout, M.J.R.), pp. 119-140. Aspen Publishers, Inc. Gaithersburg, Md., USA.

- Simon-Sarkadi, L. and Holzapfel, W.H. (1995) Biogenic amines and microbial quality of sprouts. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung* 200: 261-265.
- Slepecky, R.A. and Hemphill, H.E. (1992) The genus *Bacillus*-non-medical. In: *The Prokaryotes, A Handbook on the Biology of Bacteria: Ecophysiology, Isolation, Identification, Application*, 2nd Edition., Vol 2., (Eds: Balows, A., Trüper, H.G., Dworkin, M., Harder, W. and Schleifer, K.H.), pp. 1663-1696. Springer-Verlag, New York.
- Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. (1986) *Bergey's Manual of Systematic Bacteriology*, Vol. 2. Williams & Wilkins, Baltimore, MD.
- Solidum, H.T. (1977) Chemical and microbiological changes during the fermentation of balao-balao. *Philippines Journal of Food Science and Technology* 3 (1): 1-16.
- Sperber, W.H. (1983) Influence of water activity on foodborne bacteria: a review. *Journal of Food Protection* 46: 142-150.
- Steinkraus, K.H. (1983) *Handbook of Indigenous Fermented Food*, Vol. 9. Marcel Dekker, Inc., New York.
- Steinkraus, K.H. (1994) Nutritional significance of fermented foods. *Food Research International* 27: 259-267.
- Stiles, M.E. and Holzapfel, W.H. (1997) Lactic acid bacteria of foods and their current taxonomy. *International Journal of Food Microbiology* 36: 1-29.

- Stolp, H. and Gadkari, D. (1981) Nonpathogenic members of the genus *Pseudomonas* In: *The Prokaryotes: A Handbook on Habitats, Isolation and Identification of Bacteria*, vol. 1, (Eds: Starr, M.P., Stolp, H.G., Trüper, A., Balows and Schlegel, H.G.), pp. 719-741. Springer-Verlag, New York.
- Stratton, J.E. and Taylor, S.L. (1991) Scombroid poisoning. In: *Microbiology of Marine Food Products* (Eds: Ward, D.R. and Hackney, C.R.), pp. 331-351. Van Nostrand Reinhold, New York.
- Stratton, J.E., Hutkins, R.W. and Taylor, S.L. (1991) Biogenic amines in cheese and other fermented foods. A review. *Journal of Food Protection* 54: 460-470.
- Sutherland, J.P., Aherne, A. and Beaumont, A.L. (1996) Preparation and validation of a growth model for *Bacillus cereus*: the effects of temperature, pH, sodium chloride and carbon dioxide. *International Journal of Food Microbiology* 30: 359-372.
-
- Tamang, J.P. (1998) Role of microorganisms in traditional fermented foods. *Indian Food Industry* 17 (3): 162-167.
- Tamang, J.P. (2001) Food culture in the Eastern Himalayas. *Journal of Himalayan Research and Cultural Foundation* 5 (3-4): 107-118.
- Tamang, J.P. and Nikkuni, S. (1996) Selection of starter culture for production of kinema, a fermented soybean food of the Himalaya. *World Journal of Microbiology and Biotechnology* 12, 629-635.
- Tamang, J.P. and Holzapfel, W.H. (1999) Microfloras of fermented foods. In: *Encyclopedia of Food Microbiology*, Vol. 2 (Eds:

- Robinson, R.K., Bhatt, C.A. and Patel, P.D.) pp. 249-252. Academic Press, London.
- Tamang, J.P., Sarkar, P.K. and Hesseltine, C.W. (1988) Traditional fermented foods and beverages of Darjeeling and Sikkim - a review. *Journal of Science of Food and Agriculture* 44: 375-385.
- Tamang, P. (1992) Systematics, distribution and ecology of the Ichthyospecies of Sikkim and their bearing on the fish and fisheries of the state. Ph. D. Thesis, Guwahati University, Guwahati, India, pp. 401.
- Tamang, P. (2002) Brief note on fish diversity of Teesta and Rangit river system in Sikkim and their conservation. *A Report of State Council of Science and Technology for Sikkim*, Gangtok, pp. 4.
- Tanasupawat, S., Hashimoto, Y., Ezaki, T., Kozaki, M. and Komagata, K. (1991) Identification of *Staphylococcus carnosus* strains from fermented fish and soy sauce mash. *Journal of General and Applied Microbiology* 37: 479-494.
- Tanasupawat, S., Okada, S., Suzuki, K., Kozaki, M. and Komagata, K. (1992) Identification of *Enterococcus hirae*, *E. faecalis*, *E. faecium*, and *E. casseliflavus* strains from fermented foods. *Bulletin of the Japan Federation for Culture Collections* 8(2): 86-94.
- Tanasupawat, S., Okada, S., Suzuki, K., Kozaki, M. and Komagata, K. (1993) Lactic acid bacteria, particularly heterofermentative lactobacilli, found in fermented foods of Thailand. *Bulletin of the Japan Federation for Culture Collections* 9: 65-78.

- Taylor, S.L. (1986) Histamine food poisoning: toxicology and clinical aspects. *CRC Critical Review in Toxicology* 17:s91-128.
- Ten Brink, B., Damink, C., Joosten, H.J. and Huis in't Veld, J. (1990) Occurrence and formation of biologically active amines in foods. *International Journal of Food Microbiology* 11: 73-84.
- Teshima, S., Kanazawa, A. and Kashiwada, K. (1967a) Studies on volatile fatty acids and volatile bases in 'shiokara'. I. Volatile fatty acids and volatile bases in shiokara from a commercial source. *Bulletin of Japanese Society of Scientific Fishery* 33 (12): 1147.
- Teshima, S., Kanazawa, A. and Kashiwada, K. (1967b) Studies on volatile fatty acids and volatile bases in 'shiokara'. II. Some changes on the process of ripening of Ika-shiokara. *Bulletin of Japanese Society of Scientific Fishery* 34 (2): 163.
- Thongthai, C., Suintanalert, P. (1991) Halophiles in Thai fish sauce (*Nam pla*). In: *General and Applied Aspects of Halophilic Microorganisms* (Ed. Rodriguez-Valera, F.), pp. 381-388. Plenum Press, New York.
- Thornley, M.J. (1960) The differentiation of *Pseudomonas* from other Gram-negative bacteria on the basis of arginine metabolism. *Journal of Applied Bacteriology* 23: 37-52.
- Tyn, M.T. (1993) Trends of fermented fish technology in Burma. In: *Fish Fermentation Technology* (Eds: Lee, C.H., Steinkraus, K.H. and Alan Reilly, P.J.), pp. 129-153. United Nations University Press, Tokyo.

- Uhlman, L., Schillinger, U., Rupnow, J.R. and Holzapfel, W.H. (1992) Identification and characterization of two bacteriocin-producing strains of *Lactococcus lactis* isolated from vegetables. *International Journal of Food Microbiology* 16:141-151.
- van Veen, A.G. (1965) Fermented and dried sea food products in South-East Asia. In: *Fish as Food*, volume 3 (Ed: Borgstrom, G.), pp. 227-250. Academic Press, New York.
- van Loosdrecht, M.C.M., Lyklema, J., Norde, W., Schraa, G. and Zehnder, A.J.B. (1987). The role of bacterial cell wall hydrophobicity in adhesion. *Applied and Environmental Microbiology* 53 (8):1893-1897.
- Velankar, N.K. (1957) Protein hydrolysates from fish. *Journal of Scientific and Industrial Research (India)* 16A:141-142.
- Watanaputi, S.P., Chanyavongse, R., Tubplean, S., Tanasuphavatana, S. and Srimahasongkhraam, S. (1983) Microbiological analysis of Thai fermented foods. *Journal of the Graduate School, Chulalongkorn University* 4: 11-24.
- Westenberg, J. (1951) Fishery products of Indo-China, a compilation of literature up to the Japanese invasion. *Proceedings of Indo-Pacific Fishery Council* 2 (71): 125-150.
- Wickerham, L.J. (1951) Taxonomy of yeasts. *Technical Bulletin 1029*, United States Department of Agriculture, Washington, D.C.
- Wong, P.P. and Jakson, H. (1977) Malaysian belechan. In: *The Proceeding of the Symposium on Indigenous Fermented Foods*, November 21-27, 1977, GIAM-V, Bangkok.

- Wood, B.J.B. and Holzapfel, W.H. (1995) *The Lactic Acid Bacteria*, Vol. 2: *The Genera of Lactic Acid Bacteria*. Blackie Academic & Professional, An Imprint of Chapman and Hall, London.
- Wu, Y.C., Kimura, B. and Fujii, T. (1999) Fate of selected food-borne pathogens during the fermentation of squid *shiokara*. *Journal of Food Hygienic Society of Japan* 40 (3): 206-210.
- Wu, Y.C., Kimura, B. and Fujii, T. (2000) Comparison of three culture methods for the identification of *Micrococcus* and *Staphylococcus* in fermented squid *shiokara*. *Fisheries Science* 66: 142-146.
- Yankah, V.V., Ohshima, T. and Koizumi, C. (1993). Effects of processing and storage on some chemical characteristics and lipid composition of a Ghanaian fermented fish products. *Journal of Science of Food and Agriculture* 63: 227-235.
- Yarrow, D. (1998) Methods for the isolation, maintenance and identification of yeasts. In: *The Yeast, a Taxonomic Study*, 4th Edition, (Eds: Kurtzman, C.P. and Fell, J.W.), pp.77-105. Elsevier Science, Amsterdam.
- Yoshinaga, D.H. and Frank, H.A. (1982) Histamine-producing bacteria in decomposing skipjack tuna (*Katsuwonus pelamis*). *Applied and Environmental Microbiology* 44: 447-452.