

Contents

	Page No.
1. Introduction	1—5
2. Review of Literature	6—31
3. Materials and Methods	32—61
3.1. Plant material	32
3.1.1. Collection	32
3.1.2. Propagation by cuttings	32
3.1.3. Maintenance of tea sleeves in nursery	32
3.1.4. Potted Plants	32
3.2. Fungal culture	35
3.2.1 Source of cultures	35
3.2.2 Assessment of mycelial growth	35
3.2.2.1 Solid Media	35
3.2.2.2 Liquid media	36
3.3.	
3.3.1 Preparation of inoculums	37
3.3.1.1 Pathogen	37
3.3.1.2 Biocontrol agents	37
3.3.2 Inoculation technique	37
3.3.2.1 Pathogen	37
3.3.2.2 Biocontrol agents	38
3.3.2.3 Field grown plants	38
3.4. Disease assessment	38
3.5 Soluble protein	38
3.5.1 Extraction	38
3.5.1.1 Mycelia	38
3.5.1.2 Root	39
3.5.2 Estimation	40
3.6. SDS-PAGE analysis of total soluble protein	40
3.6.1. Preparation of stock solution	40
3.6.2. Preparation of gel	41
3.6.3 Sample preparation	42
3.6.4 Electrophoresis	43
3.6.5. Fixing and Staining	43
3.7. Extraction and estimation of phenolics	43
3.7.1. Extraction	43
3.7.2. Estimation	43
3.7.2.1 Total phenol	43
3.7.2.2 Ortho-dihydroxy phenol	44

3.8.	Extraction of antifungal phenolics	44
3.8.1.	Chromatographic analysis	44
3.8.2.	Bioassay of antifungal phenols	45
3.8.2	UV-spectrophotometric analysis	45
3.9.	Extraction of enzymes	45
3.9.1.	Phenylalanine ammonia lyase	45
3.9.2.	Peroxidase	46
3.9.3.	Polyphenol oxidase	46
3.10.	Assay of enzyme activities	46
3.10.1.	Phenylalanine ammonia lyase	46
3.10.2.	Peroxidase	47
3.10.3.	Polyphenol oxidase	47
3.11.	Preparation of antigens	47
3.11.1	Fungal antigen	47
3.11.1.1.	Mycelial	47
3.11.1.2 .	Cell wall antigen	47
3.11.1.2.1.	Cell wall extract preparation	48
3.11.2	Root antigen	48
3.11.3	Soil antigen	49
3.12.	Binding of FITC labeled concavalin-A	49
3.13.	Serology	49
3.13.1.	Rabbits and their maintenance	49
3.13.2.	Antisera production	50
3.13.3.	Purification of IgG	50
3.13.3.1.	Precipitation	50
3.13.3.2.	Column preparation	50
3.13.3.3.	Fraction collection	51
3.13.3.4.	Estimation of IgG concentration	51
3.14	Immunodiffusion test	51
3.14.1.	Preparation of agarose slides	51
3.14.2.	Diffusion	52
3.14.3.	Washing, staining and drying	52
3.15.	Enzyme linked immunosorbent assay (ELISA)	52
3.15.1.	Plate trapped Antigen Coated (PTA)-ELISA	53
3.15.2.	Double antibody sandwich(DAS)ELISA	54
3.15.2.1	Conjugation of alkaline phosphatase with γ globulin	54
3.15.2.2	Assay	54
3.15.3.	Competition ELISA	55
3.16.	Immunoblotting	55

3.16.1. Dot-blot	55
3.16.2. Western blotting	56
3.16.2.1. Blot transfer process	57
3.16.2.2. Immunoprobng	58
3.17. Immunofluorescence	58
3.17.1. Fungal mycelia	58
3.17.2. Cross section of tea root	59
3.18. Immunocytochemical staining	59
3.18.1. Substrate stain solution	59
3.19. Inducing agents and their application	60
3.19.1. <i>In vitro</i> test	60
3.19.1.1. Biocontrol agents	60
3.19.1.2 Organic additives	60
3.19.2. <i>In vivo</i> test	61
4. Experimental	62—142
4.1. Charcoal stump rot incidence	62
4.2. Cultural conditions affecting growth of <i>U.zonata</i> .	62
4.2.1. Media	62
4.2.2. Incubation period	62
4.2.3. pH	65
4.2.4. Carbon source	65
4.2.5. Nitrogen source	67
4.3. Varietal resistance test of tea varieties against <i>U. zonata</i>	69
4.4. Analysis of proteins in mycelia and tea roots	71
4.4.1. Protein content	71
4.4.2. Protein pattern	73
4.5.2.1. Mycelial protein of <i>U.zonata</i>	73
4.5.2.2. Cell wall protein of <i>U.zonata</i>	73
4.5.2.3. Tea root protein	73
4.4.3. Con A-FITC binding	73
4.5. Determination of levels of phenolics in tea varieties following inoculation with <i>U.zonata</i> .	75
4.5.1 Total phenols	75
4.5.2 Ortho-dihydroxy phenols	75
4.5.3 Analysis of antifungal compound in tea roots following inoculation with <i>U.zonata</i> .	75
4.5.3.1 Bioassay	76
4.5.3.2 UV-spectrophotometric analysis	78
4.6. Determination of enzyme activity in healthy and <i>U.zonata</i> inoculated tea roots	78

4.6.1. Phenylalanine ammonia lyase (PAL)	78
4.6.2. Peroxidase (PO)	78
4.6.3. Polyphenol oxidase (PPO)	81
4.7 Agar gel double diffusion tests with PABs of <i>U. zonata</i> and tea roots	85
4.8. Optimization of PAB and antigen concentrations by ELISA	85
4.8.1. PAB raised against mycelia of <i>U.zonata</i>	85
4.8.1.1. IgG concentration	86
4.8.1.2. Antigen contraction	86
4.8.2. PAB raised against cell wall of <i>U.zonata</i>	87
4.8.2.1. IgG concentration	87
4.8.2.2. Antigen concentration	87
4.8.3. PAB raised against tea root	90
4.8.3.1. IgG concentration	90
4.8.3.2. Antigen concentration	90
4.9. Detection of cross reactive antigens between <i>U.zonata</i> and tea roots	91
4.9.1. Indirect ELISA	91
4.9.1.1. PAB of <i>U.zonata</i>	91
4.9.1.1.1. Mycelia	91
4.9.1.1.2. Cell wall	93
4.9.1.2. PAB of tea root	94
4.9.2. Western Blot	95
4.10. Detection of <i>U. zonata</i> in infected tea root tissues	95
4.10.1. ELISA	97
4.10.1.1. PTA ELISA	97
4.10.1.1.1. PAB of mycelia	97
4.10.1.1.1.1. Artificially infected root tissues	97
4.10.1.1.1.2. Naturally infected root tissues	102
4.10.1.1.2. PAB of cell wall	103
4.10.1.2. DAS-ELISA with PAB of mycelia	103
4.10.2. Dot blot	104
4.10.3. Western blot	107
4.11. Detection of <i>U. zonata</i> in soil	107
4.11.1. PTA-ELISA	107
4.11.2. Dot blot	107
4.12. Determination of cross reactivity of PAB of <i>U.zonata</i>	110
4.12.1. ELISA	110
4.12.1.1. Fungal mycelial antigens of different soil fungi	110
4.12.1.2. Fungi in tea root infected with other root Pathogens	112

4.12.2. Dot blot	112
4.13. Purification of antigen by ammonium sulphate recipitation	113
4.14. Evaluation of PAb raised against purified mycelial antigen	115
4.14.1. Immunodiffusion	115
4.14.2. Cross reactive antigens	115
4.14.3. Detection of <i>U.zonata</i> in tea root tissues	115
4.14.3.1. PTA-ELISA	115
4.14.3.2. Dot-blot	115
4.14.3.3. Western blot	115
4.15. Immunofluorescence	118
4.15.1. Mycelia	118
4.15.2. Root tissue	118
4.15.3. Soil sample	118
4.16. Immunocytochemical staining	119
4.17. Biological control of charcoal stump ro disease with <i>Trichoderma harzianum</i> and <i>Trichoderma viride</i>	119
4.17.1 <i>In vitro</i> test	119
4.17.2 <i>In vivo</i> test	121
4.17.2.1. Potted plants	121
4.17.2.2. Field grown plants	122
4.18. Detection of <i>U.zonata</i> in tea root and soil following treatment with biocontrol agents	126
4.18.1. PTA-ELISA	126
4.18.1.1. Root tissue	126
4.18.1.2. Soil	127
4.18.2. Dot-blot	130
4.18.3. Western blot	132
4.19. Management of charcoal stump rot disease using organic additives	133
4.19.1. Growth promotion in tea plants	133
4.19.2. Disease development	135
4.20. Biochemical changes associated with reduction of charcoal stump rot disease in tea plants	136
5. Discussion	143—153
6. Summary	154—156
7. References	157—173