

## 7. References

- Abd-El-Kreem, F. (2007). Induced resistance in plants against root rot and *Alternaria* leaf spot diseases using biotic and abiotic inducers under field conditions. *Research Journal of Agriculture and biological science*. 3: 767-774.
- Abd-El-Rehim, M.A.; Abou-Taleb, E.M. and Tohamy, A. (1988) Common Antigen(s) in Cotton to *Fusarium oxysporum* f. sp. *Vasinfestum*. *Journal of Phytopathology*. 121: 217-223.
- Abebe, M.; Yermanos, D.M. and Bingham, F.T. (1978) The ecophysiology of noug (*Guizotia abyssinica* Cass.). *African Journal of Agricultural Science*. 5: 55-66.
- Abou-Jawdah, Y.; Sobh, H. and Sad, A. (2001) Incidence of potato virus diseases and their significance for a seed certification program in Lebanon. *Phytopathol. Mediterr.* 40:113-118.
- Agrios, G. N. (1988) Plant Pathology, 3rd edition. Academic Press Inc., San Diego USA.
- Agrios, G. N. (1997) Plant pathology 4<sup>th</sup> edition. Academic Press 93.
- Ahmed, S. A.; Sánchez, C. P. and Candela, M. E. (2000) Evaluation of induction of systemic resistance in pepper plants (*Capsicum annuum*) to *Phytophthora capsici* using *Trichoderma harzianum* and its relation with capsidiol accumulation. *Eur. J. Pl. Pathol.* 106: 817-824.
- Akbari, L. and Parakhia, A. M. (2007) Assessment of avoidable yield losses due to *Alternaria* blight in Sesame. *J. Mycol. Pl. Pathol.* 37: 505-506.
- Akesson, H.; Carlemalm, E.; Everitt, E.; Gunnarsson, T.; Odham, G. and Jansson, H. B. (1996) Immunocytochemical localization of phytotoxins in *Bipolaris sorokiniana*. *Fungal Genetics and Biol.* 20:205-216.
- Akhtar, K.P.; Matin, M.; Mirza, J.H.; Shakir, A.S. and Rafique, M. (1994) Some studies on the post harvest diseases of tomato fruits and their chemical control. *Pakistan Journal of Phytopathology* 6: 125-129.
- Akhtar, K.P.; Saleem, M.Y.; Asghar, M. and Haq, M.A. (2004), New report of *Alternaria alternata* causing leaf blight of tomato in Pakistan. *New Disease Reports* 9.
- Akinwunmi, O. L-D. and John, A. L. (2001) The plant defense activator acibenzolar-S-methyl primes cowpea [ *Vigna unguiculata* (L.) Walp.] seedlings for rapid induction of resistance. *Physiol. and Mol. Pl. Pathol.* 58:199-208.
- Ala-El-Dein, O. and El-Kady, S. (1985) Crossed immunoelectrophoretic studies on *Botrytis cinerea* Pers. and other *Botrytis* species. *Acta. Phytopath. Aung.* 20:291-301.
- Alam, M. S.; Begum, M. F.; Sarkar, M. A.; Islam, M. R. and Alam, M. S. (2001) Effect of Temperature, Light and Media on Growth, Sporulation, Formation of Pigments and Pycnidia of *Botryodiplodia theobromae* Pat. *Pakistan Journal of Biological Sciences* 4:1224-1227.
- Alba, A. P. C. and DeVay, J. E (1985) Detection of cross-reactive antigens between *Phytophthora infestans* (Mont.) de Barry and *Solanum* species by indirect enzyme-linked immunosorbent assay. *Phytopathologische Zeitschrift.* 112: 97-104.
- Alba, A. P. C.; Guzzo, S. D.; Mahlow, M. F. P. and Moraes, W. B. C. (1983) Common antigens in extracts of *Hemiteia vastatrix* Berk, et Br. urediniospores and *Coffea arabica* L. leaves and roots. *Fitopathol.* 8:473-483.
- Al-Howiriny, T. A.; Al-Rehaily, A. J.; Pols, J. R.; Poter, J. R.; Mossa, J. S. and Ahmed, B. (2005) Three new diterpenes and the biological activity of different extracts of *Jasonia montana*. *Nat. Prod.* 19: 253-265.
- Ali, M. S.; Azhar, I.; Ahmad, V. U. and Usmanghani, K. (1999) Antimicrobial screening of some Caesalpinaceae. *Fitoterapia.* 70: 299-304.

- Ali, M. S.; Azhar, I.; Ahmad, F.; Ahmad, V. U. and Usmanghani, K. (2001) Antimicrobial screening of mimicoeous plants. *Pharm. Biol.* 39: 43-46.
- Allen, S.J.; Brown J.F. and Kochman J.K. (1983) Production of inoculum and field assessment of *Alternaria helianthi* on sunflower. *Plant Disease* 67: 665-668.
- Almada-Ruiz, E.; Martinez-Tellez, M. A.; Hernandez-Alamos, M. M.; Vallejo, S.; Primo-Yufer, E. and Vargas-Arispuro, I. (2003) Fungicidal potential of methoxylated flavons from citrus for *in vitro* control of *Colletotrichum gloeosporioides*, a causal agent of anthracnose disease in tropical fruits. *Pest Management Sci.* 59: 1245-1249.
- Amborabe, B. E.; Octave, S. and Roblin, G. (2005) Influence of temperature and nutritional requirements for mycelial growth of *Eutypa lata*, a vineyard pathogenic fungus. *C. R. Biol.* 328: 263-270.
- Ankri, S. and Mirelman, D. (1999) Antimicrobial properties of allicin from garlic. *Microbes Infect.* 2: 125-129.
- Aragaki, M.; Nishimoto, K.M. and Hylin, J.W. (1973) Vegetative reversion of conidiophores in *Alternaria* tomato. *Mycologia* 65:1205-1210.
- Arlorio, M.; Ludwig, A.; Boller, T. and Bonfante, P. (1992) Inhibition of fungal growth by plant chitinases and  $\beta$ -1, 3 glucanases. A morphological study. *Protoplasma.* 171: 34-43.
- Asilbekova, D.T.; Ul'chenko, N.T.; Rakhimova, N.K.; Nigmatullaev, A.M. and Glushenkoval, A.I. (2005) Seed lipids from *Crotalaria alata* and *Guizotia abyssinica*. *Chemistry of Natural Compounds* 41: 596-597.
- Yanase, Y. and Takeda, Y. (1987) Method for testing the resistance to tea grey blight caused by *Pestalotia longiseta*. Spegazzini in tea breeding. *Bulletin of the National Research Institute of Vegetables, Ornamental plants and tea, B (Kenya)* 1:1-4.
- Azevedo, S.S.; Mariano, R de L. R. and Michereff, S.J. (2000) Survey of the intensity of the black rot and *Alternaria* leaf spot of cabbage in Agreste of Pernambuco and detection of sample size for disease quantification. *Summa Phytopathologia* 26 : 299-306.
- Aziz, A.; Gauthier, A.; Bezier, A.; Poinssot, B.; Joubert, J.M.; Pugin, A.; Heyraud, A. and Baillieul, F. (2007) Elicitor and resistance-inducing activities of  $\beta$ -1,4 cellodextrins in grapevine, comparison with  $\beta$ -1,3 glucanase and  $\alpha$ -1,4 oligogalacturonides. *Journal of Experimental Botany.* 85: 1463-1472.
- Babitha, M.; Pandurangaraj, U.; Madhu, D.; Prakash, H. S. and Shetty, H. S. (2006) Production of polyclonal antisera to manganese superoxide dismutase expressed in downy mildew resistant pearl millet and its application for immunodiagnosis. *Electronic Journal of Biotechnology* 9.
- Babu, R.M.; Sanjeena, A. and Seetharaman, K. (2004) Solid substrate for production of *Alternaria alternata* conidia: a potential mycoherbicide for the control of *Eichhornia crassipes* (water hyacinth) *Weed Research* . 44: 298-304.
- Baghalian, K.; Naghavi, M. R.; Ziai S. A. and Badi, H. N. (2006) Post-planting evaluation of morphological characters and allicin content in Iranian garlic (*Allium sativum* L.) ecotypes. *Scientia Horticulturae.* 107: 405-410.
- Bargabus, R. L.; Zidack, N. K.; Sherwood, J. E. and Jacobsen, B. J. (2002) Characterization of systemic resistance in sugar beet elicited by a non-pathogenic, phyllosphere- colonizing *Bacillus mycoides*, biological control agent. *Physiol. and Mol. Pl. Pathol.* 61:289-298
- Baruah, H. P. D. and Kumar, B. S. D. (2002) Plant disease suppression and growth promotion by a fluorescent *Pseudomonas* strain. *Folia Microbiologica.* 47: 137-143.
- Basandrai, A.K.; Pande, S, kishore, G.K. and Sharma, M. (2007). Effect of temperature and pH on morphological and cultural variation of *Ascochyta rabiei*, the blight pathogen of Chickpea in India. *Journal of Mycology Plant Pathology.* 37: 254-258.

- Basha, A. S. and Chatterjee, S. C. (2007) Activation of phenylalanine ammonialyase contribute to non-host resistance in *Triticum aestivum* against *Sclerotinia sclerotiorum*. *Indian Phytopathol.* **60**: 442-449.
- Bashan, Y.; Levanony, H. and Or, R. (1991) Wind dispersal of *Alternaria alternata*, a cause of leaf blight of cotton. *Journal of Phytopathology* **133** : 225-238.
- Bashi, E. and Rotem, J. (1975) Effect of light on sporulation of *Alternaria porri* f. sp. *solani* and *Stemphylium botryosum* f. sp. *lycopersici* in vivo. *Phytoparasitica* **3**: 63- 67.
- Bautista-Baños, S.; Hernández-López, M.; Bosquez-Molina, E. and Wilson, C. L. (2003) Effects of chitosan and plant extracts on growth of *Colletotrichum gloeosporioides*, anthracnose levels and quality of papaya fruit. *Crop Protec.* **22**: 1087-1092.
- Baysal, O.; Laux, P. and Zeller, W. (2002) Further studies on the induced resistance (IR) effect of plant extract from *Hedera helix* against fire blight (*Erwinia amylovora*). In: IX International Workshop on Fire Blight, eds. Hale, C and Mitchell, R. *ISHS Acta Horticulturae*. Napier, New Zealand.
- Baysal, O.; Turgut, C. and Mao, G. (2005) Acibenzolar-S-methyl induced resistance to *Phytophthora capsici* in pepper leaves. *Biologia Plantarum* **49**:599-604.
- Bedi, P.S. and Aujla, S.S. (1970) Factores affecting the mycelia growth and the size of pycnidia produced by *Phyllosticta rabiei* (Pass.) trot.,the incitant of gram blight. *Journal of Reseach Panjub Agricultural University* **4**: 606-609.
- Belayneh, H. (1991) Oilcrop germplasm: A vital resource for the plant breeder. Pp. 344-354 in *Plant Genetic Resources of Ethiopia* (J.M.M. Engels, J.G. Hawkes and M.Worede, eds.). Cambridge University Press, Cambridge.
- Bell, D. K.; Wells, H. D. and Markham, C. R. (1982) *In vitro* antagonism of *Trichoderma* species against six fungal plant pathogens. *Phytopathol.* **72**: 379-382.
- Bhandari, D. K.; Nath, G.; Roy, A. B. and Tewari, P. V. (2000) Antimicrobial activity of crude extracts of *Barberis asiatica* stem bark. *Pharm. Biol.* **38**: 254-257.
- Bhattacharya, B. and Purkayastha, R. P. (1985) Occurrence of common antigens in jute and *Colletotrichum corchori*. *Curr. Sci.* **54**:251-252.
- Bianchi, A.; Zambonelli, A.; Zechini D'Aulerio, A. and Bellesia, F. (1997) Ultra-structural studies of the effects of *Allium sativum* on phytopathogenic fungi *in vitro*. *Plant Dis.* **81**:1241–1246.
- Bishop, J. P.; Daeen, A. M. and Olds, T. M. (2000) Rapid evolution in plant chitinases: Molecular targets of selection in plant pathogen coevolution. *Proc. Natl. Acad. Sci. USA.* **97**: 5322-5327.A
- Biswas, K. K. (1999) Screening of isolates of *Trichoderma harzianum* Rifai for their relative biocontrol efficacy against *Fusarium oxysporum* f. sp. *udum* and *Rhizoctonia solani* Küun. *Ann. Pl. Prot. Sci.* **7**: 125-30.
- Blechert, S; Brodschelm,W; Holder, S; Kammerer, L; Kutchan, T.M; Muller M.J.; Xia, Z.Q. and Zenk, M.H.; (1995) The octadecanoid pathway : signal molecules for the regulation of secondary pathways. *Proceedings National Academy Science U,S.A.* **92**: 4099-4105.
- Boff, P.; Kohl, J.; Gerlagh, M and Dekraker, J. (2002) Biocontrol of grey mould by *Ulocladium atrum* applied at different flower and fruit stages of strawberry. *Biocontrol.* **47**: 193-206.
- Bom, M. and Boland, G. J. (2000) Evaluation of polyclonal-antibody-based immunoassays for detection of *Sclerotinia sclerotiorum* on canola petals, and prediction of stem rot. *Can. J. Microbiol.* **46**:723-729.
- Brederode, F. T.; Linthorst, H. J. M. and Bol, J. B. (1991) Differential induction of acquired resistance and PR gene expression in tobacco by virus infection, ethaphon treatment, uv light and wounding. *Plant Mol. Biol.* **17**: 1117-1125.
- Brennan, J. M.; Fagan, B.; van-Maanen, A.; Cooke, B. M. and Doohan, F. M. (2003) Studies on *in vitro* growth and pathogenicity of European *Fusarium* fungi. *Eur. J. Pl. Pathol.* **109**:577-587.

- Brewer, M. T. and Larkin, R. P. (2005) Efficacy of several potential biocontrol organisms against *Rhizoctonia solani* on potato. *Crop Prot.* **24**: 939-950.
- Broekaert, W.F.; Terras, F.R.G., Cammue, B.P.A. and Osborn, R.W. (1995) Defensins, novel microbial peptides as component of host defense systems. *Plant Physiology.* **108**: 1353-1358.
- Bucki, P. M.; Laich, F. S.; Melegari, A. L. and Escande, A. R. (1998) Damping-off of eggplant (*Solanum melongena* L.): Isolation of causal agents and selection of microorganisms for its biological control. *Fitopatologia.* **33**: 108-115.
- Buonaurio, R.; Scarponi, L.; Ferrara M.; Sidoti, P. and Bertona, A. (2002) Induction of Systemic Acquired Resistance in Pepper Plants by Acibenzolar-S-methyl against Bacterial Spot Disease. *Eur. J. Pl. Pathol.* **108**:41-49.
- Cao, J.; Zeng, K. and Jiang, W. (2006) Enhancement of postharvest disease resistance in Ya Li pear (*Pyrus bretschneider*) fruit by salicylic acid sprays on the trees during fruit growth. *Eur. J. Pl. Pathol.* **114**:363-370.
- Carpinella, M. C.; Herrero, G. G.; Alonso, R. A. and Palacios, S. M. (1999) Antifungal activity of *Melia azedarach* fruit extract. *Fitoterapia.* **70**: 296-298.
- Cavaglieri, L.; Orlando, J.; Rodriguez, M.I.; Chulze, S. and Etcheverry M. (2005) Biocontrol of *Bacillus subtilis* against *Fusarium verticillioides* in vitro and at the maize root label. *Res Microbiol.* **156**: 748-754.
- Chakaborty, B.N.; Das-Biswas, R. and M. Sharma (2006) *Alternaria alternata*- a new foliar fungal pathogen of tea in North Bengal, India. *Plant Pathology.* **55**: 132-136.
- Chakraborty, B. N. and Saha, A. (1994a) Accumulation of antifungal compounds in tea leaf tissue infected with *Bipolaris carbonum*. *Folia Microbiol.* **39**:409-414.
- Chakraborty, B. N. and Saha, A. (1994b) Detection and cellular location of cross-reactive antigens shared by *Camellia sinensis* and *Bipolaris carbonum*. *Physiol. and Mol. Pl. Pathol.* **44**:403-416.
- Chakraborty, B. N.; Basu, P.; Das, R.; Saha, A. and Chakraborty, U. (1995) Detection of cross-reactive antigens between *Pestalotiopsis theae* and tea leaves and their cellular location. *Annals of Applied Biol.* **127**:11-21.
- Chakraborty, B. N.; Sharma, M. and Das-Biswas, R. (2005) Defense enzymes triggered by *Exobasidium vexans* Masee induce resistance in tea plants. *Indian Phytopathol.* **58**:298-304.
- Chakraborty, B. N.; Sarkar, B. and Chakraborty, U. (1997) Detection of cross-reactive antigens shared by *Fusarium oxysporum* and *Glycine max* by indirect ELISA and their cellular location in root tissues. *Folia Microbiologica.* **42**:607-612.
- Chakraborty, B.N. and Sharma, M. (2007). Serological detection and immunogold localization of cross reactive antigens shared by *Camellia sinensis* and *Exobasidium vexans*. *Journal of Applied Microbiology.* **103**: 1669-1680.
- Chakraborty, U.; Basu, P.; Das, R.; Saha, A. and Chakraborty, B. N. (1996) Evaluation of antiserum raised against *Pestalotiopsis theae* for detection of grey blight disease of tea by ELISA. *Folia Microbiol.* **41**:413-418.
- Chaven, V.M. (1961) Niger and Safflower. Indian Oilseeds Committee. Examier Press, Fort., Bombay.
- Chen, C.; Belanger, R. R.; Benhamou, N. and Paulitz, T. C. (2000) Defence enzymes induced in Cucumber roots by treatment with plant growth-promoting rhizobacteria (PGPR) and *Pythium aphanidermatum*. *Physiol. and Mol. Pl. Pathol.* **56**:13-23.
- Chen, T. C.; Hsu, H. T.; Jain, R. K.; Huang, C. W.; Lin, C. H.; Liu, F. L. and Yeh, S. D. (2005) Purification and serological analyses of tospoviral nucleocapsid proteins expressed by Zucchini yellow mosaic virus vector in squash. *J. Virol. Methods* **129**:113-124.
- Chouksey, B.K. and Srivastava, S.K. (2001) New constituent from the roots of *Terminalia arjuna* : Antifungal agent. *Indian J. Chem.* **40B**: 354-356.

- Chowdhury, A.; Dutta, S.; Chowdhury, A.K. and Laha, S.K. (2003).** Effect of biotic/ abiotic elicitors and the management of sheath blight of rice under Terai Agro-ecological region of west Bengal. *J.Mycol. Pl. Pathol.* **33:** 378- 386.
- Ciccarese, F.; Frisullo, S.; Amenduni, M. and Cirulli, M. (1992)** Biological control of *Sclerotium rolfsii* root rot of sugarbeet with *Trichoderma harzianum*. In *Biological Control of Plant Diseases: Progress and Challenge for the Future*. Eds. E. C. Tjamos; G. C. Papavizas and R. J. Cook. Plenum Press, New York. pp. 243-248.
- Clausen, J. (1969)** Immunochemical techniques for the identification and estimation of macromolecules. In: *Laboratory Techniques in Biochemistry and Molecular Biology*, eds. Work, T. S. and Work, E. *North Holland Publishing Company*.
- Cohen, Y. (1996)** Induced resistance against fungal diseases by aminobutyric acids. In: *Modern Fungicides and Antifungal Compound*, eds. Lyr, H.; Russel, P. E. and Sisler, H. D. *Intercept*. Andover. U.K.
- Cohen, Y.; Gisi, U. and Niderman, T. (1993)** Local and systemic protection against *Phytophthora infestans* induced in potato and tomato plant by jasmonic acid and jasmonic methyl ester. *Phytopathol.* **83:**1054-1062.
- Cohen, Y.; Reuveni, M. and Baider, A. (1999)** Local and systemic activity of BABA (DL-3-aminobutyric acid) against *Plasmopara viticola* in grapevines. *Eur. J. Pl. Pathol.* **195:** 351-361.
- Conrath, U.; Thulke, O.; Katz, V.; Schwindling, S. and Kohler, A. (2001)** Priming as a mechanism in induced systemic resistance of plants. *Eur. J. Pl. Pathol.* **107:**113-119.
- Creelman, R. A.; Tierney, M. L. and Muller, J. E. (1992)** Jasmonic acid distribution and action in plants: Regulation during development and response to biotic and abiotic stress. *Proc. Acad. Sci. USA.* **89:**4938-4941.
- Creelman, R.A. and Muller, J.E. (1995)** Jasmonic acid distribution and action in plant : Regulation during development and response to biotic and abiotic stress. *Proceedings National Academy Science U.S.A.* **92:** 4114 - 4119.
- Curtis, H.; Noll, U.; Störmann, J. and Slusarenko, A. J. (2004)** Broad-spectrum activity of the volatile phytoanticipin allicin in extracts of garlic (*Allium sativum* L.) against plant pathogenic bacteria, fungi and oomycetes. *Physiol. and Mol. Pl. Pathol.* **65:** 79-89.
- D'souza, A.; Roy, J. K.; Mohanti, B. and Dasgupta, B. (2001)** Screening of *Trichoderma harzianum* against major fungal pathogens of betelvine. *Indian Phytopathol.* **54:** 340-345.
- Daayf, F.; Schmitt, A. and Belanger, R. R. (1995)** The effect of plant extracts of *Reynoutria sachalinensis* on powdery mildew development and leaf physiology of long English Cucumber. *Plant Dis.* **79:** 577-580.
- Dagne, K. and Jonsson, A. (1997)** Oil content and fatty acid composition of seeds of *Guizotia* Cass. (Compositae). *Journal of the Science of Food and Agriculture* **73:** 274-278.
- Dann, E.; Diers, B.; Byrum, J. and Hammerschmidt, R. (1998)** Effect of treating soybean with 2,6-dichloroisonicotinic acid (INA) and benzothiadiazole (BTH) on seed yields and the level of disease caused by *Sclerotinia sclerotiorum* in field and greenhouse studies. *Eur. J. Pl. Pathol.* **104:**271-278.
- Dasgupta, S.; Saha, D. and Saha, A. (2005)** Levels of common antigens in determining pathogenicity of *Curvularia eragrostidis* in different tea varieties. *J Appl. Microbiol.* **98:**1084-1092.
- Dasgupta, S.; Saha, D. and Saha, A. (2005)** Levels of common antigens in determining pathogenicity of *Curvularia eragrostidis* in different tea varieties. *J. Appl. Microbiol.* **98:** 1084-1092.
- Davis, B. J. (1964)** Disc electrophoresis. II. Method and application of human serum proteins. *Annals of the New York Academy of Sciences* **121:**404-427.
- Dazzo, B.F. and Hubbell, H.D. (1975)** Cross-Reactive Antigens and Lectin as Determinants of Symbiotic Specificity in the Rhizobium-Clover Association. *Applied Microbiology* **30:** 1017-1033.

- Deans, S. G. and Svoboda, K. P. (1990) Biotechnology and bioactivity of culinary and medicinal plants. *Ag. Biotech. News and Information*. 2: 211-216.
- Deena, M. J. and Thopil, J. E. (2000) Antimicrobial activity of the essential oil of *Lantana camara*. *Fitoterapia*. 71: 453-455.
- Deepak, S. A.; Oros, G.; Sathyanarayana, S. G.; Shetty, N. P.; Shetty, H. S. and Sashikanth, S. (2005) Antisporulant activity of leaf extracts of Indian plants against *Sclerospora graminicola* causing downy mildew disease of pearl millet. *Archives of Phytopathol. and Pl. Protec.* 38: 31-39.
- Delaney, T.; Friedrich, L. and Ryals, J. (1995) *Arabidopsis* signal transduction mutant defective in chemically and biologically induced disease resistance. *Proceedings of the National Academy of Sciences*. USA. 92: 6602-6606.
- Demirci, F.; Demirci, B.; Baser, K. H. C. and Güven, K. (2000) The composition and antifungal bioassay of the essential oils of different *Betula* species growing in Turkey. *Chem. Nat. Com.* 2: 126-130.
- Devadath, S. and Padmanabhan, S. Y. (1977) Nutritional requirements of *Xanthomonas oryzae*, the incitant of bacterial blight of rice. In *Physiology of Microorganisms*. Ed. K. S. Bilgrami. Today and Tomorrow's Printers and Publishers, New Delhi, India. pp. 25-38.
- DeVay, J. E.; Wakeman, R. J.; Kavanagh, J. A. and Charudattan, R. (1981) The tissue and cellular location of major cross-reactive antigens shared by cotton and soil borne fungal parasites. *Physiol. Pl. Pathol.* 18:59-66.
- Devi, N.A.; Kumar, C.M.; Naidu, Y.R. and Rao, M.N. (2006) Production and evaluation of biodiesel from sunflower (*Helianthus annuus*) and niger seed oil (*Guizotia abyssinica*). *Asian Journal of chemistry* 4: 2951-2958.
- Dhakal, M.R. and Pandey, A.K. (2006) Biology of reproduction in niger (*guizotia abyssinica* Cass.) natural Resource Management pp. 46-59.
- Dhingra, K.; H.R.; Mehta, N. and Sangam, M.S. (2002) Evaluating relative resistance of Brassicas to *Alternaria* Blight through tissue culture technique. *J. Mycol. Pl. Pathol.* 32: 231-233.
- Dhingra, O. D. and Sinclair, J.B. (1995) Basic plant pathology methods. 2<sup>nd</sup> edition, Boca Raton, USA: CRC press.
- Dickens, J. S. W. and Cook, R. T. A. (1989) *Glomerella cingulata* on *Camellia*. *Plant Pathol.* 38: 75-85.
- Dickerson, D. P.; Pascholati, S. F.; Hagerman, A. E.; Butler, L. G. and Nicholson, R. L. (1984) Phenylalanine ammonia-lyase and hydroxy cinnamate: CoA ligase in maize mesocotyls inoculated with *Helminthosporium maydis* or *Helminthosporium carbonum*. *Physiol. Pl. Pathol.* 25: 111-123.
- Digrak, M.; Alma, M. H.; Ilcim, A. and Sen, S. (1999) Antibacterial and antifungal effects of various commercial plant extracts. *Pharm. Biol.* 37: 216-220.
- Doares, S.H.; Syrovets, T.; Weiler, E.W. and Ryan, C.A. (1995) Oligogalacturonides and chitosan activate plant defensive genes through the octadecanoid pathway. *Proceedings National Academy Science U.S.A.* 92: 4095-4098.
- Doggett, H. (1987) Niger/Noug research methodology. Pp.210-219 In oil crops: Niger and Rapeseed/ Mustard. Proceedings of the Third Oil crops Network Workshop held in Addis Abeba, Ethioia, 6-10 October (A. Omran,ed.). IDRC-MRI153e.
- Droby, S.; Chalutz, E.; Wilson, C. L. and Wisniewski, M. E. (1992) Biological control of post harvest diseases: a promising alternative to the use of synthetic fungicides. *Phytoparasitica*. 20: 149-153.
- Dube, H. C. (2001) Rhizobacteria in biological control and plant growth promotion. *J. Mycol. Pl. Pathol.* 31:9-21.
- Dubey, S.C. (2005) Influence of wheather factors on development of *Alternaria* blight of brod bean. *J Mycol Plant Patholo* 35: 369-360.

- Dutsadee, C. and Nunta, C. (2008) Induction of peroxidase, scopletin, phenolic compounds and resistance in *Hevea brasiliensis* by elicitor and novel protein elicitor purified from *Phytophthora palmivora*. *Physiological and Molecular Plant Pathology*. 72 : 179-187.
- Dutta, P.C.; Helmersson, S.; Kebedu, E. and Alemaw, G. (1994) Variation in lipid composition of niger seed (*Guizotia abyssinica* Cass.) samples collected from different regions in Ethiopia. *Journal of the American Oil Chemists Society* 71: 839-843.
- Dwivedi, D. and Johri, B. N. (2003) Antifungals from fluorescent pseudomonads: biosynthesis and regulation. *Curr. Sci.* 85: 1693-1703.
- Edwin, D; Geetha, V.R.; Vishwanathan H and Usharani, M.V. (2002). Anticlastogenic in vivo micronucleus assay for tea. *J. Environ. Biol.* 23: 373-376.
- Eibel, P.; Wolf, G. A. and Koch, E. (2005) Development and evaluation of an enzyme-linked immunosorbent assay (ELISA) for the detection of loose smut of barley (*Ustilago nuda*). *Eur. J. Pl. Pathol.* 111:113-124.
- Elad, Y. (2000) Biological control of foliar pathogens by means of *Trichoderma harzianum* and potential modes of action. *Crop Protec.* 19: 709-717.
- Elad, Y.; Chet, I.; Byle, P. and Henis, Y. (1983) Parasitism of *Trichoderma* spp. on *Rhizoctonia solani* and *Sclerotium rolfsii* scanning electron microscopy and fluorescent microscopy. *Phytopathol.* 73: 85-88.
- Elad, Y.; Gullino, M. L.; Shtienberg, L. and Aloï, C. (1995) Managing *Botrytis cinerea* on tomatoes in greenhouses in the Mediterranean. *Crop Protec.* 14: 105-109.
- Emmanuel, P.; Daniel, L. C. and Silué, D. (2001) Phyto-gard and DL- $\beta$ -amino Butyric Acid (BABA) Induce Resistance to Downy Mildew (*Bremia Lactucae*) in Lettuce (*Lactuca sativa* L) *Eur. J. Pl. Pathol.* 107:861-869.
- Eng, F.; Gutierrez-Rojas, M. and Favela-Torres, E. (2003) A survey of temperature and pH effect on colonial growth of *Botryodiplodia theobromae* RC1. *Rev. Iberoam Micol.* 20:172-175.
- Ernst, D.; Sahraudner, M.; Langebartels, C. and Sandermann, H. J. (1992) Ozone-induced changes of mRNA level of  $\beta$ -1,3 glucanase, chitinase and pathogenesis related proteins in tobacco plants. *Plant Mol. Biol.* 20:673-622.
- Etebarian, H. R.; Scott, E. S. and Wicks, T. J. (2000) *Trichoderma harzianum* T 39 and *T. virens* DAR 74290 as potential biological control agents for *Phytophthora erythroseptica*. *Eur. J. Pl. Pathol.* 106: 329-337.
- Farrar, J.E. and Ryan, C.A. (1992) Octadecanoid precursors of jasmonic acid activate the synthesis of wound – inducible proteinase inhibitors. *Plant Cell* 4: 129-134.
- Farrar, J. J.; Pryor, B.M. and Davis, R. M. (2004) Alternaria disease of carrot. *Plant disease* 88: 776-784.
- Fatope, M.O. (1995) Phytochemicals: Their bioassay and diversity. *Discov. Innov.* 7: 229-236.
- Filonow, A. B. (1998) Role of competition of sugars by yeasts in the biocontrol of gray mold of apple. *Biocont. Sci. and Tech.* 8: 243-256.
- Fossdal, C.G.; Nagy, N.E.; Johnsen, O. and Dalen, L.S. (2007). Local and systemic stress responses in Norway spruce: Semilaritis in gene expression between a compatible pathogen interaction and drought stress. *Physiol. and Mol. Pl. Pathol.* 70: 161-173.
- Görlach, J.; Volrath, S.; Knauf-Beiter, G.; Hengy, G.; Oostendorp, M.; Staub, T.; Ward, E.; Kessmann, H. and Ryals, J. (1996) Benzothiadiazole, a novel class of inducers of systemic acquired resistance, activates gene expression and disease resistance in wheat. *Plant Cell* 8:629-643.
- Gebre-Medhin, T. and Mulatu, B. (1992) *Insect pests of noug, linseed and brassica*. In: Oilseeds research and development in Ethiopia. IAR, Addis Abeba- Ethiopia, pp. 174-177.

- Getinet, A. and S.M. Sharma (1996) Niger (*Guizotia abyssinica* Cass.) Promoting the Conservation and use of under utilization and neglected crop.5. Indian Institute of Plant Genetics and crop Research, gatersleben/International Plant Genetic Resources Institute, Rome.
- Getinet, A. and Teklewold, A. (1995) An agronomic and seed-quality evaluation of niger (*Guizotia abyssinica* Cass.) germplasm grown in Ethiopia. *Plant Breeding* **114**: 375-376.
- Ghosh, R. and Purkayastha, R. P. (1990) Analysis of host-parasite cross reactive antigens in relation to *Myrothecium*-infection of soybean. *Indian J. Exp. Biol.* **28**: 1-3.
- Ghosh, R. and Purkayastha, R. P. (2003) Molecular diagnosis and Induced systemic protection against rhizome rot disease of ginger caused by *Pythium aphanidermatum*. *Curr. Sci.* **85**:1782-1783.
- Gock, M. A.; Hocking, A. D.; Pitt, J. I. and Poulos, P. G. (2003) Influence of temperature, water activity and pH on growth of some xerophilic fungi. *Int. J. Food Microbiol.* **81**: 11-19.
- Gohel, V.; Vyas, P. and Chhatpar, H.S. (2005) Activity staining method of chitinase on agar plate through polyacrylamide gel electrophoresis. *African Journal of Biotechnology.* **4**: 87-90.
- Goto, M. (1990) Fundamentals of bacterial plant pathology. Academic Press. New York, USA.
- Groseh, R.; Faltin, F.; Lottman J.; Kofeet A. and Berg G. (2005) Effectiveness of three antagonistic bacterial isolates to control *Rhizoctonia solani* Kuhn on lettuce and potato. *Can J Microbiol.* **51**: 345-353.
- Guleria, S. and Kumar, A. (2006) Antifungal activity of some Himalayan medicinal plants using direct bioautography. *J. Cell and Mol. Biol.* **5**: 95-98.
- Gundlach, H.; Muller, M.J.; Kutchan, T.M. and Zenk, M.H. (1992) Jasmonic acid is a signal transducer in elicitor-induced plant cell cultures . *Proceedings National Academy Science U.S.A.* **89**: 2389-2393.
- Gupta, S.; Kalha, C. S.; Vaid, A. and Rizvi, S. E. H. (2005) Integrated management of anthracnose of French bean caused by *Colletotrichum lindemuthianum*. **35**: 432-436.
- Hamayun, M.; Khan, S.A.; Kim, H.; Na, C.I. and Lee, I. (2006) Traditional knowledge of *ex situ* conservation of some threatened medicinal plants of Swat Kohistan. Pakistan. *Int. J. Bot.* **2**: 205-209.
- Hammerschmidt, R.; Nuckles, E. and Kuc, J. (1982) Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiol. Pl. Pathol.* **20**: 73- 82.
- Harden, T. J.; Simpfendorfer, S. and Murray, G. M. (2002) Effect of temperature and pH on the growth and sporulation of *Phytophthora clandestine*. *Aus. Pl. Pathol.* **30**:1-5.
- Health, M. C. (2002) In this issue: Secondary metabolites and plant defense. *Physiol. and Mol. Pl. Pathol.* **60**: 273- 274.
- Helbig, J. (2002) Ability of the antagonistic yeast *Cryptococcus albidus* to control *Botrytis cinerea* in strawberry. *Biocontrol.* **47**: 85-89.
- Hema, M.; Savithri, H. S. and Sreenivasulu, P. (2001) Antibody and nucleic acid probe-based techniques for detection of sugarcane streak mosaic disease of sugarcane in India. *Curr. Sci.* **81**:1105-1108.
- Higa, A.; Hidaka, T.; Minai, Y.; Matsuoka, Y. and Higa, M. (2001) Active oxygen radicals induce peroxidase activity in rice blade tissue. *Biosci. Biotechnol.* **65**:1852-1855.
- Ho, W-C. and Ko, W-H. (1997) A simple method for obtaining single-spore isolates of fungi. *Bof. Bull. Acad. Sin.* **38**: 41-44.
- Huang, Y.; Deverall, B. J.; Tang, W. H.; Wang, W. and Wu, F. W. (2000) Foliar Application of Acibenzolar-S-Methyl and Protection of Postharvest Rock Melons and Hami Melons from Disease. *Eur. J. Pl. Pathol.* **106**:651-656.



- Hughes, J.; Tregova, A.; Tomsett, A. B.; Jones, M. G.; Cosstick, R. and Collin, H. A. (2005) Synthesis of the flavour precursor, alliin, in garlic tissue cultures. *Phytochem.* **66**: 187-194.
- Hundoo, S. and Dwivedi, R. S. (1993) Antagonistic activities of dominant rhizosphere fungi of eggplant (*Solanum melongena* L.) against *Fusarium solani* causing root disease. *Proc. Natl. Acad. Sci., India, Sec-B (Biological Sciences)*. **63**: 201-206.
- Ishii, H.; Tomita, Y.; Horio, T.; Narusaka, Y.; Nakazawa, Y.; Nishimura, K. and Iwamoto, S. (1999) Induced Resistance of Acibenzolar-S-methyl (CGA 245704) to Cucumber and Japanese Pear Diseases. *Eur. J. Pl. Pathol.* **105**:77-85.
- Jadeja, K. B. (2003) Evaluation of different herbicides, fungicides, phytoextracts and bioagents against *Phomopsis vexans* causing stem rot and branchig blight in brinjal.
- Jadeja, K.B. and Bhatt H.R. (2008) Biocontrol of Mango fruit rot with fructoplane bacteria. *J. Mycol. Pl. Pathol.* **38**: 325-327.
- Jadon, K. S.; Tiwari, P. K. and Thrimurti, V. S. (2005) Biological control of *Sclerotium rolfsii*, the incitant of brinjal collar rot. *J. Mycol. Pl. Pathol.* **35**: 544-545 (Abstr.).
- Jash, S.; Dutta, S.; Bandyopadhyay, S. and Laha, S. K. (2003) Effect of different culture media, pH and carbon sources on growth and sporulation of *Alternaria zinniae* Pape causing leaf and flower blight of marigold. *Environ. and Ecol.* **21**: 321-325.
- Jaspers, M. V.; Walter, M.; Eade, K.; Frampton, C. M. and Stewart, A. (2002) Control of *Botrytis cinerea* in grape using thyme oil. *Aust. Pl. Pathol.* **30**: 21-25.
- Jensen, B. D.; Latunedada, A. O.; Hudson, D. and Lucas, J. A. (1998) Protection of *Brassica* seedlings against downy mildew and damping-off by seed treatment with CGA 245704, an activator of systemic acquired resistance. *Pesticide Sc.* **52**:63-69.
- Johnson, L. F. and Curl, E. A. (1972) *Methods for research on the ecology of soilborne plant pathogen*. Burgess Publishing Company. Minneapolis.
- Kagale, S.; Marimuthu, T.; Thayumanavan, B.; Nandakumar, R. and Samiyappan, R. (2004) Antimicrobial activity and induction of systemic resistance in rice by leaf extract of *Datura metel* against *Rhizoctonia solani* and *Xanthomonas oryzae* pv. *oryzae*. *Physiol. and Mol. Pl. Pathol.* **65**:91-100.
- Kaku, H.; Shibuya, N. X. P.; Aryan, A. P. and Fincher, G. B. (1997) N-cetylchitoooligosaccharide elicitor expression of a single (1-3)- $\beta$ -glucanase gene in suspension-cultured cell from barley (*Hordium vulgare*). *Physiologia plantarum* **100**:111-118.
- Kandel, H. and Porter, P. (Eds.) (2002) *Niger (Guizotia abyssinica) (L. f.) Cass. production in northwest Minnesota*. University of Minnesota Extension Service.
- Kang, H. C.; Park, Y. H. and Go, S. J. (2003) Growth inhibition of a phytopathogenic fungus, *Colletotrichum* species by acetic acid. *Microbiological Res.* **158**:321-326.
- Kang, Z. and Buchenauer, H. (2002) Immunocytochemical localization of  $\beta$ -1,3-glucanase and chitinase in *Fusarium culmorum* infected wheat spikes. *Physiol. and Mol. Pl. Pathol.* **60**:141-153.
- Kaur, A. and Kolte, S. J. (2001) Protection of mustard plants against the staghead phase of white rust by foliar treatment with Benzothiadiazole, an activator of defense system. *J. Mycol. Pl. Pathol.* **31**:133-138.
- Ke, H.; Dong, A.; Liu, H.; Feng, H.; Sun, Q. and Yao, X. (1999) Bioactivity of traditional Chinese herbal medicines against *Pyricularia oryzae*. *Pharm. Biol.* **37**: 225-230.
- Kessmann, H.; Staub, T.; Hofmann, C.; Maetzke, T.; Herzog, J.; Ward, E., Uknes, S. and Ryals, J. (1994) Induction of systemic acquired resistance in plants by chemicals. *Ann. Rev. Phytopathol.* **32**: 439-459.
- Khara, H.S. and Hadwan, H.A. (1990) In vitro studies on antagonism of *Trichoderma* sp. against *Rhizoctonia solani* the causal agent of damping off of tomato. *Plant Dis. Res.* **2**: 29-34.

- Kim, Y. K.; Xiao, C. L. and Rogers, J. D. (2005) Influence of culture media and environmental factors on mycelial growth and pycnidial production of *Sphaerospis pyripitrescens*. *Mycologia* 97:25-32.
- Kiran, K.S.; Lingaraju, S. and Adiver, S.S. (2006) Effect on plant extracts on *Sclerotium rolfsii*, the incitant of stem rot of groundnut. *J. Mycol. Pl Pathol.* 36: 77-89.
- Kirkegaard, J. A.; Wong, P. T. W. and Desmarchelier, J. M. (1996) *In vitro* suppression of fungal root pathogens of cereals by *Brassica* tissues. *Plant Pathol.* 45: 593-603.
- Kiwan, Y. and Lee, Y. (2003) Environmental stress-induced extracellular isoperoxidase RC3 from rice. *J. Environ. Biol.* 24:17-22.
- Klessig, D. F.; Durner, J.; Noad, R.; Navarre, D. A.; Wendehenne, D.; Kumar, D.; Zhou, J. M.; Shah, J.; Zhang, S. Q.; Kacharoo, P.; Trifa, Y.; Pontier, D.; Lam, E. and Silva, H. (2000) Nitric oxide and salicylic acid signaling in plant defence *Proc. Natl. Acad. Sci. USA.* 97: 8849-8855.
- Kloepper, J. W.; Tuzun, S. and Kue, J. A. (1992) Proposed definitions related to induced disease resistance. *Biocontrol Sci. Tech.* 2: 349- 351.
- Koenig, R. and Paul, H. L. (1982) Variants of ELISA in plant virus diagnosis. *J. Virol. Method.* 5:113-125.
- Kogel, K. H.; Beckhove, U.; Dreschers, J.; Munch, S. and Romme, Y. (1994) Acquired resistance in barley the resistance mechanism induced by 2,6-dichloroisonicotinic acid is a phenocopy of a genetically based mechanism governing race-specific powdery mildew resistance. *Plant Physiol.* 106:1269-77.
- Kohli, V. and Diwan, R. (2003) Effect of different agent on *in vitro* growth of *Alternaria alternata* (Fr.) Keissler. *Geobios.* 30: 241-244.
- Kolte, S.J. (1985) Diseases of annual edible oilseed crops. Vol. III. Sunflower, safflower
- Kong, G.A., Kochman J.K. and Brown J.F. (1995). A green house assay to screen sunflower resistance to *Alternaria helianthi*. *Annual Applied Biology* 127: 463-478.
- Kothari, I.L. and Patel, M. (2004) Plant immunization. *Indian J Exp Biol.* 42: 244-252.
- Kozlowski, G.; Buchala, A. and Metraux, J-P. (1999) Methyl jasmonate protects Norway spruce [*Picea abies* (L.) Karst.] seedlings against *Pythium ultimum* Trow. *Physiol. and Mol. Pl. Pathol.* 55:53-58.
- Kratka, J.; Pekarova, K. R. B.; Kudlikova, I.; Slova, E. J. and Zemankova, M. (2002) Utilization of immunochemical methods for detection of *Colletotrichum* spp. in strawberry. *Plant Protection Sci.* 38:55-63.
- Kuo, K.C. (1999) Germination and appressorium formation in *Colletotrichum gloeosporioides*. *Proc. Natl. Sci. Counc. ROC (B).* 23:126-132.
- Laemmli, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature.* 227: 680- 685.
- Lahdenpera, M. L.; Simon, E. and Uoti, J. (1990) Mycostop-a novel biofungicide based on *Streptomyces* bacteria. In *Biotic Interaction of Soil-borne Diseases*. Eds. A.B.R. Beemstar et al. Elsevier, Amsterdam. pp. 258-263.
- Lahdenpera, M.L. (1987) The control of *Fusarium* wilt on carnation with a *Streptomyces* preparation. *Acta. Hort.* 216: 85-92.
- Latunda Dada, A. O. (1993) Biological control of southern blight disease of tomato caused by *Sclerotium rolfsii* with simplified mycelial formulations of *Trichoderma koningii*. *Plant Pathol.* 42: 522-529.
- Lawrence, C. B.; Joosten, M. H. A. J. and Tuzun, S. (1996) *Physiol. and Mol. Pl. Pathol.* 48:361-377.

- Lee, M. Y. and Kim, S. S. (1994) Characteristic of six isoperoxidases from Korean radish root. *Phytochem.* **35**:287-290.
- Lee, M. Y.; Choi, Y. and Kim, S. S. (1994) Purification and immunological relationships of six radish isoperoxidases. *Pl. Physiol. and Biochem.* **32**:259-265.
- Lee, Y. K.; Hippe-Sanwald, S.; Jung, H. W.; Hong, J. K.; House, B. and Hwang, B. K. (2000) *In situ* localization of chitinase mRNA and protein in compatible and incompatible interactions of pepper stems with *Phytophthora capsici*. *Physiol. and Mol. Pl. Pathol.* **57**:111-121.
- Lennette, E. H. (1985) *Manual of Clinical Microbiology*, 4<sup>th</sup> ed. Washington D. C. American Association of Microbiology. pp. 959-960.
- Lherminier, J.; Courtois, M. and Caudwell, A. (1994) Determination of the distribution and multiplication sites of Flavescence Dorée mycoplasma-like organisms in the host plant *Vicia faba* by ELISA and immunocytochemistry. *Physiol. and Mol. Pl. Pathol.* **45**:125-138.
- Lin, E. S. and Sung, S. C. (2006) Cultivating conditions influence exopolysaccharide production by the edible Basidiomycete *Antrodia cinnamomea* in submerged culture. *Int. J. Food Microbiol.* **108**:182-187.
- Liu, L.; Kloepper, J. W. and Tuzun, S. (1995) Induction of systemic resistance in Cucumber against bacterial angular leaf spot by plant growth promoting rhizobacteria. *Phytopathol.* **85**: 843-847.
- Liu, Z. F.; Fang, F.; Dong, Y. S.; Li, G. and Zhen, H. (2004) Experimental study on the prevention and treatment of murine cytomegalovirus hepatitis by using allitridin. *Antiviral Res.* **61**: 125-128.
- Lowry, O. H.; Rosebrough, N. J.; Farr, A. L. and Randall, R. J. (1951) Protein measurement with the folin phenol reagent. *J. Biol. Chem.* **193**:265-75.
- Lui, C., Ruan, Y., Lin, Z., Wei, R., Peng, Q., Guan, C. and Ishii, H. (2008) Antagonism between acibenzolar-S-methyl-induced systemic acquired resistance and jasmonic acid –acid-induced systemic acquired susceptibility to *Colletotricum orbiculare* in cucumber. *Physiol. and Mol. Pl. Pathol.* **72**: 141-145.
- Lyons, N. F. and White, J. G. (1992) Detection of *Pythium violae* and *Pythium sulcatum* in carrots with cavity spots using competition ELISA. *Ann. Appl. Biol.* **120**:235-244.
- Mahadevan, A. and Sridhar, R. (1982). *Methods in Physiological Plant Pathology*. 2<sup>nd</sup> Edn. Sivakami Publications, Madras.
- Mahadevan, A. and Sridhar, R. (1996) *Methods in Physiological Plant Pathology*. 4<sup>th</sup> eds. Sivakami Publications, Madras.
- Maiti, C.K.; Sen, S.; Acharya, R. and Acharya, K. (2006) First report of *Alternaria alternata* causing leaf spot on *Stevia rebaudiana*. *New disease reports* **14**.
- Maiti, C.K.; Sen, S.; Paul, A.K. and Acharya, K. (2007) *Alternaria alternata* causing leaf spot and leaf blight diseases of some cultivated medicinal plants of lower Gangatic plains of west Bengal. *J. Mycopathol Res.* **45**: 132-136.
- Maity, D. and Sen, C. (1985) Integrated biocontrol of *Sclerotium rolfsii* with nitrogenous fertilizer and *Trichoderma harzianum*. *Indian J. Agric. Sci.* **55**: 464-467.
- Malabadi, R.B. and Vijoy Kumar, S. (2007) Assessment of antifungal activity of some medicinal plants. *International journal of Pharmacology*. **3**: 499-504.
- Malamy, J.; Carr, J. P.; Klessig, D. F. and Raskin, I. (1990) Salicylic acid: A endogenous signal in the resistance response of tobacco to tobacco mosaic virus. *Science* **250**: 1002-1004.
- Malvin, J.M. and Muthukumaran, N. (2008). Role of certain elicitors on the chemical induction of resistance in tomato against the leaf caterpillar *Spodoptera litura* Fab. *Not. Bot. Hort. Agrobot. Cluj.* **36**: 71-75.
- Manandhar, H. K.; Mathur, S. B.; Smedegaard-Petersen, V. and Thordal-Christensen, H. (1999) Accumulation of transcripts for pathogenesis-related proteins and peroxidase in rice plants

triggered by *Pyricularia oryzae*, *Bipolaris sorokiniana* and uv light. *Physiol. and Mol. Pl. Pathol.* **55**: 289-295.

Mangala, U.N.; Subbarao, M. and Rabindrababu, R. (2006) Host range and resistance to *Alternaria altetmata* leaf blight of chilli. *J. Mycol.Pl. Pathol.* **36**: 84-85.

Marini, F.; Magria, A.L.; Marinib, D. and Balestrieric, F. (2003) Characterization of the lipid fraction of niger seeds (*Guizotia abyssinica* cass.) from different regions of Ethiopia and India and chemometric authentication of their geographical origin. *European Journal of Lipid Science and Technology* **105**: 697-704.

Masangkay, R.F.; Paulitz, T.C.; Hallett, S.G. and Watson, A. K. (2000) Characterization of sporulation of *Alternaria alternata* f.sp. *sphenocleae*. *Biocontrol Science and Technology* **10**: 385-39.

Mauch, F.; Mauch-Mani, B. and Boller, T. (1988) Antifungal hydrolases in pea tissue. II. Inhibition of fungal growth by combination of chitinase and  $\beta$ -1, 3 glucanase. *Plant. Physiol.* **88**: 936- 942.

Mauch-Mani, B. and Mettraux, J. (1998) Salicylic acid and systemic acquired resistance to pathogen attack. *Annals of Botany* **82**:525-540.

Maurhofer, M.; Hase, C.; Meuwly, P.; Mettraux, J. P. and Defago, G. (1994) Induction of systemic resistance of tobacco to tobacco necrosis virus by the root colonizing *Pseudomonas fluorescens* strain CHAO: Influence of the gac A gene and of pyoverdine production. *Phytopathol.* **84**: 139-146.

Mazarei, M. and Kerr, A. (1990) Distinguishing pathovers of *Pseudomonas syringae* on peas: nutritional, pathogenicity and serological tests. *Plant Pathol.* **39**:278.

Meena, A.K.; Mali, B.L. and Choudhary, S.L. (2007) Evaluation of partially purified plant products and antimicrobial chemicals preparation against bacterial pathogens. *J. Mycol. Pl Pathol.* **37**: 365-368.

Meena, B.; Marimuthu, T. and Velazhahan, R. (2001) Salicylic acid induced systemic resistance in groundnut against late leaf spot caused *Cercosporium personstum*. *J. Mycol. Pl. Pathol.* **31**:139-145.

Meena, B.; Ramamoorthy, V.; Marimuthu, T. and Velazhahan, R. (2000) *Pseudomonas flourescens* mediated systemic resistance against late leaf spot of groundnut. *J. Mycol. Pl. Pathol.* **30**: 151-158.

Meera, M. S.; Shivanna, M. B.; Kageyama, K. and Hyakumachi, M. (1994) Plant growth promoting fungi from zoysiagrass rhizosphere as potential inducers of systemic resistance in cucumbers. *Phytopathol.* **84**:1399-1406.

Mewari, N.; Chaturvedi, P.; Kumar, P. and Rao P.B. (2007) Antimicrobial activity of Moss extracts plant pathogen. *J. Mycol. Pl Pathol.* **37**: 359-360.

Miron, T; Shin, I.; Feigenblat, G.; Weiner, L.; Mirelman, D. and Wilchek, M. (2002) A spectrophotometric assay for alliin, alliin and alliinase (alliin lyase) with a chromogenic thiol: reaction of 4-mercaptopyridine with thiosulfates. *Anal. Biochem.* **307**: 76-83.

Misaghi, I. J.; Grogan, R. G.; Duniway, J.M. and Kimble, K.A.(1978) Influence of environmental and culture media on spore morphology of *Alternaria alternata*. *Phytopathology* **68**: 29-34.

Mohammadi, O. (1992) Mycostop biofungicide-present status. In *Biological Control of Plant Diseases*. Eds. E. S. Tjamos *et al.* Plenum Press, New York. pp. 207-210.

Mohan, S. B. (1988) Evaluation of antisera raised against *Phytophthora fragariae* for detecting the red core disease of strawberries by immunosorbent assay (ELISA). *Plant Pathol.* **37**: 206-216.

Moretto, K.C.K. and Barreto, M. (1995) Influence of some culture media on the growth and sporulation of *Alternaria solani* and of some factors on the infection frequency on tomato. *Summa Phytopathologica* **21**: 188- 191 (in Portuguese).

- Morris, C. E.; Monier, J-M. and Jacques, M-A. (1998) A Technique To Quantify the Population Size and Composition of the Biofilm Component in Communities of Bacteria in the Phyllosphere. *Appl. and Environ. Microbiol.* **64**: 4789-4795.
- Mukewar, P.M.; Lambar, A.K.; Nath, R.; Majumdar, A.; Rani, I. and Chandra J.K. (1974) Blight disease of sunflower caused by *Alternaria helianthi* (Hansf.) Tubaki and Nishihara in India. *Current Science* **43**: 364-374.
- Mukhopadhyay, A. N.; Shreshtha, S. M. and Mukherjee, P. K. (1992) Biological seed treatment for control of soil borne plant pathogens. *F. A. O. Plant Protot. Bull.* **40**: 21-30.
- Mukhopadhyaya, P. N.; Soni, S.; Nagee, A. and Sanyal, P. K. (2001) *In vitro* assessment of antagonistic potential of *Trichoderma* spp. Against *Arthrobotrys oligospora*. *J. Mycol. Pl. Pathol.* **31**: 234-235.
- Muller-Uri F, Parthier; B. and Nover; L. (1988) Jasmonate- induced alteration of gene expression in barley leaf segments analyzed by *in-vivo* and *in-vitro* protein synthesis. *Planta* **176**: 241- 247.
- Murthy, H.N.; S.C. Hiremath and S.S. Salimath (1993) Origin, evolution and genome differentiation in *Guizotia abyssinica* and its wild species. *Theor. Appl. Genet.* **87**: 587-592.
- Musetti, R.; Stringher, L.; Borselli, S.; Vecchione, A.; Zulini, L. and Pertot, I. (2005) Ultrastructural analysis of *Vitis vinifera* leaf tissues showing a typical symptoms of *Plasmopara viticola*. *Micron.* **36**:73-80.
- Musyimi, D.M.; Ogur, J.A. and Muema, P.M. (2008) Phytochemical compounds and antimicrobial activity of extracts of *Aspilia* plant (*Aspilia mossambicensis*) Oliv wild. *International Journal of Botany* **4** : 56-61.
- Nahalkova, J.; Asiegbu, F. O.; Daniel, G.; Hrib, J.; Vookova, B.; Pribulova, B. and Gemeiner, P. (2001) Isolation and immunocytolocalization of a *Pinus nigra* lectin (PNL) during interaction with the necrotroph- *Heterobasidion annosum* and *Fusarium avenaceum*. *Physiol. and Mol. Pl. Pathol.* **59**:153-163.
- Nandeeshkumar, J.; Sudisha. J.; Ramachandra, K.K.; Prakash, H.S.; Niranjana, S.R. and Shetty, S.H. (2008) Chitosan induced resistance to downy mildew in sunflower caused by *Plasmopara halstedii*. *Physiol and Mol Pl Pathol* **72**: 188-194.
- Narasimhan, S. and Masilamani, S. (2002). Biocontrol of phytopathogenic fungi. Asian Congress of Mycology and Plant pathology, University of Mysore. p.152 ( Abstr.).
- Neuhans, J. (1999) In: Pathogenesis related proteins in plants; eds. Dutta, S. K. and Muthukrishnan, S., *CRC Press*, Boca raton, LLC 77-106.
- Nirmalkar, K.V. and Lakpale, N. (2007) Effect of physical factors on uredospore germination and germ tube length of *Uromyces achori* inciting rust of sweetflag. *J Mycol Pl Pathol.* **37** : 266-268.
- O'Donnell, P. J.; Calvert, C.; Atzorn, R.; Wasternack, C.; Leyser, H. M. O. and Bowler, D. J. (1996) Ethylene as a signal mediating the wound response of tomato plants. *Science* **274**:1914-1917.
- Ogunwande, I. A.; Bello, M. O.; Olawore, O. N. and Muili, K. (2001) A Phytochemical and antimicrobial studies on *Butyrospermum paradoxum*. *Fitoterapia.* **72**: 54-56.
- Ohlrogge, J.B. and Jaworski, J.G. (1997) Regulation of fatty acid synthesis. *Annual Review of Plant Physiology and Plant Molecular Biology* **48**: 109–136.
- Ongena, M.; Giger, A.; Jacques, P.; Dommès, J. and Thonart, P. (2002) Study of Bacterial Determinants Involved in the Induction of Systemic Resistance in Bean by *Pseudomonas putida* BTP1. *Eur. J. Pl. Pathol.* **108**:187-196.
- Ortuno. A.; Nemsá. I; Alvarez .N.; Lacasa. I.; Porrás. I.; Lidón. A.G.; and Río. J.A.D. (2008) Correlation of Ethylene synthesis in *Citrus* fruits and their susceptibility to *Alternaria alternata* pv. *Citri*. *Physiol and Mol Plant Pathol* **72**: 162-166.

- Ouchterlony, O. (1958) Diffusion in gel methods for immunological analysis. *Progress in Allergy* 5:1-78.
- Ouchterlony, O. (1967) Immunodiffusion and immunoelectrophoresis. In: Handbook of Experimental Immunology, eds. Weir, D. M. Blackwell Scientific Publications, Oxford and Edinburgh.
- Paliwal, D.K. and Randhawa. H.S. (1978) Evaluation of a simplified *Guizotia abyssinica* seed medium for differentiation of *Cryptococcus neoformans*. *J. Clinical Microbiol.* 7: 346-348.
- Pan, S. Q.; Ye, X. S. and Kuc, J. (1991) A technique for detection of chitinase,  $\beta$ -1,3 glucanases and protein patterns after a single separation using polyacrylamide gel electrophoresis or isoelectrofocusing. *Phytopathol.* 81: 970- 974.
- Pandey, A.K. and Dhakal, M.R. (2004) Some aspect of pollen biology and pollination ecology of Niger (*Guizotia abyssinica* cass.). *Vistas in Palaeobotany and Plant Morphology: Evolutionary and environmental Perspectives*. Professor D.D. Plant memorial Volume. 415-428.
- Pandey, K. K. and Upadhyay, J. P. (1999) Comparative study of chemical, biological and integrated approach for management of *Fusarium* wilt of pigeon pea. *J. Mycol. Pl. Pathol.* 29: 214-216.
- Pandey, K.K. and Vishwakarma, S.N. (1999) Morphological and symptomopathological variation in *Alternaria alternata* causing leaf blight in brinjal. *Indian J. Mycol. Pl. Pathol.* 29: 350-354.
- Park, D-S.; Landini, S.; Graham, M. Y. and Graham, T. L. (2002) Induced distal defence potentiation against *Phytophthora sojae* in soybean *Physiol. and Mol. Pl. Pathol.* 60:293-310.
- Patel, S. T. and Anahosur, K. H. (2001) Isozyme analysis of isolates representing three species of *Fusarium*. *J. Mycol. Pl. Pathol.* 2:171-173.
- Patro, T.S.S.K.; Rani, C. and Kumar, G.V. (2008) *Pseudomonas fluorescence*, a potential bioagent for management of blast in *Eleusine coracana*. *J. Mycol Pl. Pathol.* 38: 298-300.
- Paul, P. K. and Sharma, P. D. (2002) *Azadirachta indica* leaf extract induces resistance in barley against leaf stripe disease. *Physiol. and Mol. Pl. Pathol.* 61: 3-13.
- Paulkar, P.K. and Raut, B.T. (2004) Variability among the isolates of *fusarium oxysporum* f.sp.ciceri. *Journal of Mycology Plant Pathology* 34 : 20-23.
- Penninckx, I. A. M. A.; Eggermont, K.; Terras, F. R. G.; Thomma, B. P. H. J.; De Samblanx, G. W.; Buchala, A.; Metraux, J-P.; Manners, J. M. and Broekaert, W. F. (1996) Pathogen-induced systemic activation of a plant defensin gene in *Arabidopsis* follows a salicylic acid independent pathway. *Plant Cell* 8: 2309-2323.
- Peraza-Sánchez, S. R.; Chan-Che, E. O. and Ruiz-Sánchez, E. (2005) Screening of Yucatecan plant extracts to control *Colletotrichum gloeosporioides* and isolation of a New Pimarane from *Acacia pennatula*. *J. Agric. and Food Chem.* 53: 2429-2432.
- Perello, A. E.; Monaco, C. I.; Moreno, M. V.; Cordo, C. A. and Simon, M. R. (2006) The effect of *Trichoderma harzianum* and *T. koningii* on the control of tan spot (*Pyrenophora tritici-repentis*) and leaf blotch (*Mycosphaerella graminicola*) of wheat under field conditions in Argentina *Biocont. Sci. and Technol.* 16: 803-813.
- Perello, A.; Mónaco, C.; Simón, M. R.; Sisterna, M. and Dal Bello, G. (2003) Biocontrol efficacy of *Trichoderma* isolates for tan spot of wheat in Argentina. *Crop Prot.* 22: 1099-1106.
- Petrunk, D. M.; Gildow, F. E. and Christ, B. J. (1991) Incidence and distribution of six viruses infecting potato in Pennsylvania. *Pl. Dis.* 75: 644.
- Pieterse, C. M. J.; Van Wees, S. C. M.; Hofland, E.; Van Pelt, J. A. and Van Loon, L. C. (1996) Systemic resistance in *Arabidopsis* induced by biocontrol bacteria is independent of salicylic acid accumulation and pathogenesis-related-gene expression. *The Plant Cell.* 8: 1225-1237.
- Piyada, T.; Michelle, D. H. and John, C. S. (1995) Systemic wound infection of potato (*Solanum tuberosum*). *Phytochem.* 40:673-676.

- Pleysier, C.E.; Bayliss, K.L.; Dell, B. and Hardy G.E.S.T. (2006) Temperature, humidity, wounding and leaf age influence the development of *Alternaria alternata* lesions on leaves of *Paulownia fortune*. *Australasian P Pathol.* **35**: 329-333.
- Prachi; Sharma, T. R. and Singh, B. M. (2002) Salicylic acid induced insensitivity to culture filtrate of *Fusarium oxysporum* f.sp. *zingiberi* in the calli of *Zingiber officinale* Roscoe. *Eur. J. Pl. Pathol.* **108**:31-39.
- Prasad, M.S.L., Sujatha, M., Rao S.C., Sarada C. and Shing H. (2008). A new technique for evaluating germplasm against *Alternaria* leaf blight. *Journal of Mycology Plant Pathology.* **38**: 39-46.
- Prasad, R. D. and Rangeshwaran, R. (1999) Granular formation of *Trichoderma* and *Gliocladium* spp. in biocontrol of *Rhizoctonia solani* of Chickpea. *J. Mycol. Pl. Pathol.* **29**: 222-226.
- Prasad, R. D.; Rangeshwaran, R. and Sreerama Kumar, P. (1999) Biological control of root and collar rot of sunflower. *J. Mycol. Pl. Pathol.* **29**: 184-188.
- Premkumar, R.; Baby, U. I. and Chandra Mouli, B. (1998) Systemic activity and field performance of triazol fungicides against blister blight pathogen of tea. *Developments in Plantation Crops Res.* **279**-283.
- Prew, R. D.; Ashby, J. E.; Bacon, T. G.; Christian, D. G.; Gutteridge, R. J.; Jenkyn, J. F.; Powell, W. and Todd, A. D. (1995) Effects of incorporating or burning straw, and of different cultivation systems, on winter grown on two soil types, 1981-91. (Cambridge). *J. Agric. Sci.* **124**: 173-194.
- Priestley, A. and Dewey, F. M. (1993) Development of a monoclonal antibody immunassay for eyespot pathogen *Pseudocercospora herpotrichoides*. *Plant Pathol.* **42**:403-412.
- Priou, S.; Gutarra, L. and Aley, P. (2006). An improved enrichment broth for the detection of *Ralstonia solanacearum* (biovars 1 and 2A) in soil using DAS-ELISA. *Plant pathology* **55**: 36-45.
- Punja, Z. K. (1985) The biology, ecology and control of *Sclerotium rolfsii*. *Ann. Rev. Phytopathol.* **23**: 97-127.
- Purkayastha, R. P. and Banerjee, R. (1990) Immunoserological studies on cloxacillin induced resistance of soybean against anthracnose. *J. Plant. Dis. Prot.* **97**:349-359.
- Purseglove, J.W. (1974) *Tropical Crops: Dicotyledons*. Longman, London.
- Qian, Z. G.; Zhao, Z. J. and Xu, Y. (2005) A novel synthetic fluoro-containing jasmonate derivatives acts as a chemical inducing signal for plant secondary metabolism. *Appl. Microbiol. Biotechnol.* **68**:98-10312.
- Raja, P. and Reddy, A. V. R. (2007) Morphological and biological variability of *Alternaria* spp causing leaf spot and fruit rot of brinjal (*Solanum melongena*). *J. Mycol. Pl. Pathol.* **37**: 336-338.
- Raju, C. A. (1991) Survey of antagonism in *Trichoderma* species against *Pythium aphanidermatum*. In Natl. Sem. on Biological Control in Plantation Crops. 27-28th June 1991, Rubber Res. Inst. India, Kottayam, India. p.25. (Abstr.).
- Ramadan, M.F. and Moersel, J.T. (2003) Determination of lipid classes and fatty acid profile of Niger (*Guizotia abyssinica* Cass.), *Phytochemical analysis* **14**: 366-370.
- Ramamoorthy, V.; Raguchander, T. and Samiyappan, R. (2002) Enhancing resistance of tomato and hot pepper to *Pythium* diseases by seed treatment with fluorescent pseudomonads. *Eur. J. Pl. Pathol.* **108**: 429-441.
- Ramamoorthy, V. and Samiyappan, R. (2001) Induction of defense related genes in *Pseudomonas fluorescens* treated chilli plants in response to infection by *Colletotrichum capsici*. *J. Mycol. Pl. Pathol.* **31**:146-155. .
- Rani, S.J. and Kumar, R.M. (2007). Morphological and cultural variability among isolates of *Pythium aphanidermatum*- incitant of damping – off in tomato. *J Mycol Pl Pathol.* **37**: 45-48.

- Rao, G. P.; Sharma, S. R. and Singh, P. K. (2000) Fungitoxic and insect repellent efficacy of limonene against sugarcane pests. *J. Essential Oil-bearing Plants*. 3: 157-163.
- Rasmussen, J. B.; Hammerschmidt, R and Zook, M. N. (1991) Systemic induction of salicylic acid accumulation in Cucumber after inoculation of *Pseudomonas syringae* pv. *syringae*. *Plant Physiol.* 97: 1342-1347.
- Ray, H.; Douches, D. S. and Hammerschmidt, R. (1998) Transformation of potato with cucumber pero: disease response. *Physiol. and Mol. Pl. Pathol.* 53:93-1-03.
- Reddy, C.S.; Reddy, K.R.N.; Prameela, M.; Mangala U.N. and muralidharan, K. (2007) Identification of antifungal component in Clove that inhibits *Aspergillus* spp. colonizing rice grains. *J. Mycol. Pl Pathol.* 37: 87-94.
- Reglinski, T.; Whitaker, G.; Cooney, J. M.; Taylor, J. T.; Poole, P. R.; Roberts, P. B. and Kim, K. K. (2001) Systemic acquired resistance to *Sclerotinia sclerotiorum* in kiwifruit vines. *Physiol. and Mol. Pl. Pathol.* 58:111-118.
- Repeckiene, J.; Lugauskas, A.; Surviliene, E. and Dambrauskiene E. (2005) Contamination of desiccated herbs by toxin-producing mycomycetes. *Botanica lithuanica* 11: 125-131.
- Rizza, F.; Mennella, G.; Collonnier, C.; Shiachakr, D.; Kashyap, V.; Rajam, M. V.; Prestera, M. and Rotino, G. L. (2002) Androgenic dihaploids from somatic hybrids between *Solanum melongena* and *S. aethiopicum* group gilo as a source of resistance to *Fusarium oxysporum* f. sp. *melongenae*. *Plant Cell Rep.* 20: 1022-1032.
- Roberts, D. P.; Lohrke, S. M.; Meyer, S. L. F.; Buyer, J. S.; Bowers, J. H. C.; Baker, J.; Li, W.; de Souza, J. T.; Lewis, J. A. and Chung, S. (2005) Biocontrol agents applied individually and in combination for suppression of soil borne diseases of cucumber. *Crop Prot.* 24: 141-155.
- Rotem, J. (1994) The Genus *Alternaria*, Biology, Epidemiology and Pathogenicity. American Phytopathological Society, St Paul, MN, USA.
- Roy, A.K. (1976) Some new records on Medicinal plants. *Current science*, 44: 464-465.
- Roy, S.G.; Chakraborty, S. and Mukherjee, S.K. (2007) Biological of Phytophthora spp. with novel indigenous pseudomonous isolate. *J.Mycopathol.Res.* 45: 117-121.
- Ruess, W.; Mueller, K.; Knauf-Beiter, G. and Staub, T. (1996) Plant activator CGA-245704: an innovative approach for disease control in cereal and tobacco. *In: Brighton Crop Protection Conference. Pest and Disease* 53-60.
- Ryals, J. A.; Neuenschwander, U. H.; Willits, M. G.; Molina, A.; Steiner, H. Y. and Hunt, M. D. (1996) Systemic acquired resistance. *Plant Cell.* 8: 1809-1819.
- Saha, A. and Chakraborty, B. N. (1990) Spore germination of *Bipolaris carbonum* Nelson. causing tea leaf disease. *Indian Bot. Contactor.* 7: 131-133.
- Saha, A.; Mandal, P.; Dasgupta, S. and Saha, D. (2007) Plant extract induced chitinase activity in tea seedlings challenged with *Lasioidiplodia theobromae*, causal pathogen of diplodia disease. *In: Proceeding of the International Conference, Integration of Science and Technology for Sustainable Development. Biological Diversity, Food and Agricultural Technology.* April, 26-27, Bangkok, Thailand.
- Saha, D.; Dasgupta, S. and Saha, A. (2005a) Antifungal activity of some plant extracts against fungal pathogens of tea (*Camellia sinensis*). *Pharm. Biol.* 43: 87-91.
- Saha, D.; Dasgupta, S. and Saha, A. (2005b) Control of foliar tea diseases by leaf extracts of *Polyalthia longifolia*. *J. Mycol. Pl. Pathol.* 55: 132-136.
- Saha, D.; Dasgupta, S.; Mandal, P. and Saha, A. (2006) Screening of commercially cultivated varieties of tea for resistance to *L. theobromae* by indirect ELISA. *In Proc. of XV FESPB Congress, Lyon, France, 17-21 July.* p.142 (Abstr.).
- Salvov, S.; Mayama, S. and Atomassov, A. (2004) Some aspects of epidemiology of *Alternaria alternata* tobacco pathotype. *Biotechnol. and Biotechnol. Eq.* 18: 28-33.



- Santen, K.; Marttila, S.; Liljeroth, E. and Bryngelsson, T. (2005) Immunocytochemical localization of the pathogenesis related PR-1 protein in barley leaves after infection by *Bipolaris sorokiniana*. *Physiol and Mol. Pl. Pathol.* 66:45-54.
- Saravanan, T.; Muthusamy, M. and Marimuthu, T. (2003) Development of integrated approach to manage the fusarial wilt of banana. *Crop Protec.* 22: 1117-1123.
- Saxena, A.; Pandey, K.; Kumar, R.; Gupta, P.; Shukla, P. K. and Laxmi, V. (2003) *In-vitro* antifungal activity of plants. *Biotechnol. Dev. Herbal Med.* 157: 20-22.
- Scala, F.; Cristinzio, G.; Coppola, L. and Del Sorbo, G. (1994) Cross-Reactive Antigens between pea and some fungal plant pathogens. *Journal of Phytopathology* 142: 89–96.
- Schaller, A. and Ryan, C.A. (1996) Systemin, a polypeptide defense signal in plants. *Bioassay* 18: 27-33.
- Schweizer, P.; Schlagenhauf, E.; Schaffrath, U. and Dudler, R. (1999) Different patterns of host genes are induced in rice by *Pseudomonas syringae*, a biological inducer of resistance, and the chemical inducer benzothiadiazole (BTH). *Eur. J. Pl. Pathol.* 105: 659-665.
- Seegeler, C.J.P. (1983) Oil plant in Ethiopia. Their taxonomy and agricultural significance. Centre for Agricultural Publication and Documentation. PUDOC, Wageningen.
- Sela-Buurlage, M. B.; Ponstein, A. S.; Bres-Vloemans, S. A.; Melchers, L. S.; Van der Elzen, P. J. M. and Cornelissen, B. J. C. (1993) Only specific tobacco (*Nicotiana tabacum*) chitinases and  $\beta$ -1,3-glucanases exhibit antifungal activity. *Plant Physiol.* 101:857-863.
- Sembdner, G. and Parthier, B. (1993) the biochemistry and the physiological and molecular action of jasmonates. *Annual review of Plant Physiology and Molecular Biology* 44: 569-589.
- Shabana, Y.M.; Baka, Z.A.M. and Abdel Fattan, G.M. (1996) Effect of designed mycoherbicide prepared from host specific candidate *Alternaria eichhorniae* on some physiological and ultrastructural characters of waterhyacinth. *Annals of Agriculture Science* 41: 421–443.
- Shahin, E.A. and Shepard, J.F. (1979) An efficient technique for inducing profuse sporulation of *Alternaria* species. *Phytopathology* 69: 618- 620.
- Shaner, G.; Stromberg, E. L.; Lacy, G. H.; Barker, K. R. and Pirone, T. P. (1992) Nomenclature and concept of pathogenicity and virulence. *Annu. Rev. Phytopathol.* 30:47-66.
- Shanmugum, V. and Sukunara Verma, A. (1999) Effect of native antagonists against *Pythium aphanidermatum*, causal organism of Rhizome root of ginger. *J.Mycol. Pl. Pathol.* 29: 375-379.
- Sharma, K.; Shukla, S. D.; Mehta, P. and Bhatnagar, M. (2002) Fungistatic activity of *Semecarpus anacardium* Linn. f nut extract. *Indian J. Exp. Biol.* 40: 314-318.
- Sharma, S. D.; Mishra, A.; Pandey, R. N. and Patel, S. J. (2001) Sensitivity of *Trichoderma harzianum* to fungicides. *J. Mycol. Pl. Pathol.* 31: 251-253.
- Shi, Z.; Wang, F.; Zhou, W.; Zhang, P. and Fan, Y. J. (2007) Application of Osthol induces a resistance response against powdery mildew in pumpkin leaves. *Ins. J. Mol. Sci.* 8: 1001-1012.
- Shibuya, N. and Minami, E. (2001) Oligosaccharide signaling for defense responses in plant. *Physiol. and Mol. Pl. Pathol.* 59: 223- 233.
- Shinshi, H.; Neuhaus, J.; Ryals, J. and Meins, F. (1990) Structure of a tobacco endochitinase gene: evidence that different chitinase genes can arise by transposition of sequences encoding a cysteine-rich domain. *Plant Mol. Biol.* 14:357-368.
- Shulaev, V.; J. Leon and Raskin, I. (1995) Is salicylic acid a translocated signal of systemic acquired resistance in tobacco? *Plant Cell* 7: 1691-1701.
- Siddagangaiah V.B. R.; Sudisa, J.; Lokesh, S. and Niranjana, S.R. (2008) Phyton-T: An extract of seaweed (*Sargassum wightii*) induces defense enzymes against let blight and enhances quality of potato. *J. Mycol. Pl Pathol.* 38: 27-32.

- Sidky, N.M.; Younis, N.A. ; Ammar, M.S. and Ouda, S.M. (1999) Production of different fungal cellulase(s) on waterhyacinth ground preparation (WHGP). *Journal of Mycology and Biotechnology* 7: 93–105.
- Sidlauskiene, A. and Surviliene, E. (2002) Distribution and pathogenic peculiarities of fungi of the *Alternaria* genus on vegetable crops in Lithuania. *Plant Protection Science*. 38: 401-404.
- Siegrist, J.; Orober, M. and Duchenauer, H. (2000)  $\beta$ -Aminobutyric acid mediated enhancement of resistance in tobacco to tobacco mosaic virus depend on the accumulation of salicylic acid. *Physiol. and Mol. Pl. Pathol.* 56: 95-106.
- Singh, J. and Majumdar, V. L. (2001) Efficacy of plant extracts against *Alternaria alternata*-the incitant of fruit rot of pomegranate (*Punica granatum* L.). *J. Mycol. Pl. Pathol.* 31(3): 346-349.
- Singh, N. ;Verma, O.P. and kumari , L. (2006) Occurrence and Symptomatology of Alternaria blight of *Adhatoda vasica* Nees. *Journal of Mycology Plant Pathology*. 36: 58-59.
- Singh, P. P.; Basra, A. S. and Pannu, P. P. S. (1997) Abscisic acid is a potent inhibitor and sporidial formation in *Neovossia indica* cultures: Dual mode of action via loss of polyamines and cellular turgidity. *Phytoparasitica*. 25: 111-116.
- Singh, R. and Sinha, A. P. (2005) Influence of application methods of *Pseudomonas fluorescens* for managing rice sheath blight. *Indian Phytopathol.* 58: 474-476.
- Singh, U. P.; Prithiviraj, B.; Wagner, K. G. and Schumacher, K. P. (1995) Effect of ajoene, a constituent of garlic (*Allium sativum*) on powdery mildew (*Erysiphe pisi*) of pea (*Pisum sativum*). *J. Pl. Dis. Prot.* 102: 399-406.
- Singh, U.P.; Prithiviraj, B.; Sarma, B.K.; Singh, M. and Ray, A.B. (2001) Role of Garlic (*Allium sativum* L.) in human and plant diseases. *Indian Journal of Experimental Biology*. 39: 310-322.
- Sinha, A. K. and Das, N. C. (1972) Induced resistance in rice plants to *Helminthosporium oryzae*, *Physiol. Pl. Pathol.* 2. 401-410.
- Sivan, A. and Chet, I. (1989) The possible role of competition between *Trichoderma harzianum* and *Fusarium oxysporum* on rhizosphere colonization. *J. Phytopathol.* 79:198-203.
- Smith-Beaker, J.; Marois, E.; Hungnet, E. J.; Midland, S. L.; Sims, J. J. and Keen, N. T. (1998) Accumulation of salicylic acid and 4-hydroxybenzoic acid in phloem fluids of Cucumber during systemic acquired resistance in preceded by a transient increase in phenylalanine ammonia lyase activity in petioles and stems. *Plant Physiol.* 116: 231-238.
- Solfrizzo, J. ; Girolamo, A. D; Vitti, C.; Tylkowska, K.; Grabarkiewicz-Szczesna, J.; Szopinska, D. and Dorna, H. (2005) Toxicogenic profile of *Alternaria alternata* and *Alternaria radicina* occurring from umbelliferus plants. *Food additives and ontaminants*. 22 : 302-308.
- Somssich, I. E. and Hahlbrock, K. (1998) Pathogen defense in Plant-a praradigm of biological complexity . *Trends in Plant Science*. 3: 86- 90.
- Sreekantiah, K.R.; Rao, K.N. and Ramachandrarao, J.N. (1973) A virulent strain of *Alternaria alternata* causing leaf and fruit rot of chilli. *Indian Phytophology*. 26: 600-603.
- Stadnik, K. J. and Buchenauer, H. (2000) Inhibition of Phenylalanine ammonia-lyase suppresses the resistance induced by benzothiadiazole in wheat to *Blumeria graminis* f. sp. *tritici*. *Physiol. and Mol. Pl. Pathol.* 57: 25- 34.
- Stewart, R.B. and Yirgu. D. (1967) Index of plant diseases in Ethiopia. Haile Sellassie I
- Sticher, L.; Mauch-Mani, B. and M'etraux, J. P. (1997) Systemic acquired resistance. *Annual Review of Phytopathol.* 35: 235-270.
- Stranberg, J.O. (1992) *Alternaria* species that attack vegetable crops: Biology and options for disease management. In *Alternaria: Biology Plant diseases and metabolites*. eds. Cielkowski, J. and Visconti, A. Elsevier Science Publishers, Amsterdam, 367-398.

**Sudha, S. S.; Panneerselvam, A. and Thajuddin, N. (2005)** Antagonistic effect of some mangal soil fungi against *Colletotrichum falcatum* Went. and *Curvularia pallescens* (Walker) Boedijn. *Geobios.* **32**: 288-290.

**Suleman, P.; Al-Musallam, A. and Menezes, C. A. (2002)** The effect of biofungicide Mycostop on *Ceratostyxis radicola*, the causal agent of black scorch on date palm. *Biocontrol.* **47**: 207-216.

**Sundaram, S.; Plasencia, J. and Banttari, E. E. (1991)** Enzyme linked immunosorbent assay for detection of *Verticillium* spp. using antisera produced to *V. dahliae* from potato. *Phytopathol.* **81**: 1485-1489.

**Tahvonen, R. and Avikainen, H. (1990)** Effect of *Streptomyces* sp. on seed-borne foot rot disease of wheat and barley. I Pot experiments. *Ann. Agric. Fenn.* **29**: 187-194.

**Tahvonen, R. and Lahdenperä, M. L. (1988)** Biological control of *Botrytis cinerea* and *Rhizoctonia solani* in lettuce by *Streptomyces* sp. *Ann. Agric. Fenn.* **27**: 107-116.

**Terras, F. R. G.; Schoofs, H. M. E.; Thevissen, K.; Osborn, R. W.; Vanderleyden, J.; Cammue, B. P. A. and Broekaert, W. F. (1993)** Synergistic enhancement of the antifungal activity of wheat and barley thionins by radish and oil seed rape 2 S albumins and by barley trypsin inhibitors. *Plant Physiol.* **103**: 1311-1319.

**Thakare, C. S. and Patil, P. Y. (1995)** Studies of leaf blight of *Chrysanthemum* caused by *Colletotrichum gloeosporioides*. *J. Maharastra Agric. Univ.* **20**: 49-52.

**Thompson-Eagle, E.T.; Frankenberger Jr, W.T. and Karlson, U.T. (1989)** Volatilization of Selenium by *Alternaria alternata*. *Appl Environ. Microbiol.* **55**: 1406-1413.

**Thuerig, B.; Felix, G.; Binder, A.; Boller, T. and Tamm, L. (2006)** An extract of *Penicillium chrysogenum* elicits early defense related responses and induces resistance in *Arabidopsis thaliana* independently of known signalling pathways. *Physiol. and Mol. Pl. Pathol.* **67**: 180-193.

**Tognolli, M.; Overney, S.; Penel, C.; Greppin, H. and Simon, P. (2000)** A genetic and enzymatic survey of *Arabidopsis thaliana* peroxidases. In: Plant peroxidase newsletter, eds. C. Penel et al. *Plant biochemistry and physiology*. University of Geneva 3-12.

**Ton, J.; Van-Pelt, J. A.; Van Loon, L. C. and Pieterse, C. M. J. (2002)** Differential effectiveness of salicylate-dependent and jasmonate/ethylene-dependent induced resistance in *Arabidopsis*. *Molecular Plant-Microbe Interactions* **15**:27-34.

**Trillus, M. I.; Cotxarrera, L.; Casanova, E. and Cortadellas, N. (2000)** Ultrastructural changes and localization of chitin and callose in compatible and incompatible interactions between carnation callus and *Fusarium oxysporum*. *Physiol. and Mol. Pl. Pathol.* **56**:107-116.

**Trotel-Aziz, P.; Couderchet, M.; Vernet, G. and Aziz, A. (2006)** Chitosan stimulates defense reactions in grapevine leaves and inhibits development of *Botrytis cinerea*. *Eur. J. Pl. Pathol.* **114**:405-413.

**Trudel, J. and Asselin, A. (1989)** detection of chitinase activity after polyacrylamide gel electrophoresis. *Anal. Biochem.* **178**: 362-366.

**Tu, J.C. (1992)** Biological control of *Sclerotinia sclerotium* .In recent developments in biocontrol of plant diseases. Eds. K.G.Mukherjee. J.P. Tewari; D.K. Arora and G.Saxena. Aditya Books Pvt.Ltd. New Delhi. pp.24-32.

**Umamaheswari, C.; Sankaralingam, A. and Nallathambi, P. (2008)** Sporulation of *Alternaria* species and identification of telomorph of *A.alternata* in Curcubitales. *J Mycol Pl Pathol.* **38** : 144-146.

**Upadhyay, J. P. and Mukhopadhyay, A. N. (1983)** Effect of non-volatile and volatile antibiotics of *Trichoderma harzianum* on growth of *Sclerotium rolfii*. *Indian J. Mycol.Pathol.* **13**: 232-233.

**Vakalounakis, D.J. (1986)** Vegetative reversion of *Alternaria cichorii* conidiophores in relation to temperature and relative humidity. *Transactions of the British Mycological Society* **86**: 655- 658.

**Vakalounakis, D.J. and Christias, C. (1981)** Sporulation in *Alternaria cichorii* is controlled by a blue and near ultraviolet reversible photoreaction. *Canadian Journal of Botany* **59**: 626- 628.

- Vakalounakis, D. J. and Malathrakis N. E. (1988) A Cucumber Disease Caused by *Alternaria alternata* and its Control. *Journal of Phytopathology* **121**: 325-336.
- Van Loon, L.C. (1999) Occurrence and properties of plant pathogenesis-related proteins. In *Pathogenesis related proteins in plants*. Eds. S. K. Dutta and S. Muthukrishnan. Boca Raton, FL: CRC Press. pp. 1-19.
- Van Loon, L.C.; Bakker, P. A.H.M. and Pieterse, C. M. J. (1998) Systemic resistance induced by rhizosphere bacteria. *Ann. Rev. Phytopathol.* **36**: 453-483.
- Verma, P.; Upadhyaya, M.; Suyal, N. and Joshi, H. (2007) New record of leaf spot of Safed Musli caused by *Alternaria alternata* in Kumaun Himalayas, Uttarakhand, India. *J. Mycol Pl Pathol* **37**: 318.
- Vestberg, M.; Kukkonen, S.; Saari, K.; Parikka, P.; Huttunen, J.; Tainio, L.; Devos, N.; Weekers, F.; Kevers, C.; Thonart, P.; Lemoine, M. C.; Cordier, C.; Alabouvette, C. and Gianinazzi, S. (2004) Microbial inoculation for improving the growth and health of micropropagated strawberry. *Appl. Soil Ecol.* **27**: 243-258.
- Vinod, P. B.; Verma, A. S. and Cheeran, A. (1991) Antagonistic and antibiotic properties of *Bacillus subtilis* isolated from the forest soils of Kerala. In Nat. Sem. on Biol. Cont. Plantation Crops. 22-28th June 1999, Rubber Res. Inst. India, Kottayam, India. p. 26. (Abstr.).
- Vles, R.O. and Gottelbos, J.J. (1989) *Nutritional characteristics and food uses of vegetable oils*. In: Oil crops of the world. (Eds. G. Röbbelen, R.K. Downy & A. Ashri). McGraw Hill, New York, USA, pp. 63-86.
- Wakeham, A.J. and White, J. G. (1996) Serological detection in soil of *Plasmodiophora brassicae* resting spores. *Physiol. Mol. Pl. Pathol.* **48**:189-303.
- Wang, Y. C.; Hu, D. W.; Zhang, Z. G.; Ma, Z. C.; Zheng, X. B. and Li, D. B. (2003) Purification and immunocytolocalization of a novel *Phytophthora boehmeriae* protein inducing the hypersensitive response and systemic acquired resistance in tobacco and Chinese cabbage. *Physiol. and Mol. Pl. Pathol.* **63**:223-232.
- Wang, Z.; Fang, S.; Zhang, Z.; Han, C.; Li, D. and Yu, J. (2006) Development of an ID-ELISA for the detection of Rice black-streaked dwarf virus in plants. *J. Virological Methods* **134**:61-65.
- Ward, E. R.; Uknes, S. J.; Williams, S. C.; Dincher, S. S.; Wiederhold, D. L.; Alexander, D. C.; Ahl-Goy, P.; M'etraux, J. P. and Ryals, J. A. (1991) Coordinate gene activity in response to agents that induce systemic acquired resistance. *The Plant Cell* **3**:1085-1094.
- Wei, G.; Kloepper, J. W. and Tuzun, S. (1991) Induction of systemic resistance of Cucumber to *Colletotrichum orbiculare* by select strains of plant growth promoting rhizobacteria. *Phytopathol.* **81**: 1508-1512.
- Weisberger, J. H. (1999) Tea and Health: The underlying mechanisms. *PSEBM.* **220**: 271-275.
- Weiss, E.A. (1983) *Oil seed crops*. Longman Inc. New York.
- Weller, M. D.; Raaijmakers, J. M.; Gardener, M. and Thomashow, L. S. (2002) Microbial populations responsible for specific soil suppressiveness to plant pathogens. *Ann. Rev. Phytopathol.* **40**:309-348.
- Wessels, J. G. H. and Sietsma, J. H. (1981) Fungal Cell Walls: a survey In Plant Carbohydrates II. Extracellular Carbohydrates. Encyclopedia of Plant Physiology. Eds. W. Tanner and F. A. Loewuse. Springer Verlag. Barlin, Germany. pp. 352- 394.
- Willits, M. G. and Ryals, J. A. (1998) Determining the relationship between salicylic acid levels and systemic acquired resistance induction in tobacco. *Mol. Plant-Microbe Interact.* **11**:795-800.
- Winder, R. S. (2006) Cultural studies of *Morchella elata*. *Mycological Res.* **110**:612-623.
- Wojtaszek. P. (1997) Oxidative burst: an early plant response to pathogen infection *Biochem. J.* **322**: 681-692.

- Wokocha, R. C.** (1990) Integrated control of *Sclerotium rolfsii* infection of tomato in the Nigerian savanna: Effect of *Trichoderma viride* and some fungicides. *Crop. Prot.* **9**: 231-234.
- Wu, H. C.** and **Wu, W. S.** (2003) Sporulation, pathogenicity and chemical control of *Alternaria protenta*, a new seedborne pathogen of sunflower. *Aust. Pl. Pathol.* **32**: 309-3
- Xiaojie, W.; Chuniei, T.; Jinlong, C.; Buchenauer, H.; Jie, Z.; Qingmei, H.; Lili, H. and Zhensheng, K.** (2009). Detection of *Puccinia steriiformis* in latently infected wheat leaves by nested Polymerase reaction. *Phytopathology*. (In press).
- Yadav, R. K. and Majumdar, V. L.** (2005) Efficacy of plant extracts, biological agents and fungicides against *Lasiodiplodia theobromae* causing die-back of guava (*Psidium guajava* L.) *J. Mycol. Pl. Pathol.* **35**: 352-354.
- Yirgu, D.** (1964) Some disease of *Guizotia abyssinica* in Ethiopia. *Plant Disease Reporter* **48**: 672.
- Yitbarek, S.** (1992) Pathological research on niger, linseed, Gomenzer and rapeseed in Ethiopia. Pp. 151-162. *In* Oilseeds Research and Development in Ethiopia. Proceedings of the First National Oilseed Workshop, 3-5 December 1991, Addis Abeba.
- Yitbarek, S. and A. Truwork.** (1992) Field evaluation of fungicides on niger for the control of shot hole (*Septoria* sp.). *Oil Crops Newsl.* **9**: 26-29.
- Yoshida, H.; Katsuzaki, H.; Ohta, R.; Ishikawa, K.; Fukuda, H.; Fujino, T. and Suzuki, A.** (1999b) An organosulfur compound isolated from oil-macerated garlic extract and its antimicrobial effect. *Biosci. Biotechnol. Biochem.* **63**: 588-590.
- Yoshida, H.; Katsuzaki, H.; Ohta, R.; Ishikawa, K.; Fukuda, H.; Fujino, T. and Suzuki, A.** (1999a) Antimicrobial activity of the thiosulfonates isolated from oil-macerated garlic extract. *Biosci. Biotechnol. Biochem.* **63**: 591-594.
- Yunnan Institute of Botany,** The-hung Chow Institute of agricultural Science, Kunming Pharmaceutical Factory and Kunming Medical College, *Journal of Integrative Plant Biology (Acta Botanica sinica)*, *Guozotia abyssinica* –An oil plant with a great future.
- Zheng, H-Z.; Cui, C-L.; Zhang, Y-T.; Wang, D. and Kim, Y. J.** (2005) Active changes of lignification-related enzymes in pepper rot *Glomus intraradices* and *for Phytophthora capsici*. *Journal of Zhejiang Univ. Sc.* **6**:778-786.
- Zieslin, N. and Ben-Zaken, R.** (1993) Peroxidase activity and presence of phenolic substances in peduncles of rose flowers. *Plant Physiol..Biochem.* **31**: 333-339.

