

Contents

1. Introduction	1
2. Literature Review	6
3. Materials and methods	46
3.1. Plant materials	46
3.1.1. Host plants	46
3.1.1.1 Collection and selection of niger plants	46
3.1.1.2. Cultivation and maintenance of niger seed varieties	46
3.1.2. Collection of plants for extraction of botanicals	46
3.2. Fungal and bacterial cultures used	47
3.2.1. Source of fungal culture	47
3.2.2. Source of microorganisms tested for antagonistic activity	47
3.2.3. Verification of Koch's postulates	48
3.2.4. Maintenance of stock cultures	49
3.2. Major chemicals used	49
3.4. Composition of media and solutions used	49
3.5. Inoculation technique	54
3.6. Disease assessment	54
3.7. Morphology and Physiology of the pathogen <i>Alternaria alternata</i>	55
3.7.1. Microscopy	55
3.7.2. Assessment of mycelial growth	55
3.7.3. Assessment of spore germination	56
3.7.3.1. preparation of spore suspension	56
3.7.3.2. Spore germination assay	56
3.8. Collection and maintenance of rabbits for raising antiserum	56
3.9. Antigens preparation	57
3.9.1. Antigens preparation from niger leaf	57
3.9.2. Antigens preparation from fungal mycelia	57
3.10. Raising of Polyclonal antiserum	58
3.10.1. Immunization of rabbits	58
3.10.2. Collection of normal sera and antisera	58
3.11. Determination of titre value	59
3.12. Immunotechniques	59

3.12.1. Immunodiffusion (ID)	59
3.12.1.1. Agarose coated slide preparation	59
3.12.1.2. Diffusion	60
3.12.2. Immunoelectrophoresis (EI)	60
3.12.2.1. Slide preparation	60
3.12.2.2. Electrophoresis	60
3.12.2.3. Diffusion	61
3.12.2.4. Staining of slides	61
3.13. Indirect Enzyme Linked Immunosorbent assay (Indirect ELISA)	61
3.14. Immuno gold labelling followed by silver enhancement	62
3.15. Preparation and application of chemical and botanical inducers	63
3.15.1. Preparation of plant extract as inducers	63
3.15.2. Application of chemicals and botanicals as elicitors on niger plants	63
3.16. Extraction and estimation of defense enzymes	63
3.16.1. Peroxidase (PO)	63
3.16.2. Polyphenol oxidase (PPO)	64
3.16.3. β -1,3,-glucanase	64
3.16.4. Phenylalanine ammonia lyase (PAL)	65
3.16.5. Chitinase	65
3.17. Polyacrylamide gel electrophoresis (PAGE)	66
3.18. Analysis of isozyme Pattern	67
3.18.1. Peroxidase (PO)	67
3.18.2. Polyphenol oxidase(PPO)	67
3.18.3. β -1,3-glucanase	68
3.18.4. Chitinase	68
3.19. Evaluation of Bio control agents	68
3.19.1. Dual culture test	68
3.19.2. Evaluation of crude culture filtrates of the antagonists	69
3.19.3. <i>In vivo</i> evaluation of whole Plants	69
3.20. Evaluation of Botanicals	70
3.20.1. Extraction	70
3.20.2. Spore germination bioassay	70
3.20.3. Bioassay by poisoned food technique	70
3.20.4. <i>In vivo</i> bioassay on whole plant	71
3.21. Statistical analysis	71

4. Experimental	72
4.1. Studies on morphology and physiology of <i>A. alternata</i>	72
4.1.1 Studies on morphology of <i>A. alternata</i>	72
4.2. Culture conditions affecting growth and sporulation of <i>A. alternata</i>	73
4.2.1. Mycelial growth of <i>A. alternata</i> in different solid media	73
4.2.2. Mycelial growth of <i>A. alternata</i> in different liquid media	73
4.2.3. Effect of different pH on mycelial growth of <i>A. alternata</i>	75
4.2.4. Effect of different incubation temperatures on mycelial growth of <i>A. alternata</i>	76
4.2.5. Assessment of mycelia growth and sporulation of <i>A. alternata</i> and on different carbon sources	77
4.2.6. Assessment of mycelia growth and sporulation of <i>A. alternata</i> and on different nitrogen sources	78
4.2.7. Conditions affecting sporulation of <i>A. alternata</i>	81
4.2.7.1. Spore germination and germ tube elongation of <i>A. alternata</i> after different periods of incubation	81
4.2.7.2. Spore germination of <i>A. alternata</i> at different temperatures	82
4.3. Pathogenicity of <i>Alternaria alternata</i> in different niger varieties	83
4.3.1. Pathogenicity test following whole plant inoculation technique	83
4.4. Experiments on serological studies	85
4.4.1. Serological relationship between different niger varieties and <i>A. alternata</i> by immunodiffusion (ID) technique	85
4.4.2. Serological relationship between different niger variety and <i>A. alternata</i> by immunoelectrophoresis (IE) technique	87
4.4.3. Detection of cross-reactive antigens between leaf antigens of niger varieties and antisera of <i>A. alternata</i> by indirect ELISA	90
4.4.4. Immunogold labelling followed by silver enhancement for cellular localization of cross-reactive antigens	92
4.5. Studies on defense related enzyme	94
4.5.1. Peroxidase (PO)	95
4.5.1.1. Peroxidase activity with chemical and botanical inducers	95
4.5.1.2. Study of peroxidase isoform patterns	96
4.5.2. Polyphenoloxidase (PPO)	97
4.5.2.1. Polyphenoloxidase activity with chemical and botanical inducers	97
4.5.2.2. Study of Polyphenoloxidase isoform Patterns	99
4.5.3. β - 1,3 glucanase	99
4.5.3.1. β - 1,3 glucanase activity with chemical and botanical inducers	99
4.5.3.2. Study of β - 1,3 glucanase isoform Patterns	100
4.5.4. Chitinase	101
4.5.4.1. Chitinase activity with chemical and botanical inducers	102

4.5.4.2. Study of Chitinase isoform Patterns	102
4.5.5. Phenyl alanine ammonia lyase(PAL)	104
4.5.5.1. PAL activity with chemical and botanical inducers	104
4.6. Foliar application of inducers for controlling leaf blight disease of niger caused by <i>A. alternata</i>	106
4.7. Evaluation of some biocontrol agents for controlling <i>A. alternata</i>	107
4.7.1. <i>In vitro</i> screening of some of biocontrol fungus and bacteria	107
4.7.2. <i>In vitro</i> effect of crude culture filtrate of fungal antagonists	108
4.8. Screening of potential antifungal phytoextracts against <i>A. alternata</i>	109
4.8.1. Slide germination bioassay to screen potential botanicals for controlling <i>A. alternata</i>	109
4.8.2. Antifungal effect of selected plant extracts on growth of <i>A. alternata</i> following poisoned food technique	110
4.9. Foliar application of selected botanicals for controlling leaf blight disease caused by <i>A. alternata</i>	110
5. Discussion	113
6. Summary	131
7. References	137