

7

Bibliography

- Aaby, K., Hvattum, E. and Skrede, G. (2004) Analysis of flavonoids and other phenolic compounds using high-performance liquid chromatography with coulometric array detection: relationship to antioxidant activity. *Journal of Agricultural and Food Chemistry* **52**, 4595-4603
- Aaby, K., Skrede, G. and Wrolstad, R.E. (2005) Phenolic composition and antioxidant activities in flesh and achenes of strawberries (*Fragaria ananassa*). *Journal of Agricultural and Food Chemistry* **53**, 4032-4040
- Adamson, G.E., Lazarus, S.A., Mitchell, A.E., Prior, R.L., Cao, G., Jacobs, P.H., Kremers, B.G., Hammerstone, J.F. Rucker, R.B., Ritter, K.A. and Schmitz, H.H. (1999) HPLC method for the quantification of procyanidins in cocoa and chocolate samples and correlation to total antioxidant capacity. *Journal of Agricultural and Food Chemistry* **47**, 4184-4188
- Al-Bari, M.A.A., Sayeed, M.A., Rahman, M.S. and Mossadik, M.A. (2006) Characterization and antimicrobial activities of a phenolic acid derivative produced by *Streptomyces bangladeshiensis* - a novel species collected in Bangladesh. *Research Journal of Medicine and Medical Sciences* **1**, 77-81
- Ali, G.C. and Reddy, A.S.N. (2000) Inhibition of fungal and bacterial plant pathogens by synthetic peptides: In vitro growth inhibition, Interaction between peptides and inhibition of disease progression. *Molecular Plant-Microbe Interactions* **13**, 847-859

- Alma, M.H., Mavi, A., Yildirim, A., Digrak, M. and Hirata, T. (2003) Screening chemical composition and in vitro antioxidant and antimicrobial activities of the essential oils from *Origanum syriacum* L. growing in Turkey. *Biological and Pharmaceutical Bulletin* **26**, 1725–1729
- Amarowicz, R., Nacsk, M. and Shahidi, F. (2000) Antioxidant activity of various fractions of non-tannin phenolics of canola hulls. *Journal of Agricultural and Food Chemistry* **48**, 2755–2759
- Ambrosio, G., Zweier, J.L., Duilio, C., Kuppusamy, P., Santoro, G., Elia, P.P., Tritto, I., Cirillo, P., Condorelli, M. and Chiariello, M. (1993) Evidence that mitochondrial respiration is a source of potentially toxic oxygen free radicals in intact rabbit hearts subjected to ischemia and reflow. *Journal of Biological Chemistry* **268**, 18532–18541
- Ames, B.N., Gold, L.S. and Willet, W.C. (1995) The causes and prevention of cancer. *Proceedings of the National Academy of Sciences of the United States of America* **92**, 5258–5265
- Aruoma, O.I. (2003) Methodological considerations for characterizing potential antioxidant actions of bioactive components in plant foods. *Mutation Research Fundamental and Molecular Mechanisms of Mutagenesis* **523–524**, 9–20.
- Babior, B.M., Kipnes, R.S. and Curnutte, J.T. (1973) Biological defense mechanisms. The production by leukocytes of superoxide, a potential bactericidal agent. *The Journal of Clinical Investigation* **52**, 741–744
- Bacq, Z.M., Dechamps, G., Fischer, P., Herve, A., Leblan, H., Lecomte, J., Pirotte, M. and Rayet, P. (1953) Protection against X-rays and therapy of radiation sickness with β -mercaptoethylamine. *Science* **117**, 633–636
- Banerjee, S.K., Gupta, B.D. and Atal, C.K. (1980) Coumarins of *Heracleum thomsoni* and claisen rearrangement of lanatin. *Phytochemistry* **19**, 1256–1258
- Bansod, S. and Rai, M. (2008) Antifungal activity of essential oils from Indian medicinal plants against human pathogenic *Aspergillus fumigatus* and *A. niger*. *World Journal of Medical Sciences* **3**, 81–88
- Barbour, E.K., Al Sharif, M., Sagherian, V.K., Habre, A.N., Talhouk, R.S. and Talhouk, S.N. (2004) Screening of selected indigenous plants of Lebanon for antimicrobial activity. *Journal of Ethnopharmacology* **93**, 1–7
- Bauer, A.W., Kirby, W.M.M., Scherris, J.C. and Turck, M. (1966) Antibiotic susceptibility testing by a standardized single disk method. *The American Journal of Clinical Pathology*, **45**, 493–496
- Becker, E.M., Nissen, L.R. and Skibsted, L.H. (2004) Antioxidant evaluation protocols: Food quality or health effects. *European Food Research and Technology* **219**, 561–571
- Benzie, I.F.F. and Strain, J.J. (1996) The ferric reducing ability of plasma as a measure of 'antioxidant power': the FRAP assay. *Analytical Biochemistry* **239**, 70–76
- Bhujel, R.B. (1996) Studies on the dicotyledonous flora of Darjeeling district. Ph.D. Thesis, University of North Bengal, Siliguri, p. 966
- Bielski, B.H.J. (1985) Reactivity of HO_2/O_2^- radicals in aqueous solution. *Journal of Physical and Chemical Reference Data* **14**, 1041–1100
- Boakye-Yiadom, K.N. and Fiagbe, S.A. (1977) Antimicrobial properties of some West African medicinal plants IV. Antimicrobial activity of xylopic acid and other constituents of the fruits of *Xylopic aethiopic* (Annonaceae). *Lloydia* **40**, 543–545
- Borges, F., Roleira, F., Milhazes, N., Santana, L. and Uriarte, E. (2005) Simple coumarins and analogues in medicinal chemistry: Occurrence, synthesis and biological activity. *Current Medicinal Chemistry* **12**, 887–916
- Borris, R.P. (1996) Natural products research: Perspectives from a major pharmaceutical company. *Journal of Ethnopharmacology* **51**, 29–38
- Bose, P.K. (1958) On some biochemical properties of natural coumarins. *Journal of the Indian Chemical Society* **58**, 367–375

- Box, H.C. and Maccubbin, A.E. (1997) Lipid peroxidation and DNA damage. *Nutrition* **13**, 920-921
- Box, H.C., Freund, H.G., Budzinski, E., Wallace, J.C. and Maccubbin, A.E. (1995) Free radical-induced double base lesions. *Radiation Research* **141**, 91-94
- Boyd, M.R., Hallock, Y.F., Cardellina II, J.H., Manfredi, K.P., Blunt, J., McMahon, J.B., Buckheit Jt, R.W., Bringmann, G., Schaffer, M., Cragg, G.M., Thomas, D.W. and Jato, J.G. (1994) Anti-HIV michellamines from *Ancistrocladus korupensis*. *Journal of Medicinal Chemistry* **37**, 1740-1745
- Brand-Williams, W., Cuvelier, M.E. and Berset, C. (1995) Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft und-Technologie* **28**, 25-30
- Braughter, J.M., Chase, R.L. and Pregenzer, J.F. (1987) Oxidation of ferrous ion during peroxidation of various lipid substrates. *Biochimica et Biophysica Acta* **921**, 457-464
- Breen, A.P. and Murphy, J.A. (1995) Reactions of oxyl radicals with DNA. *Free Radical Biology & Medicine* **18**, 1033-1077
- Brinkworth, R.I., Stoermer, M.J. and Fairlie, D.P. (1992) Flavones are inhibitors of HIV-1 proteinase. *Biochemical and Biophysical Research Communications* **188**, 631- 637
- Brower, V. (1998) Nutraceuticals: poised for a healthy slice of the healthcare market? *Nature Biotechnology* **16**, 728-731
- Brownlee, H.E., McEuen, A.R., Hedger, J. and Scott, I.M. (1990) Antifungal effects of cocoa tannin on the witches' broom pathogen *Crinipellis pernicioso*. *Physiological and Molecular Plant Pathology* **36**, 39-48
- Bull, C., McClune, G.J. and Free, J.A. (1983) The mechanism of Fe- EDTA catalyzed superoxide dismutation. *Journal of the American Chemical Society* **105**, 5290-5300
- Burda, S. and Oleszek, W. (2001) Antioxidant and antiradical activities of flavonoids. *Journal of Agricultural and Food Chemistry* **49**, 2774-2779
- Burdick, E.M. (1971) Carpaine, an alkaloid of *Carica papaya*. Its chemistry and pharmacology. *Economic Botany* **25**, 363-365
- Burton, G.W. and Ingold, K.U. (1981) Autoxidation of biological molecules. 1. The autoxidation of vitamin E and related chain breaking antioxidants *in vitro*. *Journal of the American Chemical Society* **103**, 6472-6477
- Butler, L.G. (1988) Effects of condensed tannin on animal nutrition. p. 553. In: *Chemistry and Significance of Condensed Tannins*, R.W. Hemingway and J.J. Karchesy, eds. Plenum Press, New York, N.Y.
- Cabello, C.M., Bair, W.B. and Wondrak, G.T. (2007) Experimental therapeutics: Targeting the redox Achilles heel of cancer. *Current Opinion in Investigational Drugs* **8**, 1022-1037
- Cadenas, E., Hochstein, P. and Ernster, L. (1992) Pro- and antioxidant functions of quinones and quinone reductases in mammalian cells. *Advances in Enzymology and Related Areas of Molecular Biology* **65**, 97-146
- Calderone, R.A., ed. (2002) *Candida and Candidiasis*. ASM Press, Washington, D.C., p. 67
- Caldwell, C.R. (2001) Oxygen radical absorbance capacity of the phenolic compounds in plant extracts fractionated by high-performance liquid chromatography. *Analytical Biochemistry* **293**, 232-238
- Cao, G.H., Alessio, H. and Cutler, R.G. (1993) Oxygen-radical absorbency capacity assay for antioxidants. *Free Radical Biology & Medicine* **14**, 303-311
- Cao, G., Booth, S.L., Sadowski, J.A. and Prior, R.L. (1998) Increases in human plasma antioxidant capacity after consumption of controlled diets high in fruit and vegetables. *American Journal of Clinical Nutrition* **68**, 1081-1087
- Cao, G. and Prior, R.L. (1999) Anthocyanins are detected in human plasma after oral administration of an elderberry extract. *Clinical Chemistry* **45**, 574-576
- Cao, G., Prior, R.L., Cutler, R.G. and Yu, B.P. (1997) Effect of dietary restriction on serum antioxidant capacity in rats. *Archives of Gerontology and Geriatrics* **25**, 245-253

- Cao, G., Sofic, E. and Prior, R.L. (1996) Antioxidant capacity of tea and common vegetables. *Journal of Agricultural and Food Chemistry* **44**, 3426–3431
- Carter, P. (1971) Spectrophotometric determination of serum iron at the submicrogram level with a new reagent (ferrozine). *Analytical Biochemistry* **40**, 450–458
- Ceylan, E. and Fung, D.Y.C. (2004) Antimicrobial activity of spices. *Journal of Rapid Methods and Automation in Microbiology* **12**, 1–55
- Chance, B., Sies, H. and Boveris, A. (1979) Hydroperoxide metabolism in mammalian organs. *Physiological Reviews* **59**, 527–605
- Chen, Y., Wang, M., Rosen, R.T. and Ho, C.T. (1999) 2,2-Diphenyl-1-picrylhydrazyl radical-scavenging active components from *Polygonum multiflorum* Thunb. *Journal of Agricultural and Food Chemistry* **47**, 2226–2228
- Chhetri, D.R., Basnet, D., Chiu, P.F., Kalikotay, S., Chhetri, G. and Parajuli, S. (2005) Current status of ethnomedicinal plants in the Darjeeling Himalaya. *Current Science* **89**, 264–268
- Cichewicz, R.H. and Thorpe, P.A. (1996) The antimicrobial properties of chile peppers (*Capsicum* species) and their uses in Mayan medicine. *Journal of Ethnopharmacology* **52**, 61–70
- Das, A.P. and Mandal, S. (2003) Some *Medicinal Plants of Darjeeling Hills*. WWF-India, West Bengal State Office, Kolkata, p. 95
- Davies, J.A. (1987) Protein damage and degradation by oxygen radicals. I. General aspects. *Journal of Biological Chemistry* **262**, 9895–9901
- Dean, R.T., Fu, S., Stocker, R. and Davies, M.J. (1997) Biochemistry and pathology of radical mediated protein oxidation. *Biochemical Journal* **324**, 1–18
- Deeni, Y. and Hussain, H. (1991) Screening for antimicrobial activity and for alkaloids of *Nauclea latifolia*. *Journal of Ethnopharmacology* **35**, 91–96
- Demple, B. and Harrison, L. (1994) Repair of oxidative damage to DNA: Enzymology and biology. *Annual Review of Biochemistry* **63**, 915–948
- Desagher, S. and Martinou, J.C. (2000) Mitochondria as the central control point of apoptosis. *Trends in Cell Biology* **10**, 369–377
- Dhuley, J. (1998) Therapeutic efficacy of ashwagandha against experimental aspergillosis in mice. *Immunopharmacology and Immunotoxicology* **20**, 191–198
- District Statistical Handbook, Darjeeling* (2002) Bureau of Applied Economics and Statistics, Government of West Bengal, Kolkata
- Dizdaroglu, M. (1993) Chemistry and free radical damage to DNA and nucleoproteins. In: *DNA and Free Radicals*, B. Halliwell and O.I. Aruoma, eds. Ellis Harwood, Chichester, UK, pp. 19–39
- Dominguez, M., Nieto, A., Marin, J.C., Keck, A.-S., Jeffery, E. and Céspedes, C.L. (2005) Antioxidant activities of extracts from *Barkleyanthus salicifolius* (Asteraceae) and *Penstemon gentianoides* (Scrophulariaceae). *Journal of Agriculture and Food Chemistry* **53**, 5889–5895
- Duarte, M.C., Figueira, G.M. Sartoratto, A., Rehder, V.L. and Delarmelina, C. (2005) Anti-*Candida* activity of Brazilian medicinal plants. *Journal of Ethnopharmacology* **97**, 305–311
- Duffy, C.F. and Power, R.F. (2001) Antioxidant and antimicrobial properties of some Chinese plant extracts. *International Journal of Antimicrobial Agents* **17**, 527–529
- Duke, J.A. (1985) *Handbook of Medicinal Herbs*. CRC Press, Inc., Boca Raton, FL, p. 677
- Dwivedi, C. and Abu-Ghazaleh, A. (1997) Chemopreventive effects of sandalwood oil on skin papillomas in mice. *European Journal of Cancer Prevention* **6**, 399–401
- Ehlenfeldt, M.K. and Prior, R.L. (2001). Oxygen radical absorbance capacity (ORAC) and phenolic and anthocyanin concentrations in fruit and leaf tissues of high bush blueberry. *Journal of Agricultural and Food Chemistry* **49**, 2222–2227

- Elia, M.C., Storer, R.D., Harmon, L.S., Kraynak, A.R., McKelvey, T.W., Hertzog, P.R., Keenan, K.P., DeLuca, J.G. and Nichols, W.W. (1993) Cytotoxicity as measured by trypan blue as a potentially confounding variable in the in vitro alkaline elution/rat hepatocyte assay. *Mutation Research* **291**, 193-205
- El-Seedi, H.R., Sata, N., Torssell, K.B. and Nishiyama, S. (2002) New labdene diterpenes from *Eupatorium glutinosum*. *Journal of Natural Products* **65**, 728-729
- Escarpa, A. and González, M.C. (2001) Approach to the contents of total extractable phenolic compounds from different food samples by comparison of chromatographic and spectrophotometric methods. *Analytica Chimica Acta* **427**, 119-127
- Esterbauer, H. (1996) Estimation of peroxidative damage: a critical review. *Pathologie. Biologie* **44**, 25-28
- Finkelstein, E., Rosen, G.M. and Rauckman, E.J. (1980) Spin trapping: Kinetics of the reaction of superoxide and hydroxyl radicals with nitrones. *Journal of the American Chemical Society* **102**, 4994-4999
- Fish, F., Meshal, I. and Waterman, P. (1976) Minor alkaloids of *Araliopsis tabouensis*. *Planta Medica* **29**, 310-317
- Foti, M.C., Daquino, C. and Geraci, C. (2004) Electron-transfer reaction of cinnamic acids and their methyl esters with the DPPH radical in alcoholic solutions. *The Journal Organic Chemistry* **69**, 2309-2314
- Foti, P., Erba, D., Riso, P., Spadafranca, A., Criscuoli, F. And Testolin G. (2005) Comparison between daidzein and genistein antioxidant activity in primary and cancer lymphocytes. *Archives of Biochemistry and Biophysics* **433**, 421-427
- Frisvad, J.C. and Samson, R.A. (1991) Filamentous fungi in foods and feeds: Ecology, spoilage and mycotoxins production. In: *Handbook of Applied Mycology: Foods and Feeds*, D.K. Arora, K.G. Mukerji and E.H. Marth, eds, vol. 3. Marcel Dekker, New York, N.Y., pp. 31-68
- Fylaktakidou, K.C., Hadjipavlou-Litina, D.J., Litinas, K.E. and Nicolaides, D.N. (2004) Natural and synthetic coumarin derivatives with anti-inflammatory/ antioxidant activities. *Current Pharmaceutical Design* **10**, 3813-3833
- Gao, Y., van Belkum, M.J. and Stiles, M.E. (1999) The outer membrane of Gram negative bacteria inhibits antibacterial activity of brochocin-C. *Applied and Environmental Microbiology* **65**, 4329-4333
- Geissman, T.A. (1963) Flavonoid compounds, tannins, lignins and related compounds, p. 265. In: *Pyrrrole pigments, isoprenoid compounds and phenolic plant constituents*, vol. 9, M. Florkin and E.H. Stotz, eds. Elsevier, New York, N.Y.
- Ghiselli, A., Serafini, M., Maiani, G., Azzini, E. and Ferroluzzi, A. (1995) A fluorescence-based method for measuring total plasma antioxidant capability. *Free Radical Biology & Medicine* **18**, 29-36
- Giasson, B.I., Duda, J.E., Murray, IV, Chen, Q., Souza, J.M., Hurtig, H.I., Ischiropoulos, H., Trojanowski, J.Q. and Lee, V.M. (2000) Oxidative damage linked to neurodegeneration by selective alpha-synuclein nitration in synucleinopathy lesions. *Science* **290**, 985-989
- Gil, M.I., Tomás-Barberán, F.A., Hess-Pierce, B., Holcroft, D.M. and Kader, A.A. (2000) Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *Journal of Agricultural and Food Chemistry* **48**, 4581-4589
- Girotti, A.W. (1985) Mechanism of lipid peroxidation. *Free Radical Biology & Medicine* **1**, 87-95
- Gordon, M.H. (1990) The mechanism of antioxidant action in vitro, pp. 1-18 In: *Food Antioxidants*, B.J.F. Hudson, ed. Elsevier Applied Science, London
- Grotewold, E. (2006) *The Science of Flavonoids*. Springer, New York, N.Y., p. 273
- Gülçin, I., Oktay, M., Kireççi, E. and Küfrevioliu, O. (2003) Screening of antioxidant and antimicrobial activities of anise (*Pimpinella anisum* L.) seed extracts. *Food Chemistry* **83**, 371-382
- Guo, C., Cao, G., Sofic, E. and Prior, R.L. (1997) High performance liquid chromatography coupled with coulometric array detection of electroactive components in fruits and vegetables: Relationship to oxygen radical absorbance. *Journal of Agricultural and Food Chemistry* **45**, 1787-1796

- Halliwell, B. (1990) How to characterize a biological antioxidant. *Free Radical Research Communications* **9**, 1–32
- Halliwell, B. (1995) Antioxidant characterization: Methodology and mechanism. *Biochemical Pharmacology* **49**, 1341–1348
- Halliwell, B. (1997) Antioxidants and human diseases: A general introduction. *Nutrition Reviews* **55**, S44–S52
- Halliwell, B. and Aruoma, O.I., eds. (1993) *DNA and Free Radicals*. Ellis Harwood, New York, N.Y., p. 332
- Halliwell, B. and Gutteridge, J.M.C. (1981) Formation of a thiobarbituric-acid-reactive substance from deoxyribose in the presence of iron salts: The role of superoxide and hydroxyl radicals. *FEBS Letters* **128**, 347–352
- Halliwell, B. and Gutteridge, J.M.C. (1999) *Free Radicals in Biology and Medicine*, 3rd edn. Oxford University Press, Oxford, U.K.
- Halliwell, B., Gutteridge, J.M. and Aruoma, O.I. (1987) The deoxyribose method: a simple 'test tube' assay for determination of rate constants for reactions of hydroxyl radicals. *Analytical Biochemistry* **165**, 215–219
- Hanasaki, Y., Ogawa, S. and Fukui, S. (1994) The correlation between active oxygens scavenging and antioxidative effects of flavonoids. *Free Radical Biology & Medicine* **16**, 845–850
- Handelman, G.J., Cao, G., Walter, M.F., Nightingale, Z.D., Paul, G.L., Prior, R.L. and Blumberg, J.B. (1999) Antioxidant capacity of oat (*Avena sativa* L.) extracts. 1. Inhibition of low-density lipoprotein oxidation and oxygen radical absorbance capacity. *Journal of Agricultural and Food Chemistry* **47**, 4888–4893
- Harborne, J.B., ed. (1993) *The Flavonoids: Advances in Research Since 1986*. Chapman and Hall, London
- Harman, D. (1992) Free radical theory of aging. *Mutation Research* **275**, 257–266
- Haslam, E. (1996) Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *Journal of Natural Products* **59**, 205–215
- Heinonen, M. (2007) Antioxidant activity and antimicrobial effect of berry phenolics - a Finnish perspective. *Molecular Nutrition & Food Research* **51**, 684–691
- Hemaiswarya, S., Kruthiventi, A.K. and Doble, M. (2008) Synergism between natural products and antibiotics against infectious diseases. *Phytomedicine* **15**, 639–652
- Hogg, N. and Kalyanaraman, B. (1999) Nitric oxide and lipid peroxidation. *Biochimica et Biophysica Acta (BBA) – Bioenergetics* **1411**, 378–384
- Hou, W.C., Lee, M.H., Chen, H.J., Liang, W.L., Han, C.H., Liu, Y.W. and Lin, Y.H. (2001) Antioxidant activities of dioscorin, the storage protein of yam (*Dioscorea batatas* Decne). *Journal of Agricultural and Food Chemistry* **49**, 4956–4960
- Houghton, P.J., Woldemariam, T.Z., Khan, A.I., Burke, A. and Mahmood, N. (1994) Antiviral activity of natural and semi-synthetic chromosome alkaloids. *Antiviral Research* **25**, 235–244
- Hoult, J.R.S. and Paya, M. (1996) Pharmacological and biochemical actions of simple coumarins: natural products with therapeutic potential. *General Pharmacology* **27**, 713–722
- Irvine, F.R. (1961) *The Woody Plants of Ghana*. Oxford Press, UK, p. 868
- Iwu, M.M. (1993) *Handbook of African Medicinal Plants*. C.R.C. Press, Boca Raton, FL
- Jackson, M.J., Papa, S., Bolanos, J., Bruckdorfer, R., Carlsen, H., Elliott, R.M., Flier, J., Griffiths, H.R., Heales, S., Holst, B., Lorusso, M., Lund, E., Moskaug, J. O., Moser, U., Di Paola, M., Polidori, M.C., Signorile, A., Stahl, W., Vina-Ribes, J. and Astley, S.B. (2002) Antioxidants, reactive oxygen and nitrogen species, gene induction and mitochondrial function. *Molecular Aspects of Medicine* **23**, 209–285
- Jaruga, P., Zastawny, T.H., Skokowski, J., Dizdaroglu, M. and Olinski, R. (1994) Oxidative DNA base damage and antioxidant enzyme activities in human lung cancer. *FEBS Letters* **341**, 59–64

- Jeevan Ram, A., Bhakshu, L.M. and Venkata Raju, R.R. (2004) In vitro antimicrobial activity of certain medicinal plants from Eastern ghats, India, used for skin diseases. *Journal of Ethnopharmacology* **90**, 353–357
- Jia, Z., Tang, M. and Wu, J. (1999) The determination of flavonoid content in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry* **64**, 555-599
- Kähkönen, M.P., Hopia, A.I., Vuorela, H.J., Rauha, J.P., Pihlaja, K., Kujala, T.S. and Heinonen, M. (1999) Antioxidant activity of plant extracts containing phenolic compounds. *Journal of Agricultural and Food Chemistry* **47**, 3954-3962
- Kähkönen, M.P., Hopia, A.I. and Heinonen, M. (2001) Berry phenolics and their antioxidant activity. *Journal of Agricultural and Food Chemistry* **49**, 4076-4082
- Kalemba, D. and Kunicka, A. (2003) Antibacterial and antifungal properties of essential oils. *Current Medicinal Chemistry* **10**, 813–829
- Kalt, W., Forney, C.F., Martín, A. and Prior, R.L. (1999) Antioxidant capacity, vitamin C, phenolics, and anthocyanins after fresh storage of small fruits. *Journal of Agricultural and Food Chemistry* **47**, 4638–4644
- Katerere, D.R., Gray, A.I., Nash, R.J. and Waigh, R.D. (2003) Antimicrobial activity of pentacyclic triterpenes isolated from African Combretaceae, *Phytochemistry* **63**, 81–88
- Kavli, G., Raa, J., Johnson, B.E., Volden, G. and Haugsbo, S. (1983) Furocoumarins of *Heracleum laciniatum*: isolation, phototoxicity, absorption and action spectra studies. *Contact Dermatitis* **9**, 257–262
- Keating, G.J. and O’Kennedy, R. (1997) The chemistry and occurrence of coumarins, p. 23-26. In: *Coumarins: Biology, Applications and Mode of Action*, R. O’Kennedy and R.D. Thornes, eds. John Wiley & Sons, Inc., New York, N.Y.
- King, S.R. and Tempesta, M.S. (1994) From shaman to human clinical trials: the role of industry in ethnobotany, conservation and community reciprocity. *Ciba Foundation Symposium* **185**, 197–206
- Klausmeyer, P., Chmurny, G.N., McCloud, T.G., Tucker, K.D. and Shoemaker, R.H. (2004) A novel antimicrobial indolizinium alkaloid from *Aniba panurensis*. *Journal of Natural Products* **67**, 1732–1735
- Koné, W.M., Kamanzi Atindehou, K., Terreaux, C., Hostettmann, K, Traoré, D. and Dosso, M. (2004) Traditional medicine in North Côte-d’Ivoire: Screening of 50 medicinal plants for antibacterial activity. *Journal of Ethnopharmacology* **93**, 43–49
- Kulkarni, M.V., Kulkarni, G.M., Lin, C.H. and Sun, C.M. (2006) Recent advances in coumarins and 1-azacoumarins as versatile biodynamic agents. *Current Medicinal Chemistry* **13**, 2795-2818
- Kumar, G.S., Jayaveera, K.N., Kumar, C.K.A., Sanjay, U.P., Swamy, B.M.V. and Kumar, D.V.K. (2007) Antimicrobial effects of Indian medicinal plants against acne-inducing bacteria. *Tropical Journal of Pharmaceutical Research* **6**, 717-723
- Lamidi, M., Ollivier, E., Faure, R., Debrauwer, L., Nze-Ekekang, L. and Balansard, G. (1995) Quinovic acid glycosides from *Nauclea diderichii*. *Planta Medica* **61**, 280–281
- Larrauri, J.A., Sánchez-Moreno, C., Rupérez, P. and Saura-Calixto, F. (1999) Free radical scavenging capacity in the aging of selected red Spanish wines. *Journal of Agricultural and Food Chemistry* **47**, 1603–1606
- Lebeau, J., Furman, C., Bernier, J.L., Duriez, P., Teisser, E. and Cotelle, N. (2000) Antioxidant properties of di-tertbutyl-hydroxylated flavonoids. *Free Radical Biology & Medicine* **29**, 900–912
- Lee, C. (2000) Antioxidant ability of caffeine and its metabolites based on the study of oxygen-radical absorbing capacity and inhibition of LDL peroxidation. *Clinica Chimica Acta* **295**, 141–145
- Liebler, D.C. (1993) The role of metabolism in the antioxidant function of vitamin E. *Critical Reviews in Toxicology* **23**, 147-169

- Lin, F., Hasegawa, M. and Kodama, O. (2003) Purification and identification of antimicrobial sesquiterpene lactones from yacon (*Smallanthus sonchifolius*) leaves. *Bioscience Biotechnology, and Biochemistry* **67**, 2154–2159
- Liu, M., Li, X.Q., Weber, C., Lee, C.Y., Brown, J. and Liu, R.H. (2002) Antioxidant and antiproliferative activities of raspberries. *Journal of Agricultural and Food Chemistry* **50**, 2926–2930
- López, A., Hudson, J.B. and Towers, G.H. (2001) Antiviral and antimicrobial activities of Colombian medicinal plants. *Journal of Ethnopharmacology* **77**, 189–196
- Lopez, P., Sanchez, C., Batlle, R. and Nerin, C. (2005) Solid- and vapor-phase antimicrobial activities of six essential oils: susceptibility of selected foodborne bacterial and fungal strains. *Journal of Agricultural and Food Chemistry* **53**, 6939–6946
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951) Protein measurement with the folin phenol reagent. *Journal of Biological Chemistry* **193**, 265–275
- Lucas, D.T. and Szweida L.I. (1998) Cardiac reperfusion injury: Aging, lipid peroxidation, and mitochondrial dysfunction. *Proceedings of the National Academy of Sciences of the United States of America* **95**, 510–514
- Machado, T.B., Pinto, A.V., Pinto, M.C., Leal, I.C., Silva, M.G., Kuster, R.M.A. and Santos, K.R.N. (2003) In vitro activity of Brazilian medicinal plants, naturally occurring naphthoquinones and their analogues, against methicillin-resistant *Staphylococcus aureus*. *International Journal of Antimicrobial Agents* **21**, 279–284
- Manonmani, S., William, S., Subramanian, S. and Govindasamy, S. (1991) Biochemical studies on the anti-diarrhoeal effects of Cauvery-100, an ayurvedic formulation, in rats. *Biochemistry International* **24**, 701–708
- Masahiro, T., Takeshi, M., Akie, T., Hisayuki, K., Ken'ya, S., Tomoko, F., Hiroyuki, K., Eiji, I., Sayaka, N. and Norio, M. (2007) Antioxidant activity and anti-allergic activity of *Fragaria ananassa* leaf. *Japanese Journal of Pharmacognosy* **61**, 18–23
- Mason, T.L. and Wasserman, B.P. (1987) Inactivation of red beet betaglucan synthase by native and oxidized phenolic compounds. *Phytochemistry* **26**, 2197–2202
- Mello-Filho, A.C. and Meneghini, R. (1991) Iron is the intracellular metal involved in the production of DNA damage by oxygen radicals. *Mutation Research* **251**, 109–113
- Merken, H.M. and Beecher, G.R. (2000) Measurement of food flavonoids by high-performance liquid chromatography: A review. *Journal of Agricultural and Food Chemistry* **48**, 577–599
- Meyer, A.S., Yi, O.S., Pearson, D.S., Waterhouse, A.L. and Frankel, E.N. (1997) Inhibition of low density lipoprotein oxidation in relation to composition of phenolic antioxidants in grape (*Vitis vinifera*). *Journal of Agricultural and Food Chemistry* **45**, 1638–1643
- Meyers, K.J., Watkins, C.B., Pritts, M.P. and Liu, R.H. (2003) Antioxidant and antiproliferative activities of strawberries. *Journal of Agricultural and Food Chemistry* **51**, 6887–6892
- Mikkola, R., Kolari, M., Andersson, M.A., Helin, J. and Salkinoja-Salonen, M.S. (2000) Toxic lactonic lipopeptide from food poisoning isolates of *Bacillus licheniformis*. *European Journal of Biochemistry* **267**, 4068–4074
- Mikkola, R., Andersson, M.A., Grigoriev, P., Teplova, V.V., Saris, N.E., Rainey, F.A. and Salkinoja-Salonen, M.S. (2004) *Bacillus amyloliquefaciens* strains isolated from moisture-damaged buildings produced surfactin and a substance toxic to mammalian cells. *Archives of Microbiology* **181**, 314–323
- Miller, N.J. and Rice-Evans, C.A. (1997) The relative contributions of ascorbic acid and phenolic antioxidants to the total antioxidant activity of orange and apple fruit juices and blackcurrant drink. *Food Chemistry* **60**, 331–337
- Milner, J.A. (1994). Reducing the risk of cancer, pp. 39–70. In: *Functional Foods: Designer Foods, Pharmafoods, Nutraceuticals*. I. Goldberg, ed. Chapman & Hall, New York, N.Y.

- Minamiyama, Y., Andoshikawa, T., Tanigawa, T., Takahashi, S., Naito, Y., Ichikawa, H. and Kondo, M. (1994) Antioxidative effects of a processed grain food. *Journal of Nutritional Science and Vitaminology* **40**, 467-477
- Moerman, D.E. (1996) An analysis of the food plants and drug plants of native North America. *Journal of Ethnopharmacology* **52**, 1-22
- Moss, M.O. (1998) Recent studies of mycotoxins. *Journal of Applied Microbiology* **84**, 62S-76S
- Mosmann, T. (1983) Rapid colorimetric assay for cellular growth and survival: applications to proliferation and cytotoxicity assays. *Journal of Immunological Methods* **65**, 55-63
- Murray, P.R., Baron, E.J., Pfaller, M.A., Tenover, F.C. and Tenover, R.H., eds. (1995) *Manual of Clinical Microbiology*, 6th edn. ASM Press, Washington, D.C.
- Musarrat, J. and Wani, A.A. (1994) Quantitative immunoanalysis of promutagenic 8-hydroxy-2-deoxyguanosine in oxidized DNA. *Carcinogenesis* **15**, 2037-2043
- Nair, R. and Chanda, S. (2006) Activity of some medicinal plants against certain pathogenic bacterial strains. *Indian Journal of Pharmacology* **38**, 142-144
- Nandi, R.P. (1997) *Little Known Medicinal Plants of Darjeeling Himalayan Hills*. Indian Council of Alternative Medicines, Kolkata
- Nawar, W.W. (1996) Lipids. In: *Food Chemistry*, O.R. Fennema, ed., pp. 225-319. Marcel Dekker, Inc., New York
- Negi, S.S. (1993) In: Floral diversity and botanical regions. In: *Biodiversity and Its Conservation in India*. Indus Publishing, New Delhi
- Nelson, R. (1982) The comparative clinical pharmacology and pharmacokinetics of vindesine, vincristine and vinblastine in human patients with cancer. *Medical and Pediatric Oncology* **10**, 115-127
- Ngwendson, J.N., Bedir, E., Efang, S.M., Okunji, C.O., Iwu, M.M., Schuster, B.G. and Khan, I.A. (2003) Constituents of *Peucedanum zenkeri* seeds and their antimicrobial effects. *Die Pharmazie* **58**, 587-589
- Nikaido, H. (1994) Prevention of drug access to bacterial targets - permeability barriers and active efflux. *Science* **264**, 382-388
- Nikaido, H. (1996) Outer membrane, pp. 29-47. In: *Escherichia coli and Salmonella typhimurium: Cellular and Molecular Biology*, F.C. Neidhardt, ed. ASM Press, Washington, D.C.
- Noguchi, N., Komuro, E., Niki, E. and Willson, R.L. (1994) Action of curcumin as an antioxidant against lipid peroxidation. *Journal of Japanese Oil Chemists' Society* **43**, 1045-1051
- O'Neill, P. and Fieden, E.M. (1993) Primary free radical processes in DNA, pp. 53-120. In: *Primary Free Radical Processes in DNA: Advances in Radiation Biology*. Academic Press, New York, N.Y.
- Okhawa, H., Ohishi, N. and Yagi, K. (1979) Assay of lipid peroxides in animal tissues by thiobarbituric acid reaction. *Analytical Biochemistry* **95**, 351-358
- Ono, K., Nakane, H., Fukushima, M., Chermann, J.C. and Barre-Sinoussi, F. (1989) Inhibition of reverse transcriptase activity by a flavonoid compound, 5,6,7-trihydroxyflavone. *Biochemical and Biophysical Research Communications* **3**, 982-987
- Oyaizu, M. (1986) Studies on product of browning reaction prepared from glucose amine. *Japanese Journal of Nutrition* **44**, 307-315
- Pansarasa, O., Bertorelli, L., Vecchiet, J., Felzani, G. and Marzatico, F. (1999) Age-dependent changes of antioxidant activities and markers of free radical damage in human skeletal muscle. *Free Radical Biology & Medicine* **27**, 617-622
- Paranjpe, P. and Kulkarni, P.H. (1995) Comparative efficacy of four Ayurvedic formulations in the treatment of acne vulgaris: a double-blind randomised placebo-controlled clinical evaluation. *Journal of Ethnopharmacology* **49**, 127-132

- Patt, H.M., Turee, E.B., Straube, R.L. and Smith, D.E. (1949) Cysteine protection against X irradiation. *Science* **110**, 213-214
- Peres, M.T.L.P., Monache, F.D., Cruz, A.B., Pizzolatti, M.G. and Yunes, R.A. (1997) Chemical composition and antimicrobial activity of *Croton urucurana* Baillon (Euphorbiaceae). *Journal of Ethnopharmacology* **56**, 223-226
- Pin-Der-Duh, X. (1998) Antioxidant activity of burdock (*Arctium lappa* Linne): its scavenging effect on free-radical and active oxygen. *Journal of the American Oil Chemists' Society* **75**, 455-461
- Porter, N.A. (1984) Chemistry of lipid peroxidation. *Methods in Enzymology* **105**, 273-282
- Prior, R.L. and Cao, G. (1999) Antioxidant capacity and polyphenolic components of teas: Implications for altering in vivo antioxidant status. *Proceedings of the Society for Experimental Biology and Medicine* **220**, 255-261
- Prior, R.L., Wu, X. and Schaich, K. (2005) Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry* **53**, 4290-4302
- Pryor, W.A., Cornicelli, J.A., Devall, L.J., Tait, B., Trivedi, B.K., Witiak, D.T. and Wu, M. (1993) A rapid screening test to determine the antioxidants potencies of natural and synthetic antioxidants. *Journal of Organic Chemistry* **58**, 3521-3532
- Pryor, W.A. (1966). *Free Radicals*. McGraw-Hill, New York, N.Y., p. 355
- Pulido, R., Bravo, L. and Saura-Calixto, F. (2000) Antioxidant activity of dietary polyphenols as determined by a modified ferric reducing/antioxidant power assay. *Journal of Agricultural and Food Chemistry* **48**, 3396-3402
- Puupponen-Pimiä, R., Nohynek, L., Meier, C., Kähkönen, M., Heinonen, M., Hopia, A. and Oksman-Caldentey, K.M. (2001) Antimicrobial properties of phenolic compounds from berries. *Journal of Applied Microbiology* **90**, 494-507
- Quick, K.L., Hardt, J.I. and Dugan, L.L. (2000) Rapid microplate assay for superoxide scavenging efficiency. *Journal of Neuroscience Methods* **97**, 138-144
- Rahman, M.M., Wahed, M.I.I., Biswas, M.H.U., Sadik, G.M.G. and Haque, M.E. (2001) In vitro antibacterial activity of the compounds of *Trapa bispinosa* Roxb. *Science* **1**, 214-216
- Rai, P.C., Sarkar, A., Bhujel, R.B. and Das, A.P. (1998) Ethnomedicinal studies in some fringe areas of Sikkim and Darjeeling Himalaya. *Journal of Hill Research* **11**, 12-21
- Rai, S.K. and Bhujel, R.B. (1999) Notes on some less known ethnomedicinal plants from Darjeeling Himalaya. *Journal of Hill Research* **12**, 160-163
- Rai, S.K. and Bhujel, R.B. (2002) Ethnic uses of some monocotyledonous plants in the Darjeeling Himalayan region, pp. 635-644. In: *Perspectives of Plant Biodiversity*, A.P. Das, ed. Bishen Singh Mahendra Pal Singh, Dehradun, India
- Rampon, V., Lethuaut, L., Mouhous-Riou, N. and Genot, C. (2001) Interface characterization and aging of bovine serum albumin stabilized oil-in-water emulsions as revealed by frontsurface fluorescence. *Journal of Agricultural and Food Chemistry* **49**, 4046-4051
- Rapisarda, P., Tomaino, A., Lo Cascio, R., Bonina, F., De Pasquale, A. and Saija, A. (1999) Antioxidant effectiveness as influenced by phenolic content of fresh orange juices. *Journal of Agricultural and Food Chemistry* **47**, 4718-4723
- Rauha, J.P., Remes, S., Heinonen, M., Hopia, A., Kähkönen, M., Kujala, T., Pihlaja, K., Vuorela, H. and Vuorela, P. (2000) Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology* **56**, 3-12
- Ray, P.G. and Majumdar, S.K. (1976) Antimicrobial activity of some Indian plants. *Economic Botany* **30**, 317-320

- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. and Rice-Evans, C. (1999) Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology & Medicine* **26**, 1231-1237
- Recio, M.C., Ríos, J.L. and Villar, A. (1989) A review of some antimicrobial compounds isolated from medicinal plants reported in the literature 1978-88. *Phytotherapy Research* **3**, 117-125
- Rice-Evans, C.A., Miller, N.J., Bolwell, P.G., Bramley, P.M. and Pridham, J.B. (1995) The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Radical Research* **22**, 375-383
- Richter, C. (1992) Reactive oxygen and DNA damage in mitochondria. *Mutation Research* **275**, 249-255
- Ríos, J.L., Recio, M.C. and Villar, A. (1988) Screening methods for natural products with antimicrobial activity: a review of the literature. *Journal of Ethnopharmacology* **23**, 127-149
- Rojas, A., Hernandez, L., Pereda-Miranda, R. and Mata, R. (1992) Screening for antimicrobial activity of crude drug extracts and pure natural products from Mexican medicinal plants. *Journal of Ethnopharmacology* **35**, 275-283
- Russell, A.D. (1991) Mechanisms of bacterial-resistance to non-antibiotics — food-additives and food and pharmaceutical preservatives. *Journal of Applied Bacteriology* **71**, 191-201
- Sajjadi, S.E. and Noroozi, P. (2007) Isolation and identification of xanthotoxin (8-methoxypsoralen) from the fruits of *Heracleum persicum*. Desf. ex. Fischer *Research in Pharmaceutical Sciences* **2**, 13-16
- Salah, N., Millerm, N.J., Paganga, G., Tijburg, L., Bolwell, G.P. and Rice-Evans, C. (1995) Polyphenolic flavanols as scavengers of aqueous phase radicals and as chain breaking antioxidants. *Archives of Biochemistry and Biophysics* **322**, 339-346
- Salkinoja-Salonen, M.S., Vuorio, R., Andersson, M.A., Kämpfer, P., Andersson, M.C., Honkanen-Buzalski, T. and Scoging, A.C. (1999) Toxicogenic strains of *Bacillus licheniformis* related to food poisoning. *Applied and Environmental Microbiology* **65**, 4637-4645
- Salvat, A., Antonacci, L., Fortunato, R.H., Su´arez, E.Y. and Godoy, H.M. (2004) Antimicrobial activity in methanolic extracts of several plant species from northern Argentina. *Phytomedicine* **11**, 230-234
- Sanchez-Moreno, C. (2002) Review: Methods used to evaluate the free radical scavenging activity in foods and biological systems. *Food Science and Technology International* **8**, 121-137
- Sanchez-Moreno, C., Larrauri, Z.A. and Saura-Calixto, F. (1998) A procedure to measure the antiradical efficiency of polyphenols. *Journal of the Science of Food and Agriculture* **76**, 270-276
- Sawer, I., Berry, M., Brown, M. and Ford, J. (1995) The effect of cryptolepine on the morphology and survival of *Escherichia coli*, *Candida albicans* and *Saccharomyces cerevisiae*. *Journal of Applied Bacteriology* **79**, 314-321
- Scalbert, A. (1991) Antimicrobial properties of tannins. *Phytochemistry* **30**, 3875-3883
- Schultes, R.E. (1978) The kingdom of plants, p. 208. In: *Medicines from the Earth*, W.A.R. Thomson, ed. McGraw-Hill, New York, N.Y.
- Schultz, J.C. (1988) Tannin-insect interactions, p. 553. In: *Chemistry and Significance of Condensed Tannins*, R.W. Hemingway and J.J. Karchesy, eds. Plenum Press, New York, N.Y.
- Schwartzmann, G., Ratain, M.J., Cragg, G.M., Wong, J.E., Saijo, N., Parkinson, D.R., Fujiwara, Y., Pazdur, R., Newman, D.J., Dagher, R. and Di Leone, L. (2002) Anticancer drug discovery and development throughout the world. *Journal of Clinical Oncology* **20**, 47S-59S
- Shah, L., Patil, S.P. and Patil, J. (1997) Observations on clinical evaluation of indigenous herbal drugs in the treatment of mental illnesses. *Indian Journal of Pharmacology* **29**, S347-S349
- Shigenaga, M.K., Hagen, T.M. and Ames, B.N. (1994) Oxidative damage and mitochondrial decay in aging. *Proceedings of the National Academy of Sciences of the United States of America* **91**, 10771-10778
- Shyu, Y.-S. and Hwang, L.S. (2002) Antioxidant activity of the crude extract of lignan glycosides from unroasted Burma black sesame meal. *Food Research International* **35**, 357-365

- Sies, H., ed. (1991) *Oxidative Stress: Oxidants and Antioxidants*. Academic Press, New York, N.Y.
- Silva, F.A.M., Borges, F., Guimaraes, C., Lima, J.L.F.C., Matos, C. and Reis, S. (2000) Phenolic acids and derivatives: studies on the relationship among structure, radical scavenging activity, and physicochemical parameters. *Journal of Agricultural and Food Chemistry* **48**, 2122–2126
- Silva, O., Duarte, A., Cabrita, J., Pimentel, M., Diniz, A. and Gomes, E. (1996) Antimicrobial activity of Guinea-Bissau traditional remedies. *Journal of Ethnopharmacology* **50**, 55–59
- Singleton, V.L., Orthofer, R., Lamuela-Ravenos, R.M. (1999) Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin–Ciocalteu reagent. *Methods in Enzymology* **299**, 15–27
- Singleton, V.L. and Rossi J.A. Jr., (1965) Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture* **16**, 144–158
- Skerget, M., Kotnik, P., Hadolin, M., Hras, A.R., Simonic, M. and Knez, Z. (2005) Phenols, proanthocyanidins, flavones and flavonols in some plant materials and their antioxidant activities. *Food Chemistry* **89**, 191–198
- Skinner, D. and Keefer, C.S. (1941) Significance of bacteremia caused by *Staphylococcus aureus*. *Archives of Internal Medicine* **68**, 851–875
- Sohn, H.Y., Son, K.H., Kwon, C.S., Kwon, G.S. and Kang, S.S. (2004) Antimicrobial and cytotoxic activity of 18 prenylated flavonoids isolated from medicinal plants: *Morus alba* L., *Morus mongolica* Schneider, *Broussonetia papyrifera* (L.) Vent, *Sophora flavescens* Ait and *Echinosophora koreensis* Nakai. *Phytomedicine* **11**, 666–672
- Stadtman, E.R. (1992) Protein oxidation and ageing. *Science* **257**, 1220–1224
- Steinmetz, K.A. and Potter, J.D. (1991) Vegetables, fruit, and cancer. II. Mechanisms. *Cancer Causes Control* **2**, 427–442
- Stich, H.F. and Rosin, M.P. (1984) Naturally occurring phenolics as antimutagenic and anticarcinogenic agents. *Advances in Experimental Medicine and Biology* **177**, 1–29
- Subramanian, M. (2005) Studies on the redox and radiomodifying properties of some biologically active compounds. University of Mumbai, Mumbai
- Suffredini, J.B., Sader, H.S., Goncalves A.G., Reis, A.O., Gale,s A.C., Varella, A.D. and Younes, R.N. (2004) Screening of antimicrobial extracts from plants native to the Brazilian Amazon rainforest and Atlantic forest. *Brazilian Journal of Medical and Biological Research* **37**, 379–384
- Suominen, I., Andersson, M.A., Andersson, M.C., Hallaksela, A.M., Kämpfer, P., Rainey, F.A. and Salkinoja-Salonen, M. (2001) Toxic *Bacillus pumilus* from indoor air, recycled paper pulp, Norway spruce, food poisoning outbreaks and clinical samples. *Systematic and Applied Microbiology* **24**, 267–276
- Tadolini, B., Juliano, C., Piu, L., Franconi, F. and Cabrini, L. (2000) Resveratrol inhibition of lipid peroxidation. *Free Radical Research* **33**, 105–114
- Tanaka, M., Kuie, C.W., Nagashima, Y. and Taguchi, T. (1988) Applications of antioxidative Maillard reaction products from histidine and glucose to sardine products. *Nippon Suisan Gakkaishi* **54**, 1409–1414
- Taniguchi, M. and Kubo, I. (1993) Ethnobotanical drug discovery based on medicine men's trials in the African savanna: screening of east African plants for antimicrobial activity II. *Journal of Natural Products* **56**, 1539–1546
- Tian, B. and Hua, Y. (2005) Concentration-dependence of prooxidant and antioxidant effects of aloin and aloe-emodin on DNA. *Food Chemistry* **91**, 413–418
- Tirosh, O., Katzhendler, Y., Barenholz, Y., Ginsburg, I. and Kohen, R. (1996) Antioxidant properties of amidothionophosphates: novel antioxidant molecules. *Free Radical. Biology & Medicine* **20**, 421–432
- Tosun, F., Kızılay, Ç.A., Erol, K., Kiliç, F.S., Kürkçüoğlu, M. and Can Baser, K.H. (2008) Anticonvulsant activity of furanocoumarins and the essential oil obtained from the fruits of *Heracleum crenatifolium*. *Food Chemistry* **107**, 990–993

- Trease, G. and Evans, W. (1972) *Pharmacognosy*. Univ. Press, Aberdeen, Great Britain
- Tsarong, T.J. (1986) In: *Handbook of Traditional Tibetan drugs*. Tibetan Medical Publications, Kalimpong, India
- Turano, A., Scura, G., Caruso, A., Bonfanti, C. and Luzati, R. (1989) Inhibitory effect of papaverine on HIV replication in vitro. *AIDS Research and Human Retroviruses* **5**, 183-192
- Uzun, E., Sariyar, G., Adersen, A., Karakoc, B., Otuk, G., Oktayoglu, E. and Pirildar, S. (2004) Traditional medicine in Sakarya province (Turkey) and antimicrobial activities of selected species. *Journal of Ethnopharmacology* **95**, 287-296
- Van den Akker, E., Lutgerink, J.T., Lafleur, M.V.M., Joenje, H. and Retel, J. (1994) The formation of one-G deletions as a consequence of single-oxygen-induced DNA damage. *Mutation Research* **309**, 45-52
- Valero, M. and Salmeron, M.C. (2003) Antibacterial activity of 11 essential oils against *Bacillus cereus* in tyndallized carrot broth. *International Journal of Food Microbiology* **85**, 73-81
- Venkatachalam, S.R. and Chattopadhyay, S. (2003) Natural radioprotectors: An Overview. *Current Organic Chemistry* **9**, 389-404
- Viscoli, C. (2002) Management of infection in cancer patients. Studies of the EORTC International Antimicrobial Therapy Group (IATG). *European Journal of Cancer* **38**, S82- S87
- Visioli, F., Bordone, R., Perugini, C., Bagnati, M., Cau, C. and Bellomo, G. (2000) The kinetics of copper-induced LDL oxidation depend upon its lipid composition and antioxidant content. *Biochemical and Biophysical Research Communications* **268**, 818-822
- Vulto, A.G. and Smet, P.A.G.M. (1988) Drugs used in non-orthodox medicine, pp. 999-1005. In: *Meyler's Side Effects of Drugs*, M.M.G. Dukes, ed., 11th edn. Elsevier, Amsterdam
- Waling, C. (1975). Fenton's reagent revisited. *Accounts of Chemical Research* **8**, 125-131
- Wang, H., Cao, G. and Prior, R.L. (1996) Total antioxidant capacity of fruits. *Journal of Agricultural and Food Chemistry* **44**, 701-705
- Wang, M., Li, J., Rangarajan, M., Shao, Y., LaVois, E.J., Huang, T.C. and Ho, C.T. (1998) Antioxidative phenolic compounds from Sage (*Salvia officinalis*). *Journal of Agricultural and Food Chemistry* **46**, 4869-4873
- Wang, S.Y. and Lin, H.S. (2000) Antioxidant activity in fruits and leaves of blackberry, raspberry, and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry* **48**, 140-146
- Wang, S.Y. and Zheng, W. (2001) Effect of plant growth temperature on antioxidant capacity in strawberry. *Journal of Agricultural and Food Chemistry* **49**, 4977-4982
- Wannissorn, B., Jarikasem, S., Siriwangchai, T. and Thubthimthed, S. (2005) Antibacterial properties of essential oils from Thai medicinal plants. *Fitoterapia* **76**, 233-236
- Wedge, D.E., Meepagala, K.M., Magee, J.B., Smith, S.H., Huang, G. and Larcom, L.L. (2001) Anticarcinogenic activity of strawberry, blueberry, and raspberry extracts to breast and cervical cancer cells. *Journal of Medicinal Food* **4**, 49-51
- Weiss, J.F. and Landauer, M.R. (2003) Protection against ionizing radiation by antioxidant nutrients and phytochemicals. *Toxicology* **189**, 1-20
- Weitzman, S.A., Turk, P.W., Howard-Milkowski, D. and Kozlowski, K. (1994) Free radical adducts induce alterations in DNA cytosine methylation. *Proceedings of the National Academy of Sciences of the United States of America* **91**, 1261-1264
- Wilcox, A.L. and Marnett, L.J. (1993) Polyunsaturated fatty acid alkoxyl radicals exist as carbon-centered epoxyallylic radicals: a key step in hydroperoxide-amplified lipid peroxidation. *Chemical Research in Toxicology* **6**, 413-416

- Willett, W.C. (1995) Diet, nutrition, and avoidable cancer. *Environmental Health Perspectives* **103** (Suppl. 8), 165-170
- von Sonntag, C. (1987) *The Chemical Basis of Radiation Biology*. Taylor & Francis, London
- Yen, G. and Chen, H.Y. (1995) Antioxidant activity of various tea extracts in relation to their antimutagenicity. *Journal of Agricultural and Food Chemistry* **43**, 27-32
- Yokozawa, T., Chen, C.P., Dong, E., Tanaka, T., Nonaka, G.I. and Nishioka, I. (1998) Study on the inhibitory effect of tannins and flavonoids against the 1,1-diphenyl-2-picrylhydrazyl radical. *Biochemical Pharmacology* **56**, 213-222
- Yonzone, G.S., Yonzone, D.K.N. and Tamang, K.K. (1984) Medicinal plants of Darjeeling district. *Journal of Economic and Taxonomic Botany* **5**, 605-616
- Yoshida, T., Mori, K., Hatano, T., Okumura, T., Uehara, I., Komagoe, K., Fujita, Y. and Okuda, T. (1989) *Studies on inhibition mechanism of autoxidation by tannins and flavonoids*. V. Radical-Scavenging effects of tannins and related polyphenols on 1,1-diphenyl-2-picrylhydrazyl radical. *Chemical & Pharmaceutical Bulletin* **37**, 1919-1921
- Zaika, L.L. (1988) Spices and herbs - their antimicrobial activity and its determination. *Journal of Food Safety* **9**, 97-118
- Zafrilla, P., Ferreres, F. and Tomás-Barberán, F.A. (2001) Effect of processing and storage on the antioxidant ellagic acid derivatives and flavonoids of red raspberry (*Rubus idaeus*) jams. *Journal of Agricultural and Food Chemistry* **49**, 3651-3655
- Zhang, Y. and Lewis, K. (1997) Fabatins: New antimicrobial plant peptides. *FEMS Microbiology Letters* **149**, 59-64

