

Preface

Scope and Object of the Work

Since the birth of polymer science, polyelectrolytes have been the subject of extensive investigation. They still continue to be a very active area of research in a variety of fields *e.g.*, chemistry, physics, biology, medicine, materials science and nanotechnology. The widespread interest in the area of polyelectrolytes stems from the scientific curiosity in understanding their behaviour and also from their enormous potential in commercial applications. Polyelectrolytes have been utilised to assemble nanostructured materials with desired properties. Potential applications in medicine and biomedical engineering are also being vigorously pursued. Complexes of polyelectrolytes with conjugated polymers such as polythiophenes and polyanilines are being used commercially as conducting coatings. These are widely used in industry as surface-active agents for water treatment and oil-spill treatment. These also find applications in the industrial production of personal care products, cosmetics, pharmaceuticals, biosensors, surfactants, absorbents, ion exchange resins, stabilizers, adhesives, paints, papers etc. A very promising and emerging area of application of polyelectrolytes is the assembly of thin films of novel materials. When polyelectrolytes and surfactants are present together in solution either inherently or by design, there can be significant interaction between them that can be important in such long-established areas as mineral and material processing, enhanced oil recovery, detergency and paint and cosmetic formulation. More interest also stems from the potential for utilising the microstructural environment of polyelectrolyte-surfactant complexes in applications such as control of chemical reactivity, drug delivery, solar energy conversion and isotope separation. Accounts of some of the important applications of polyelectrolytes are available in various books and reviews.¹⁻¹⁷

Physicochemical properties of polyelectrolyte solutions have been studied for several decades, but several of them have not yet found a satisfactory theoretical explanation. In many cases a qualitative understanding is available, but a quantitative understanding is still awaited. For others, the origin of the phenomena observed remains partly obscure, indicating that the present treatment of the polyelectrolyte behaviour is incomplete and that some fundamental new views are required to gain a full understanding. Keeping in view of widening fields of applications based on the specific properties of the polyelectrolytes, it, thus, appears that the situation is far from satisfactory.

In recent years, the study of polyelectrolytes has seen a revival stimulated by the use of newly available experimental techniques and the introduction of new theoretical approaches. Although new insight has been gained, no real breakthrough has been realized so far and much remains to be done.

The study of polyelectrolyte solutions has been conducted very extensively in aqueous solutions.¹³⁻²² This is partly because many polyelectrolytes, usually with high charge densities, are difficult to dissolve in solvents besides water. Moreover, because of the great interest in the naturally occurring polyelectrolytes such as proteins, nucleic acids, and polysaccharides in aqueous medium, the behaviour of these species in aqueous solutions has become a main subject of study.¹³⁻²⁶

The main factors that govern the dissolved state of polyelectrolytes in solutions are firstly, the electro-repulsive forces working between the ionic sites in the polymer chain and secondly, the interactions between the polyions and counterions surrounding the polyion chains. The first factor is concerned with the expansibility of the polymer chains, whereas the second is not only reflected in counterion binding but also in the amount of solvation and the solvent structure in the vicinity of polyelectrolytes. Both of these factors are related to the relative permittivity of the solvent media. Use of a series of mixed solvents corresponds to a systematic change in the relative permittivity of the media and hence allows us to study the behaviour of polyelectrolyte solutions from a more general point of view.

The present dissertation, therefore, aims at elucidating the behaviour of a selected polyelectrolyte (sodium polystyrenesulfonate, NaPSS) in acetonitrile-water mixed solvent media using different experimental techniques with special reference to its interaction with small ions and surfactant ions furnished by the surfactant cetyltrimethylammonium bromide (CTAB).

References

1. W. P. Jencks, *Catalysis in Chemistry and Enzymology*, McGraw-Hill, New York (1969).
2. C. L. McCormick, J. Bock, and D. N. Schulz, in *Encyclopedia of Polymer Science and Engineering*, J. I. Kroschwitz (Ed.), Vol. 17, p. 730, Wiley, New York (1989).
3. D. N. Schulz and J. E. Glass (Eds.), *Polymers as Rheology Modifiers, Advances in Chemistry*, Series 462, American Chemical Society, Washington, DC (1991).
4. J. Bock, R. Varadaraj, D. N. Schulz, and J. J. Maurer, in *Macromolecular Complexes in Chemistry and Biology*, P. L. Dubin, J. Bock, R. M. Davies, D. N. Schulz, and C. Thies (Eds.), p. 33, Springer-Verlag, Berlin (1994).
5. J. E. Glass (Ed.), *Hydrophilic Polymers: Performance with Environmental Acceptability, Advances in Chemistry*, Series 248, American Chemical Society, Washington, DC (1996).
6. E. D. Goddard and J. V. Gruber (Eds.), *Principles of Polymer Science and Technology in Cosmetics and Personal Care*, Dekker, New York (1999).
7. J. E. Glass (Ed.), *Associative Polymers in Aqueous Solutions*, ACS Symposium, Series 765, American Chemical Society, Washington, DC (2000).
8. K. O. Havelka and C. L. McCormick (Eds.), *Specialty Monomers and Polymers: Synthesis, Properties, and Applications*, ACS Symposium, Series 755, American Chemical Society, Washington, DC (2000).
9. C. L. McCormick (Ed.), *Stimuli-Responsive Water Soluble and Amphiphilic Polymers*, ACS Symposium, Series 780. American Chemical Society, Washington, DC (2001).
10. C. L. McCormick, R. S. Armentrout, G. C. Cannon, and G. G. Martin, in *Molecular Interactions and Time-Space Organization in Macromolecular Systems*, Y. Morishima, T. Norisuye, and T. Tashiro (Eds.), p. 125, Springer-Verlag, Berlin (1999).
11. A. Harada and K. Kataoka, *Macromolecules*, **28**, 5294 (1964).
12. M. Hara (Ed.), *Polyelectrolytes: Science and Technology*, Marcel Dekker, New York (1993).
13. H. Dautzenberg, W. Jager, J. Kötzt, B. Philipp, C. Seidel, and D. Stcherbina, *Polyelectrolytes: Formation, Characterization and Application*, Hanser Publishers, Munich (1994).
14. S. K. Tripathy, J. Kumar, and H. Nalwa (Eds.), Vol. 2, *Handbook of Polyelectrolytes and Their Applications*, American Scientific Publishers, Stevenson Ranch, CA (2002).

15. J. C. T. Kwak, *Polymer-Surfactant Systems*, Marcel Dekker, New York (1998).
16. E. D. Goddard and K. P. Ananthapadmanabhan, *Interactions of Surfactant with Polymer and Protein.*, CRC Press, Boca Raton, FL (1993).
17. P. M. Claesson, A. Dedinaite, and E. Poptoshev, in *Physical Chemistry of Polyelectrolytes*, Vol. 99, p. 447, Marcel Dekker, New York (2001).
18. S. A. Rice and N. Nagasawa, *Polyelectrolyte Solutions*, Academic Press, New York (1961).
19. F. Oosawa, *Polyelectrolytes*, Marcel Dekker, New York (1971).
20. E. Selegny (Ed.), *Polyelectrolytes*, D. Reidel, Dordrecht, The Netherlands (1974).
21. M. Mandel, *Polyelectrolytes*, in *Encyclopedia of Polymer Science and Engineering*, H. F. Mark, N.M. Bikales, C.G. Overberger, and G. Menges (Eds.), 2nd ed., Wiley, New York (1988).
22. S. Förster and M. Schmidt, *Adv. Polym. Sci.*, **120**, 51 (1995).
23. H. Eisenberg, *Biological Macromolecules and Polyelectrolytes in Solution*, Clarendon Press, Oxford (1976).
24. A. Veis (Ed.), *Biological Polyelectrolytes*, Marcel Dekker, New York (1970).
25. M. T. Record, Jr., C. F. Anderson, and T. M. Lohman, *Q. Rev. Biol.* **11**, 103 (1978).
26. V. Bloomfield and I. L. Carpenter, *Biological Polyelectrolytes*, in *Polyelectrolytes: Science and Technology*, M. Hara (Ed.), Marcel Dekker, New York (1993).