

CHAPTER 7

Bibliography

Psychopharmacology: The Fourth Generation of Progress. On-line: <http://www.acnp.org/G4>. revised in 2000).

- ▶▶ Bannon MJ, Poosch MS, Xia Y, Goebel DJ, Cassin B, Kapatos G (1992). Dopamine transporter mRNA content in human substantia nigra decreases precipitously with age. *Proc. Natl. Acad. Sci. U.S.A.* **89** (15): 7095–9.
- ▶▶ Baron JA, et al. (2003). A randomized trial of aspirin to prevent colorectal adenomas. *New England Journal of Medicine* **348**: 891–9.
- ▶▶ Bassuk SS, Rifai N, Ridker PM (2004). High sensitivity C-reactive protein: clinical importance. *Current Problems in Cardiology* **29**: 439-93.
- ▶▶ Beaver KM, Wright JP, DeLisi M (2001). Delinquent peer group formation: evidence of a gene x environment correlation. *The Journal of Genetic Psychology* **169** (3): 227–44.
- ▶▶ Benson F, Gorman G (1996). Hallucinations and Delusional Thinking. In: *Neuropsychiatry*, (Eds) Fogel BS, Schiffer RB, Rao SM, Williams & Wilkins, Baltimore;307-23.
- ▶▶ Berrios GE (1991;). Delusions as ‘wrong beliefs’: a conceptual history. *Brit J Psy* **159** (suppl.14):6-13.
- ▶▶ Batel P, Houchi H, Daoust M, Ramoz N, Naassila M, Gorwood P(2008).DRD1 gene is a susceptibility gene in alcohol dependence. *Alcoholism, clinical and experimental research* **32**(4):567-72.
- ▶▶ Bertorello AM, Hopfield JF, Aperia A, Greengard P(1990). Inhibition by dopamine of (Na⁺,K⁺)ATPase activity in neostriatal neurons through D₁ and D₂ dopamine receptor synergism. *Nature* **347**: 386-388.

- ▶▶ Blackwood NJ, Howard RJ, Ffytche DH, Simmons A, Bentall RP, Murray RM (2000). Imaging attentional and attributional bias: an fMRI approach to the paranoid delusion. *Psychol Med* 30 (4):873-83.
- ▶▶ Bleuler E (1906). Dementia præcox, oder die Gruppe der Schizophrenien. *Aschaffenburg, Handbuch der Psychiatrie*. Leipzig: n.p.
- ▶▶ Bleuler E (1951). Autistic thinking. In: Organisation and pathology of thought. (Ed) Rapaport D, Columbia University Press, New York. 399-423.
- ▶▶ Blum K, Sheridan PJ, Wood RC, Braverman ER, Chen TJH, Cull JG, Comings DE (1996). The D2 receptor gene as a determinant of reward deficiency syndrome. *J R Soc Med* 89:396-400.
- ▶▶ Blum M, McEwen BS, Roberts JL (1987). Transcriptional analysis of tyrosine hydroxylase gene expression in the tuberoinfundibular dopaminergic neurons of the rat arcuate nucleus after estrogen treatment *J. Biol. Chem.* 262(2):817-21.
- ▶▶ Bowers M B Jr, Swigar M, Jatlow P, Goicoechea N (1984). Plasma catecholamine metabolites and early response to haloperidol. *J Clin Psychiatry* 45:248-51.
- ▶▶ Bowers M B Jr. (1993). Psychotic patients with increased plasma HVA and MHPG or increased alone. *Biol Psychiatry* 34:584-6.
- ▶▶ Boyle SH, Jackson WG, Suarez EC (2007). Hostility, anger and depression predict increases in C3 over a 10-year period. *Brain. Behav. Immun.* 21(6):816-23.

- ▶▶ Bräutigam C, Steenberger-Spanjers GC, Hoffmann GF, Dionisi-Vici C, van den Heubel LP, Smeitink JA (1999). Biochemical genetic characteristics of the severe form of tyrosine hydroxylase deficiency. *Clin Chem* 45: 2073-8.

- ▶▶ Brenneman, AR, Kaufman S (1964). The role of tetrahydropteridines in the enzymatic conversion of tyrosine to 3,4-dihydroxyphenylalanine. *Biochem. Biophys. Res. Commun.*17:177-83.

- ▶▶ Brett-Jones J, Garety P, Hemsley D(1987). Measuring delusional experiences: a method and its application. *Bri J Clin Psychol.*26:257-65.

- ▶▶ Bunzow JR, Van Tol HHM, Grandy DK, Albert P, Salon A, Christie MD, Machida CA, Neve KA, Civelli O (1988). Cloning and expression of a rat D₂ dopamine receptor cDNA. *Nature* 336: 783-7.

- ▶▶ Butler RW, Braff DL (1991). Delusions: a review and integration. *Schiz Bull*17:633-47.

- ▶▶ Camarena B, Loyzaga C, Aguilar A, Weissbecker K, Nicolini H (2007). Association study between the dopamine receptor D₄ gene and obsessive-compulsive disorder *European Neuropsychopharmacology.* 17(6-7):406-9.

- ▶▶ Cameron N (1959). The paranoid pseudo community revisited. *Am J Sociology* 65:52-8.

- ▶▶ Campana A, Gambini O, Scarone S (1998). Delusional disorder and eye tracking dysfunction: preliminary evidence of biological and clinical heterogeneity. *Schiz Res* 30(1)51-8.

-
- ▶▶ Canonico PL, Valdenegro CA, Macleod RM (1983). The inhibition of phosphatidylinositol turnover: a possible post receptor mechanism for the prolactin secretion-inhibiting effect of dopamine. *Endocrinology* **113**: 7-14.

 - ▶▶ Carlsson A (1987). Perspectives on the discovery of central monoaminergic neurotransmission. *Annual Review of Neuroscience* **10**: 19-40.

 - » Caron MG, Beaulieu M, Raymond V, Gagne B, Drouin J, Lefkowitz RJ, Labrie F (1978). Dopaminergic receptors in the anterior pituitary gland. *J. Biol. Chem.* **253**: 2244-53.

 - ▶▶ Castellano MA, Liu LX, Monsma FJ, Sibley DR, Kapatos G, Chiodo LA (1993). Transfected D₂ short dopamine receptors inhibit voltage-dependent potassium current in neuroblastoma × glioma hybrid (NG108-15) cells. *Mol. Pharmacol.* **44**: 649-56.

 - ▶▶ Castro SW, Strange P (1993). Differences in ligand binding properties of the short and long versions of the dopamine D₂ receptor. *J. Neurochem.* **60**: 372-5.

 - ▶▶ Cavalli-Sforza LL, Bodmer WF (1971). The genetics of human populations. Freeman & Co, San Francisco, pp 559-61.

 - ▶▶ Chang W, Chen T, Lee C, Hung J, Hu W, Yeh E (1988). Plasma homovanillic acid levels and subtyping of schizophrenia. *Psychiatry Res.* **23**: 239-244.

 - ▶▶ Chapman LJ, Chapman JP, Miller EN (1982). Reliabilities and interconnections of eight measures of proneness to psychosis. *J Consult Clin Psychol.* **50**: 187-95.

-
- ▶ Chen N, Reith ME. (2000). Structure and function of the dopamine transporter. *Eur J Pharmacol*, **405**(1-3):329-39.

 - ▶ Chaudhuri TK, Das SK (1997). ASIETTA, Sydney.

 - ▶ Chio CL, Lajiness ME, Huff RM (1994). Activation of heterologously expressed D₃ dopamine receptors: comparison with D₂ dopamine receptors. *Mol. Pharmacol.* **45**:51-60.

 - ▶ Chio CL, Drong RF, Riley DT, Gill GS, Slightom JL Huff RM (1994a). D₄ dopamine receptor-mediated signaling events determined in transfected Chinese hamster ovary cells. *J. Biol. Chem.* **269**: 11813-9.

 - ▶ Chung FZ, Wang CD, Potter PC, Venter JC, Fraser CM (1988). Site-directed mutagenesis and continuous expression of human β adrenergic receptors: identification of a conserved aspartate residue involved in agonist binding and receptor activation. *J. Biol. Chem.* **263**: 4052-5.

 - ▶ Cichon S, Nothen MM, Erdmann J, Propping P.(1994) Detection of four polymorphic sites in the human D1 receptor gene(DRD1). *Hum Mol Genet* **3**: 209.

 - ▶ Ciliax BJ, Drash GW, Staley JK, *et al* (1999). "Immunocytochemical localization of the dopamine transporter in human brain". *J. Comp. Neurol.* **409** (1): 38-56.

 - ▶ Civelli O, Bunzow JR, Grandy DK (1993). Molecular diversity of the dopamine receptors. *Annu. Rev. Pharmacol. Toxicol.* **32**: 281-307.

 - ▶ Civelli O (2000). Molecular Biology of the Dopamine Receptor Subtypes *Neuropsychopharmacology: The Fifth Generation of Progress.*
-

- ▶ Coccato EF, Hirsch SL, Stein MA (2007). Plasma homovanillic acid correlates inversely with history of learning problems in healthy volunteer and personality disordered subjects. *Psychiatry Research* **149**(1-3): 297-302.

- ▶ Cohen AI, Todd RD, Harmon S, O'Malley KL (1992). Photoreceptors of mouse retinas possess D₄ receptors coupled to adenylate cyclase. *Proc. Natl. Acad. Sci. USA* **89**:12093-7.

- ▶ Collins A, Lonjou C, Morton NE (2003): Genetic epidemiology of single nucleotide polymorphisms. *Genetics*.**165**:2213-33.

- ▶ Cooper JR, Bloom FE, Roth RH (1996). *The Biochemical Basis of Neuropharmacology*. Oxford University Press, New York.

- ▶ Cooper JK, Mungas D, Weller PG (1990). Relation of cognitive status and abnormal behaviour in Alzheimer's disease. *J Am Geriatr Soc***38**:867-70.

- ▶ Corvin A, Gill M (2003). Psychiatric genetics in the post genome age. *Brit. J. Psy.* **182**:95-6.

- ▶ Coryell W (1996). Psychotic depression. *J Clin Psychiatry* **57**(suppl 3)27-31.

- ▶ Cox BA, Henningsen RA, Spanoyannis A, Neve RL, Neve KA (1992). Contributions of conserved serine residues to the interactions of ligands with dopamine D₂ receptors. *J. Neurochem.* **59**: 627-35.

- ▶ Creese I, Burt D R, Snyder S H (1976) *Science* **192**:481-483

- ▶ Crocq MA, Mant R, Asherson P(1992). Association between schizophrenia and homozygosity at the D3 receptor gene. *J Med Genet* **29**: 858-860.

-
- ▶▶ Cummings JL (1992). Psychosis in neurologic disease: Neurobiology and pathogenesis. *Neuropsychiatry Neuropsychol Behav Neurol.* 3:144.
 - ▶▶ Curran MB (2001). Association study of a dopamine transporter polymorphism and attention deficit hyperactivity disorder in UK and Turkish samples. *Mol Psychiatry* 6:425-8.
 - ▶▶ Cutting J(1989). Gestalt theory and psychiatry:adiscussion paper. *J ournal of the Royal Society of Medicine* 82:429-31.
 - ▶▶ Davis KL, Davidson M, Mohs RC, Kendler KS, Davi BM, Johns CA, DeNigris Y, Horvath TB (1985). Plasma homovanillic acid concentration and the severity of schizophrenia illness. *Science* 29:1601-1602.
 - ▶▶ Davis K L, Kahn R S, Ko G, Davidson M (1991)*Am J Psychiat* 148:1474-1486
 - ▶▶ Davidson M, Davis KL (1988). A comparison of plasma homovanillic acid concentrations in schizophrenic patients and normal controls. *Arch Gen Pssychiatrty* 45:561-3.
 - ▶▶ Dal-Toso RB, Sommer M, Ewart A, Herb DB, Pritchett A, Bach BD, Shivers, Seeburg PH(1989). The dopamine receptor: two molecular forms generated by alternative splicing. *EMBO J.* 8: 4025-34.
 - ▶▶ Dargham AA, Rodenhiser J, Printz D, Ponce YZ, Gil R, Kegeles LS, Weiss R, Cooper T B, Mann JJ, Heertum RLV, Gorman JM, Laruelle M (2000) Increased baseline occupancy of D2 receptors by dopamine in schizophrenia. *PNAS. USA* 97(4):8104-9.

- ▶▶ DAS T (2003). Induction of glycosylation in human C-reactive protein under different pathological conditions. *Biochem. J* **373**: 345–55.

- ▶▶ Dearry A, Gingrich JA, Falardeau P, Fremeau RT, Bates M.D, Caron MG(1990). Molecular cloning and expression of the gene for a human D₁ dopamine receptor. *Nature* **347**: 72-6.

- ▶▶ Debnath M, Das SK, Ghose P, Mandal BB, Chaudhuri TK (2000). Role of Class-I antigens in Delusional disorder. *Indian Journal of Psychiatry*. **42**(3):275-79.

- ▶▶ Debnath M, Das SK, Bera NK, Nayak CR, Chaudhuri TK (2003). Association of Class-I antigens with delusional disorder. *Int. J. Hum Genet.* **3**(3):187-9.

- ▶▶ Debnath M, Das SK, Bera NK, Nayak CR, Chaudhuri TK (2005). A study of HLA-linked genes in a model monosymptomatic psychotic disorder in an Indian Bengalee Population. *Canadian Journal of Psychiatry* **50** (5): 175-9.

- ▶▶ Diaz J, Levesque D, Lammers CH, Griffon N, Martres MP, Schwartz JC, Sokoloff P (1995). Phenotypical characterization of neurons expressing the dopamine D₃ receptor in the rat brain. *Neuroscience* **65**: 731-45.

- ▶▶ Dohlman HG, Caron MG, Lefkowitz RJ (1987). A family of receptors coupled to guanine nucleotide regulatory proteins. *Biochemistry* **26**: 2657-64.

- ▶▶ Dohlman HG, Caron MG, Daebiasi A, Frielle T, Lefkowitz RJ (1990). A role of extracellular disulfide bonded cysteines in the ligand binding function of the β_2 adrenergic receptor. *Biochemistry* **29**: 2335-42.

- ▶▶ Dumas S, Hir HL, Bodeau-Péan S, Hirsch E, Thermes C, Mallet J (1996). New Species of Human Tyrosine Hydroxylase mRNA Are Produced in

-
- Variable Amounts in Adrenal Medulla and Are Overexpressed in Progressive Supranuclear Palsy. *J. Neurochem.* **67**(1):19-25.
- ▶ Dunayevich E, Keck P (2000). Prevalence and description of psychotic features in bipolar mania. *Curr Psychiatry Rep* **2**:286-90.
- ▶ Dürr A, Tassin J, Vidailhet M, Durif F, Jedynak P, Agid Y, Brice A (1990). D2 dopamine receptor gene in myoclonic dystonia and essential myoclonus. *Annals of Neurology* **48** (1): 127 – 8.
- ▶ Dyke CV (2000). Delusional Disorder: Paranoia and related illnesses. *The New England Journal of Medicine.* **342**: 446-7.
- ▶ Engeland, J. A., Gerhard, D. S., Pauls, D. L., Sussex, J. N., Kidd, K. K., Allen, C. R., Hostetter, A. M., and Housman, D. E. (1987). Bipolar affective disorders linked to DNA markers on chromosome 11. *Nature* **325**:783-7.
- ▶ Enjalbert A, Guillon G, Mouillac B, Audinot V, Rosolonjanahary R, Kordon C, Bockaert J(1990). Dual mechanisms of inhibition by dopamine of basal and thyrotropin-releasing hormone-stimulated inositol phosphate production in anterior pituitary cells. *J. Biol. Chem.* **265**: 18816-22.
- ▶ Ernest P. Noble (2002) D2 dopamine receptor gene in psychiatric and neurologic disorders and its phenotypes. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics.* **116B** (1):103 – 125.
- ▶ Esther Lopez-Garcia (2005). Consumption of Trans Fatty Acids Is Related to Plasma Biomarkers of Inflammation and Endothelial Dysfunction. *The Journal of Nutrition* **135** (3): 562–6.
-

- ▶▶ Fan X, Pristach C, Liu EY, Freudenreich O, Henderson D, Goff DC (2007). Elevated serum levels of C-reactive protein are associated with more severe psychopathology in a subgroup of patients with schizophrenia. *Psychiatry Res.* **149**(1-3):267-71.

- ▶▶ Feinstein A, Ron MA (1990). Psychosis associated with demonstrable brain disease. *Psychological Medicine.* **20**:793-803.

- ▶▶ Fenning S, Craig TJ, Bromet EJ (1996). The consistency of DSM-II-R delusional disorder in a first-admission sample. *Psychopathology.* **29**:315-24.

- ▶▶ Fishburn CS, Belleli D, David C, Carmon S, Fuchs S(1993). A novel short isoform of the D₃ dopamine receptor generated by alternative splicing in the third cytoplasmic loop. *J. Biol. Chem.* **268**: 5872-8.

- ▶▶ Flaum M, Arndt S, Andreasen NC (1991). The reliability of 'bizarre' delusions. *Comprehensive Psychiatry* **32**: 59-65.

- ▶▶ Fraser C (1989) Site-directed mutagenesis of β adrenergic receptors. *J. Biol. Chem.* **264**: 9266-70.

- ▶▶ Freud S (1911). Psychoanalytic notes upon an autobiographical account of a case of paranoia (dementia Paranoïdes). In; Standard edition of the complete work of Sigmund Freud. Vol 12. Hogarth Press, London.

- ▶▶ Fujinawa A(1981). The paranoid symptoms which appear in the latter half of life. *Clin. Psychopathology* **2**:7-19.

- ▶▶ Freeman T (1988). The psychoanalyst in Psychiatry. Karnac Books, London.

- ▶▶ Fujisawa H, Okuno S (1987). Tyrosine 3-monooxygenase from rat adrenals. In *Methods in Enzymology* (S. Kaufman, Ed.), Academic Press, New York, Vol. 142, pp. 63-71.

- ▶▶ Fujiwara Y, Yamaguchi K, Tanaka Y, Tomita H, Shiro Y, Kashihara K, Sato K, Kuroda S (1997). Polymorphism of Dopamine Receptors and Transporter Genes in Neuropsychiatric Diseases. *Eur Neurol* 38(Suppl.1):6-10.

- ▶▶ Gabriel E (1987). Continental view points on the concept of reactive psychoses. *Psychopathology*. 20:87-91.

- ▶▶ Gainetdinov RR, Wetsel WC, Jones SR, Levin ED, Jaber M, Caron MG (1999). Role of serotonin in the paradoxical calming effect of psychostimulants on hyperactivity. *Science* 283 (5400): 397-401.

- ▶▶ Garver DL, Steinberg JL, McDermott BE, Yao JK, Ramberg JE, Lewis S, Kingsbury SJ (1997). Etiologic heterogeneity of the psychoses: is there a dopamine psychosis? *Neuropsychopharmacology* 14:191-201.

- ▶▶ Gelder M, Gath D, Mayou R, Cowen P (1996). Disorders of thinking. In: *Oxford Text Book of Psychiatry*, 3rd edition. Oxford University Press, New York.

- ▶▶ Gershanik O, Heikkila RE, Duvoisin RC (1983). Behavioral correlations of dopamine receptor activation. *Neurology* 33: 1489-92.

- ▶▶ Giegling I, Moreno-De-Luca D, Calati R, Hartmann AM, Möller HJ, De Ronchi D, Rujescu D, Serretti A.(2009). Tyrosine hydroxylase and DOPA decarboxylase gene variants in personality traits *Neuropsychobiology*. 59(1):23-7.

- ▶▶ Giros B, Sokoloff P, Martres MP, Riou JF, Emorine LJ, Schwartz JC (1989). Alternative splicing directs the expression of two D₂ dopamine receptor isoforms. *Nature* **342**: 923-6.

- ▶▶ Giros B, Martres MP, Pilon C, Sokoloff P, Schwartz JC (1991). Shorter variants of the D₃ dopamine receptor produced through various patterns of alternative splicing. *Biochem. Biophys. Res. Commun.* **176**: 1584-92.

- ▶▶ Giros B, Mestikawy El, Godinot S, Zheng, NK, Han H., Yang-Feng T, Caron MG (1992). Cloning, pharmacological characterization, and chromosome assignment of the human dopamine transporter. *Molecular Pharmacology* **42**: 383-90.

- ▶▶ Giros B, Jaber M, Jones SR, Wightman RM, Caron MG (1996). Disruption of the mouse dopamine transporter gene results in hyperdopaminergic phenotype and lack of response to cocaine and amphetamine. *Nature* **379**: 606-12.

- ▶▶ Gingrich JA, Caron MG (1993). Recent advances in the molecular biology of dopamine receptors. *Annu. Rev. Neurosci.* **16**: 299-321.

- ▶▶ Glatt SJ, Faraone SV and Tsuang MT (2003). Meta-analysis identifies an association between the dopamine D2 receptor gene and schizophrenia. *Mol. Psychiatry* **8**: 911-5.

- ▶▶ Goldberg LI, Volkman PH, Kohli JD (1978). A comparison of the vascular dopamine receptors with other dopamine receptors. *Annu. Rev. Pharmacol. Toxicol.* **18**: 57-79.

- ▶▶ Gorman DG, Cummings JL (1990). Organic delusional syndrome. *Seminars in Neurology* **10**:229-38.

-
- ▶▶ Giros B, Sokoloff P, Martres MP, Riou JF, Emorine LJ, Schwartz JC (1989). Alternative splicing directs the expression of two D₂ dopamine receptor isoforms. *Nature* **342**: 923-6.
 - ▶▶ Giros B, Martres MP, Pilon C, Sokoloff P, Schwartz JC (1991). Shorter variants of the D₃ dopamine receptor produced through various patterns of alternative splicing. *Biochem. Biophys. Res. Commun.* **176**: 1584-92.
 - ▶▶ Giros B, Mestikawy EI, Godinot S, Zheng, NK, Han H., Yang-Feng T, Caron MG (1992). Cloning, pharmacological characterization, and chromosome assignment of the human dopamine transporter. *Molecular Pharmacology* **42**: 383-90.
 - ▶▶ Giros B, Jaber M, Jones SR, Wightman RM, Caron MG (1996). Disruption of the mouse dopamine transporter gene results in hyperdopaminergic phenotype and lack of response to cocaine and amphetamine. *Nature* **379**: 606-12.
 - ▶▶ Gingrich JA, Caron MG (1993). Recent advances in the molecular biology of dopamine receptors. *Annu. Rev. Neurosci.* **16**: 299-321.
 - ▶▶ Glatt SJ, Faraone SV and Tsuang MT (2003). Meta-analysis identifies an association between the dopamine D2 receptor gene and schizophrenia. *Mol. Psychiatry* **8**: 911-5.
 - ▶▶ Goldberg LI, Volkman PH, Kohli JD (1978). A comparison of the vascular dopamine receptors with other dopamine receptors. *Annu. Rev. Pharmacol. Toxicol.* **18**: 57-79.
 - ▶▶ Gorman DG, Cummings JL (1990). Organic delusional syndrome. *Seminars in Neurology* **10**:229-38.

-
- ▶▶ Gormley N, Rizwan MR (1998). Prevalence and clinical correlates of psychotic symptoms in Alzheimer's disease. *Int J Geriatr Psychiatry* 13: 410-14.

 - ▶▶ Gorwood P. Alcoholism: Clinical & Experimental Research.2008.

 - ▶▶ Graeme A, Rod S, Lea A, Hutchins C, Kathryn L, Peter J, Brimage J, Griffiths L.R (2002). Dopamine Receptor Genes and Migraine With and Without Aura: An Association Study. *Headache* 42(5): 346 – 51.

 - ▶▶ Grandy DK, Litt M, Allen JR, Bunzow JR, Marchionni MA, Makam H, Reed L, Magenis RE, Civelli O (1989). The human dopamine D₂ receptor gene is located on chromosome 11 at q22-23 and identifies a Taq RFLP. *Am. J. Hum. Genet.* 45: 778-85.

 - ▶▶ Grandy DK, Marchionni MA, Makam H, Stofko RE, Alfano M, Frothingham L, Fischer JB, Burke-Howie KJ, , Server AC (1989). Cloning of the cDNA and gene for a human D₂ dopamine receptor. *Proc. Natl. Acad. Sci. USA* 86: 9762-6.

 - ▶▶ Grandy DK, Zhou Q Y, Allen L, Litt R, Magenis R E, Civelli O, Litt M (1990) A human D1 dopamine receptor gene is located on chromosome 5 at q35.1 and identifies an *Eco* RI RFLP. *Am J Hum Genet* 47:828-834.

 - ▶▶ Grassi E, Mortilla M, Amaducci L, Pallanti S, Pazzagli A, Galassi F, Guarnieri BM, Petruzzi C, Bolino F, Ortenzi L, Nistico R, De Cataldo S, Rossi A, Sorbia S (1996). No evidence of linkage between schizophrenia and D2 dopamine receptor gene locus in Italian pedigrees. *Neuroscience Letters* 206(1-2): 196-8.
-

- ▶▶ Greenwood TA, Alexander M, Keck PE, *et al* (2001). Evidence for linkage disequilibrium between the dopamine transporter and bipolar disorder. *Am. J. Med. Genet.* **105** (2): 145–51.

- ▶▶ Greenwood TA, Schork NJ, Eskin E, Kelsoe JR(2006). Identification of additional variants within the human dopamine transporter gene provides further evidence for an association with bipolar disorder in two independent samples. *Mol Psychiatry.* **11**(2):125-33.

- ▶▶ Gross G, Huber G, Schuttler K (1997). Wahn Schizophrenic und paranoia. *Nervenartz.* **48**:69.

- ▶▶ Guiramand J, Montmayeur JP, Ceraline J, Bhatia M Borrelli E (1995). Alternative splicing of the dopamine D₂ receptor directs specificity of coupling to G proteins. *J. Biol. Chem.* **270**: 7354-8.

- ▶▶ Gutierrez-bobos K, Schmid-Siegel B, Bankier B, Walter H (2001). Delusions in first admitted patients:gender, themes and diagnosis. *Psychopathology* **34**(1):1-7.

- ▶▶ Haldane JBS (1956). The estimation and significance of the logarithm of a ratio of frequencies. *Ann Hum Genet.* **20**: 309-11.

- ▶▶ Hanson DR, Gottesman I I (2005). Theories of schizophrenia: a genetic-inflammatory vascular synthesis. *BMC Med. Genet.* **6**:7.

- ▶▶ Heijtz R D, Kolb B, Forssberg H (2007). Motor inhibitory role of dopamine D1 receptors: implications for ADHD. *Physiol Behav* **92** (1-2): 155-60.

-
- ▶▶ Hersch SM, Yi H, Heilman CJ, Edwards RH, Levey AI (1997). Subcellular localization and molecular topology of the dopamine transporter in the striatum and substantia nigra. *J. Comp. Neurol.* **388** (2): 211–27.
 - ▶▶ Hesselbach Cf (1962). Seperego regression in paranoia. *Psychoanalytic Quarterly*, **31**:341-50.
 - ▶▶ Hibert MF, Trumpp-Kallmeyer S, Bruinvels A, Hoflack J (1992). Three-dimensional models of neurotransmitter G-binding protein-coupled receptors. *Mol. Pharmacol.* **40**:8-15.
 - ▶▶ Hibert MF, Trumpp-Kallmeyer S, Hoflack J, Bruinvels A (1993). This is not a G protein-coupled receptor. *Trends Pharmacol. Sci.* **14**: 7-12.
 - ▶▶ Higgins ET (1987). Self-discrepancy: a theory of relating self and affect. *Psychol Rev.***9**:319-40.
 - ▶▶ Horstman D, Brandon A, Wilson S, Guyer A, Cragoe C, Rago E, Limbird L (1990). An aspartate conserved among G-protein receptors confers allosteric regulation of α_2 adrenergic receptors by sodium. *J. Biol. Chem.* **265**: 21590-5.
 - ▶▶ Hole RW, Rush AJ, Beck AT (1979). A cognitive investigation of schizophrenic delusion. *Psychiatry* **42**: 312-9.
 - ▶▶ Holmes C, Smith H, Ganderton R, Arranz M, Collier D, Powell J, Lovestone S (2001) Psychosis and aggression in Alzheimer's disease: the effect of dopamine receptor gene variation. *J Neurol Neurosurg Psychiatry* **71**:777-9.
 - ▶▶ Howard R (2001), Late onset schizophrenia and very late onset schizophrenia-like psychoses. *Rev. Clin. Gerontology.* **11**:337-52.

- ▶ Hsiao MC, Liu CY, Yang YY, Yeh EK (1999). Delusional Disorder: retrospective analysis of 86 Chinese outpatients. *Psy Cin. Neuroscie.* **53** (6):673-6.

- ▶ Hsu -Ko KMPH, Chung-Jen Y, Chia-Hsuin C, Chen-Ko K, Jen-Hau C, Farzaneh S (2005) *The Lancet Neurology.* **4**(6): 371-80.

- ▶ Ilani T, Ben-Shachar D, Strous R D, Mazor M, Sheinkman A, Kotler M, and Fuchs S. (2001) A peripheral marker for schizophrenia: Increased levels of D3 dopamine receptor mRNA in blood lymphocytes *PNAS. USA* **98**(2): 625-8.

- ▶ Ivanyi D, Zemek P, Ivanyi P (1978). HLA antigens as possible markers of heterogeneity in schizophrenia. *J Immunogenet* **5**: 165-72.

- ▶ Jacewicz R, Gátecki P, Florkowski A, Berent J(2008). Association of the tyrosine hydroxylase gene polymorphism with schizophrenia in the population of central Poland. *Psychiatr Pol.* **42**(4):583-93.

- ▶ Jackson DM, A. Westlind-Danielsson A (1994). Dopamine receptors: molecular biology, biochemistry and behavioral aspects. *Pharmacol. Ther.* **64**: 291-369.

- ▶ Jaspers K (1963). *General Psychopathology* 7th edition (trans. J. Hoening & M.W. Hamilton). Manchester University Press.

- ▶ Jensen S, Plaetke R, Holik J, Hoff M, O'Connell P, Reimherr F, Wender P, Zhou QY, Civelli O, Litt M (1992). Linkage analysis of the D₁ dopamine receptor gene and manic depression in six families *Hum. Heredity* **42**: 269-75.

- ▶ Jones I, Kent L (2001). Clinical implications of psychiatric genetics in the new millennium-nightmare or nirvana. *Psychiatric Bull.* **25**:129-31.

- ▶▶ Jönsson EG, Sillén A, Vares M, Ekholm B, Terenius L, Sedvall GC.(2003) Dopamine D2 receptor gene Ser311Cys variant and schizophrenia: association study and meta-analysis. *Am J Med Genet B Neuropsychiatr Genet.* 15;119B(1):28-34.

- ▶▶ Jorgensen P, Munk- Jorgensen P(1986). Patients with delusions in a community psychiatric service. A follow up study. *Acta Psychiatric Scand* 73(2): 191-5.

- ▶▶ Jorgensen P (1994). Course and outcome in dimensional disorders. *Psychopathology.* 27:79-88.

- ▶▶ Jurewicz I, Owen R J, O'Donovan M C, Owen M J (2001). Searching for susceptibility genes in schizophrenia. *Eur. Neuropsychopharmacology*1: 86-89.

- ▶▶ Kahlbaum KL (1863). Die Gruppierung der psychischen Krankheiten und die Katatonie oder das Spannungsirresein. *Psychiatrische Wochenschrift* 14 :125-8.

- ▶▶ Kaiser R, Hofer A, Grapengiesser A, Gasser T, Kupsch A, Roots I, Brockmöller J (2003). Dopa-induced adverse effects in PD and dopamine transporter gene polymorphism *Neurology* 60:1750-5.

- ▶▶ Kaplan HI, Saddock BJ (1998). Delusional Disorder. In: Kaplan & Saddock's Synopsis of Psychiatry, 8th Edition, Lippincott Williams & Wilkins, New York,512-20.

- ▶▶ Kaufman S (1995). "Tyrosine hydroxylase". *Adv. Enzymol. Relat. Areas Mol. Biol.* **70**: 103–220.

- ▶▶ Kawarai T, Kawakami H, Yamamura Y, Nakamura S (1997). "Structure and organization of the gene encoding human dopamine transporter". *Gene* **195** (1): 11–8.

- ▶▶ Keabian JW, Calne DB (1979). Multiple receptors for dopamine. *Nature* **277**: 93-96.

- ▶▶ Keefe KA, Gerfen CR (1995). D₁-D₂ dopamine receptor synergy in striatum: effects of intrastriatal infusions of dopamine agonists and antagonists on immediate early gene expression. *Neuroscience* **66**: 903-13.

- ▶▶ Kemp R, Chua S, McKenna P, David A(1997). Reasoning and delusions. *The Brit J Psy* **170**:398-405.

- ▶▶ Kendler KS (1980). The nosologic validity of paranoia (simple delusional disorder). *A review. Ach. Gen Psychiatry.* **37**(6):699-706.

- ▶▶ Kendler KS, Heys P (1981). Paranoid psychosis (delusional disorder) and Schizophrenia. A family history study. *Arch Gen Psychiatry.* **38**(5): 547-51.

- ▶▶ Kendler KS (1982). Demography of paranoid psychosis (delusional disorder): a review and comparison with schizophrenia and affective illness. *Arc Gen Psy* **39**: 890-2.

- ▶▶ Kendler KS, Masterson CC, Davis KL (1985). Psychiatric illness in the first degree relatives of patients with paranoid psychosis, schizophrenia and medical illness. *Brit J Psy.* **147**:524-31.

-
- ▶ Kessler KS, Gruenberg AM, Tsuang MT (1988). A family study of the subtypes of schizophrenia. *Am J Psy* **145**:57-62.
 - ▶ Kennedy HG, Kemp LI, Dyre DE (1992). Fear and anger in delusional (paranoid) disorder: the association with violence. *Brit J Psy* **160**: 488-92.
 - ▶ Kjelsberg MA, Cotecchia S, Ostrowski J, Caron MG, Lefkowitz RJ (1992). Constitutive activation of the α_{1B} -adrenergic receptor by all amino acid substitutions at a single site. Evidence for a region that constrains receptor activation. *J. Biol. Chem.* **267**: 1430-3.
 - ▶ Klein DN, Kovacs BW, Shahbahrani BC, Comings DE, Muhleman BG, Dietz D, George T, Knell D, Kocsis E, Rubin PB, Deborah L, Smith L, Borison M, Richard L., Durrell ED, MacMurray J, Tosk JM, Sverd J, Flanagan GR, Steven D. (1991) The dopamine D2 receptor locus as a modifying gene in neuropsychiatric disorders. *The Journal of the American Medical Association* **192**:27-30.
 - ▶ Klein M (1957). Envy and gratitude. In: The writings of Melanie Klein. Hogarth Press, London. Vol 3, pp 176-235.
 - ▶ Kilty JE, Lorang D, Amara SG (1991). Cloning and expression of a cocaine-sensitive rat dopamine transporter. *Science* **254** (5031): 578-9.
 - ▶ Kohnke M D, Wiatr G, Werner K, Kohnke A M, Schick S, Lutz U, Vonthein R and Gaertner I. (2003). Plasma homovanillic acid: A significant association with alcoholism is independent of a functional polymorphism of the human Catechol-O-Methyltransferase gene. *Neuropsychopharmacology* **28**: 1004-10.
 - ▶ Koren AR, Lieberman J, Alvir J, Mayerhoff D, Loebel A, Chakos M, Amin F, Cooper T (1994). Plasma homovanillic acid levels in first episode
-

- schizophrenia. Psychopathology and treatment response. *Arch Gen Psychiatry* **51**:132-138.
- ▶▶ Kraepelin E (1989). *Dementia Praecox and Paraphrenia*, RN Barclay, translator Livingstone, Edinburgh.
- ▶▶ Kukstas LA, Domec C, Bascles L, Bonnet J, Venier D, Israel JM, Vincent JD (1991). Different expression of the two dopaminergic D₂ receptors, D₂₄₁₅ and D₂₄₄₄, in two types of lactotroph each characterized by their response to dopamine and modification of expression by sex steroids. *Endocrinology* **129**: 1101-3.
- ▶▶ Lahdelma L, Ahokas A, Anderson LC, Huttunen M, Sarna S, Koskimies K (1998). Association between HLA-A1 allele and schizophrenia gene(s) in patients refractory to conventional neuroleptics but responsive to clozapine medication. *Tissue Antigens* **51**:200-3.
- ▶▶ Laitinen JT (1993). Dopamine stimulates K⁺ efflux in the chick retina via D₁ receptors independently of adenylyl cyclase activation. *J. Neurochem.* **61**: 1461-9.
- ▶▶ Laasonen-Balk T, Kuikka J, Viinamäki H, Husso-Saastamoinen M, Lehtonen J, Tiihonen J (1999). Striatal dopamine transporter density in major depression. *Psychopharmacology (Berl.)* **144** (3): 282–5.
- ▶▶ Lau DC, Dhillon B, Yan H, Szmitko PE, Verma S (2005). Adipokines: molecular links between obesity and atherosclerosis. *Am. J. Physiol. Heart Circ. Physiol.* **288** (5): H2031–41.
- ▶▶ Leucht S, Kane J M, Kissling W, Hamann J, Etschel E, Engel. (2005) Clinical implications of Brief Psychiatric Rating Scale scores. *Brit J Psychiat* **187**: 366- 71.

- ▶▶ Li T, Liu X, Sham PC, Aitchison KJ, Cai G, Arranz MJ, Deng H, Liu J, Kirov G, Murray RM, Collier DA(1999). Association analysis between dopamine receptor genes and bipolar affective disorder. *Psychiatry Res.* **86**(3):193-201.

- ▶▶ Liu YF, Civelli O, Grandy DK, Albert PR (1992). Differential sensitivity of the short and long human dopamine D₂ receptor subtypes to protein kinase C. *J. Neurochem.* **59**: 2311-7.

- ▶▶ Liu YF, Civelli O, Zhou QY, Albert PR(1992). Cholera toxin-sensitive 3',5'-cyclic adenosine monophosphate and calcium signals of the human dopamine-D₁ receptor: selective potentiation by protein kinase A. *Mol. Endocrinol.* **6**: 1815-24.

- ▶▶ Lohmueller KE, Pearce CL, Pike M, Lander ES, Hirschhorn JN (2003). Meta-analysis of genetic association studies supports a contribution of commonvariants to susceptibility to common disease. *Nat. Genet.* **33**: 177–82.

- ▶▶ Lowell R, Weitkamp HC, Pershad E, Flood C, Guttormsen S (1981). Depressive disorders and HLA: A gene on chromosome 6 that can affect behaviour. *The New England Journal of Medicine* **305**:1301-6.

- ▶▶ Luchins D, Torrey EF, Weinberger DR, Zaleman S, DeLisi L,Johnson A, Rogentine N, Wyatt R (1980). HLA antigens in schizophrenia: difference between patients with and without evidence of brain atrophy. *Brit J Psy* **136**:243-8.

- ▶▶ Lüdecke B, Dworniczak B, Bartholomé K (1995). A point mutation in the tyrosine hydroxylase gene associated with Segawa's syndrome. *Hum Genet* **95**: 123-5.

-
- ▶ Lüdecke B, Knappskog PM, Clayton PT, Surtees RA, Clelland JD, Heales SJ (1996). Recessively inherited L-DOPA-responsive parkinsonism in infancy caused by a point mutation (L205P) in the tyrosine hydroxylase gene. *Hum Mol Genet* 5: 1023-8.

 - ▶ Lloyd-Jones DM, Liu K, Tian L, Greenland P (2006). Narrative Review: Assessment of C-Reactive Protein in Risk Prediction for Cardiovascular Disease. *Ann Intern Med* 145 (1): 35-42.

 - ▶ Maher BA, Ross JS (1984). Delusions. In: Comprehensive handbook of psychopathology. (Eds) Adams HE, Sutker PB, Plenum Press, New York.

 - ▶ Maher BA (1992). Delusions : contemporary etiological hypothesis. *Psychiatric Annals* 22:260-8.

 - ▶ Malancharuvil JM (2004). Delusional Thinkinf: a thought or affective disorder? A paradigm for working through delusional thinking in Psychotherapy. *Am J Psychotherapy*. 58(2):162-73.

 - ▶ Malmberg A, Jackson DM, Eriksson A, Mohell N (1993). Unique binding characteristics of antipsychotic agents interacting with human dopamine D_{2A}, D_{2B}, and D₃ receptors. *Mol. Pharmacol.* 43: 749-54.

 - ▶ Manschreck TC (1996). Delusional disorder: the recognition and management of paranoia. *J. Clin. Psy.* 57(suppl 3):32-8.

 - ▶ Mansour A, Meng F, Meador-Woodruff JH, Taylor LP, Civelli O, Akil H (1992). Site-directed mutagenesis of the human dopamine D₂ receptor. *Eur. J. Pharmacol.* 227: 205-14.
-

-
- ▶ Marcelis M, Suckling J, Hofman P, Woodruff P, Bullmore E, van Os J (September 2006). "Evidence that brain tissue volumes are associated with HVA reactivity to metabolic stress in schizophrenia". *Schizophr. Res.* **86** (1-3): 45-53.

 - ▶ Martres MP, Sokoloff P, Giros B, Schwartz JC (1992). Effects of dopaminergic transmission interruption on the D₂ receptor isoforms in various cerebral tissues. *J. Neurochem.* **58**: 673-9.

 - ▶ Mc Guffin P, Stuart E. (1986) Genetic Markers in schizophrenia. *Hum Hered* **36**:65-88.

 - ▶ Mc Guffin P, Farmer AE, Yonace A (1981). HLA antigens and subtypes of schizophrenia. *Psychiatry Res.* **5**:115-22.

 - ▶ Mcallister G, Knowles MR, Ward-Booth SM, Sinclair HA, Patel S, Marwood R, Emms F, Smith A, Seabrook GR, Freedman SB (1995). Functional coupling of human D₂, D₃, and D₄ dopamine receptors in HEK293 cells. *J. Receptor Signal Transduction Res.* **15**: 267-81.

 - ▶ Mchale M, Coldwell MC, Herrity N, Boyfield I, Winn FM, Ball S, Cook T, Robinson JH, Gloger IS (1994). Expression and functional characterization of a synthetic version of the human D₄ dopamine receptor in a stable human cell line. *FEBS Lett.* **345**: 147-50.

 - ▶ Meister B, Holger H, Aperia A, Hukfelt T (1991). Dopamine D₁ receptor mRNA in rat kidney: localization by in situ hybridization. *Acta Physiol. Scand.* **143**: 447-9.

 - ▶ Meloni R, Albanese V, Ravassard P, Treihou F, Mallet J (1998). A tetranucleotide polymorphic microsatellite, located in the first intron of the

tyrosine hydroxylase gene, acts as a transcription regulatory element in vitro. *Hum Mol Genet* 7:423-8.

- ▶ Mercier P, Sutter JM, Julien RA, Kieffer N (1977). Schizophrenic: Association de la forme paranoïde aux antigens HLA-A9 et B5. *Encephale*. 3:49-53.
- ▶ Michael A, Mirza S, Mirza KAH, Babu VS, Vithayathi E (1995). Morbid jealousy in alcoholism. *Brit J Psy* 167: 668-72.
- ▶ Miller GM, Madras BK (2002). Polymorphisms in the 3'-untranslated region of human and monkey dopamine transporter genes affect reporter gene expression. *Mol. Psychiatry* 7 (1): 44-55.
- ▶ Minowa MT, Minowa T, Monsma FJ, Sibley DR, Mouradian MM(1992). Characterization of the 5'flanking region of the human D1A dopamine receptor gene. *Proc Natl Acad Sci USA* 89:3045-3049.
- ▶ Misbahuddin A, Placzek M. R, Chaudhuri K. R, Wood N.W, Bhatia K.P, Warner TT (2002). A polymorphism in the dopamine receptor DRD5 is associated with blepharospasm *Neurology* 58:124-6.
- ▶ Missale C, Castelletti L, Memo M, Carruba MO, Spano PF (1988).. Identification of postsynaptic D₁ and D₂ dopamine receptors in the cardiovascular system. *J. Cardiovasc. Pharmacol.* 11: 643-50.
- ▶ Mochi M, Cevoli S, Cortelli P, Pierangeli G, Soriani S, Scapoli C, Montagna P (2003). A genetic association study of migraine with dopamine receptor 4, dopamine transporter and dopamine-beta-hydroxylase genes. *Neurological Sciences* 23(6): 228-31.

-
- ▶▶ Mogi, M., Kojima, K., Harada, M., and Nagatsu, T. (1986). Purification and immunochemical properties of tyrosine hydroxylase in human brain. *Neurochem. Int.* 8:423-8.
 - ▶▶ Mogi, M., Kojima, K., and Nagatsu, T. (1984). Detection of inactive or less active forms of tyrosine hydroxylase in human brain and adrenals by a sandwich enzyme immunoassay. *Anal. Biochem.* 138:125-32.
 - ▶▶ Moises HW, Gelernter J, Giuffra LA, Zarcone V, Wetterberg L, Civelli O, Kidd KK, Cavalli-Sforza LL (1991). No linkage between D₂ dopamine receptor gene region and schizophrenia. *Archives of general psychiatry* 48(7): 643-7.
 - ▶▶ Monsma FJ, Mcvittie LD, Gerfen CR, Mahan LC, Sibley BR (1989). Multiple D₂ dopamine receptors produced by alternative RNA splicing. *Nature* 342: 926-9.
 - ▶▶ Monsma FJ, Mahan LC, Mcvittie LD, Gerfen CR, Sibley BR (1989). Molecular cloning and expression of a D₁ dopamine receptor linked to adenylyl cyclase activation. *Proc. Natl. Acad. Sci. USA* 87: 6723-7.
 - ▶▶ Montmayeur JP, Borrelli E (1991). Transcription mediated by a cAMP-responsive promoter element is reduced upon activation of dopamine D₂ receptors. *Proc. Natl. Acad. Sci. USA* 88: 3135-9.
 - ▶▶ Montmayeur JP, Guiramand J, Borrelli E (1993). Preferential coupling between dopamine D₂ receptors and G proteins. *Mol. Endocrinol.* 7: 161-170.
 - ▶▶ Morimoto K, Miyatake R, Nakamura M, Watanabe T, Hirao T, Suwaki H (2002). Delusional disorder: Molecular genetic evidence for dopamine psychosis. *Neuropsychopharmacology* 26:794-801.

- ▶▶ Mouradian M M, Minowa M T, Minowa T (1993) Promoter structure of the human gene coding for the D1A dopamine receptor. *Adv Neurol* **60**: 343-5.
- ▶▶ Muglia P, Petronis A, Mundo E, Lander S, Cate T, Kennedy JL (2002). Dopamine D4 receptor and tyrosine hydroxylase genes in bipolar disorder: evidence for a role of DRD4. *Molecular Psychiatry* **7**: 860-6.
- ▶▶ Mullen P (1979). Phenomenology of disordered mental function. In: *Essentials of Postgraduate Psychiatry*. (Ed) Hill P, Murray R, Thorley G. Academic Press, London, pp 25-54.
- ▶▶ Munro A (1982). Paranoia revisited. *Brit J Psy* **141**: 344-9.
- ▶▶ Munro A (1988). Delusional (paranoid) disorders: etiologic and taxonomic considerations. I. A possible relationship between delusional and affective disorders. *Can. J. Psychiatry*. **33**:175-8.
- ▶▶ Munro A (2003). Persistent delusional symptoms and disorders . In: *New Oxford Book of Psychiatry*. (Ed) Gelder MG, Lopez-Ibor Jr. JJ, Andreasen NC. Oxford University Press. Oxford. Vol 1, pp651-76.
- ▶▶ Nagatsu, T, Oka, K. (1987). Tyrosine 3-monooxygenase from bovine adrenal medulla. In *Methods in Enzymology* (S. Kaufman, Ed.), Academic Press, New York, Vol. 142, pp. 56-62.
- ▶▶ Nagatsu T (1989). The human tyrosine hydroxylase gene. *Cellular and Molecular Neurobiology* **9**(3): 313-21.
- ▶▶ Nagaoka S, Iwamaoto N, Arai H (1997). First episode neuroleptic-free schizophrenics: Concentrations of monoamines and their metabolites in

plasma and their correlations with clinical responses to haloperidol treatment. *Biol Psychiatry* **41**:857-864.

- ▶▶ Nanko S, Hattori M, Ikeda K, Sasaki T, Kazamatsuri H, Kuwata S(1993). Dopamine D₃ and D₄ receptor gene polymorphisms and Parkinson's disease. *Lancet* **341**: 689-90.
- ▶▶ Nash SR., Godinot N, Caron MG (1993). Cloning and characterization of the opossum kidney cell D₁ dopamine receptor: expression of identical D_{1A} and D_{1B} dopamine receptor mRNAs in opossum kidney and brain. *Mol. Pharmacol.* **44**: 918-25.
- ▶▶ Nathans J, Hogness DS (1983). Isolation, sequence analysis and intron-exon arrangement of the gene encoding bovine rhodopsin. *Cell* **34**: 807-14.
- ▶▶ NCBI Entrez Protein #CAA39671.
- ▶▶ Neale JM, Oltmanns TF, Harvey PD (1985). The need to relate cognitive deficits to specific behavioural references of schizophrenia. *Schiz. Bull.***2**:286-91.
- ▶▶ Nelson, N (1998). The family of Na⁺/Cl⁻ neurotransmitter transporters. *Journal of Neurochemistry* **71**:1785-1803.
- ▶▶ Neve KA, Cox BA, Henningsen AR, Spanoyannis A, Neve RL (1991). Pivotal role for aspartate-80 in the regulation of dopamine D₂ receptor affinity for drugs and inhibition of adenylyl cyclase. *Mol. Pharmacol.* **39**: 733-9.
- ▶▶ O'Connell DP, Botkin SJ, Ramos SI, Sibley DR, Ariano MA, Felder RA, Carey RM (1995). Localization of dopamine D_{1A} receptor protein in rat

-
- kidneys. *Am. J. Physiol.* 268(Renal Fluid Electrolyte Physiol.) 37: F1185-F1197.
- ▶▶ O'Dowd BF (1993). Structure of dopamine receptors. *J. Neurochem.* 60: 804-16.
- ▶▶ O'Dowd BF, Hnatowich M, Caron MG, Lefkowitz RJ, Bouvier RJ (1989). Palmitoylation of the human β_2 adrenergic receptor: mutation of CYS 341 in the carboxy tail leads to an uncoupled, non-palmitoylated form of the receptor. *J. Biol. Chem.* 264: 7564-9.
- ▶▶ O'Donovan MC, Owen MJ (1999). Candidate gene association studies of schizophrenia. *Am. J. Hum. Genet* 65: 587-92.
- ▶▶ O'Donovan MC, Williams NM, Owen M.J (2003). Recent advances in the genetics of schizophrenia. *Human Molecular Genetics* 12 (2): R125-R133.
- ▶▶ Ohaeri JU, Hedo CC, Lagundoye OO (1993). The profile of C-reactive proteins in functional psychotic status in a cohort in Nigeria. *Act. Psy.Scandinavica.* 88(4):252-5.
- ▶▶ Oltmanns TF, Maher BA (1988). *Delusional Beliefs*. John Wiley and Sons, New York.
- ▶▶ O'Malley KL., Anhalt MJ, Martin BM, Kelsoe JR, Winfield SL, Ginns EI (1987). Isolation and characterization of the human tyrosine hydroxylase gene : Identification of 5' alternative splice sites responsible for multiple mRNAs. *Biochemistry* 26: 6910-4.

- ▶▶ O'Malley KL, Rotwein P (1988) Tyrosine hydroxylase: human isoforms, structure and regulation in physiology and pathology". *Essays Biochem.* **30**: 15–35.

- ▶▶ Opjordsmoen S(1989). Delusional disorder. In: comparative long term outcome. *Acta Psychiatry Scand* **80**: 603-12.

- ▶▶ Ottong SE, Garver DL (1997). A bimodal distribution of plasma HVA/MHPG in the psychoses. *Psychiatry Res* **69**:97-103.

- ▶▶ Ovchinnikov Y, Abdulaev N, Bogachuk A (1988). Two adjacent cysteine residues in the C-terminal cytoplasmic fragment of bovine rhodopsin are palmitoylated. *FEBS Lett.* **230**: 1-5.

- ▶▶ Ovesey L (1954). The homosexual conflict: an adaptational analysis. *Psychiatry* **17**:243-50.

- ▶▶ Pepys MB, Hirschfield GM (2003). C-reactive protein: a critical update. *J. Clin. Invest.* **111** (12): 1805–12.

- ▶▶ Pepys MB, Hirschfield GM, Tennent GA, Gallimore JR, Kahan MC, Bellotti V, Hawkins PN, Myers RM, Smith MD, Polara A, Cobb AJ, Ley SV, Aquilina JA, Robinson CV, Sharif I, Gray GA, Sabin CA, Jenvey MC, Kolstoe SE, Thompson D, Wood SP (2006). Targeting C-reactive protein for the treatment of cardiovascular disease. *Nature* **440**: 1217–21.

- ▶▶ Persico AM, Wang ZW, Black DW, Andreasen NC, Uhi GR, Crowe RR(1995). Exclusion of Close Linkage of the Dopamine Transporter Gene With Schizophrenia Spectrum Disorders *Am J Psychiatry* **152**:134-6.

-
- ▶▶ Pfutzner A, Forst T (2006). High sensitivity C-reactive protein as cardiovascular risk marker in patients with diabetes mellitus. *Diabetes Technology and Therapeutics* 8:28-36.

 - ▶▶ Pickar D, Labarca R, Linnoila M, Roy A, Hommer D, Everett D, Paul S M (1984). Neuroleptic-induced decrease in plasma homovanillic acid and antipsychotic activity in schizophrenic patients. *Science* 225:954-957.

 - ▶▶ Pickar D, Labarca R, Doran A R, Wolkowitz O M, Roy A, Bteier A, Linnoila M, Paul S M (1986). Longitudinal measurement of plasma homovanillic acid levels in schizophrenic patients. Correlation with psychosis and response to neuroleptic treatment. *Arch Gen Psychiatry* 43:669-76.

 - ▶▶ Placzek M R, Misbahuddin A, Chaudhuri KR, Wood NW, Bhatia K P, Warner K P (2001). Cervical dystonia is associated with a polymorphism in the dopamine (D5) receptor gene *J Neurol Neurosurg Psychiatry* 71:262-4.

 - ▶▶ Potenza MN, Graminski GF, Schmauss C, Lerner MR (1996). Functional expression and characterization of human D₂ and D₃ dopamine receptors. *J Neurosci*. 14: 1463-1476, 1994,

 - ▶▶ Prasad S, Semwal P, Deshpande S, Bhatia T, Nimgaonkar VL, Thelma B K. (2002). Molecular genetics of schizophrenia: past present and future. *J Biosci* 27(1) suppl 1:35-52.

 - ▶▶ Probst WC, Snyder LA, Schuster DI, Brosius J, Sealfon SC (1992). Sequence alignment of the G-protein coupled receptor superfamily. *DNA Cell Biol*. 11: 1-20.

 - ▶▶ Rao V, Lyketsos CG (1998). Delusions in Alzheimer's disease: a review. *J Neuropsychiatry Clin Neurosci*. 10(4):373-82.
-

- ▶ Reynolds G P (1983). Increased concentrations and lateral asymmetry of amygdala dopamine in schizophrenia. *Nature* **305**:527-9.

- ▶ Ribeyre J-M, Lesieur P, Varoquaux O, Dollfus S, Pay M, Petit M (1994). A comparison of plasma homovanillic acid in the deficit and non-deficit subtypes of schizophrenia. *Biol Psychiatry* **36**:230-6.

- ▶ Robinson SW, Caron MG. Chimeric D₂/D₃ dopamine receptors efficiently inhibit adenylyl cyclase in HEK 293 cells. *J. Neurochem.* **67**: 212-9.

- ▶ Roth M (1987). Late Paraphrenia. In: Schizophrenia and Aging. (Ed). Miller NE, Cohen GE, Guilford, New York, pp 217-34.

- ▶ Rotterstol N (1986). Paranoid disorders. In :Psychoses, affective disorders and dementia. (Ed) Helzer J E, Guze SB; JB Lippincott, Philadelphia pp245-64.

- ▶ Sander T, Harms H, Podschus J (1997). Allelic association of a dopamine transporter gene polymorphism in alcohol dependence with withdrawal seizures or delirium. *Biol. Psychiatry* **41** (3): 299–304.

- ▶ Sano A, Kondoh K, Kakimoto Y, Kondo I (1993). A 40-nucleotide repeat polymorphism in the human dopamine transporter gene. *Human Genetics* **91** (4): 405–6.

- ▶ Sasaki T, Matsushita M, Nanko S, Fukuda R, Kennedy JL, Tokunga K (1999). Schizophrenia and the HLA-DRB1 gene in the Japanese population. *Am J Psy* **156**:171-3.

-
- ▶▶ Satel SSL, Edell WS (1991). Cocaine-induced paranoia and psychosis-proneness. *Am J Psy* **148**:1708-11.

 - ▶▶ Schanda H, Berner P, Gabriel E, Kornberger ML, Kufferle B (1983). Family pictures in patients with paranoid psychosis. *Psychiatr Clin (Basel)*. **16** (5-6):391-404.

 - ▶▶ Schultz W (1998). Predictive reward signal of dopamine neurons. *J. Neurophysiol.* **80** (1): 1-27.

 - ▶▶ Seabrook GR, Knowles M, Brown N, Myers J, Sinclair H, Patel S, Freedman SB, Mcallister G (1994). Pharmacology of high-threshold calcium currents in GH₄C₁ pituitary cells and their regulation by activation of human D₂ and D₄ dopamine receptors. *Br. J. Pharmacol.* **112**: 728-34.

 - ▶▶ Seeman P, Van Tol HHM (1994). Dopamine receptor pharmacology. *Trends Pharmacol. Sci.* **15**: 264-270.

 - ▶▶ Seeman P, Lee T, Chau-Wong M, Wong K (1975). Antipsychotic drug doses and neuroleptic/dopamine receptors. *Nature* **261**: 717-719.

 - ▶▶ Seeman P, Chau-Wong M, Tedesco J, Wong K (1975). Brain receptors for antipsychotic drugs and dopamine: direct binding assays. *PNAS* **72**: 4376-4380.

 - ▶▶ Seeman P, Weinshenker D, Quirion R, Srivastava LK, Bhardwaj SK, Grandy DK, Premont RT, Sotnikova TD, Boksa P, El-Ghundi M, O'dowd BF, George SR, Perreault ML, Männistö PT, Robinson S, Palmiter RD, Tallero T (2005). Dopamine supersensitivity correlates with D₂High states, implying many paths to psychosis. *PNAS USA* **102**(9):3513-8.
-

- ▶ Seeman P(2002). Atypical antipsychotics: mechanism of action.*Canadian journal of psychiatry* **47**(1):27-38.
- ▶ Seeman P, Chau-Wong M, Tedesco J and Wong K.(1975) *PNAS USA* **72**:4376-80.
- ▶ Senogles SE (1994). The D₂ dopamine receptor isoforms signal through distinct G_iα proteins to inhibit adenylyl cyclase. A study with site-directed mutant G_iα proteins. *J. Biol. Chem.* **269**: 23120-7.
- ▶ Serretti A, Macciardi F, Verga M, Cusin C, Pedrini S, Smeraldi E Istituto Scientifico H. San Raffaele (1998). Tyrosine hydroxylase gene associated with depressive symptomatology in mood disorder. *Am J Med Genet* **81**(2):127-30.
- ▶ Serretti A, Macciardi F, Cusin C, Lattuada E, Lilli R, Smeraldi E (1998). Dopamine receptor D₄ gene is associated with delusional symptomatology in mood disorders. *Psychiatry research* **80** (2):129-36.
- ▶ Serretti A, Lattuda E, Lorenzi C, Lilli R, Smeraldi E (2000). Dopamine receptor D₂ Ser/Cys 311 variant is associated with delusion and disorganization symptomatology in major psychoses. *Mol Psychiatry* 270-4.
- ▶ Shapiro RW, Ryder LP, Svejgaard A, Rafaelsen OJ (1977). HLA antigens and manic-depressive disorders:Further evidence of an association. *Psychol Med* **7**:387-96.
- ▶ Shaw P, Gornick M, Lerch J, Addington A, Seal J, Greenstein D, Sharp W, Evans A, Giedd JN, Castellanos FX, Rapoport JL (2007) Polymorphisms of the Dopamine D₄ Receptor, Clinical Outcome, and Cortical Structure in Attention-Deficit/ Hyperactivity Disorder. *Arch Gen Psychiatry* **64**:921-31.

- ▶▶ Sher L (2000). Sociopolitical events and technical innovations may affect the content of delusions and the course of psychotic disorders. *Med Hypothesis* **55**(6):507-9.

- ▶▶ Simmonds SH, Strange PG (1985). Inhibition of inositolphospholipid breakdown by D-2 receptors in dissociated bovine anterior pituitary cells. *Neurosci. Lett.* **60**: 267-72.

- ▶▶ Sidhu A, Vachvanichsanong P, Jose PA, Felder RA (1992). Persistent defective coupling of dopamine-1 receptors to G proteins after solubilization from kidney proximal tubules of hypertensive rats. *J. Clin. Invest.* **89**: 789-93.

- ▶▶ Snyder LA, Roberts JL, Sealfon SC (1991). Alternative transcripts of the rat and human dopamine D₃ receptor. *Biochem. Biophys. Res. Commun.* **180**: 1031-5.

- ▶▶ Shinba T, Nagano M, Kariya N, Ogawa K, Shinozaki T, Shimosato S, Hoshi Y (2004). Near infrared spectroscopy analysis of frontal lobe dysfunction in schizophrenia. *Biol. Psychiatry.* **55**:154-64.

- ▶▶ Singh B, Banerjee S, Bera N K, Nayak C R, Chaudhuri T K. (2008) Elevated level of C-reactive protein in drug naïve patients with schizophrenia. *Int J Chem Sci* **6**(3):1276-82.

- ▶▶ Sokoloff P, Giros B, Martres MP, Barthenet ML, Schwartz SC(1990). Molecular cloning and characterization of a novel dopamine receptor (D-3) as a target for neuroleptics. *Nature* **347**: 146-51.

- ▶▶ Sokoloff P, Schwartz SC (1995). Novel dopamine receptors half a decade later. *Trends Pharmacol. Sci.* **16**: 270-5.

-
- ▶ Sonders MS, Zhu SJ, Zahniser NR, Kavanaugh MP, Amara SG (1997). Multiple ionic conductances of the human dopamine transporter: the actions of dopamine and psychostimulants. *J. Neurosci.* **17** (3): 960–74.

 - ▶ Spano PF, Govoni S, Trabucchi M(1978). Studies on the pharmacological properties of dopamine receptors in various areas of the central nervous system. *Adv. Biochem. Psychopharmacol.* **19**: 155-165

 - ▶ Strader CD, Sigal IS, Candelore MR, Rouds E, Hill WS, Dixon RAF (1988). Conserved aspartic acid residues 79 and 113 of the β -adrenergic receptor have different roles in receptor function. *J. Biol. Chem.* **263**: 10267-71.

 - ▶ Strader CD, Candelore MR, Hill WS, Sigal IS, Dixon RAF (1989). Identification of two serine residues involved in agonist activation of the β adrenergic receptor. *J. Biol. Chem.* **264**: 13572-8.

 - ▶ Strauss ME (1988). On the experimental psychopathology of delusion. In: *Delusional Beliefs.* (ED) Oltmanns TF, Maher BA; John Wiley & Sons, New York; 157-64.

 - ▶ Sumiyoshi T, Kurachi M, Kurokawa K, Yotsutsuji T, Uehara T, Itoh H, Saitoh O. (2000) Plasma homovanillic acid in the prodromal phase of schizophrenia. *Biological Psychiatry* **47**(5):428-33.

 - ▶ Sunahara RK, Guan HC, O'Dowd BF, Seeman P, Laurier LG, George GNGSR, Torchia J, Van Tol HHM, Niznik HB (1991). Cloning of the gene for a human dopamine D₅ receptor with higher affinity for dopamine than D₁ . *Nature* **350**: 614-9.

-
- ▶▶ Suhara T, Nakayama K, Inoue O, Fukuda H, Shimizu M, Mori A, Tateno Y (1992). D1 dopamine receptor binding in mood disorders measured by positron emission tomography *Psychopharmacology (Berl)*. **106**(1):14-8.
 - ▶▶ Surmeier DJ, Bargas J, Hemmings HC, Nairn AC, Greengard P (1995). Modulation of calcium currents by a D₁ dopaminergic protein kinase/phosphatase cascade in rat neostriatal neurons. *Neuron* **14**: 385-97.
 - ▶▶ Sweet RA, Nimgaonkar VL, Kamboh MI, Lopez OL, Zhang F, DeKosky ST (2002). Dopamine receptor genetic variation, psychosis, and aggression in Alzheimer disease. *Arch Neurol* **59**(6):1042.
 - ▶▶ Tank AW, Weiner N (1987). Tyrosine 3-monooxygenase from rat pheochromocytoma. In *Methods in Enzymology* (S. Kaufman, Ed.), Academic Press, New York, Vol. 142, pp. 71-82.
 - ▶▶ Tang L, Todd RD, Heller A, O'Malley KL (1994). Pharmacological and functional characterization of D₂, D₃ and D₄ dopamine receptors in fibroblast and dopaminergic cell lines. *J. Pharmacol. Exp. Ther.* **268**: 495-502.
 - ▶▶ Talerico T, Novak G, Liu I S C, Ulpian C and Seeman P. (2001) Schizophrenia: elevated mRNA for dopamine D₂_{Longer} receptors in frontal cortex. *Molecular Brain Research*. **87**(2):160-5.
 - ▶▶ Tandon K, McGuffin P (2002). The genetic basis for psychiatric illness in man. *Eur J Neuroscie.* **16**:403-7.
 - ▶▶ Thibaut F, Ribeyre J-M, Dourmap N, Menard J F, Dollfus S, Petit M (1998). Plasma 3-methoxy-4-hydroxyphenylglycol and homovanillic acid measurements in deficit and nondeficit forms of schizophrenia. *Biol Psychiatry* **43**:24-30.

-
- ▶▶ Tillett WS, Francis Jr T (1930). Serological reactions in pneumonia with a nonprotein somatic fraction of pneumococcus. *J Exp Med* **52**: 561–85.
 - ▶▶ Tomic M, Seeman P, George SR, O'Dowd B (1993). Dopamine D₁ receptor mutagenesis: role of amino acids in agonist and antagonist binding. *Biochem. Biophys. Res. Commun.* **191**: 1020-7.
 - ▶▶ Torres GE, Gainetdinov RR, Caron MG (2003). "Plasma membrane monoamine transporters: structure, regulation and function". *Nat. Rev. Neurosci.* **4** (1): 13–25.
 - ▶▶ Tiberi M., Jarvie KR, Silvia C, Falardeu P, Gingrich JA, Godinot N, Bertrand L Yang-Feng TL, Fremeau RT, Caron MG (1991). Cloning, molecular characterization, and chromosomal assignment of a gene encoding a second D₁ dopamine receptor subtype: differential expression pattern in rat brain compared with the D_{1a} receptor. *Proc. Natl. Acad. Sci. USA* **88**: 7491-5.
 - ▶▶ Trumpp-Kallmeyer S, Hoflack J, Bruinvels A, Hibert M (1992). Modeling of G protein-coupled receptors: application to dopamine, adrenaline, serotonin, acetylcholine and mammalian opsin receptors. *J. Med. Chem.* **35**: 3448-62.
 - ▶▶ Tsuang M (2000). Schizophrenia: genes and environment. *Biological Psychiatry.* **47**:210-20.
 - ▶▶ Ueno S, Nakamura M, Mikami M, *et al* (1999). Identification of a novel polymorphism of the human dopamine transporter (DAT1) gene and the significant association with alcoholism. *Mol. Psychiatry* **4** (6): 552–7.
 - ▶▶ Ueno S (2003). Genetic polymorphisms of serotonin and dopamine transporters in mental disorders. *J. Med. Invest.* **50** (1-2): 25–31.

-
- ▶▶ Van den Heuvel LP, Luiten B, Smeitink JA, de Rijk-van Andel JF, Hyland K, Steenbergen-Spanjers GC (1998). A common point mutation in the tyrosine hydroxylase gene in autosomal recessive L-DOPA-responsive dystonia in the Dutch population. *Hum Genet* **102**: 644-6.

 - ▶▶ Vandenberg DJ, Persico AM, Hawkins AL, Griffin CA, Li X, Jabs EW, Uhl GR (1992) Human dopamine transporter gene (DAT1) maps to chromosome 5p15.3 and displays a VNTR. *Genomics* **14**:1104-6.

 - ▶▶ Van Tol HHM, Bunzow JR, Guan HC, Sunahara RK, Seeman P, Niznik HB, Civelli O (1991). Cloning of the gene for a human dopamine D₄ receptor with high affinity for the antipsychotic clozapine. *Nature* **350**: 610-4.

 - ▶▶ Van Tol HHM, WU CM, Guan HC, Ohara K, Bunzow JR, Civelli O, Kennedy J, Seeman P, Niznik HB, Jovanovic V (1992). Multiple dopamine D₄ receptor variants in the human population. *Nature* **358**: 149-152.

 - ▶▶ Vallar L, Muca C, Magni M, Albert P, Bunzow J, Meldolesi J, Civelli O(1990). Differential coupling of dopaminergic D₂ receptors expressed in different cell types. Stimulation of phosphatidylinositol 4,5-bisphosphate hydrolysis in Ltk α fibroblasts, hyperpolarization, and cytosolic-free Ca²⁺ concentration decrease in GH₄C₁ cells. *J. Biol. Chem.* **265**: 10320-6.

 - ▶▶ Vaughan RA, Kuhar MJ (1996). Dopamine transporter ligand binding domains. Structural and functional properties revealed by limited proteolysis. *J. Biol. Chem.* **271** (35): 21672-80.

 - ▶▶ Verdoux H, Van OS, Maurice-Tison S, Gay B, Salamon R, Bourgeois M (1998). Is early adulthood a critical developmental stage for psychosis

proneness? A survey of delusional ideation in normal subjects. *Schiz Res* 29:247-54.

- ▶▶ Vernier P, Cardinaud B,Valdenaire O, Herve P, Vincent JD (1995). An evolutionary view of drug-receptor interaction: the bioamine receptor family. *Trends Pharmacol. Sci.* 16: 375-81.

- ▶▶ Wang CD, Buck MA, Fraser CM(1991). Site-directed mutagenesis of α_{2A} adrenergic receptors: identification of amino acids involved in ligand binding and receptor activation by agonists. *Mol. Pharmacol.* 40: 168-79.

- ▶▶ Watt JAG (1985). The relationship of paranoid states to schizophrenia. *Am J Psy* 142:1456-8.

- ▶▶ Weinshank RL, Adham N, Macchi M, Olsen MA, Branchek TA, Hartig PR(1991). Molecular cloning and characterization of high affinity dopamine receptor ($D_{1\beta}$) and its pseudogene *J. Biol. Chem.* 266: 22427-35.

- ▶▶ Weglarz DM, Rybakowski,J K, Slopian, A, Czerski MP, Rodziewicz LA, Kapelski P, Fass KM, Hauser J. (2006). Dopamine receptor D1 gene-48A/Gpolymorphism is associated with bipolar illness but not with schizophrenia in a polish population. *Neuropsychobiology* 53:46-50.

- ▶▶ Wei J, Ramchand CM, Hemmings G (1997). Possible association of catecholamine turnover with polymorphic (TCAT)_n repeat in the first intron of the human tyrosine hydroxylase gene. *Life Sci* 61:1341-7.

- ▶▶ Wernicke C, Smolka M, Gallinat J, Winterer G, Schmidt L G and Rommelspacher H (2002). *Neuroscience Letters* 333 (1): 45-48.

- ▶ Westermeyer J (1985). Psychiatric diagnosis across cultural boundaries. *Am.J. Psy.* **142**: 798-805.
- ▶ Wheeler DD, Edwards AM, Chapman BM, Ondo JG (1993). A model of the sodium dependence of dopamine uptake in rat striatal synaptosomes. *Neurochem. Res.* **18** (8): 927-36.
- ▶ Winokur G (1977). Delusional disorder (paranoia). *Comprehensive Psychiatry* **18**:511-21.
- ▶ Winokur G (1985). Familial psychopathology in delusional disorder. *Comprehensive Psychiatry* **26**:241-8.
- ▶ Winokur G (1986). Classification of chronic psychoses including delusional disorders and schizophrenia. *Psychopathology* **19**(1-2):30-4.
- ▶ Wood P B (2008). Role of central dopamine in pain and analgesia. *Expert Rev Neurother* **8**(5):781-97.
- ▶ Wright P, Dawson E, Donaldson PT, Underhill JA, Sham PC, Gill M, Nanko S, Owen MJ, McGuffin P, Murray RM (1998). A transmission/disequilibrium study of the DRB1*04 gene locus on chromosome 6p21.3 with schizophrenia. *Schiz Res* **32**(2): 75-80.
- ▶ Yamada N, Nakajima S, Noguchi T (1998). Age at onset of delusional disorder is dependent on the delusional theme. *Acta Psychiatrica Scandinavica* **97**(2):122-4.
- ▶ Yang B, Chan RC, Jing J, Li T, Sham P, Chen RY (2007). A meta-analysis of association studies between the 10-repeat allele of a VNTR polymorphism in

the 3'-UTR of dopamine transporter gene and attention deficit hyperactivity disorder. *Am. J. Med. Genet. B Neuropsychiatr. Genet.* **144** (4): 541–50.

- ▶▶ Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG (2008). "Genetically elevated C-reactive protein and ischemic vascular disease". *N. Engl. J. Med.* **359** (18): 1897–1908.
- ▶▶ Zhang LJ, Lachowicz JE, Sibley DR (1994). The D_{2S} and D_{2L} dopamine receptor isoforms are differentially regulated in Chinese hamster ovary cells. *Mol. Pharmacol.* **45**: 878-889.
- ▶▶ Zhou QY, Grandy DK, Thambi L, Kushner JA, Van Tol HHM, Cone R, Pribnow D, Salon J, Bunzow JR, Civelli O (1990). Cloning and expression of human and rat D₁ dopamine receptors. *Nature* **347**: 76-80.