7. References

Adou, E.; Williams , R.B.; Schilling , J.K.; Malone, S.; Meyer , J.; Wisse, J.H.; Frederik , D.; Korea, D.; Werkhoven, M.C; Snipes, C.e.; Werk, T.L. and Kingstone, D.G. (2005) Cytotoxic diterpenoids from two lianas from the Suriname rainforest. *Bioorg. Med.*Chem. **13**:6009-6014

Aharoni, Y.; Fallik, E., Copel; A., Gil, M.; Grinberg, S. and **Klein. J.D.** (1997) Sodium bicarbonate reduces postharvest decay development on melons. *Postharvest Biol. Technol.* **10**:201-206.

Ahmad, I. and **Beg, A.Z.** (2001) Antimicrobial and phytochemical studies on 45 Indian medicinal plants against multi-drug resistant human pathogens. *Journal of Ethnopharmacology,* **74**:113–123.

Ahmed, A.; Ahmed, M.; Bishr, M.; Mohamed, A. El-Shanawany; Attia, Z.E.; Ross, A. S.; Pare, W. P. (2005) Rare trisubstituted sesquiterpenes daucanes from the wild *Daucus carota*. *Phytochemistry* **66**: 1680-1684.

Ahmed, M.; EL-Bondkly and **Fatma, N. Talkhan.** (2007) Intra-strain crossing in *Trichoderma harzianum via* protoplast fusion to enhance chitinase productivity and biocontrol activity. *Arab J. Biotech.* **10**:233-240.

Akhtar, K.P.; Matin, M.; Mirza, J.H.; Shakir, A.S.; and Rafique, M. (1994). Some studies on the post harvest diseases of tomato fruits and their chemical control. *Pakistan Journal of Phytopathology*. **6**:125–129.

Akhtar, M.A.; Rahber-Bhatti, M.H. and Aslam, M. (1995) Antibacterial activity of plant diffusate against *Xanthomonas campestris* Pv. *citri. International Journal of Pest Management.* **43**:149-153.

Albert, M. J.; Faruque, S. M.; Ansaruzzaman, M. ; Islam, M. M.; Haider, K.; Alam, K.; Kabir, I. and Robins-Browne. R. (1992) Sharing of virulence-associated properties at the phenotypic and genetic levels between enteropathogenic *Escherichia coli* and *Hafnia alvei. J. Med. Microbiol.* **37**:310-314

Al-Howiriny, T. A.; Al-Rehaily, A. J.; Pols, J. R.; Poter, J. R.; Mossa, J. S. and **Ahmed, B.** (2005) Three new diterpines and the biological activity of different extracts of *Jasonia montana. Nat. Prod.* **19**: 253-265.

Ali, M. S.; Azhar, I.; Ahmad, V. U. and Usmanghani, K. (1999) Antimicrobial screening of some Caesalpiniaceae. *Fitoterapia.* **70**:299-304.

Ali, M.S.; Azhar, I.; Ahmed, V.U. and Usmanghani, K. (2001) Antimicrobial screening of mimoceous plants. *Pharma Biol.* **39**:43-46

Al-Rahamah , A. N.; Moslem, M. A. and Elkhder, K. A. (2000) *Chemical Control of Post-Harvest Diseases of Some Fruits. Pakistan Journal of Biological Sciences.* **3**:599-601

Altschul, S.F.; Gish, W.; Miller, W.; Myers, E.W. and Lipman, D.J. (1990) Basic local alignment search tool. *J. Mol. Biol.* **215**: 403-410.

Alvarez, A.M. and Nishijima, W.T. (1987) Postharvest diseases of papaya. *Plant Dis.* **71**:681 -686.

Anonymous (2003) Post harvest handling technical series: Tomato: Post harvest care and market preparation. Ministry of Fisheries, Crops and Livestock, New Guyana Mkt. Corp.; *Natt Agri. Res. Inst. Technical bulletin no 9.*

Anonymous (2008) Preface of the seminar "Post harvest 2008 for fruits and vegetables" in Proc .post harvest technology in India, 20-22 Nov, 2008, Bangalore, India. (http://postharvestindia.net/exhibitors.asp?Id=1)

Awan, M.Z.; Ishfaq, M; Hafiz, I.A.; Ijaz, M. and Ayyub, C.M. (1992) Incidence of citrus canker in Barani area at Chakwal. *In. Proc. 1st Inter. sem. citriculture in Pakistan.* Dec. 2-5. University of Agriculture, Faisalabad. pp: 315-318.

Babu, K.J. and Reddy, S.M. (1986) Aeromycoflora of store house of citrus fruits. *Indian Journal of Mycology and Plant Pathology.* **16**:355- 358

Balali, G.R. and Iranpoor, M. (2005). Application of pectic zymogram in the identification and genetic variation of *Fusarium* species. *Journal of Agricultural Technology.* **1**:127-14

Balandrin,M.F.; Klocke, J.A.; Wurtele, E.S. and Bollinger,W.H. (1985) Natural plant chemicals: Sources of Industrial and Medicinal materials. *Science.* **228**:1154-1160.

Barnett, H.L. and Hunter B.B. (1998) Illustrated Genera of Imperfect Fungi, 4th Edition. Minnesota, USA: The American Phytopathological Society Press.

Barrero, A.F.; Oltra, J.E.; Alverez, M.; Raslan, D. S.; Saude, D.A.; Akssira, M. (2000) New source and antifungal activity of sesquiterpene lactones. *Fitoterapia.* **53**:60-71

Barrow, G. H. and Feltham, R. K. A (1993) Cowan and Steel's Manual for Identification of Medical Bacteria. Third edition. Cambridge University Press, Cambridge. pp.331.

Bartholomew, D.P.; Paull, R.E. and Rohrbach (2003). The pineapple botany, production and uses. CAB International, New York.

Basha, S and Ulaganathan, K. (2002) Antagonism of *Bacillus* species (strain BC121) towards *Curvularia unata. Current science.* **82**:1457-1463

Bautista-Banos, S.; Hernandez-Lauzardo, A.N.; Velazquez-del Valle, M.G.; Hernandez-Lopez, M.; Ait Barka, E.; Bosquez-Molina, E. and Wilson, C.L. (2006) Chitosan as a potential natural compound to control pre and postharvest diseases of horticultural commodities. *Crop Prot.* **25**:108–118.

Belanger, R.R.; Dufour, N; Caron, J. and Benhamou, N. (1995) Chronological events associated with the antagonistic properties of *Trichoderma harzianum* against *Botrytis cinera:* indirect evidence for sequential role of antibiosis and parasitism. *Biocont Sci Technol.* 5:41–53.

Bhandari, D.K.; Nath, G.; Roy, A.B. and Tewari, P.V. (2000) Antimicrobial activity of crude extracts of *Barberis asiatica* stem bark. *Pharm Boil.* **38**:251-252

Bianchi, A.; Zambonelli, A.; Zechini D'Aulerio, A. and **Bellesia, F.** (1997) Ultra-structural studies of the effects of *Allium sativum* on phytopathogenic fungi *in vitro*. *Plant Dis.* **81**:1241–1246.

Bonn, W.G. and Bedford, K. E. (1986) Midvein necrosis of mutsu apples leaves caused by *Pseudomonas syringae* pv. *papulans*. Canadian journal of plant pathology. **8**:167-169

Boruah, H. P. D. and Kumar, B. S. D (2002) Disease suppression, plant productivity through a plant growth promoting fluorescent *Pseudomonas* strain RRLJ 008. *Folia Microbiol.* **47**:137-143.

Bouamama, H.; Noel, T.; Villard, J.; Benharref, A. and Jana, M. (2006) Antimicrobial activity of the leaf extract of two Moroccan *Cistus* L. species. *Journal of Ethnopharmacology.* **104**:104-107.

Bounous, G.; Beccaro, G.L.; Mellano, M.G. and Botta, R. (2009) Nutritional value and antioxidant activity of minor fruits grown in Piemonte (Italy). *Acta Hort. (ISHS)* **818**:249-252.

Bowers, J.H. and Locke.J.C. (2000). Effect of botanical extracts on the population density of *Fusarium oxysporum* in soil and control of Fusarium wilt in the greenhouse. *Plant Dis.* **84:** 300-305.

Brent, K. J. and Hollomon, D. W. (1998) Fungicide resistance: the assessment of risk. FRAC, *Global Crop Protection Federation, Brussels, Monograph.* **2**:1-48.

Brewer, M. T. and **Larkin, R. P.** (2005) Efficacy of several potential biocontrol organisms against *Rhizoctonia solani* on potato. *Crop Prot.***24**:939-950.

Brown, G. E. and Eckert, J. W. (2000) *Diplodia* stem-end rot. In: Compendium of Citrus Diseases, 2nd Edition. Timmer, L. W., Gernsey, S. M., and Graham, J. H. eds. APS Press, St. Paul, MN, USA. pp. 43-44

Brown, G.E. and Miller, W.R. (1999). Maintaining fruit health after harvest. *In: Citrus Healthy Management*, L. W. Timmer and L. W. Duncan, (eds.), APS Press, St. Paul, MN, USA. pp.175-192.

Bucki, P.M.; Laich, F.S.; Melegari, A.L.; and Escande, A.R. (1998). Damping off of egg plant (*Solanum melongena*): Isolation of casual agents and selection of microorganisms for its biological control. *Fitopatologia.* **33**:108-115.

Cabanas, R.; Abarca, M.L.; Bragulat, M.R. and Cabanes, F.J. (2009) Comparison of methods to detect resistance of Penicillium expansum to thiabendazole. Letters in applied microbiology. **48:**241-246.

Caccioni, D.R.L.; Guizzardi, M.; Biond, D.M.; Renda, A. and Ruberto, G. (1998) Relationship between volatile components of citrus fruit essential oils and antimicrobial action on *Penicillium digitatum* and *Penicillium italicum*. *Int. J. Food Microbiol.* **43**:73-79.

Cala, G.; Bertoluzza, A. and Foschi, F. (1988) Fitofarmaci e legislazione. *In*: Goidnich, G. and Pratella, G.C. [Eds.] Fitofarmaci,Igiene e Ambiente. Maggioli, Rimini, Italy. pp.236-250.

Calistru, C.; McLean, M. and Berjak, P. (1997). *In vitro* studies on the potential for biological control of *Aspergiulls flavus* and *Fusarium moniliforme* by *Trichoderma* species. 1. Macroscopical and microscopical observations of fungal interactions. *Mycopathologia.* **139**: 115–121.

Canillac, N. and Mourey, A. (2001) Antibacterial activity of the essential oil of *Picea excelsa* on *Listeria, Staphylococcus aureus* and coliform bacteria. *Food Microbiology.* **18**:261–268.

Cantwell, M. and Nie, X. (1996) Use of heat treatments to control postharvest pathogens on tomatoes and melons. DANR Pub. #3356

Carnahan, A. M.; Behram, S. and Joseph, S. W. (1991). Aerokey II: aflexible key for identifying clinical Aeromonas species. *J Clin Microbiol.* **29**:2843–2849.

Carpinella, M. C.; Herraro, G. G.; Alonso, R. A. and Palacios, S. M. (1999) Antifungal activity of *Melia azedarach* fruit extract. *Fitoterapia.* **70**:296-298.

Chaiharn, M; Chunhaleuchanon, S and Lumyong, S. (2009) Screening siderophore producing bacteria as potential biological control agent for fungal rice pathogens in Thailand. *World journal of microbiology and biotechnology.* **25**:1919-1928.

Chakraborty, U; Dutta, S.K., and Chakraborty, B.N. (1991): Antifungal activity of some plant extracts on phytopathogenic fungi. *Indian Botanical Contractor.* **8**:107–111.

Chalutz, E. and Droby, S. (1998) Biological control of postharvest disease. *In*: Boland, G.J., Kuykendall, L.D. (Eds.), Plant-microbe interactions and biological control. Marcel Dekker, New York, USA. pp.157-170.

Chalutz, E. and Wilson, C.L. (1990) Postharvest biocontrol of green and blue mould and sour rot of citrus fruit by *Debaryomyces hansenii. Plant Disease.* **74**:134–137.

Chatterjee, A. and Pakrashi, S.C. (1997) The treatise of Indian Medicinal Plants, Vols. 1-6. New Delhi, National Institute for Science Communication.

Chet, I.; Inbar, J. and Hadar, I. (1997) Fungal antagonists and mycoparasites. *In*: Wicklow DT, Söderström B (eds) The Mycota IV: Environmental and microbial relationships. Springer-Verlag, Berlin. pp.165-184.

Chopra, R. N.; Nayar , S.L. and Chopra I.C. (1996) Glossary of Medicinal Plants. New Delhi, National Institute for Science Communication.

Christian, E. J. and Susana, G. A. (2008) Seed physiology production and technology. Aromatic plant oils as fungicide for organic corn production. *Crop Sci.* **48**:1941-1951

Cox, S. D.; Gustafson, J. E.; Mann, C. M.; Markham, L.; Liew, Y. C.; Hartland, R. P.; Bell, H. C.; Warmington, J. R.; and Wyllie, S.G. (1998) Tea tree oil causes K+ leakage and inhibits respiration in *Escherichia coli*. *Letters in Applied Microbiology*. **26**:355–358.

Csizinszky, A. A. ; Civerolo, E. L. and Jones, J. B. (1993) Inactivation of *Xanthomonas campestris* pvs. *in vitro* with plant extracts. First world congress on medicinal and aromatic plants for human welfare (WOCMAP), Maastricht, Netherlands, 19-25 July 1992. *Acta Horticulturae*. **331**:301-305

Curtis, H.; Noll, U.; Stormann, J. and **Slusarenko, A.J.** (2004) Broad-spectrum activity of the volatile phytoanticipin allicin in extracts of garlic (*Allium sativum* L.) against plant pathogenic bacteria, fungi and oomycetes. *Physiol. and Mol. Pl. Pathol.* **65**:79-89.

Cutler, H. G. and Cutler, S. J. (1999) Biological active natural products: Agrochemicals. CRS Press, Boca Raton, USA.

D'souza, A.; Roy, J. K.; Mohanti, B. and **Dasgupta, B.** (2001) Screening of *Trichoderma harzianum* against major fungal pathogens of betelvine. *Indian Phytopathol.* **54**:340-345.

DalBello, G.; Monaco, C.; Rollan, M. C.; Lampugnani, G.; Arteta, N.; Abramoff, C.; Ronco, L. and Stocco, M. (2008) Biocontrol of postharvest grey mould on tomato by yeasts *Journal of phytopathology*. **156**:256-263.

Damayanti, M.; Susjeela, K. and Sharma, G. J. (1996) Effect of plant extracts and systemic fungicides on the pineapple fruit rotting fungus *Ceratocystis paradoxa*. *Cytobios*. **86**:155-65

Deans, S.G. and Svoboda, K.P. (1990) Biotechnology and bioactivity of culinary and medicinal plants. *Ag Biotech News Information*. **2**:211-216.

Deb, P. R. (1990) *In vitro* inhibitory activity of some rhizosphere fungi of soybean against *Sclerotium rolfsii* Sacc. growth. *Acta. Botanica. India.* **18**:159-162.

Deena, M.J. and Tophil, J.E. (2000) Antimicrobial activity of the essential oils of *Lantana camara*. *Fitoterapia.* **74**:453-455.

Deepak, S. A.; Oros, G.; Sathyanarayana, S. G.; Shetty, N. P.; Shetty, H. S. and **Sashikanth, S.** (2005) Antisporulant activity of leaf extracts of Indian plants against *Sclerospora graminicola* causing downy mildew disease of pearl millet. *Archives* of *Phytopathol.* and *Pl. Protec.* **38**:31-39.

Deka, B.C.; Choudhury, S.; Bhattacharyya, A.; Begum, K.H. and Neog, M. (2006) Postharvest treatments for shelf life extension of banana under different storage environments. *Acta Hort. (ISHS).* **712**:841-850.

Demirci, F.; Demirci, B.; Baser, K. H. C. and Güven, K. (2000) The composition and antifungal bioassay of the essential oils of different *Betula* species growing in Turkey. *Chem. Nat. Com.* **2**:126-130.

Dennis C. and Webster J. (1971) Antagonistic properties of species group of *Trichoderma,* Production 1. Production of non-volatile antibiotics. *Trans. Brit. Myco. Soc.* **57**:25-39

Dhingra, O. D. and **Sinclair, J.B.** (1995) Basic plant pathology methods. 2nd edition, Boca Raton, USA: CRC press.

Digrak, M.; Hakki Alma, M. and Ilcim, A. (2001) Antibacterial and antifungal activities of Turkish medicinal plants. *Pharmaceutical Biology.* **39**:346-350.

Dillard, H. D. L.; Hedges, T., A.D., Mvere, B., Gubba, A and Wilkinson, P. (1994) Four most serious diseases in Zimbabwe. *Farming world.* **20**:11-15.

Dixit, S. N.; Chandra, H.; Tiwari, R. and Dixit, V. (1995) Development of a botanical fungicide against blue mould of mandarins. *Journal of Stored Products Research.* **31**:165-172.

Dong-Kil, K.; Chang-ki, S.; Dong-Won, B.; Yeon-Sik, K.; Min-Suk, Y. and Hee-Kvu, K. (2002) Identification and biological characteristics of an antifungal compound extracted from cocklebur (*Xanthium strumarium*) against *Phytophthora drechsleri. Plant pathology journal.* **18**:288-292

Droby, S.; Chalutz, E.; Hover, B.; Cohen, L.; Gaba, V.; Wilson, C.L. and Wisniewski, M.E. (1993) Factors affecting UV-induced resistance in grapefruit against the green mould decay caused by *Penicillium digitatum. Plant Pathol.* **42**:418-424.

Droby, S.; Chalutz, E.; Wilson, C.L. and Wisniewski, M.E. (1989) Characterization of the biocontrol activity of *Debaromyces hansenii* in the control of *Penicillium digitatum* on grapefruit. *Can. J. Microbiol.* **35**:790-800.

Droby, S.; Chalutz, E.; Wilson, C.L. and Wisniewski, M.E. (1992) Biological control of post harvest diseases. A promising alternative to the use of synthetic fungicides. *Phytoparasitics.* **20**:149-153.

Dube, H.C.; Vala, A.K. and Vaidya, S.Y. (2000) Chemical nature and ligant binding properties of siderophores produced by certain Aspergilli from marine habitats. National Academy Science Letters- India. **23**:98–100.

Dubey, N.K.; Srivastava, B. and Kumar, A. (2008) Current Status of Plant Products as Botanical Pesticides in storage pest management. *Journal of Biopesticides.* **1**:182-186

Dubey, R. C. and Maheshwari D. K. (2002) Practical Microbiology, 1st ed., S. Chand and Company, New Delhi.

Dubey, S. C.; Suresh, M. and Singh, B. (2007) Evaluation of *Trichoderma* species against *Fusarium oxysporum* f. sp. *ciceris* for integrated management of chickpea. *Biological Control.* **40**:118-127.

Dwivedi, D. and **Johri, B. N.** (2003) Antifungal from fluorescent pseudomonads: biosynthesis and regulation. *Curr. Sci.* **85**:1693-1703.

Eckert, J.W. and Ogawa, J.M. (1985). The chemical control of postharvest diseases: subtropical and tropical fruits. *Annu. Rev. Phytopathol.* **23**:421-454.

Eckert, J.W. and Ogawa, J.M. (1988). The chemical control of postharvest diseases: deciduous fruits, berries, vegetables and root/tuber crops. *Annu. Rev. Phytopathol.* **26**:433–469.

Eckert, W. J. and Brown, G. E. (1986). Post-harvest citrus disease and their control. In: *Fresh Citrus Fruits*. W. F.Wardowski, S. Nagy and W. Grierson, (eds.),Van Nostrand Reinhold Company, NY, USA. pp.315–53

EcoChand-Goyal, T. and Spotts, R.A. (1996) Control of postharvest pear diseases using natural saprophytic yeast colonist and their combination with a low dosage of thiabendazole. *Postharvest Biological Technology.* **7**:51–64.

Eftekhar , F.; Yousefzadi, M and Tafakori, V. (2005) Antimicrobial activity of *Datura innoxia* and *Datura stramonium* . *Fitoterapia.* **76**:118-120.

El Ghaouth, A.; Smilanick, J.L.; Wisniewski, M.; Wilson, C.L. (2000) Improved control of apple and citrus fruit decay with a combination of *Candida saitoana* and 2-deoxy-D-glucose. *Plant Dis.* **84**:249-253.

Elad, Y. and Stewart, A. (2004) Microbial control of *Botrytis* spp. In: Elad Y, Williamson B, Tudzynski P, Delan N ed. *Botrytis*: Biology, Pathology and Control. Kluwer Academic, Dordrecht, The Netherlands. pp.223-241.

Elad. Y. (2000) Biological control of foliar pathogens by means of *Trichoderma harzianum* and potential modes of action. *Crop Protec* **19**:709-717

El-Essawy, A.A.; Ibrahim, K.I.; Helal, G.A. and Abd-El-Aziz, Shadia A. (2003) Control of postharvest tomato fruit rots. I. Biological control.10th Cong. of Phytopathol., Giza, Egypt.

El-Katatny, M. H.; Somitsch1, W; Robra, K.-H.; El-Katatny, M. S. and Gübitz, G. M. (2000) Production of Chitinase and _-1,3-glucanase by *T. harzianum, Food technol. biotechnol.* **38**:173–180

Eloff, J.N. (1998) A sensitive and quick method to determine the minimal inhibitory concentration of plant extracts for bacteria. *Planta Medica.* **64**:711–713.

Ergene, A., Guler, P., Tan, S., Mirici, S., Hamzaoglu, E. and Duran, A. (2006). Antibacterial and antifungal activity of *Heracleum sphondylium* subsp. *artvinense. African Journal of Biotechnology* **5**:1087-1089.

Evans, W.C. (2002) *In Trease and Evans Pharmacognosy*. W. B. Saunders, London.

Fajola, A.O. (1979) The Post-Harvest Fruit Rots of Tomato (*Lycopersicum esculentum*) in Nigeria. *Food / Nahrung.* 23:105-109.

Fallik, E.; Ziv, O.; Grinberg, S.; Alkalai, S. and Klein, J.D. (1997) Bicarbonate solutions control powdery mildew (*Leveillula taurica*) on sweet red pepper and reduce the development of postharvest fruit rotting. *Phytoparasitica.* **25**:41-43.

Fan, Q.; Tian, S. P.; Li, Y. X.; Xu, Y. and Wang, Y. (2000) Biological controls of post harvest own rot in peach and nectarine fruits by *Bacillus subtilis* (B-912*). Acta Botanica Sinica.* **42**:1137–1143.

Fatope, M.O. (1995) Phytocompounds: Their bioassay and diversity. *Discov. Innov.* **7**:229-236.

Flach A.; Gregel B.; Simionatto E.; Dasilva U.F.;Zanatta N.; Morel, A.; Linares C. E. B. and Alves, S. H. (2002) Chemical analysis and anti-fungal activity of the essential oil of *Caleaclematidea* sp. *Planta Medica.* **68**:836-838.

Fujita, K. and Kubo, I. (2005) Multifunctional action of antifungal polygodial against *Saccharomyces cerevisiae*: involvement of pyrrole formation on cell surface in antifungal action. *Bioorganic & Medicinal Chemistry.* **13**:6742-6747.

Fukai T.; Yonekawa M.; Hou A. J.; Nomura T.; Sun, H. D. and Uno J. (2003) Anti-fungal agents from the roots of *Cudrania cochinchinensis against Candida and Aspergillus sp. Journal of Natural Products.* **66**:1118-1120.

Fyhrquist, P.; Mwasumbi, L.; Hugstrom, C. A.; Vuorela H.; Hiltumen, R. and Vuorela P. (2004) Antifungal activity of selected species of *Terminalia pteleopsis* and Combretum collected in Tanzania. *Pharmaceutical Biology.* **42**:269-273.

Ghisalberti, E.L. and Sivasithamparam, K. (1991) Antifungal antibiotics produced by *Trichoderma* spp. *Soil Biol Biochem.* **23**:1011-1020.

Gomes, L.H.; Duarte, K.M.R.; Andrino, F.G., and Tavares, F.C.A. (2000). A simple method for DNA isolation from *Xanthomonas* spp. *Scientia Agricola.* **57**: 553-555.

Gorinstin, S.; Martin –Belloso, O.; Park, Y.; Haurenkit, R.; Lojel, A.; Milan, I.; Caspi, A.; Libman, I. and Trakhtenberg, S. (2001) Comparison of some biochemical characteristics of different citrus fruits. *Food Chem.* **74**:309-315.

Goto, M. (1990) Fundamentals of Bacterial pathology. Academic press. New York, USA.

Gottlieb, O.R.; Borin, M. R. and Brito, N. R. (2002). Integration of ethnobotany and phytochemistry: dream or reality? *Phytochemistry.* **60**:145-152.

Gotwald, T.R.; Hughes, G.; Graham, J.H.; Sun, X. and Riley, T. (2001). The citrus canker epidemic in Florida: the scientific basis of regulatory eradication policy for an invasive species. *Phytopath.* **91**:30-34.

Guizzardi, M.; Elad, Y. and Mari, M. (1995) Treatments against postharvest fruit diseases using Trichodex (*Trichoderma harzianum*). *Proc. V Int. Trichoderma/Gliocladium Workshop* (Beltsville, MD, USA). p.39

Guleria, S. and **Kumar, A.** (2006) Antifungal activity of some Himalayan medicinal plants using direct bioautography. *J. Cell and Mol. Biol.* **5**:95-98.

Hadizadeh, I; Pevastegan, B and Hamzehzarghani, H. (2009) Antifungal activity of essential oils from some medicinal plants of Iran against *Alternaria alternata. American journal of applied science.* **6**:857-861.

Hamayun, M.; khan, S.A.; Kim, H.; Na, C.I. and **Lee, I.** (2006) Traditional knowledge of *ex situ* conservation of some threatened medicinal plants of Swat Kohistan. Pakistan. *Int. J. Bot.* **2**:205-209.

Hamburger, M. and Hostettmann, K.(1991). Bioactivity in plants: The link between phytochemistry and medicine. *Phytochemistry* **30**:3864-3874.

Harborne, J.B. (1973) *Phytochemical Methods.* Chapman and Hall, London.

Harman, G.E. (2000) Myths and dogmas of biocontrol. Changes in perceptions derived from research on *Trichoderma harzianum* T-22. *Plant Disease.* **84**:377-393.

Harrison, L. R.; Colvin, B. M.; Greene, J. T.; Newman, L. E. and Cole, J. R. (1990) Pulmonary edema and hydrothorax in swine produced by fumonisin B1, a toxic metabolite of *Fusarium moniliforme. J. Vet. Diagn. Invest.* **2**:217-221.

Hedayati, M.T.; Pasqualotto, A.C.; Warn, P.A.;Bowyer , P and Denning , D.W. (2007) *Aspergillus flavus*: human pathogen, allergen and mycotoxin producer. *Microbiology.* **153** :1677-1692

Hermosa, M.R.; Grondona, I.; Iturriaga, E.A.; Diaz-Minguez, J.M.; Castro, C.; Monte, E. and Garcia-Acha, I. (2000) Molecular characterization and identification of biocontrol isolates of *Trichoderma* spp. *Appl Environ Microbiol.* **66**:1890-1898.

Holmes, G.J. and Eckert, J.W. (1999) Sensitivity of *Penicillium digitatum* and *P. italicum* to post harvest citrus fungicides in California. *Phytopathology.* **89**:716–721.

Holt, G.J.; Krieg, R.N.; Sneath, P.H.A; Staley, J.T; and Williams, S.T. (1994) Bergys manual of Determinative Bacteriology. Willims and Wilkins, A Waverely Company. Baltimore, Philadelphia, Hong Kong, London, Munch, Sydney, Tokyo.

Homma, Y.; Arimoto, Y. and Misato, T. (1981) Studies on the control of plant diseases by sodium bicarbonate formulation. 2. Effect of sodium bicarbonate on each growth stage of cucumber powdery mildew fungus (*Sphaerotheca fuliginea*) in its life cycle. *J. Pestic. Sci.* **6**:201-209.

Hostettmann, K.; Marston, A.; Ndjoko, K. and Wolfender, J. L. (2000) The potential of African plants as a source of drugs. *Current Organic Chemistry.* **4**:973–1010.

Howard, R.J. (1994) Diseases and Pests of Vegetable Crops in Canada. *Canadian Phytopathological Society.* p. 554.

Howell, J. C. Eds. (2005) 2006-2007 New England Vegetable Management Guide.

Hu , K.; Dong, A.; Sun, Q. and Yao, X. (2001) Bioactivity of 247 traditional Chinese medicine against *Pyricularia oryazae. Pharma. Biol.* **39**:47-53.

Hu, K.; Dong, A.; Liu, H.; Feng, H.; Sun, Q. and Yao, X. (1999) Bioactivity of traditional Chinese herbal medicines against *Pyricularia oryzae*. *Pharm. Biol.* **37**:225-230.

Husen, E. (2003) Screening of soil bacteria for plant growth promotion activities *in vitro*. *Indonesian journal of agricultural science*. **4**:27-31

Inbar, J.; Abramsky, M and Cohen, D. (1994) Plant growth enhancement and disease Control by *Trichoderma harzianum* in vegetable seedlings grown under commercial conditions. *European Journal of Plant Pathology*. **100**: 337-346.

Ippolito, A. Nigro, F. (2002) Impact of pre harvest application of biological control agents on postharvest disease of fresh fruits and vegetables. *Crop protection* **19:**715-723.

Ismail , M. and Zhang , J. (2004) Postharvest citrus disease and their control. *Outlooks Pest Management*. **1**:29-35.

Jackson, A. M.; Whipps, J. M.; Lynch, J. M. and Bazin, M. J. (1991). Effects of temperature, pH and water potential on growth of four fungi with disease biocontrol potential. *World journal for microbiology and biotechnology*. **7**:494-501

Jadeja, K.B. (2003) Evaluation of different herbicides, fungicides, phytoextracts and bioagents against *Phomopsis vexans* causing stem rot and branching blight in brinjal. *J. Mycol.Pl.Pathol.* **33**:446-450.

Janisiewicz, W.J. (1997) Biological control of postharvest diseases of temperate fruits: challenges and opportunities. *In:* Plant–microbe interactions and biological control. *Edited by* G.J. Boland and L.D Kuykendall. Marcel Dekker, Inc. New York. pp. 171–198.

Janisiewicz, W.J. and Jeffers. S.N. (1997) Efficacy of commercial formulation of two biofungicides for control of blue mold and gray mold of apples in cold storage. *Crop Prot.* **16:**629-633.

Janisiewicz, W.J. and Korsten, L. (2002) Biological control of postharvest diseases of fruits. *Annual Review of Phytopathology*. **40**:411-441.

Janisiewicz, W.J. and Marchi, A. (1992) Control of storage rots on various pear cultivars with a saprophytic strain of *Pseudomonas syringae*. *Plant Disease.***76**:555–560.

Jeffries, P. and Jeger, M.J. (1990). The biological control of postharvest diseases of fruit. *Bio-control news and information*. **11**:333-336.

Jha, K. M. and Sharma N. D. (2008) Studies on factors affecting *Rhizoctonia bataticola*. VII. Plant extract. *J. Mycopathol. Res.* **46:**

Jing Song , G.U.; Wang , Y.X. and Jiao, Q. (2004) Effect of Catalase on Biocatalytic Synthesis of Pyruvate by Enzymes from *Pseudomonas sp. Chinese Chemical Letters*. **15:**1299-1302.

Johnson, L.F. and Curl, E.A. (1972) Method for research on the ecology of soil-borne and plant pathogen . Burgess publishing company. Minneapolis.

Jones, A. and Aldwinckle, H. (1990) Compendium of apple and pear diseases. APS Press, St.Paul, Minn.

Jones, J. B.; Gitaitis, R. D. and McCarter, S. M. (1986) Fluorescence on single-carbon sources for separation of *Pseudomonas syringae* pv. *syringae, P. syringae* pv. *tomato,* and *P. viridiflava* on tomato transplants. *Plant Disease.* **70**:151-153.

Jones, J.B.; Jones, J.P.; Stall, R.E. and Zitter. T.A. (1993) Compendium of tomato diseases. The American Phytopathological Sociaty. USA.

Kader, A.A. (1992) Postharvest biology and technology: an overview. *In*: A.A. Kader (ed.) Postharvest technology of horticultural crops. University of California. Division of Agriculture and Natural Resources, Publication 3311, California, USA. pp.15-20.

Kagale, S.; Marimuthu, T.; Thayumanavan, B.; Nandakumar, R. and Samiyappan, R. (2004) Antimicrobial activity and induction of systemic resistance in rice by leaf extract of *Datura metel* against *Rhizoctonia solani* and *Xanthomonas oryzae* pv. *Oryzae. Physiol. Mol. Plant Pathol.* **65**: 91-100.

Kanauchi, M.;Shibano, T.;Shindo, H;Suzki, M; Kakuta, T;Yoshizawa k; and Koizumi T. (1999) .Structure of antibacterial substance in extract of cocklebur leaves used for preparation of wheat-koji (*qu*) described in the Chinese classic *"Chi-min-yao-shu"* and its effect on growth of bacteria and yeasts. *Food science technol res.* **5**:323-326.

Kevin, A.; Dyatmyko, W. and Hostetmman, K. (1999) Screening of Indonasian plants for antifungal and free scavenging activities. *Pharma. Biol.* **37**:260-268

Khanzada, S.A.; Iqbal, S. M. and Akram, A. (2006) *In vitro* efficacy of plant leaf extracts against *Sclerotium rolfsii. Mycopath.* **4**: 51-53

Khara, H. S. and **Hadwan, H. A.** (1990) *In vitro* studies on antagonism of *Trichoderma* sp. against *Rhizoctonia solani* the causal agent of damping off of tomato. *Plant Dis. Res.* **2**:29-34.

Kiran, B. and Raveesha, K.A. (2006). Antifungal activity of seed extracts of *Psoralea corylifolia* L. *Plant Diseases Research* **20**:213-215.

Kiran, K.S.; Lingaraju, S. and **Adiver, S.S.** (2006) Effect on plant extracts on *Sclerotium rolfsii*, the incident of stem nut of groundnut. *J. Mycol. Pl Pathol.* **36**: 77-89.

Kohli, V. and **Diwan, R.** (2003) Effect of different agent on *in vitro* growth of *Alternaria alternata* (Fr.) Keissler. *Geobios.* **30**:241-244.

Korsten, L. (1993) Biological control of avocado fruit diseases. Ph.D.thesis, University of Pretoria, Pretoria.

Korsten, L. and De-Jager, E.S. (1995) Mode of action of *Bacillus subtilis* for control of avocado postharvest pathogens. *South African Avocados growers' association year book.* **18**:124-130.

Korsten, L.; Bezuidenhout, J.J. and Kotze, J.M. (1989) Biocontrol of avocado postharvest diseases. *South African Avocado Growers' Association Yearbook* .**12**:10-12.

Korsten, L.; De Villers, E.E.; De Jager, E. S.; Cook, N. and Kotze, J.M. (1991) Biological control of avocado post-harvest diseases. *South African Avocado Growers' Association Yearbook.* **14**:57 - 59.

Kotan, R.; Dikbas, N. and Bostan, H. (2009) Biological control of post harvest disease caused by *Aspergillus flavus* on stored lemon fruits. *African journal of biotechnology*. **8**:209-214.

Kuiate, J.R.; Tsona A.A.; Foko J.; Bessiere J. M.; Menute, C. and Zollo, P.H.A. (2005) Chemical composition and *in vitro* and anti-fungal properties of essential oils from leaves and flower of *Erigeron floribundus. Journal of essential oil research* **17**:261-264.

Kumar, R.; Mishra, A.K.; Dubey, N.K. and Tripathi, Y.B. (2007) Evaluation of *Chenopodium ambrosoides* oil as a potential source of antifungal, antiaflatoxigenic and antioxidant activity. *International Journal of Food Microbiology*. **115**:159-164.

Kumar, R.S.,; Ayyadurai, N.; Pandiaraja, P.; Reddy, A.V.; Venkateswarlu, Y.; Prakash, O. and Sakthivel N. (2005) Characterization of antifungal metabolite produced by a new strain *Pseudomonas aeruginosa* PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits. *J. Appl. Microbiol.* **98**:145-154.

Laby, R.J. and Beer, S.V. (1996) Identification of *Anerwinia amylovora* encoding catalase . *Acta Hort. (ISHS)* **411**:227-228.

Lajide, L.C.O.; Adedire, C.O.; Muse, W.A. and Agele, S.O. (1998) Insecticidal activity of powders of some Nigerian plants against the maize weevil, *Sitophilus zeamais* Motsch. *In*: *Entomology and the Nigerian Economy: Research Focus in the 21st century; ESN Occasional Publication 31.* (Lale, N. E. S., Molta, N. B., Donli, P. O., Dike, M. C., and Aminu-Kano, M. Maiduguri eds), Nigeria: Entomological Society of Nigeria (ESN) . pp.227-235.

Lale, N. E. S. (1992) A laboratory study of the comparative toxicity of products from three spices to the maize weevil. *Postharvest Biology and Technology*. **2**:612-664.

Lee, D. G; Kyung-Soo, H and Shin, S. Y. (2004) Structure and fungicidal activity of a synthetic antimicrobial peptide, P18, and its truncated peptides. *Biotechnology letters*. **26**:337-341.

Lee, K.Y.; Sanwald , S.H.; Jung, H.W.; Hong, J.K.; Hause, B. and Hwang, B.K. (2000) *In situ* localization of chitinase mRNA and protein in compatible interactions of peeper stems with *Phytopthora capsici. Physiol and Mol. Pl. Pathol.* **57**:111-121.

Liangji, X. (1999) Use of ozone to improve the safety of fresh fruit and vegetables. *Food Techn.* **53**:58-61.

Lindsay, R. C. (1985) Food additives. *In*: O.R. Fennema and Marcel Decker (eds.) Food Chemistry. NY, USA.

Liu, X.J.; Li, J.Y. and Yang, J.T. (1986) Studies on latent infection of mango in Hainan Island. *Acta Phytopathologica Sinica* **16**:47-51.

Logo J. H. G.; Young, M. C. H. and Roque, N. F. (2002) Anti-fungal sesquiterpenes from stem bark of *Guarea macrophylla* (Meliaceae). *Rerista Latnoamericana de Quimica.* **30**:12-16.

Lorito, M.; Harman, G. EHayes, .; C. K.; Broadway, R. M.; Tronsmo, A.; Woo, S. L. and Di Pietro, A. Chitinolytic Enzymes Produced by *Trichoderma harzianum*: Antifungal Activity of Purified Endochitinase and Chitobiosidase. *Phytopathology.* **83**:302-307.

Lynch, J. M. (1990) Fungi as antagonists. *In*: New directions in biological control: Alternatives for suppressing agricultural pests and diseases, Liss, New York. pp.243-253.

Mahadevan, A. and Sridhar, R. (1982). Methods in physiological plant pathology. Sivakami Publication, Indira Nagar, Chennai.

Maiti, C. K.; Sen, S.; Acharya, R. and **Acharya, K.** (2007) First report of *Alternaria alternata* causing leaf spot on *Stevia rebaudiana. Plant Pathology.* **56**:723-723

Maja, M.P. and Botha, S.J. (2008) Minimum Inhibitory Concentration of Selected Medicinal Plants on Periodontal Pathogens. *In. the Proc. of preliminary proceedings of XXXXII South African division and skill transfer workshop.* University of Pretoria, South Africa. August 27-29. Abstr. 0025

Malabadi, R. B. and **Vijoy Kumar, S.** (2007) Assessment of antifungal activity of some medicinal plants. *International journal of Pharmacology.* **3**:499-504.

Mares, D.; Tosi, B.; Romagnoli, C. and Poli, F. (2002) Anti-fungal activity of *Tagetes patula* extracts. *Pharmaceutical Biology,* **40**:400-404.

Mari, M. and Guizzardi, M. (2008) The postharvest phase: Emerging technologies for the control of fungal diseases. *Phytoparasitica.* **26**:59-66.

Mari, M.; Iori, R.; Leoni, O. and Marchi, A. (1996) Bioassays of glucosinolate-derived isothiocyanates against postharvest pear pathogens. *Plant Pathol.* **45**:753-760.

Marikar, M. T.; Sivakumar, D. ; Wilson Wijerathnam, R.S. (2008) Biological control of Rambutan post-harvest anthracnose (*Colleotrichum gloeosporioides)* by combined treatment of *Trichoderma harzianum*-TrH40 culture filtrates and calcium salts. *Food Biotechnology.* **22**:326–337.

Marthanda, M.; Subramanyan, M.; Hima, M and Annapurna, J. (2005) Antibacterial activity of clerodane diterpenoids from *Polyalthia longifolia* seeds. *Fitoterpia.* **5**:173-182.

Masroor, M.K. and Chandra, S. (1987) Antagonism between *Aspergillus* spp and *Xanthomonas campestris* pv *citri* (Hasse) Daye, incitant of citrus canker. *Natl. Acad. Sci. Lett.* **10**:233-236.

Mathivanan, N. ; Kabilan, V. and Murugesan, K. (1998). Purification, characterization and antifungal activity of chitinase from *Fusarium chlamydosporum*, a mycoparasite to groundnut rust, *Puccinia arachidis. Can. J. Microbiol.* **44**:646–651.

Mathivanan, N.; Srinivasan, K. and Chelliah, S. (2000). Biological control of soil-borne diseases of cotton, eggplant, okra and sunflower by *Trichoderma viride. J. Plant Dis. Prot.* **107**:235 – 244.

Mathpal, D.; Mathpal. R.; Shah, G. C. and Gupta R. C. (2002) Essential oil constituents and anti fungal activity of *Plectranthus japonicus. Asian journal of chemistry.* **14**:1044-1046.

Mayberry, K.S. and Hartz, T.K. (1992) Extension of muskmelon storage life through the use of hot water treatment and polyethylene wraps. *Hortscience*. **27**:324-326.

McLaughlin R. J.; Wilson,C. L.; Chalutz E.; Kurtzman C. P.; Fett W. F. and Osman S. F. (1990) Characterization and Reclassification of Yeasts Used for Biological Control of Postharvest Diseases of Fruits and Vegetables. *Appl Environ Microbiol*. **56**: 3583–3586.

Mclaughlin, R.J.; Wisniewski, M.E.; Wilson, C.L. and Chalutz, E. (1990) Effects of inoculum concentration and salt solutions on biological control of postharvest diseases of apple with *Candida* sp.. *Phytopathology*. **80**:456-461.

Meena, A.K.; Mali, B.L. and **Choudhary, S.L.** (2007) Evaluation of partially purified plant products and antimicrobial chemicals preparation against bacterial pathogens. *J. Mycol. Pl Pathol.* **37**: 365-368.

Meena, B.; Ramamoorthy, V.; Marimuthu, T. and Velazhahan, R. (2000) *Pseudomonas flourescence* mediated systematic resistance against late leaf spot of groundnut. *J. Mycol. Pl.Pathol.* **30**:151-158.

Mewari, N.; Chaturvedi, P.; Kumar, P. and Rao, P.B. (2007) Antimicrobial activity of Moss extracts plant pathogen. *J. Mycol. Pl Pathol.* **37**:359-360.

Mikani, H.R.; Etebarian, P.L.; Sholberg, D.T.; O Gorman, S. Stokes and Alizadeh, A. (2008) Biological control of apple gray mold caused by *Botrytis mali* with *Pseudomonas fluorescens* strains. Post harvest biology and technology. **48**:107-112.

Misaghi, I. J.; Grogan, R. G.; Duniway, J.M. and Kimble, K.A. (1978) Influence of environmental and culture media on spore morphology of *Alternaria alternata. Phytopathology* **68**:29-34.

Mishra, A.K. and Dubey, N.K. (1994) Evaluation of some essential oils for their toxicity against fungi causing deterioration of stored food commodities. *Applied and Environmental Microbiology*. **60**:1101-1105.

Mitcham, B. and Cantwell. M. (1995) Heat treatments for control of post harvest decay. UC Perish. *Handling Newsletter.* **82**:13-16.

Mitra, S.K. (2008) Harvesting, packing, transportation and marketing of tropical fruits in West Bengal, India. Present practice and future needs. *Acta Hort.* (ISHS) **768**:301-306.

Mittal, M.; Sharma, R. and Paul, M.S. (2002) Antifungal properties of some fern from North West Himalayas. *Geobios.***29**:244-246.

Mohana, D. C. and Raveesha, K. A. (2006). Anti-bacterial activitry of *Caesalpinia coriaria* (Jacq.) Willd. against plant pathogenic *Xanthomonas pathovars*: an eco-friendly approach. *Journal of Agricultural Technology.* **2**:317-327

Monte, E. (2001) Understanding *Trichoderma*: between biotechnology and microbial ecology. *Int Microbiol.* **4**:1- 4

Morton, J. (1987) Lychee. *In*: Fruits of warm climates. Julia F. Morton, Miami, FL. p.249–259.

Mourichon, X. (1983) Contribution à letude des taches noires (fruitlet core rot) et leathery pocket de l'ananas causés par *Penicillium funiculosuin* Thom. en Cote d'Ivoire. *Fruits.* **38**:601-609.

Mukherjee, B. and Sen, C. (1992) *Aspergillus* and *Penicillium* species: Potential agents for biocontrol of *Macrophomina phaseolina. Indian Phytopathol.* **45**:39-43.

Naqvi , S. A. M. H. (2004) Diagnosis and Management of Pre and Post-harvest Diseases of Citrus fruit. *Biomedical and life science.* **1**:339-359.

Narain, A. and Rout, G.B. (1981) A tomato rot caused by *Cladosporium tenuissimum. Indian Phytopathology.* **34**:237-238.

Narashimhan, S. and Masilmani, S. (2002) Biocontrol of phytopathogenic fungi. *In.* Asian Congress of Mycology and Plant Pathology, University of Mysore. p.152.

Nariman, F.; Eftekhar, F; Habibi, Z.; Massarrat, S. and Malekzadeh, R. (2009) Antibacterial activity of twenty Iranian plant extracts against clinical isolates of *Helicobacter pylori. Iranian Journal of Basic Medical Sciences.* **12**:105-111.

Natrajan, D.; John, B, S.; Selvaraj, R. and Arockkiasamy D. I. (2001) Effect of extract of two medicinal plants on some Phyto pathogenic fungi. *Geobios.* **28**:223-224.

Naturforsch, Z. (2002) Trichosetin, a novel tetramic acid antibiotic produced in dual culture of *Trichoderma harzianum* and *Catharanthus roseus. Callus.* **57**:465-470

Nimri, L. F.; Meqdam, M. M. and Alkofahi, A. (1999) Antibacterial activity of Jordanian medicinal plants. *Pharm. Biol.* **37**:196-201.

Nishijima, W. T.; Ebersole, S. and Fernandez, J.A. (1990) Factors influencing development of postharvest incidence of *Rhizopus* soft rot of papaya. *Acta Hort.* **269**:495-502.

Norman, C. (1988) EPA sets new policy on pesticide cancer risks. *Science*. **242**:366-367.

Nourozian, J.; Etebarian, H.R. and Khodakaramian, G.(2006) Biological control of *Fusarium graminearum* on wheat by antagonistic bacteria. *Songklanakarin J. Sci. Technol.* **28:** 29-38

Nunes, C.; Usall, J.; Teixido, N.; and Vinas, I. (2001) Biological control of postharvest pear diseases using a bacterium *Pantoea agglomerans* CPA-2. *Int. J. Food Microbiol.* **70**:53-61.

Ogunwande, I. A.; Bello, M. O.; Olawore, O. N. and **Muili, K.** (2001) A Phytochemical and antimicrobial studies on *Butyrospermum paradoxum*. *Fitoterapia*. **72**:54-56.

Okezie, B.O. (1998) World food security: the role of postharvest technology. *Food Technol.* **52:** 64-69.

Okigbo, R.N. and Ogbonnaya, U.O. (2006) Antifungal effects of two tropical plant leaf extracts (*Ocimum gratissimum* and *Aframomum melegueta*) on post harvest yam (*Dioscorea* spp.) rot. *African Journal of Biotechnology*. **5**:727-731.

Okonkwo, E.U. and Okoye, W.I. (1996) The efficacy of four seed powders and the essential oils as protectants of cowpea and maize grains against infestation by *Callosobruchus maculatus* (Fabricius) (Coleoptera: Bruchidae) and *Sitophilus zeamais* (Motschulsky) (Coleoptera: Curculionidae) in Nigeria. *International Journal of Pest Management*. **42**:143-146.

Oladiran, A.O. and Iwu, L.N. (1993) Studies on the fungi associated with tomato fruit rots and effects of environment on storage. *Mycopathologia*.**121**:157–61.

Pal, J. and Pradhan, K. (1990) Bacterial involvement in ulcerative condition of air breathing fish from India. *J. Fish Biol.* **36**:833-839.

Palou, L.; Usall, J. ; Munoz, J.A.; Smilanick, J.L. and Vinas, I. (2002) Hot water, sodium carbonate and sodium bicarbonate for the control of postharvest green and blue molds of clementine mandarins. *Postharvest Biol. Technol.* **24**:93-96.

Panday, A.; Palni, L. M. S. and Coulomb, N. (1997) Antifungal activity of bacteria isolated from the rhizosphere of established tea bushes. *Microbiological Res.* **152:** 105-112.

Pandey, K.K. and **Upadhyay, J.P.** (1999) Comparative study of chemical, biological and integrated approach for management of *Fusarium* wilt of pigeon pea. *J. Mycol. Pl. Pathol.* **29**: 214-216.

Panneton, B.; Vincent, C. and Fluerat-Lessard, F. (2001) Plant protection and physical control methods. The need to protect crop plants. *In* : Physical control methods in plant protection. (Eds) Panneton B, Vincent C, Fluerat-Lessard F. Heidelberg, Germany. Springer-verlag.

Papavizas, G.C.; Lewis, J.A. and Abd-ElMoity, T.H. (1982). Evaluation of new biotypes of *Trichoderma harzianum* for tolerance of benomyl and enhanced biocontrol capabilities. Phytopathology. **72:**126-132.

Patil, M. R. and Ghoderao, B. N. (1997) Evaluation of Some medicinal and aromatic plants against cotton bacterial blight infection. *PKV Research Journal*. **21**:179.

Patni , C.S.; Kolte, S.J. and Awasthi, R.P. (2005) Efficacy of botanicals against *Alternaria* blight (*Alternaria brassicae*) of mustard. *Indian Phytopathol.* **58:**426-430.

Patro, T. S. S. K.; Rani, C. and Kumar, G. V. (2008) *Pseudomonous fluorescence*, a potential bioagent for management of blast in *Eleusine coracana*. *J. Mycol Pl. Pathol.* **38**:298-300.

Penna, C.; Marino, S.; Vivot, E.; Cruanes, M. C.; Munoz, J. de D.; Cruanes, J.; Ferraro, G.; Gutkind, G. and Martino, V. (2001) Antimicrobial activity of Argentine plants used in the treatment of infectious diseases. Isolation of active compounds from *Sebastiania brasiliensis*. *Journal of Ethnopharmacology*. **77**: 37-40.

Perello, A.; Monaco, C. I.; MARIA V. Moreno, M.V.; Cordo, C.A. and Simon, M.R. (2006) The effect of *Trichoderma harzianum* and *T. koningil* on the control of tan spot (*Pyrenophora tritici-repentis*) and leaf blotch (*Mycosphaerella graminicola*) of wheat under filed conditions in Argentina Biocont. *Sci. and Technol.* **16**:803-813.

Ploetz, R.C. (2009) *Tropical fruit crops and the diseases that affect their production* (Sample chapter). *In:* International commission on tropical biology and natural resources. Encyclopedia of life support system, A nonprofit global effort.

Poppe, L.; Vanhoutte, S. and Hofte, M.; (2003). Modes of action of *Pantoea agglomerans* CPA-2, an antagonist of postharvest pathogens on fruits. *Eur. J. Plant Pathol.* **109**:963-973.

Pose, G; Patriarca, A.; Kyanko, V.; Pardo, A and Fernandez Pinto, V. (2009) Effect of water activity and temperature on growth of *Alternaria alternata* on a synthetic tomato medium. *International journal of food microbiology*. **135**: 60-63

Postmaster, A.; Kuo, J.; Sivasithamparam, K. and Turner, D.W. (1997) Interaction between *Colletotrichum musae* and antagonistic microorganisms on the surface of banana leaf discs. *Scient. Horti.* **1**:113-125.

Prasad, R. D.; Rangeshwaran, R. and Sreerama Kumar, P. (1999) Biological control of root and collar rot of sunflower. *J.Mycol. Pl. Pathol.* **29**:184-188.

Prasad, R.D. and **Rangeshwaran, R.** (1999) Granular formation of *Trichoderma* and *Gliocladium* spp. in biocontrol of *Rhizoctonia solani* of Chickpea. *J. Mycol. Pl. Pathol.* **29**:222-226.

Pusey, P.L. (1989) Use of *Bacillus subtilis* and related organisms as biofungicides. *Pesticide Sci.* **27**:133-140.

Py, C.; Lacoeuilhe, J. J. and Teisson, C. (1984) L'ananas sa culture, ses produits. *Paris, Maisonneuve and Larose*. p.562.

Rabosto, X ; Carrau, M.; Paz, A.; Boido, E.; Dellacassa, E. and Francisco M. C. (2006) Grapes and Vineyard Soils as Sources of Microorganisms for Biological Control of *Botrytis cinerea*. *Am. J. Enol. Vitic.* **57**:332-338

Raghav, C.S. (2003) Medicinal plants on the touchstone of science. *Science Reporter.* pp. 53-60.

Raghavendra, M. P.; Satish, S. and Raveesha, K. A. (2009) Alkaloid extracts of Prosopis juliflora (Sw.) DC. (Mimosaceae) against *Alternaria alternata*. *Journal of Biopesticides*. **2**:56-59

Rahman, M.A.; Mahmud, T.M.M., Kadir, J.; Abdul Rahman, R. and Begum, M.M. (2009) Major Postharvest Fungal Diseases of Papaya cv. 'Sekaki' in Selangor, Malaysia. *Pertanika J. Trop. Agric. Sci.* 31:27- 34.

Rai, P.C. and Das, A.P. (2002) Perspectives of Plant Biodiversity. Ed. A.P. Das. Bishen Singh, Mahendra Pal Singha, Dehradun, India. pp. 135-140

Raju, C.A.(1991) Survey of antagonism in *Trichoderma* species against *Pythium aphanidermatum*. *Proc. of.* Natl. Sem. on Biological Control in Plantation Crops. 27-28th June 1991, Rubber Res. Inst. India, Kottayam, India. Abstr. p.25.

Ramamoorthy, V and Samiyappan, R. (2001) Induction of defense related genes in *Pseudomonas fluroscens* treated chilli plants in response to infection by *Colletrichum capsici*. *J. Mycol. Pl. Pathol.* **31**:146-155

Ramamoorthy, V.; Raguchander, T. and **Samiyappan, R.** (2002) Enhancing resistance of tomato and hot pepper to *Pythium* diseases by seed treatment with fluorescent pseudomonads. *Eur. J. Pl. Pathol.* **108**:429-441.

Ramma, I.P.; Beni Madhu, S.P. and Peerthum, S. (1999) Post harvest quality improvement of banana. *Fruits.* **58**: 71-81.

Rana, B.K.; Taneja, V. and Singh, U. P. (1999) Antifungal activity of an aqueous extract of leaves of garlic creeper (*Adenocilymma alliaceum* Miers.). *Pharm Biol.* **37**:13–16.

Rastogi, P.M. & Mehrotra, B.N. (1995) In compendium of Indian Medicinal Plants. IV. 137.

Rauha, J.P.; Remes, S.; Heinonen, M.; Hopia, A.; Kahkonen, M.; Kujala, T.; Pihlaja, K.; Vuorela, H. and Vuorela, P. (2000) Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology*. **56**:3-12.

Reddy, C.S.; Reddy, K.R.N.; Prameela, M.; Mangala U.N. and muralidharan, K. (2007) Identification of antifungal component in clove that inhibits *Aspergillus* spp. colonizing rice grains. *J. Mycol. Pl Pathol.* **37**:87-94.

Reyes. M.E.Q; Rohrbach, K.G. and Paull, R.E. (2004) Microbial antagonists control postharvest black rot of pineapple fruit. *Postharvest Biology and Technologyl.* **33**:193-203.

Rhoobunjongde, W.; Hatai, K.; Wada, S. and Kubota, S. S. (1991) *Fusarium moniliforme* (Sheldon) isolated from gills of kuruma prawn *Penaeus japonicus* (Bate) with black gill disease. Bulletin of the *Japanese Society of Scientific Fisheries* **57**:629-635.

Roberts , D.P.; Lohrke, S.M.; Meyer, S.L.F.; Buyer, J.S.; Bowers, J.H.C.; Baker, J.; Li, W.; de Souza, J.T.; Lewis, J.A. and Chung, S. (2005) Biocontrol agents applied individually and in combination for suppression of soil borne diseases of cucumber. *Crop Prot.* **24:**141-155

Rohrbach, K. and Schmitt, D.P. (1994) Pineapple. *In*: R.C. Ploetz, G.A. Zentmyer, W.T. Nishijima, K.G. Rohrbach and H.D. Ohr. (eds) Compendium of Tropical Fruit Diseases. *Amer. Phytopath. Soc.*, St. Paul MN. pp.45-55.

Rohrbach, K. G. (1989) Unusual Tropical Fruit Diseases with Extended Latent Periods. *Plant Disease.* **73**:607-609.

Rohrbach, K. G.; Namba, R. and Taniguchi, G. (1981) Endosulfan for control of pineapple interfruitlet corking, leathery pocket and fruitlet core rot. *Phytopathology.* **7:**1006.

Rohrbach, K.G. (1983) Exotic pineapple diseases and pests and their potential for spread. In: K.G. Singh (ed.) Exotic plant quarantine pests and procedures for introduction of plant materials. ASEAN Plant Quarantine Centre and Training Institute, Selangor, Malaysia. pp.145-171.

Rohrbach, K.G. and Phillips, D. J. (1990) Post harvest disease of pineapple. *Acta Hort.* (ISHS) **269:**503-508.

Rohrbach, K.G. and Phillips, D.J. (1989) Postharvest disease of pineapple. *Proc of symp.* on tropical fruit *in* international trade held in Honolulu, Hawaii, USA, on Jun. 4-9.

Romano, M.L.; Gullino, M.L. and Garibaldi, A. (1983) Evaluation of the sensitivity to several fungicides of post-harvest pathogens in North-western Italy. *Mede. Fac. Landoubouww. Gent.* **48:**591-602.

Rushing, J.W.; Angulo, F. J. and Beuchat, L. (1996) Implementation of a HACCP program in a commercial fresh-market tomato packing house: A model for the industry. *Dairy Food Environ. Sanitat.* **16**:549-553

Rushing, J.W.; Keinath, A.P. and Cook. W.P. (1999) Postharvest development and transmission of watermelon fruit blotch. *Hort Technology*. **9**:33-35.

Sabbaa-Srur, A.U.O.; Brecht, J.K.; Sargent, S.A. and Bartz, J.A. (1993) Recommended chlorine levels for treatment of float-tank water in tomato packinghouses. *Acta Horticul.* **343:**337-338.

Saha, D.; Dasgupta, S. and Saha, A. (2005b). Control of foliar tea diseases by leaf extracts of *Polyalthia longifolia. Journal of Mycology and Plant Pathology.* **35**: 132-136.

Saha, D.; Dasgupata, S. and Saha, A. (2005a) Antifungal activity of some plant extracts against fungal pathogen of tea *(Camellia sinensis)*. *Pharma Biol.* **43**:87-91.

Sahayaraj, K. (2008) common plant oils in agriculture and storage pests management. *Green Farming.* **1**:48-49.

Salunkhe, D.K. and Desai, B.B. (1984) Postharvest biotechnology of fruits. Vol. 2. CRC Press, Boca Raton FL

Salvov, S.; Mayama, S. and Atomassov, A.(2004) Some aspects of epidemiology of *Alternaria alternata* tobacco pathotype.*Biotechnol. and Biotechnol. Eq.***18**:28-33.

Sangeetha, C.G. and Rawal, R.D. (2008) Nutritional Studies of *Colletotrichum gloeosporioides* (Penz.) Penz. and Sacc. The Incitant of Mango Anthracnose. *World Journal of Agricultural Sciences.* **4**:717-720.

Satish, S., Raveesha, K.A. and Janardhana, G.R. (1999) Antibacterial activity of plant extracts on phytopathogenic *Xanthomonas campestris* pathovars. *Letters in Applied Microbiology.* **28**:145-147.

Saxena, A.; Pandey, K.; Kumar, R.; Gupta, P.; Shukla, P.K. and Laxmi, V. (2003) *In-vitro* antifungal activity of plants. *Biotechnol. Dev. Herbal Med.* **157**:20-22.

Scher, JM.; Speakman, JB.; Zapp, J. and Becker, H. (2004) Bioactivity guided isolation of antifungal compounds from the liverwort *Bazzania trilobata* (L.) S. F. Gray.*Phytochemistry.***65**:2583-2588. **Schwartz, HF, Mohan, SK** (1995) Compendium of onion and garlic diseases. APS Press. St Paul, Minnesota. P.54.

Seemuller, E. (1998) Crown rot, In Compendium of Strawberry Diseases, Second Edition. (Ed)Maas, J. L. APS Press. pp. 50-51.

Shaner, G.; Stromberg, E.L.; Lacy, G.H.; Bakrker, K.R. and Pirone, T.P. (1992) Nomenclature and concept of pathogenecity and virulence. *Annu. Rev Phytopathol.***30**:47-66.

Shanmugum, V. and **Verma, S.A.** (1999) Effect of native antagonists against *Pythium aphanidermtum,* causal organism of Rhizome root of ginger. *J.Mycol. Pl. Pathol.* **29**:375-379.

Shariff, N.; Sudarshana, M.S.; Umesha, S. and Hariprasad, P. (2006) Antimicrobial activity of *Rauvolfia tetraphylla* and *Physalis minima* leaf and callus extracts. *African journal of Biotechnology.* **5**:946-950.

Sharma, K. and Meshram, N. M. (2006) Bioactivity of essential oils from *Acorus calamus* Linn. and *Syzygium aromaticum* Linn. against *Sitophilus oryzae* Linn. In stored wheat. *Biopesticide International.* **2**:144-152.

Sharma, K.; Shukla, S.D.; Mehata, P. and Bhatnagar, M. (2002) Fungistatic activity of *Semecarpus Anacardium* Linn. F. nut extract. *Indian J. Exp. Boil.* **40**:314-318

Shikanga, E.; Regnier, T.; Combrinck, S. and Botha, B. (2009) *Polar lippia* extracts as alternatives for the postharvest control of Guazatine®-resistant strains of *Penicillium digitatum* in citrus. *Fruits.* **64**:75-82.

Shin, S. W. and Kang, C. A. (2001) Studies on composition and anti-fungal activities of essential oils from cultivars of *Brassica juncea. Korea Journal of Pharmacognosy.* **32**:116-120.

Simic A.; Sokovic, M. D.; Ristic M.; Jovanovic S. G.; Vukojevic, J . and Marin P. D. (2004) The chemical composition of some Lauraceae essential oils and their antifungal activity. *Phytotherapy Research.* **18**:713-717.

Sindhan, G. S.; Hooda, I. and Parashar, R. D. (1999) Effect of some plant extracts on the vegetative growth of root rot causing fungi. *J. Mycol. Plant Pathol.* **29**:110–111.

Singh, A. K.; Dickshit, A.; Sharma, M. L. and Dixit, S. N. (1980). Fungitoxic activity of some essential oils. *Economic Botany.* **34**:186-190.

Singh, D. and Mandal, C. (2006) Improved control of *Rhizopus stolinifer* induced storage rot of a peach with hot water and antagonistic yeast, *Debrayomyees hansenii. J. of Ind. Phytopath.* **59**:168-173.

Singh, R. and **Sinha, A. P.** (2005) Influence of application methods of *Pseudomonas fluorescens* for managing rice sheath blight. *Indian Phytopathol.* **58**:474-476.

Skaltsa H.; Lazari D.; Panagouleas C.; Georgiadou E; Garcia B. and Sokovic M. (2000), Sesquiterpene lactones from *Centaurea thessala* Hausskn. ssp. *drakiensis* (Freyn & Sint.) Georg. and *Centaurea attica* Nym. ssp. *attica. Antifungal activity. Phytochemistry.* **55**:903-908

Smilanick, J. L. (1994) Strategies for the isolation and testing of biocontrol agents. *In:* Wilson, C.L. and Wisniewski, M.E. (Eds). Biological Control of Postharvest Diseases. Theory and Practice. CRC Press, Boca Raton, FL, USA. pp. 25-41.

Smilanick, J.L.; Mansour, M.F.; Gabler, F.M.; Sorenson, D. (2008) Control of citrus postharvest green mold and sour rot by potassium sorbate combined with heat and fungicides. *Postharvest Biology and Technology.* **47**:226–238.

Snowdon, A.L. (1992) Color atlas of postharvest diseases and disorders of fruits and vegetables. *Vegetables.* **2**:18-51.

Sommer, N. F.; Fortlage. R. J. and Edwards, D.C. (1992) Postharvest diseases of selected commqdities. *In*: Postharvest technology of horticultural crops.A.A.Kader(eds). University of California, Division of agriculture and natural resources, USA. pp:136.

Sonkar, R. K.; Sarnaik, D. A.; Dikshit, S. N.; Saroj, P. L. and Huchche, A. D. (2008) Post harvest management of citrus fruits: a review. *JFST.* **45**:199-208.

Srivastava, M.P. and Tandon, R. N. (1966) Post harvest disease of tomato in India. *Biomedical and life science.* **29**: 254-264.

Stevens, R.B. (1981) Mycology Guidebook. University of Washington press, Seattle, Washington

Sticher, L.; Mauch-Mani, B. B. and Metraux, J. P. (1997) Systemic acquired resistance. *Ann. Rev. Phytopathol.* **35**:235-270.

Strecher, G.; Huck, C.W.; Stoggl, W. M.; Guggenbichler, W.; Bakry, R and Bonn, G. K. (2002). High performance separation technologies and spectroscopic tools for plant extract characterization in phytomics. *Phytochem. Reviews.* **1**:413-426.

Sudha, S. S.; Panneerselvam, A. and **Thajuddin, N.** (2005) Antagonistic effect of some mangal soil fungi against *Colletotrichum falcatum* Went. and *Curvularia pallescens* (Walker) Boedijin. *Geobios.* **32**:288-290.

Suhr, K. I. and Nielsen, P. V. (2003) Antifungal activity of essential oils evaluated by two different application techniques against rye bread spoilage fungi. *Journal of Applied Microbiology.* **94**:665-674.

Suleman, P.; Al-Musullam, A. and Menezes, C. A. (2002) The effect of biofungicides Mycostop on *Ceratosystis radicicola*, the causal agent of black scorch on date palm. *Biocontrol.* **47**: 207-216.

Suslow, T.V. (1999) Watermelon. "Fresh Produce Facts." University of California., Davis CA.

Swalding, I.R. and Jeffries, P.J. (1998) Antagonistic properties of two bacterial biocontrol agents of grey mould disease. *Biocontrol Sci. Technol.* **8**:439-448.

Tamura, K.; Dudley, J.; Nei, M. and Kumar, S. (2007) *MEGA 4.0*: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Molecular Biology and Evolution.* **24**:1596-1599.

Tang, Y.L. (1995) A study on induced factors of blackheart in postharvest pineapples. *Guihaia.* **15**:182-186.

Thammaiah, N.; Khan, A. and John, E. (1995) Effect of extract from *Adhatoda zeylanica* on *Xanthomonas campestris* Pv. *viginicola* causing bacterial blight of cowpea. *Advances in Agricultural research in India.* **4**:109-117.

Timmer, L. W.; Zitko, S. E.; Gottwald, T. R. and Graham, J. H. (2000). *Phytophthora* brown rot of citrus: Temperature and moisture effects on infection, sporangium production, and dispersal. *Plant Disease.* **84**:157–63.

Tohamy, M.R.A.; Helal, G.A.; Ibrahim, K.I. and Abd El-Aziz Shadia A. (2004) Control of postharvest tomato fruit rot 11 using heat treatments. *Egyptian Journal of Phytopathology* **32**:129-138.

Tu, J. C. (1992) Biological control of *Sclerotinia sclerotium.* In Recent developlopments in biocontrol of plant diseases. Eds. K.G.Mukherjee; J.P. Tewari; D.K. Arora and G. Saxena. Aditya Books Pvt.Ltd. New Delhi. pp.24-32.

Usha, K ; Singh, B. ; Praseetha, P.; Deepa, N.; Agarwal, D. K. ; Agarwal , R. and Nagaraja, A. (2009) Antifungal activity of *Datura stramonium, Calotropis gigantea* and *Azadirachta indica* against *Fusarium mangiferae* and floral malformation in mango. *European journal of plant pathology.* **124:**637-657.

Utkhede, R.S. and Sholberg, P.L. (1986) *In vitro* inhibition of plant pathogens by *Bacillus subtilis* and *Enterobacter aerogenes* and *in vivo* control of postharvest cherry diseases. *Can. J. Microbiol.* **32:**963–967.

Verastegui, M.A.; Sanchez, C.A.; Alviano, C.S.; Costa, S.S. (1996) Antimicrobial activity of extract of three major plants from the Chihuahuan deseart. *J. Ethanopharmacol.* 52: 175-177.

Verma, J. and Dubey, N.K. (1999). Prospectives of botanical and microbial products as pesticides of tomorrow. *Current Science* **76**:172-179.

Vestberg, M.; Kukkonen, S.; Saari, K.; Parikka, P.; Huttunen, J.; Tainio, L.; Devos, N.; Weekers, F.; Kevers, C.; Thonart, P.; Lemoine, M. C.; Cordier, C.; Alabouvette, C. and Gianinazzi, S. (2004) Microbial inoculation for improving the growth and health of micropropagated strawberry. *Appl. Soil Ecol.* **27**:243-258.

Vinas, I.; Usall, J.; Texido, N. and Sanchis, V. (1998) Biological control of major postharvest pathogens in apple with *Candida sake. Int. J. Food Micro.* **40**:9-16.

Vinod, P. B. (1988) Antibiotic producing and antagonistic microorganisms in the forest soils of Kerala. M.Sc. (Ag.) thesis, Kerala Agricultural University. *Vellanikkara.* p.156.

Vinod, P. B.; Verma, A. S. and Cheeran, A (1991) Antagonistic and antibiotic properties of *Bacillus subtilis* isolated from the forest soils of Kerala. *Proc. of* Nat. Sem. on Biol. Cont. Plantation Crops. 22-28th June 1999, Rubber Res. Inst.India Kottayam, India. p.26.

Wagner, H. and Bladt, S. (1996). Plant Drug Analysis. Springer-Verlag Berlin Heidelberg.

Wang, Y.; Bao, Y.; Shen, D.; Feng, W.; Yu, T.; Zhang, J. and Zheng, X.D. (2008) Biocontrol of *Alternaria alternata* on cherry tomato fruit by use of marine yeast *Rhodosporidium paludigenum. Fell & Tallman, international journal of food microbiology.* **123:**234-239.

Weisburg, W.G., Barns, and S.M., Lane, D.J. (1991). 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.***173:** 697–703.

Wijesinghe, C.; Wilson W.R.S. and Wijesundera, R.L.C. (2008) ENDURE International Conference 2008 Diversifying crop protection, 12-15 October 2008 La Grande-Motte, France.

Wilson, W.R.S.; Hewajulige, I.G.N. and Abeyratne, N. (2005) Postharvest hot water treatment for the control of *Thielaviopsis* black rot of pineapple. *Post harvest biology and technology.* **36:**323-327.

Wilson, C.L. and Wisniewski, M.E. (1989) Biological control of postharvest diseases of fruits and vegetables an emerging technology. *Annu. Rev. Phytopathol.* **27**:425-441.

Wilson, C.L. and Wisniewski, M.E. (1994) (Eds.) Biological Control of Postharvest Diseases of Fruits and Vegetables – Theory and Practice. CRC Press, Boca Raton, FL, USA. **4:**63-75.

Winai, R; Hatai, K.; Wada, S. and Saburoh S. K. (1991) Isolated from Gills of Kuruma Prawn Penaeus japonicas with black gill disease. *Nippon Suisan Gakkaishi.* **57**:629-635.

Wisniewski, M.E. and Wilson, C.L. (1992) Biological control of postharvest diseases of fruits and vegetables: Recent advances. *Hort Science* **27:**94-98.

Wojciech, J. Janisiewicz and Korsten, L. (2002) Biological control of postharvest diseases of fruits. *Annual Review of Phytopathology.* **40**:411-441.

Wu, W. S.; Liu, S. D.; Chang, Y. C. and Tschen, J. (1986) Hyperparasitic relationships between antagonists and *Rhizoctonia solani. Plant Prot. Bull.* Taiwan. **28**:91-100.

Xiao, C. L. and Rogers, J. D. (2004) A postharvest fruit rot in d'Anjou pears caused by *Sphaeropsis pyriputrescens. Plant Disease.* **88**:114-118.

Xiao, C.L. and Boal, J. (2009) Preharvest Application of a Boscalid and Pyraclostrobin Mixture to Control Postharvest Gray Mold and Blue Mold in Apples. *Plant disease.* **93:**185-189.

Yoshida, H.; Katsuzaki, H.; Ohta, R.; Ishikawa, K.; Fukuda, H.; Fujino, T. and Suzuki A. (1999) Anti-microbial activity of the thiosulfinates isolated from oil macerated Garlic extract. *Biosci. Biotechnol. Biochem.* **63:**591-594.

Yu, J.; Cleveland, T. E.; Nierman, W. C. and Bennett, J. W. (2005) *Aspergillus flavus* genomics: gateway to human and animal health, food safety, and crop resistance to diseases. *Rev Iberoam Micol* **22**:194–202.

Zhang, H.; Zheng, X. and Ting, Y.B. (2007) Biological control of postharvest diseases of peach with *Cryptococcus laurentii. Food control* .**18**:287-291.

Zhang, T.; Yamamoto, M.; Kokubo, H.; Kawano, K.; Tanaka, M. and Kokado, T. (2001). Analysis of the receiver's EEG in remote perception task. *Journal of International Society of Life Information Science.* **19:**458-462.

Zheng, X. D.; Zhang, H.Y. and Ping Sun. (2005). Biological control of postharvest green mold decay of oranges by *Rhodotorula glutinis. European food research and technology.* **220**:353-357

Zhou, Y.C. (1993) The physiological mechanism on pineapple blackheart induced by low temperature and GA_3. *Acta Phytophysiol. Sin.* **14:**341-347.

Zhuang, R.Y.; Beuchat, L.R., and F.J. Angulo. (1995) Fate of *Salmonella montevideo* on and in raw tomatoes as affected by temperature and treatment with chlorine. *Appl. Environ. Microbiol.* **61**:2127-2131

LIBRARY • NBU. DARJEELING •