

A C K N O W L E D G E M E N T S

The present thesis embodies the results of research carried out by the author at the Department of Chemistry, University of North Bengal, Dist. Darjeeling.

The author takes this opportunity to record his grateful thanks to Prof. H. N. Khastgir, M.Sc., D.Phil., Head of the Department of Chemistry, University of North Bengal, Dist. Darjeeling for his valuable suggestions, guidance and keen interest throughout the research programme.

The author is indebted to Prof. C. Djerassi, Dr. A. Duffield and Dr. L. J. Durham, Department of Chemistry, Stanford University, Stanford, California, U.S.A. for mass spectra, NMR spectra, IR spectra and ORD curves; to Prof. T. R. Govindachari, Director, CIBA Research Center, Goregaon, Bombay for kindly arranging some of the NMR spectra and IR spectra recorded in the thesis.

The author thanks are also due to Prof. J. N. Chatterjee, Patna Science College, Patna; to Dr. A. Chatterjee, Department of Chemistry, Jadavpur University, Jadavpur, Calcutta and to Dr. T. K. Mukerjee, Air Force, Cambridge Research Laboratories, L.G.Hanscomfield, Mass, U.S.A. for IR spectra of the compounds recorded in the present thesis.

Thanks are also due to Dr. S. K. Sengupta, Research and Development Section, E.I.P.W.Ltd. for the optical rotations recorded in the paper; and to Dr. S.K.Dasgupta, Department of Chemistry, Jadavpur University for ozonolysis experiment recorded herein.

The author is grateful to Dr. P. Sengupta, Department of Chemistry, Kalyani University, Nadia for authentic specimens of β -sitosterol acetate, glutenone, glut-5-en-3 α -yl acetate; to Prof. E. Ritchie, Department of Chemistry, University of Sydney, Australia for the gift of moretenone, moretenyl acetate; to Prof. G. Berti, Università di Pisa, Istituto di Chimica Organica, Della Facoltà di Farmacia, for the gift of adiantone and isoadiantone; to Prof. D.H.R. Barton, Imperial College, London, for donation of butyrospermyl benzoate and to Prof. T.R. Seshadri, Department of Chemistry, Delhi University, Delhi for kindly arranging to provide an authentic specimen of tetra-O-methyl ellagic acid.

The author is thankful to the Council of Scientific and Industrial Research, New Delhi for the award of junior research fellowship and the authorities of the University of North Bengal for extending laboratory facilities. The author also wishes his thanks to Mr. R.C. Sarker, United Chemicals & Allied Products, Calcutta, for supplying the plants that were investigated.

Microanalysis were carried out by Dr. A. Bernhardt, Mulheim, Germany, to whom the author expresses his grateful thanks.

Bhim Prasad Pradhan

Department of Chemistry
University of North Bengal
Dist. Darjeeling.
October, 1968.