BIBLIOGRAPHY

BIBLIOGRAPHY

ALWAR, V. S. and SESHIAH, S. (1958) - Studies of the life history and bionomics of Sarcophaga dux, Thompson, 1868. Ind. vet. Jour, 35, 559-564.

ANDERSON, R. C., and BENNETTE, G. F. (1963) - Ophthalmic myiasis in Amphibians in Algonquin Park, Ontario, Canada. Canadian. Jour. Zool, 41, 1169-70.

ASAHINA, S., OGATA, K., NOGUCHI, Y., UCHIDA, S., and MURATA, M., (1963) - Detection of polioviruses from flies and cockroaches captured during 1961 epidemics in Kumamoto prefecture. Jap. Jour.exmit. Zool., 14, 28-31.

AUSTEN (1910) - Musca nattoni, Aust, Ann. Mag. N. H.(8), V, 114.

BARANOFF, N., and JEJIC, J. (1928) - Fliegenmadenals Wundschmarotzer bei den Haustieren in Südserbien, Z. Parasitenk, 1, 416.

BARTON-BROWNE, L. (1958) - The frequency of the mating of the Australian sheep blowfly, Lucilia cuprina. Austra. J. Sci., 20, 186.

BAUDET, E.A.R.F. and NIESCHULZ, O. (1933) - Ueber Fliegenlarveninfektionen (Lucilia sericata) bei Schafen im Wieringermeerpolder (Zuiderseegebiet). Z. angew. Ent., 20, 324.

BEDFORD, G. A. H. (1927) - Check list of the Muscidae and Oestridae which cause myiasis in Man and animals in South Africa. Dept. Agri. Rept. Div. Vet. Edu. Res., 11/12 (1), 483-491.

BEYER, G. E. (1925) - The bacteriology of the market fly of New Orleans. Quart. Louisiana St Bd. Health, 16, 110-116.

BIRK, W. (1932) - Die Uebertragung des paratyphus Breslau durch die Stomoxys calcitrans. Zentralbl. Bakt. parasit. Infekt. Hyg, 1 Abt, 124, 280-300.

BISHOPP, F. C. (1915) - Flies which cause myiasis in man and animals. Some aspect of the problem. Jour. econ. Ent, 8, 317.

---------- and LAAKE, E. W. (1921) - Dispersion of flies by flight. J. agr. Res, 21, 726-766.

BLEAKNEY, J.S. (1963) - First North American record of Bufo-lucilia sylvarum, (Meigen), (Diptera =

Calliphoridae) parasitising Bufo terrestris americanus, Holbrook. Canadian. Entomol, 96, 107.

BOS, A. (1932) - Overbrengingsproeven van hoenderpokken door Anopheles maculipennis, Mg, Theobaldia annulata, Schr. en Stomoxys calcitrans. Tijdschr. diergeneesk, 59, 191-194.

BÖTTCHER (1912) - Sarcophaga calcifera, Bött, Ent. Mitteil, 1, 169.

---------- (1913) - Sarcophaga orchidea, Bött, Ann. Mus. Nat. Hung. XI, p-375 - fig.1.

BOUET, G., and ROUBAUD, E. (1912) - Expériences de transmission des trypanosomiases animales de l' Afrique occidental francaise, par les Stomoxes. Bull. Soc. Path. exot. Paris, 5, 544-550.

BOUFFARD, G., and LEGAC, P. (1929) - Myiase á Chrysomya bezziana, observé chez un indigéne de la Côte d' Ivoire. Bull. Soc. Path. exot. Paris, 22, 48.

BRUCE, W. G., and KNIPLING, E. F., (1936) - Seasonal

appearance and relative abundance of flies attracted to baited traps. Iowa. State. Coll. J. Sci, 10, 361-366.

BRUMPT, E. (1934) - Spécificite parasitaire et, déterminésme de la ponte de la mouche. Lucilia hufonivora. C. R. Acad. Sci, Paris, 198, 124-126.

BUEI, K., (1959) - Seasonal prevalence of flies in Osaka. Ecological studies of the flies of medical importance III. Botyu-Kagaku, 24, 47-54.

CANAVAN, W. P. N., (1936) - Occurrence of intestinal and nasal myiasis in Oklahoma, J. Parasit., 22, 228.

CARTER, R. C., (1972) - Primary amoebic meningo-encephalitis. An appraisal of present knowledge, Trans. R. Soc. trop. med. Hyg, 66(2), 193.- 208.

CHANG, K., (1940) - Domestic flies as mechanical carrier of certain human intestinal parasites in Chengtu. West China. Border. Res. Soc. Jour. Ser B, 12, 92-98.

CHAUDHURI, R. P., (1961) - Blowfly Chrysomyia rufifacies (Mag) infestation in sheep in India. Science and Culture, Calcutta, 27, 447-448.

CHESNEAU, P., and TRAN-VAN-MANH, (1929) - Rhinomyiase á Chrysomyia bezzienum. Bull. Soc. med.- Chir. Indo. Ch, 7, 410.

CLELAND, J. B. (1913) - Insect and their relationship to disease in Man in Australia. Trans. Australasian. med. Congr. (Sydney, 1911), 1, 548-570.

COUTINHO, J. O., TAUNAY, A. de. E., and PENNA, L., (1957) - Importancia de Musca domestica como vector de agentes pathogenicos para O'homen. Rev. Inst. Adolpho. Luts. Sao Paulo, 17, 5-23.

CUSHING, E. C., and PARISH, H. E., (1938) - Seasonal variations in the abundance of Cochliomyia spp, Phormia spp. and other flies in Menard County, Texas. J. econ. Entmol, 31, 764-769.

CUTHBERTSON, A., (1933) - The habit and the life histories of some diptera in Southern Rhodesia. Proc. Rhod. Sci. Assoc., 32, 81-111.

———————— (1934) - The life history of Screw-worm fly. Rhod. agric. J., 31, 256-258.

DARTIGOLLES, R. (1922) - Un cas de myiase nasale en Guinée. Bull. Soc. Path. exot. 15, 416.

DASGUPTA, B. (1962) - On the myiasis of Indian Toad, Bufo melanostictus. Parasitology, 52, 63-65.

———————— and ROY, P. (1969) - Studies on the behavior of Lucilia illustris, Meigen, as a parasite of vertebrates under experimental conditions. Parasitology, 59, 299-304.

DAVIES, W. M., (1929) - Hibernation of Lucilia sericata, Mg. Nature, 123, 759-760.

———————— (1934) - The sheep blowfly problem in North Wales. Ann. appl. Biol, 21, 267-273.

de MEILLON, B., and OSBURN, H. S. (1936) - A case of intestinal myiasis caused by the larvae of Chrysomyia chloropyga, Wied. (Diptera-Calliphoridae). S. Afr. med. J., 9, 654.

DEONIER, C. C., (1942) - Seasonal abundance and distribution

of certain blowflies in Southern Arizona and their economic importance. J. econ. Entomol, 35, 65-70.

DERBENEVA-UKHOVA, V. P. (1962) - On the ecological classification of the synanthropic flies of the Muscidae and Calliphoridae. Verh. XI. Internat. Congr. Entomol, 2, 422-426.

DICKE, R. J., and EASTWOOD, J. P., (1952) - The seasonal incidence of blowflies at Madison, Wisconsin. Wisconsin. Acad. Sci. Arts. Letters. Trans, 41, 207-217.

DUNCAN, J. T., (1928) - On the bactericidal principal present in the alimentary canal of insects and arachnids. Parasitology, 18, 238-252.

EINMANN, H., (1936) - Lebende Fliegenmaden im menschlichen Darm Kanal. Anz. schadlingsk, 12, 10.

EYSELL, A., (1915) - Sarcophaga fusicauda, Böttcher, ein Darmparasit des Menschen. Ent. Mitt, 4, 3.

FABRICIUS, (1784) - Musca macrocephala, Fabr, Syst. Ent. IV, p-317.

-------- (1794) - Musca ruficornis, fabr, Syst. Ent, IV, p-314-16.

FAIN, A., MAGIS, P., VERDIN, G., DONKERS, J., and GÖBBELS, P., (1959) - Sur deux cas de myiases humaines produites par Chrysomyia bezzianum, Villeneuve, au Congo belge. Ann. Soc. belge. Med. trop, 39, 763.

FIEDLER, G. G. H. (1951) - Die Nahrung der myiasis - Fliegen - larven auf dem Wollschaf, Z. angew. Ent, 33, 142-150.

FRANCHINI, G., (1927) - Un nuovo caso di myiasi intestinale. Rif. med. Italy, 43, 102.

FRANCIS, E., (1914) - An attempt to transmit poliomyelitis by the bite of Lyperosia irritans. Jour. infect. Dis, 15, 1-5.

FULLER, M. E. (1934) - Insects inhabitants of carrion : a study in animal ecology. J. counc. sci. indust. Res, Australia, Bull, 82, 6-7, 150-152.

GAJARDO-TOBAR, R., and HONORATO, A., (1947) - Anatociones aecerca de una epidemia de miasis humana. Hospital. de. vina del Mar, Chile, 3, 5-14.

GALLI-VALERIO, B. (1939) - Sur quelques cas de myiases observes chez l'homme. Schweiz. med. Wochenschr, 69, 451.

GEAR, J., CUTHBERTSON, E., and RYAN, J., (1962) - A study of South African strains of trachoma virus in experimental animals. Ann. New York. Acad. Sci, 98, 197-200.

GREEN, A. A., (1951) - The control of blowflies infesting slaughterhouses. I. Field observations on the habits of blowflies. Ann. appl. Biol, 38, 475-494.

---------- and KANE, J., (1954) - Control of blowflies infesting slaughterhouses. III. Large scale experiment at a domestic refuse depot. Ann. appl. Biol, 41, 165-173.

GREENBURG, B., (1959) - Persistence of bacteria in the developmental stages of the housefly. I. Survival of enteric pathogens in the normal and asceptically reared host. Amer. Jour. trop. Med. Hyg, 8, 405-411.

---------- and BURKMAN, A. (1963) - Effect of B-vitamins and mixed flora on the longevity of germ free adult houseflies Musca domestica, Linn. Jour. cell. comp. Physiol, 62, 17-22.

GREGOR, F., and POVOLNÝ, D., (1958) - Versuch einer Klassifikation der synanthropen Fliegen. Jour. Hyg. Epidemiol. Microbiol. Immunol, 2, 205-216.

——————— (1960 a) - Beitrag zur Kenntnis der Synanthropen Fliegen Ungarns. Acta. Soc. Entomol, Czekoslov, 57, 158-77.

——————— (1960 b) - Beitrag zur Kenntnis Synanthroper Fliegen Albaniens. Ceskoslov. Parasitol, 7, 115-131.

——————— (1962) - Zur chorologie und hygienischepidemiologischen Rolle Synanthroper in Mitteleuropa. Proc. Intemat. Congr. Entomol, XI, 2, 419-422.

GUDANADÓTTIR, M. G., (1960) - Studies of the fate of type-1 Polioviruses in flies. Jour. exp. Med, 113, 159-176.

GURNEY, W. B., and WOODHILL, A. R. (1926) - Investigations on sheep blowflies, I, Range of flight and longevity. N.S.Wales. Dept. agr. Sci. Bull. 27, 1-19.

HADDOW, A. J., and LUMSDEN, W. H. R., (1936) - Fannia canicularis, L, and F. scalaris, Fabr. as agents of human myiasis with an abstract of recorded case. Surgo, 1, 1.

——————— and THOMSON, R. C. M., (1937) - Sheep myiasis in South-West Scotland, with special reference to the species involved. Parasitology, 29, 96-115.

HALL, D. G., (1948) - The blowflies of North America, P-215. The Thomas Say Foundation, U.S.A.

HARRIS, A. H., and DOWN, H. A. (1946) - Studies on the dissemination of cysts and ova of human intestinal parasites by flies in various localities of Guam. Amer. Jour. trop. Med, 26, 789-800.

HARVEY, W. H., (1934) - A case of myiasis due to Callinhora erythrocephala occurring in man. Parasitology, 26, 306.

HAVLIK, B., and BATOVA, B., (1960) - A study of the most abundant Synanthropic flies occurring in Prague. Acta. Soc. Ent. Chechoslov., 58, 1-11.

HEARLE, E., (1933) - Notes on serious outbreak of tick paralysis in cattle. Proc. ent. Soc. B.C. no 30, 11-16.

HEIM-de-BALSAC, H., (1937) - Myiase mortelle chez un loir determinée par Lucilia ampullacea, Vill, Premierés données sur la biologie de ce diptére et considérations sur la parasitisme chez les Lucilia. Bull. Soc. ent. Fr, 42, 179-181.

HEPBURN, G. A., (1943 a) - Sheep blowfly research. I. A survey of maggot collection from live sheep and a note on the trappings of blowflies. Ondestepoort. J. vet. Sci, 18, 13-18.

--------- (1943 b) - Sheep blowfly research. V. Carcasses

as a source of blowflies. Onderstepoort. J. vet. Sci. Anim. Ind, 18, 59-72.

HERMS, W. B., (1915) - Medical and Veterinary Entomology. New York.

---------- (1928) - The effect of different quantities of food during the larval period on the sex-ratio and size of Lucilia sericata, Meigen, and Theobaldia incidens, Thom. Jour. econ. Entomol, 21, 720-729.

---------- and GILBERT, Q. O., (1933) - An obstinate case of intestinal myiasis. Ann. Int. Med, 6, 941-945.

---------- and JAMES, M. T. (1961) - Medical Entomology, Macmillan Co., New York, 1961.

HERNAN, R., HEVIA, H., SCHENONE, H., and SAPUNAR, J., (1968) - Myiasis Humana por Phaenicia sericata (Meigen,1826) en Chile (Dipt = Calliphoridae). Bol. Chilens. Parasitol, 22, 168-171.

HO, (1934) - Sarcophaga bravicornis, Ho. Bull. Fan. Inst. Biol, V, p-23, fig-3.

HONEIJ, J. A., and PARKER, R. R. (1914) - Leprosy : Flies in relation to the transmission of the disease. Jour. med-Res, 30, 127-130.

HOPKINS, G. H. E., (1944) - Notes on myiasis especially in Uganda. E. Afr. med. Jour, 21, 258.

HOSKINS, M., (1933) - An attempt to transmit yellow fever virus by dog fleas (Ctenocephalides canis, Curt) and flies (Stomoxys calcitrans, Linn.). Jour. Parasit, 19, 299-303.

HOUDEMER, E., (1935) - Myiasis des animaux domestiques en Indochine. Bull. Soc. Path. exot. 28, 298.

ISHIJIMA, H., (1967) - Revision of the third stage larvae of synanthropic flies of Japan (Diptera = Anthomyiidae, Muscidae, Calliphoridae and Sarcophagidae). Jap. Jour. sanit. Zool, 18, 47-100.

JAMES, M. T. (1947) - The flies that cause myiasis in man. U.S. dept. Agric. Misc. Publ. no. 631, 175.

JANJUA, M. A., (1939) - A note on the biology of Lucilia sericata (Meigen (Calliphoridae = Diptera) in Baluchistan. Curr. Sci. 8, 317-318.

JAUSION, H., and DEKESTER, M., (1923) - Sur la transmission comparée des Kystes d' "Entamoeba dysenteriae"et de "Giardia intestinalis" par les mouches. Arch. Inst. Past Algerie, 1, 154-155, also Arch. Inst. Past. L' Afrique du. Nord, 3, 154-155.

KAMAL, A. S., (1958) - Comparative study of thirteen species of Sarcosaphrophagous Calliphoridae and Sarcophagidae. Ann. entomol. Soc. Amer. 51, 261-271.

KANO, R., and OKAZAKI, T., (1955) - Notes on the flies of medical importance in Japan IX. Revision of the genus Gallinhora in Japan, with redescription of Gallinhora lata, Coquillete, 1898. Bull. Tokyo. med. dental. Univ. 2, 103-111.

---------- and MORIKAWA, T., (1957) - Notes on the flies of medical importance in Japan XII. Findings of Gallinhora vicina, Rob. Desvoidy, 1830, in Hokkaido, Japan. Bull. Tokyo. med. dental. Univ. 4, 69-72.

---------- ANIYA, K., KANEKO, K., SHINONAGA, S., and KIUNA, H., (1964) - Notes on the flies of medical importance in Japan XX. Seasonal fluctuation of medically important flies on Ishigaki Islands, Ryukyu. Jap. J. Sanit. Zool. 15, 1-6.

---------- KIYOTOSHI, K., MIYAMOTO, K., SHINONAGA, S., KIUNA, H., OKAZAKI, T., and HABUTSU, Y., (1965) - Notes on the flies of medical importance in Japan XXIII. Seasonal fluctuation of flies in the Imperial Palace ground, Tokyo. J. med. Ent. 1, 387-394.

---------- (1971) - Personal Communication.

KARSCH, (1887) - Physinhora flavinos, Karsch, Ent. nov. Dint, 11.

KINGSKOTE, A. A., (1931) - Myiasis in ranch raised foxes. Entomol. Soc. Ontario. 62nd Ann. Rept, 91-93.

KRANEFELD, F. C., and van-der-SCHARF (1937) - Een myiasis Van de Klauwen en hun Omgeving bij runderen. Ned. -Ind. Bl. Diergeneesk, 49, 360.

LAAKE, E. W., (1936) - Economic studies of Screw worm flies Cochliomyia species (Diptera = Calliphoridae) with special reference to the prevention of myiasis of domestic animals. Iowa. State. Coll. J. Sci, 10, 345-59.

LAAKE, E. D., (1938) - Myiasis in domesticated animals. Jour. Amer. vet. med. Assoc, 95, 47-49.

LAINSON, R., and SOUTHGATE, B. A., (1965) - Mechanical transmission of Leishmania mexicana by Stomoxys calcitrans. Rev. Soc. trop. Med. Hyg., 59(6), 716.

LAMBORN, W. A., (1935) - Annual report of the medical entomologist for 1934. Ann.rad.Rept, Nyasaland, 1935, 65-69.

---------- (1936) - Experimental transmission to man of Treponema pertenue by the fly Musca sorbens, Wd. Jour. trop. Med. Hyg, 39, 235-239.

---------- (1937) - The haematophagous fly Musca sorbens, Wied, in relation to the transmission of Leprosy. Jour. trop. Med. Hyg, 40, 27-42.

---------- (1938) - Annual report of the medical entomologist for 1938. Ann. med. Sanit. Rept, Nyasaland, 1938, 40 - 48.

LEGER, A., and COUPUT, A., (1924) - Nasomyiase á Chrysomyia dux, Esch. Bull. Soc. Path. exot, 17, 375-376.

LESTAGE, (1926) - La batrachomyase Quelques mots sur les crapauds dévorés vivants par les larves de mouches. Nat. belges, 7, 157-159, 162-163.

LEWIS, E. A., (1933) - Observations on some diptera and myiasis in Kenya Colony. Bull. ent. Res, 24, 263-269.

LINDQUIST, A. W. (1937) - Myiasis in wild animals in South Western Texas. Jour. econ. Ent, 30, 735-740.

---------- (1938) - A study of the incidence and habits of Cochliomyia americana by means of fly trap. Jn Kansas. ent. Soc, 11, 97-104.

——————— YATES, W. W., HOFFMAN, R. D., and BUTTS, J. S. (1951) - Studies on the flight habit of three species of flies tagged with radio-active phosphorous. J. econ. Ent, 44, 397 - 400.

LINNAEUS, (1758) - Musca domestica, Linn. Syst. Nat, X, p-596.

——————— (1758) - Conops calcitrans, Linn. Syst. Nat, (ed 10) p-604.

LOPES, S., (1938) - H. de sur une fausse myiase des poules produit par la larve de la Lucilia eximia, Wied, (Diptera = Calliphoridae). Compt. Rend. Soc. Biol, 129 (27), 426.

LYON, M. W., and MIZELLE, J. D. (1945) - Another case of intestinal myiasis. Ann. Internat. Med, 22(1), 128-130.

LYSENKO, O., and POVOLNÝ, D., (1961) - The microflora of Synanthropic flies in Czekoslovakia. Folia Microb, 6, 27 - 32.

MACFARLANE, W. V. (1938) - Blowfly strike in Marlborough. Incidence and control discussed. N. Z. J. Agri, 57, 388.

——————— (1942) - Blowfly strike in Marlborough,

Newzealand. N.Z.J. Sci. Tech, 23, No 4A, 205A.

MACKERRAS, M. J. (1933) - Observation on the life histories, nutritional requirements and fecundity of blowflies. Bull. ent. Soc, 24, 353 - 361.

MACKERRAS, I. M., and FULLER, M. E. (1937) - A survey of the Australian sheep blowflies. J. council. Sci. ind. Res. Australia, 10, 261-270.

MACLEOD, J., (1937) - The species of Diptera concerned in cutaneous myiasis of sheep in Britain. Proc. R. ent. Soc. London (A), 12, 127.

---------- (1943) - A survey of British sheep blowflies. Bull. ent. Res, 34, 65 - 88.

---------- and DONNELLY, J. (1957) - Some ecological relationship of natural population of Calliphorine blowflies. J. animal. Ecol, 26, 135 - 170.

---------- (1958) - Local distribution and dispersal of blowflies in hill country. J. animal. Ecol, 27, 349 - 374.

---------- (1960) - Natural features and blowfly movement. J. animals Ecol, 29, 85 - 93.

---------- (1962) - Microgeographical aggregations in blow-

-fly populations. J. animal. Ecol, 31, 525-543.

---------- (1963) - Dispersal and Interspersal of blowfly population. J. animal. Ecol, 32, 1 - 32.

MACQUART, (1842) - Lucilia rufifacies, Macq, Mem. Soc. Roy. Sci. Arts. Lille. Annee, p-303, id, Dipt. Exot, II, pt-3, p-146.

MAGY, H. L., and BLACK, R. S. (1968) - An evaluation of the migration of the fly larvae from garbage cans in Prasadena, California. California. Vector. Views, 9, 55 - 59.

MALLOCH, J. R. (1921) - Dichaetomyia, Mall. Ann. Mg. n. H(9) VII, 183.

---------- (1924) - Some Indian species of the Dipterous genus Atherigona, Rondani. Mem. Dept. Agri. India, entmol. Series VIII. Agri. Res. Inst. Pusa.

MASSIAS, C., (1930) - Myiases humaines en Indo-Chine. Deux cas de myiase génetale chez la femme. Bull. Soc. Path. exot. Paris, 23, 595.

MEIGEN, (1826) - Sarcophaga albiceps, Mg. Syst. Beschr. V, p-22.

---------- (1826) - Musca illustris, Mg. Sitz. Beschr. V, p.54.

MELNICK, J. L., WARD, R., LINDSAY, D. R., and LYMAN, E. F. (1947) - Fly abatement studies in Urban poliomyeletis epidemics during 1945. Public Health. Rept. 62, 910 - 922.

MERK, A. (1910) - Vaccine und fliegen. Hyg. Rundsch. 20, 233 - 235.

MOHLER, J. R. (1920) - Annual report of the Dept. of agriculture for the year 1919. Report of the Chief of the Bureau of Animal Industry. U.S. dept. Agric. Washington. D. C. (See pp. 125-126).

MÖNNIG, H. O., and GILLIERS, P. A. (1944) - Sheep blowfly research. VII. Investigations in the cape winter-rainfall areas. Onderstep. J. vet. Sci. 19, 71 - 77.

MORELLINI, M., and CATTANEO, L., (1947) - Il compartamento della Gallaria mellonella e di alcune mosche di fronte al bacillo di Koch. Ann. Ist "Carlo Forlanini", 11, 508 - 511.

MORRIS, R. F. (1954) - Notes on the blowfly Phaenicia sericata (Meigen) (Diptera = Calliphoridae) in Newfoundland. Canadian. Ent. 86(8), 356.

MOTAIS, F., and BOREL, E. (1928) - Un cas de myiase de la

région temporo - orbitaire gauche. Bull. Soc. méd-chir. Indochine, 6, 309.

MURRAY, M. D. (1956) - Observations on the biology of Calliphorids in Newzealand. N. Z. J. Sci. Tech, A, 38, 103 - 108.

NATVIG, L. R. (1932) - On myiasis samte to nye norske kasus. Norsk. ent. Tidskr, 3, 117.

NEGRETE, R., and BONZO-BARROS, Y. R. (1944) - Myiasis Humana en Chile. Rev. Med. Chile, 72, 973-81.

NEWMAN, L. J., O' CONNOR, B. A., and ANDREWARTHA, H. G. (1930) - Some observations on the seasonal and regional incidence of blowflies in South West of Western Australia. J. Dept. Agr. W. Australia, 7, 592 - 600.

NIESCHULZ, O. (1927) - Zoologische bijdragen tot het surra-probleem. XIX. Overbrengingsproeven met Stomoxys, Lyperosia, Musca en Stegomyia (Zoological contribution to Surra problem XIX. Transmission experiments with Stomoxys, Lyperosia, Musca and Stegomyia) Med. Ind. Blad. Dierengeesk, 39, 371-390.

NORRIS, K. R., (1959) - The ecology of sheep blowflies in Australia. Biogeography and Ecology in Australia, 8, 514 - 544.

---------- (1966) - Bionomics of blowflies. Ann. Rev. Entomol, 10, 47 - 68.

NUORTEVA, P., (1958 a) - A case of wound myiasis in the Night-Ornis. Fenn, 35, 7.

---------- (1958 b) - Some peculiarities of seasonal occurrence of poliomyeletis in Finland. Ann. Med. exper. Fenn, 36, 335 - 342.

---------- (1959 a) - Studies on the significance of flies in the transmission of poliomyeletis III. The composition of blowfly fauna, and the activity of flies in relation to the weather during the epidemic season of poliomyeletis in South Finland. Ann. entomol. Fennici, 25, 121 - 135.

---------- (1959 b) - Studies on the significance of flies in the transmission of poliomyeletis IV. The composition of blowfly fauna in different parts of Finland during the year 1958. Ann. entomol. Fennici, 25, 137-162.

---------- (1960) - Före Konsten av asflugan Phormia terraenovae R. D.,i Finland. Notulae Ent, 40, 38 - 45.

---------- (1963) - Synanthropy of blowflies (Diptera = Calliphoridae) in Finland. Ann. ent. Fenn. 29, 1 - 49.

---------- and LAURIKAINEN, E. (1964 a) - Synanthropy of blowflies (Diptera = Calliphoridae)on the Islands of Gotland, Swedden. Ann. ent. Fenn, 30, 187-190.

---------- KOTIMAA, T., POHJOLAINEN, L., and RÄSÄNEN, T., (1964 b) - Blowflies (Diptera = Calliphoridae) on the refuse depot of the city of Kupio in Central Finland. Ann. ent. Fenn, 30, 94 - 104.

---------- and VESIKARI, T. (1966) - Synanthropy of blowflies (Diptera = Calliphoridae) on the coast of Arctic Ocean. Ann. Med. exp. Fenn, 44, 544 - 548.

---------- (1970) - A case of wound myiasis in man caused by Lucilia illustris, (Meig) (Dipt = Calliphoridae) Ann. ent. Fenn, 36, 123.

OGATA, K., (1960) - Seasonal change of the fly fauna in the dwelling house in the Kawasaki City. Japan. J. sanit. Zool. 11(1), 17 - 21.

ONORATO, R., (1922) - Le miasi in Tripolitania Archs. Ital. Sci. med. Colon, 3, pages - 14, 33, 69, 101, 155, 188, 216, 229, 261, 293.

PARKER, (1917) - Sarcophaga knabi, Parker, Proc. U. S. nat. M. Mus liv, 96, fig.-4.

PATTON, W. S., and CRAGG, F. W. (1913) - A text book of

Entomology, Christian Literature Society for India, London, Madras, Calcutta.

PATTON, W. S. (1920 a) - Some notes on Indian Calliphorinae. Part I. Chrysomyia bezziana, Villeneuve, the common Indian Calliphorinae, whose larvae cause cutaneous myiasis in man and animals. Ind. Jour. med. Res, 8, 17-31.

---------- (1920 b) - Notes on the Occurrence of Passeromyia heterochaeta, (Villeneuve) in India. Ind. Jour. med. Res, 8, 33-36.

---------- (1922 a) - Some notes on the Indian Calliphorinae III. Chrysomyia megacephala (Fabr) (dux-Esch), the common Indian bluebottle, whose larvae occasionally cause myiasis in animals and Chrysomyia nilgiriens, sp. Nov, the common bluebottle of Nilgiries. Ind. Jour. med. Res, 9, 555-560.

---------- (1922 b) - Some notes on Indian Calliphorinae VII. Additional cases of myiasis caused by the larvae of Chrysomyia bezziana, Villeneuve, together with some notes on diptera, which cause myiasis in man and animals. Ind. Jour. med. Res, 9, 654-682.

---------- (1922 c) - Notes on the occurrence of larvae of

Philaetomyia crassirostris, stein, in human intestine. *Ind. Jour. med. Res.* 10, 57.

---------- and EVANS, A. M. (1929) - *Insects, Ticks, Mites and Venomous animals of medical and veterinary importance.* Part I = Medical. H. R. Grubb, Croyden, page. 786.

PAUL, J. R., HORSTMANN, D. M., RIORDAN, J. T., OPTON, E. M., NIEDERMAN, J. C., ISACSON, E. P., and GREEN, R. H. (1962) - An oral poliovirus vaccine trial in Costa Rica. *Bull. Wld. Health. Org.* 26, 311-329.

PIPKIN, A. C., (1949) - Experimental studies on the role of filth flies in the transmission of *Entamoeba histolytica*. *Amer. Jour. Hyg.* 49, 255-275.

PLAT, K. F., and SCOTT, J. A. (1935) - A case of aural myiasis. *Brit. med. Jour.* no 3909, 1099.

PORTER, A. (1924) - Notes on some insect larvae that may occur in man in South Africa. *S. Afr. J. Sci.* 21, 373.

PORTSCHINSKY, I. A. (1913) - *Muscina stabulans*, Fall, mouche nuisible a l' homme et à son ménage en etat larvaire destructeuse des larves de *Musca domestica*. *Trav. Bur. ent. Rem. Agri.* 10, 1.

POVOLNÝ, D., and PŘÍVORA, M. (1961) - Kritische Bewertung mikrobiologischer Befunde bei synanthropen fliegen

in Mitteleuropa. Angew. Parasit, 2, 66 - 74.

POWER, M. E., and MELNICK, J. L. (1945) - A three year survey of the fly population in New Heaven during epidemic and non epidemic years of Poliomyeletis. Yale. J. Biol. Med., 18, 55 - 69.

PRADO, E., and JIMENEZ, L. A. (1956) - Estudio bacteriológico de la flora enterica transportada por las moscas de la ciudad de Santiago. Biol. Inst. Bact. Chile, 8, 14 - 18.

PRATT, H. D. (1936) - Human myiasis due to Phaenicia sericata (Meigen) in Virginia (Diptera = Calliphoridae). Proc. ent. Soc. Washington 58(1), 14.

QUATERMAN, K. D., KILPATRIC, J. W., and MATHIS, W., (1954 a) - Fly dispersal in a rural area near Savannah, Georgia J. econ. Entomol, 47, 413 - 419.

-------- (1954 b) - Urban fly dispersal in the area of Savannah. Georgia. J. econ. Entomol, 47, 405 - 412.

RATCLIFFE, F. N. (1935) - Observations on sheep blowfly (Lucilia sericata, Meig.) in Scotland. Ann. appl. Biol, 22, 742.

RENDTORFF, R. C., and HOLT, C. J. (1954) - Experimental transmission of human protozoon parasites III. Attempts to

transmit Endamoeba coli and Giardia lamblia cysts by flies. Amer. Jour. Hyg, 60, 320 - 326.

RINONAPOLI, G., (1930) - Contributo allo studio epidemiologico della infezione Carbon chiosa. Med. Prat, 15, 281 - 287.

RIORDAN, J. T., PAUL, J. R., YOSHIOKA, I, and HORSTMANN, D. M. (1951) - The detection of polioviruses and other enteric viruses in flies. Results of test carried out during an oral poliovirus vaccine trial. Amer. Jour. Hyg, 74, 123 - 136.

ROBERTS, F. H. S. (1934) - The large round worm of pigs, Ascaris lumbricoidas, Linn, 1758. Its economic importance in Queensland, life cycle and control. Animal Health. Stat. Yeerongpilly. Bull. No 1, 1-81.

ROBERTS, L. M. (1947) - The part played by faeces and vomit drop in the Transmission of Entamoeba histolytica by Musca domestica. Ann. trop. Med. Parasit, 41, 129-42.

ROBINEAU-DESVOIDY, (1830) - Myophora serimpina, R.D., Ess. Myod, 2, 366.

RONDANI, (1856) - Atherisona sp, Rondani, Dipt. ital. Prodr, 1, 97.

ROUBAUD, E., (1914) - Les producteurs de myiases et agents similaires chez l'homme et les animaux. Etudes sur la fauna parasitaire de l'afrique occidentale francaise. 1, 250.

ROY, P., and DASGUPTA, B. (1971) - Behavior of Chrysomya megacephala, (fabr.) and Heminyrellia lisurriens (Wied) as parasites of living animals under experimental conditions. S. Afr. J. Med. Sci, 36, 85 - 91.

RYAN, R. F. (1954) - The sheep blowfly problem in Tasmania. Aus. vet. Jour, 30, 109.

SABROSKY, (1949) - Ophyra obscurifrons, Sabr, Proc. Hawai ent. Soc, XIII, 424, 426, 430.

SACCA, G., (1945) - Miesi da Sarconhaga facultata. Pand. R.C. Ist Sup. Sanit , 8, 301.

SALEM, H. H. (1935) - Egyptian species of the genus Sarconhaga (Diptera = Tachinidae). Publ. Fac. Med. Egypt. Univ. No 5 IV + 66 pp.

SANDNER, H. K. (1954) - Lucilia bufonivora, (Mon) 1876 (Diptera) W. Polse. Acta Parasitol. Polonica, 2, 319 - 29.

SCHOOF, H. F., MAIL, G. A., and SAVAGE, E. P., (1954) - Fly production sources in urban communities. Jour. econ.

Entomol., 47, 245 - 253.

---------- and SAVAGE, E. P. (1955) - Comparative studies of urban fly population in Arizona, Kansas, Michigan, New York, and West Virginia. Ann. entomol. Soc. Amer, 48, 1 - 12.

---------- SAVAGE, E. P., and DODGE, H. R. (1956) - Comparative studies on Urban fly population in Arizona, Kansas, Michigan, New York and West Virginia. II. Seasonal abundance of minor species. Ann. entomol. Soc. Amer, 49, 56 - 66.

---------- (1959) - How far do flies fly ? Pest. Control, 27(4), 16 - 18, 20, 22, 66.

SEN, S. K., and MINETT, F. C. (1944) - Experiments on the transmission of Anthrax through flies. Ind. Jour. vet. Sci. aniaal. Husb, 14, 149 - 168.

SENGUPTA, C. M., MENON, P. B., and BASU, B. C. (1961) - Studies on myiasis and its treatment. Ind. vet. Jour, 27(5), 341 - 350.

SENIOR-WHITE, R. (1924) - Sarcophaga futilis, Sen. wh., Rec. ind. Mus. XXVI. p-246, pl XIII, fig-21.

---------- (1924) - Sarcophaga orientaloides, Sen. wh. Rec. ind. Mus. XXVI, 244.

---------- AUBERTIN, D., and SMART, J. (1940) - Fauna of British India, Diptera Vol. VI. Fam-Calliphoridae, Taylor and Francis, London.

SHIMUZU, F., HASHIMOTO, M., TANIGUCHI, H., OOTA, W., KAZIKAWA, H., TAKADA, R., KANO, R., TANGE, H., KANEKO, K., SHINONAGA, S., and MIYAMOTO, K. (1965) - Epidemiological studies on fly borne epidemics. Report I. Significant role of flies in relation to intestinal disorders. Japan. Jour. sanit. Zool., 16, 201-211.

SHURA-BURA, B. L., IVANOVA, E. V., ONUTSKIN, A. N., GLAZUNOVA, A. J., and SHAIKOV, A. D., (1956) - Migration of flies of medical importance in Leningrad district. Entomol. Obozrenie, 35, 334-46.

---------- SHAIKOV, A. D., IVANOVA, E. V., GLAZUNOVA, A. J., MITRUIKOVA, M. S., and FEDOROVA, K. G. (1958) - The characters of dispersion from the point of release in certain species of flies of medical importance. Entomol. Obozrenie, 37, 336-346.

SINTON, J. A., (1921) - Some cases of myiasis in India and Persia, with a description of the larvae causing the lesion. Ind. Jour. med. Res, 9, 132-144.

SIVERLEY, R. E., and SCHOOF, H. F. (1955) - Utilization of various production media by various muscoid flies

in a metropolitan area. I. Adaptability of different flies for infestation of prevalent media. Ann. entomol. Soc. Amer. 48, 258 - 262.

SMART, J., (1936) - Larvae of Lucilia sericata, Mg, from a case of aural myiasis reported from Essex. (Diptera). Proc. R. ent. Soc. London. (A), 11, 1.

SMIT, B., (1931) - A study of the sheep blowflies of South Africa. Rept. Director. of vet. Serv. and animal. Ind. Union. S. Africa, 17th.

SOLLIER, R. (1938) - Sur un cas remarquable de myiases du conduit auditif par Chrysomyia bezziana. Rev. Méd. franc. Extraor No 8, 1016 - 1018.

SONAN, J. (1927) - Notes on myiasis producing diptera of man and domestic animals. Formosan. agri. Rev, 21, 897 - 910 and 982 - 990.

STEIN, (1903) - Musca crassirostris, Stein, Mitt. Zool. Mus. Berlin, II, 99.

STEWART, M. A. (1929) - A case of dermal myiasis caused by Phormia regina, Meig. J. A. M. A., 92, 798 - 799.

---------- and ROESSLER, E. B. (1942) - The seasonal distribution of myiasis producing diptera. Jour. econ. Entomol., 35, 408 - 411.

STEINER, G., (1949) - Fallenversuche zur Kennzeichnung des Verhaltens Von schmeiss fliegen gegeniiber verschiedenen Merkmalen ihrer Umgebung. Zs. vergleich. Physiol, 31, 1 - 37.

STRICKLAND, C., and ROY, D. N. (1940) - Experimental intestinal myiasis Ind. Jour. med. Res, 28, 593-594.

SYCHEVSKAYA, V. I. (1962) - Changes in the diurnal composition of species of Synanthropic flies in course of the season. Entomol. Obozrenie, 41, 545-553.

SYMES, C. B., and ROBERTS, J. I. (1932) - A list of Muscidae and Oestridae causing myiasis in man and animals in Kenya recorded at the Medical Research Laboratory, Nairobi. E. Afr. med. J, 9, 18-20.

TAKEDA, S., (1920) - A case of myiasis. Tokyo. Iii. shinshi No 2190, 1531.

THOMSON, M., and HAMMER, O. (1936) - The breeding medium of some common flies. Bull. entomol. Res., 27, 559 - 587.

TOWNSEND, C. H. T., (1938) - Mannual of Myiology. Part VI, Sao Paulo. Page. 1 - 242.

TROMIFOV, G. K., TUAV, S. M., and ALIEVA, S. J., (1958) - A

case of intestinal myiasis caused by the larvae of Ravinia striata, F. (Diptera = Sarcophagidae) [In Russian]. Med. Parasit. 27, 498.

van der WULP, (1883) - Cyrtoneura nudiseta, wulp. Tijdschr. ent. XXVI, 42.

van EMDEN, F. I. (1965) - The fauna of India and adjacent countries Vol. I. Manager, Publication Division, Zoological Survey of India, Calcutta, India.

van SOEST, A. H., and van THIEL, P. H., (1960) - Myiasis in man in North East Sumatra. Trop. geogr. Med, 12, 21-25.

VILLENEUVE, (1922) - Pristirynchomyia lucana, Villeneuve. Ann. Sci. Nat. (Zool), 10, V, p-336.

VENERONI, C., (1926) - Le 'myiasi' nella Somalia italiana. Rif. med., 42, 416-417.

WALKER, (1849) - Sarcophaga misera, Walker. List. Dipt. Brit. Mus, 4, 829.

---------- (1856) - Anthomyia illocata, Walker. Linn. Soc., London. Proc. I, 129.

WATERHOUSE, D. F. (1947) - The relative importance of live

sheep and of carrion as breeding grounds for Australian sheep blowfly, Lucilia cuprina. Council. Sci. ind. Res. Bull. Australia, 217.

---------- and PARANAVOV, S. J. (1950) - The status of the two species of Lucilia (Dipt : Calliphoridae) attacking sheep in Australia. Aust. J. sci. Res. (B), 3, 310 - 336.

WEBBER, L. G., (1955) - The relationship between larval and adult size of Australian blowfly. Lucilia cuprina (Wied) Australian. J. Zool, 3, 346 - 353.

---------- (1958) - Nutrition and reproduction in the Australian sheep blowfly, Lucilia cuprina. Australian. J. Zool., 6, 139 - 144.

WEBSTER, J. R. (1945) - Intestinal myiasis with Lucilia sp. Jour. Parasitol, 31(2), 151.

WEST, L. S. (1951) - The Housefly. Ithaca, New York. Comstock. Publ. Co., 584 p.

WIEDEMANN, (1818) - Anthomyia cayensis, Wied. Zool. Mag, I, 2, 46.

---------- (1830) - Sarcophaga hirtipes, Wied. Aussor.

zweifl. Ins, II, 361.

---------= (1830) - Musca pulchra, Wied. Ausser. zweifl. Ins, II, 406.

---------= (1830) - Musca sorbens, Wied. Ausser. zweifl. Ins., II, 418.

---------= (1830) - Anthomyia nigra, Wied. Ausser. zweifl. Ins., II, 432.

---------= (1830) - Anthomyia metallica, Wied. Ausser. zweifl. Ins, II, 435.

---------= (1830) - Musca cuprina, Wied. Ausser. zweifl. Ins, II, 654.

---------= (1830) - Musca ligurriens, Wied. Ausser. zweifl. Ins, II. 655.

---------= (1830) - Musca ventrosa, Wied. Ausser. zweifl. Ins. II, 656.

WILHELMI, J., (1927) - Untersuchungen über die Überfragung der Maulund Klauenseuchedurch die stechfliege Stomoxys calcitrans, L. Zeitsch. Desinfekt. Gesdhtsw, 19, 104-111.

WILKINSON, P. R., and NORRIS, K. R. (1961) - Australian sheep blowfly infesting a bullock. J. Aust. Inst. agric. Sci, 27, 25 - 26.

WILTON, D. P. (1961) - Refuse containers as a source of flies in Honolulu and nearby communities. Proc. Hawaiian. ent. Soc., 17, 477 - 481.

ZARDI, O., (1964) - Importanza di Musca domestica nella transmissione dell'agente del trachoma. Nuovi. Ann. Ig. Microb, 15, 587 - 590.

ZELESKY, M., (1927) - Myasis ropuchy obecne Bufo vulgaris, Laur. [Infestation of B. vulgaris by the larvae of Lucilia sylvarum. (Dipt).] Veda Prirodni, 8, 253 - 254.

ZIMMERMAN, E. C., (1944) - A case of bovine auricular myiasis and some ectoparasites new to Hawaii. Proc. Hawaiian. ent. Soc., 12, 199 - 200.

ZMEEV, G. I'a (1943) - Opyt. bakteriologicheskogo obsledovaniia razlichnykh vidov mukh s tseliv otsenki ikh epidemiologischeskogo Znacheniia. [Experimental observation of various species of flies to evaluate their epidemiologic importance] In book : Problemy Kishechnykh infektsii,

Izd. U.S.S.R., Stalinabad (Dushanbe), pp - 118-122.

ZUMPT, F., and PATTERSON, P. M., (1952) - Flies visiting human faeces and carcasses in Johannesburg, Transvaal. S. Afr. J. clin. Medn, 3, 92-106.

ZUMPT, F., (1961) - A case of traumatic myiasis in wild rat (Dipt = Calliphoridae). Jour ent. Soc. South Africa, 24, 350.

---------- (1962) - Zum Problem der intestinalen Myiasis beim Menschen. Z. angew. Zool, 49, 7-14.

---------- (1963) - The problem of intestinal myiasis in humans. S. Afr. med. J., 37, 305-307.

---------- (1965) - Myiasis in man and animals in the old world. Butterworths, London.