

BIBLIOGRAPHY

Abbas AK, Murphy KM, Sher A. (1996). Functional diversity of helper T lymphocytes. *Nature*, 383, 787–93.

Ademosun AO, Oboh G. (2014). Anticholinesterase and antioxidative properties of water-extractable phytochemicals from some citrus peels. *J Basic Clin Physiol Pharmacol*, 25, 199–204.

Adler ID. (1993). Synopsis of the *in vivo* results obtained with the 10 known or suspected aneugens tested in the CEC collaborative study. *Mutat Res*, 287, 131–37.

Akingbemi, BT. (2005). Estrogen regulation of testicular function. *Reprod Biol Endocrinol*, 3, 51.

Akter S, Hossain MM, Ara I, Akhtar P. (2014). Investigation of *in vitro* antioxidant, antimicrobial and cytotoxic activity of *Diplazium esculentum* (Retz). *Sw. Int J Adv Pharm, Biol Chem*, 3, 723–33.

Alfons B, Patrick M. (2001). Modes of action of Freund's adjuvants in experimental models of autoimmune diseases. *J Leukoc Biol*, 70, 849–60.

Aminoff D. (1961). Methods for the quantitative estimation of N-acetylneuraminic acid and their application to hydrolysates of sialomucoids. *Biochem J*, 81, 384–92.

Anderson AR, Reddy JM, Oswald C, Zaneveld LJD. (1979). Enzymic determination of fructose in seminal plasma by initial rate analysis. *Clin Chem*, 25, 1780–82.

Anonymous. (1969). *Pteris* L. (Pteridiaceae) pp. 300, In *The Wealth of India*. eds. *Ambastha* sp Publication and Information Directorate, CSIR, New Delhi, India.

Anuja GI, Latha PG, Suja SR, Shyamal S, Shine VJ, Sini S, Pradeep S, Shikha P, Rajasekharan S. (2010). Anti-inflammatory and analgesic properties of *Drynaria quercifolia* (L.) J. Smith. *J Ethnopharmacol*, 132, 456–60.

Aruoma OI, Halliwell B. (1987). Action of hypochlorous acid on the antioxidant protective enzymes superoxide dismutase, catalase and glutathione peroxidase. *Biochem J*, 248, 973–76.

- Ashraf M, Ahmad K, Ahmad I, Ahmad S, Arshad S, Shah SMA, Nazim FH. (2011). Acetylcholinesterase and NADH oxidase inhibitory activity of some medicinal plants. *J Med Plant Res*, 5, 2086–89.
- Aziz DM, Ahlswede L, Enbergs E. (2005). Application of MTT reduction assay to evaluate equine sperm viability. *Theriogenol*, 64, 1350–56.
- Aziz DM. (2006). Assessment of bovine sperm viability by MTT reduction assay. *Anim Reprod Sci*, 92, 1–8.
- Bailly F, Zoete V, Vamecq J, Catteu JP, Bernier JL. (2000). Antioxidant actions of ovoiderived 4-mercaptoimidazoles: Glutathione peroxidase activity and protection against peroxynitrite-induced damage. *FEBS Letters*, 486, 19–22.
- Bajpai M, Gupta G, Setty BS. (1998). Changes in carbohydrate metabolism of testicular germ cells during meiosis in the rat. *Eur J Endocrinol*, 138, 322–27.
- Baltrushes M. (2005). Medical Ethnobotany, Phytochemistry, and Bioactivity of the Ferns of Moorea, French Polynesia. Ph.D. Thesis. University of California, Berkeley.
- Banerjee RD, Sen SP. (1980). Antibiotic activity of pteridophytes. *Econ Bot*, 34, 284–98.
- Bariş D, Kızıl M, AYTEKİN C, Kızıl G, Yavuz M, Çeken B, Ertekin AS. (2011). In vitro antimicrobial and antioxidant activity of ethanol extract of three *Hypericum* and three *Achillea* species from Turkey. *Int J Food Prop*, 14, 339–55.
- Bassey ME, Etuk EUI, Ibe MM, Ndon BA. (2001). *Diplazium sammatii*: athraceae (,Nyama Idim’): Age-related nutritional and antinutritional analysis. *Plants Food Hum Nutr*, 56, 7–12.
- Beckman JS, Chen H, Ischiropoulos H, Crow JP. (1994). Oxidative Chemistry of Peroxynitrite. *Methods Enzymol*, 233, 229–40.
- Bellier JP, Kimura H. (2011). Peripheral type of choline acetyltransferase: Biological and evolutionary implications for novel mechanisms in cholinergic system. *J Chem Neuroanat*, 42, 225–35.

- Brennan FM, Green P, Amjadi P, Robertshaw HJ, Alvarez-Iglesias M, Takata M. (2008). Interleukin-10 regulates TNF-alpha-converting enzyme (TACE/ADAM-17) involving a TIMP-3 dependent and independent mechanism. *European J Immunol*, 38, 1106–17.
- Bresciana L, Priebea J, Yunesa R, Magrob J. et al. (2003). Pharmacological and phytochemical evaluation of *Adiantum cuneatum* growing in Brazil, Tubingen, 58, 191–94.
- Buckett WM, Luckas MJM, Aird IA, Farquharson RG, Kingsland CR, Lewis-Jones DI. (1997). The hypo-osmotic swelling test in recurrent miscarriage. *Fertil Steril*, 68, 506–09.
- Byun JW, Choo SH, Kim HH, Kim YJ, Hwang YJ, Kim DY. (2008). Evaluation of boar sperm viability by MTT reduction assay in Beltsville thawing solution extender. *Asian-australas J Anim Sci*, 2, 494–98.
- Caius JF. (1935). Medicinal and Poisonous ferns of India. *Bombay Nat Hist Soc*, 83, 341–61.
- Cai Y, Luo Q, Sun M, Corke H. (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Sci*, 74, 2157–84.
- Calder PC. (2006). Branched-chain amino acids and immunity. *J Nutr*, 136, 288S–293S.
- Campling BG, Pym J, Galbraith PR, Cole SP. (1988). Use of the MTT assay for rapid determination of chemo sensitivity of human leukemic blast cells. *Leuk Res*, 12, 823–31.
- Carmichael J, DeGraff WG, Gazdar AF, Minna JD, Mitchell JB. (1987). Evaluation of a tetrazolium-based semi automated colorimetric assay: Assessment of radio sensitivity. *Cancer Res*, 47, 943–46.
- Carroll JA. (2008). Bidirectional communication: growth and immunity in domestic livestock. *J Anim Sci*, 86, E126–E137.
- Cavaillon JM. (1994). Cytokines and macrophages. *Biomed Pharmacother*, 48, 445–53.
- Chang C, Chen YT, Yeh SD, Xu Q, Wang RS, Guillou F, Lardy H, Yeh S. (2004). Infertility with defective spermatogenesis and hypotestosteronemia in male mice lacking the androgen receptor in Sertoli cells. *Proc Natl Acad Sci USA*, 101, 6876–81.

- Chaudhuri TK, Chakravarty AK. (1983). Goat serum as a substitute for fetal calf serum in *in vitro* culture of murine lymphocytes. *Indian J Exp Biol*, 21, 494–96.
- Cheeke P, Shull LR. (1985). *Natural toxicants in feeds and poisonous plants*. Westport, USA: Avi Publishing.
- Cheeke, PR. (1988). *Natural toxicants in feeds, forages, and poisonous plants*, 2nd ed., Danville, USA: Interstate Publ. Inc.
- Chemes H. (1986). The phagocytic function of Sertoli cells: A morphological, biochemical, and endocrinological study of lysosomes and acid phosphatase localization in the rat testis. *Endocrinol*, 119, 1673–81.
- Coin A, Perissinotto E, Catanzaro S, Mosele M, de Rui M, Girardi A, Inelmen EM, Toffanello ED, Manzato E, Sergi G. (2012). Effects of 21 months of cholinesterase inhibitors on cognitive and functional decline in demented patients. *Aging Clin Exp Res*, 24, 14–16.
- Costello LC, Franklin RB. (2002). Testosterone and prolactin regulation of metabolic genes and citrate metabolism of prostate epithelial cells. *Horm Metab Res*, 34, 417–24.
- Cozier A, Clifford MN, Ashihara H. (2006). *Plant secondary metabolites: occurrence, structure and role in the human diet*. Oxford, UK: Blackwell Publishing.
- da Silva SL, Figueiredo PMS, Yano T. (2007). Chemotherapeutic potential of the volatile oils from *Zanthoxylum rhoifolium* Lam leaves. *Eur J Pharmacol*, 576, 180–88.
- Dawe DL, Stuedemann JA, Hill NS, Thompson FN. (1997). Immunosuppression in cattle with fescue toxicosis. In: Bacon CW, Hill NS, ed. *Neotyphodium/Grass Interactions*. New York: Plenum Press, 411–12.
- De Haan JJ, Hadfoune M, Lubbers T, Hodin C, Lenaerts K, Ito A, Verbaeys I, Skynner MJ, Cailotto C, van der Vliet J, de Jonge WJ, Greve JW, Buurman WA. (2013). Lipid-rich enteral nutrition regulates mucosal mast cell activation via the vagal anti-inflammatory reflex. *Am J Physiol Gastrointest Liver Physiol*, 305, G383–91.

- Dettin L, Ravindranath N, Hofmann MC. (2003). Morphological characterization of the spermatogonial subtypes in the neonatal mouse testis. *Biol Reprod*, 69, 1565–71.
- Dey P, Roy S, Chaudhuri TK. (2012). A quantitative assessment of bioactive phytochemicals of *Nerium indicum*: An ethnopharmacological herb. *Int J Res Pharm Sci*, 3, 579–87.
- Do Monte FH, dos Santos JG Jr, Russi M, Lanziotti VM, Leal LK, Cunha GM. (2004). Antinociceptive and anti-inflammatory properties of the hydroalcoholic extract of stems from *Equisetum arvense* L. in mice. *Pharmacol Res*, 49, 239–43.
- Edeoga HO, Okwu DE, Mbaebie BO. (2005). Phytochemical constituents of some Nigerian medicinal plants. *African J Biotechnol*, 4, 685–88.
- Elizabeth K, Rao MNA. (1990). Oxygen radical scavenging activity of curcumin. *Int J Pharmaceut*, 58, 237–40.
- Ellman GL, Courtney KD, Andres V, Featherstone RM. (1961). A new and rapid colorimetric determination of acetylcholinesterase activity. *Biochem Pharmacol*, 7, 88-95.
- El-Sheikh ALK. (2008). Renal transport and drug interactions of immunosuppressants [thesis]. Nijmegen, Netherlands: Radbound University, pp. 62.
- Ferrer JC, Favre C, Gomis RR, Fernandez-Novell JM, GarciaRocha M, de la Iglesia N, Cid E, Guinovart JJ. (2003). Control of glycogen deposition. *FEBS Lett*, 546, 127–32.
- Fisher JS. (2004). Environmental antiandrogens and male reproductive health: Focus on phthalates and testicular dysgenesis syndrome. *Reproduction*, 127, 305–15.
- Floriano-Sánchez E, Villanueva C, Medina-Campos ON, Rocha D, Sánchez-González DJ, Cárdenas-Rodríguez N, Pedraza-Chaverr J. (2006). Nordihydroguaiaretic acid is a potent *in vitro* scavenger of peroxynitrite, singlet oxygen, hydroxyl radical, superoxide anion, and hypochlorous acid and prevents *in vivo* tyrosine nitration in lung. *Free Rad Res*, 40, 523–33.
- Fontana M, Mosca L, Rosei MA. (2001). Interaction of enkephalines with oxyradicals. *Biochem Pharmacol*, 61, 1253–57.

- Food and Agriculture Organization. (2010). A vegetable fern, *Diplazium esculentum* – potential for food security and socio-economic development in the Himalayas. *Non-Wood News*, 20, 10.
- Francisco MS, Cooper-Driver G. (1984). Anti-microbial activity of phenolic acids in *Pteridium aquilinum*. *Am Fern J*, 74, 87–96.
- Freimoser FM, Jakob CA, Aebi M, Tuor U. (1999). The MTT [3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide] assay is a fast and reliable method for colorimetric determination of fungal cell densities. *Appl Environ Microbiol*, 65, 3727–29.
- Furusawa S, Wu J. (2007). The effects of biscoclaurine alkaloid cepharanthine on mammalian cells: Implications for cancer, shock, and inflammatory diseases. *Life Sci*, 80, 1073–79.
- Gangwar NK. (2004). Studies on the pathological effects of linguda (*Diplazium esculentum*, Retz.) in laboratory rats and guinea pigs. *Indian Journal of Veterinary Pathology*, 28, 149–50.
- Garner DL, Thomas CA, Joerg HW, DeJarnette JM, Marshall CE. (1997). Fluorometric assessments of mitochondrial function and viability in cryopreserved bovine spermatozoa. *Biol Reprod*, 57, 1401–06.
- Garratt DC. (1964). *The quantitative analysis of drugs, Volume 3*. Japan: Chapman and Hall Ltd.
- Giacobini E. (2002). Long term stabilizing effect of cholinesterase inhibitors in the therapy of Alzheimer's disease. *J Neural Transm Suppl*, 62, 181–87.
- Gheri G, Vichi D, Thyriou GD, Bonaccini L, Vannelli GB, Marini M, Sgambati E. (2009). Sialic acid in human testis and changes with aging. *Reprod Fertil Dev*, 21, 25–33.
- Goldsby RA, Kindt TK, Osborne BA, Kuby J. (2003). *Immunology*, 5th ed. New York, USA: W. H. Freeman and Company.
- Gruetter R. (2003). Glycogen: The forgotten cerebral energy store. *J Neurosci Res*. 74, 179–83.
- Guo H, Yun C, Hou G, Du J, Huang X, Lu Y, Keller ET, Zhang J, Deng JG. (2014). Mangiferin attenuates Th1/Th2 cytokine imbalance in an ovalbumin-induced asthmatic mouse model. *PLoS One*, 9, e100394.

- Gupta RS, Sharma R, Sharma A, Bhatnager AK, Dobhal MP, Joshi YC, Sharma MC. (2002). Effect of *Alstonia scholaris* bark extract on testicular function of Wistar rats. *Asian J Androl*, 4, 175–78.
- Ham SS. (2004). *Wild vegetables: anticancer & healthy life*. Seoul, Korea: Human & Books.
- Hammami I, Nahdi A, Mauduit C, Benahmed M, Amri M, Amar AB, Zekri S, May AE, May MVE. (2008). The inhibitory effects on adult male reproductive functions of crude garlic (*Allium sativum*) feeding. *Asian J Androl* 2008, 10, 593–601.
- Harborne JB (1973). *Phytochemical methods*. London, UK: Chapman and Hall Ltd.
- Harborne JB. (1998). *Phytochemical methods: A Guide to Modern Techniques of Plant Analysis*. 3rd ed. New York, USA: Chapman and Hall.
- Haro-Vicente JF, Martinez-Gracia C, Ros G. (2006). Optimization of *in vitro* measurement of available iron from different fortificants in citric fruit juices. *Food Chem*, 98, 639–48.
- Hazary RC, Chaudhuri DGJ, Wishart GJ. (2001). Application of an MTT reduction assay for assessing sperm quality and predicting fertilising ability of domestic fowl semen. *Br Poult Sci*, 42, 115–17.
- Hazra B, Biswas S, Mandal N. (2008). Antioxidant and free radical scavenging activity of *Spondias pinnata*. *BMC Comp Alt Med*, 8, 63.
- Hedger MP. (2012). Immune privilege of the testis: meaning, mechanisms, and manifestations, In: Stein-Streilein J, ed. *Infection, immune homeostasis and immune privilege*. Basel: Springer Basel, 31–52.
- Hirasawa Y, Morita H, Shiro M, Kobayashi J. (2003). Sieboldine A, a novel tetracyclic alkaloid from *Lycopodium sieboldii*, inhibiting acetylcholinesterase. *Organic Lett*, 5, 3991–93.
- Hirono I, Aiso S, Yamaji T, Mori H, Yamada K, Niwa H, Ojika M, Wakamatsu K, Kigoshi H, Niiyama K, Uosaki Y. (1984). Carcinogenicity in rats of ptaquiloside isolated from bracken. *Gann* 75, 833–36.

- Imperato F. (2005). A new flavonoid from the fern *Dryopteris villarii*. P. 12. In Integrative plant biochemistry as we approach 2010. PSNA Annual Meeting, La Jolla CA USA. [Abstract]
- Imperato F. (2006). The new flavone ester Apigenin-7-O-oxy-p-hydroxybenzoate and 3-Di-C-glycosyl flavones from *Pteris vittata*. Amer Fern J, 96, 62–65.
- Iwasaki T, Yoneda M, Nakajima A, Terauchi Y. (2007). Serum butyrylcholinesterase is strongly associated with adiposity, the serum lipid profile and insulin resistance. Intern Med, 46, 1633–39.
- Jagetiya GC, Krishnamurthy H, Jyothi P. (1999). Evaluation of cytotoxic effects of different doses of vinblastine on mouse spermatogenesis by flow cytometry. Toxicology, 112, 227–36.
- Jana K, Jana S, Samanta PK. (2006). Effects of chronic exposure to sodium arsenite on hypothalamo-pituitarytesticular activities in adult rats: Possible an estrogenic mode of action. Reprod Biol Endocrinol, 4, 9.
- Jin HM, Kang SJ, Lee SH. (2005). Cosmetic composition for scrubbing. PCT Int Appl, WO/2005/082328, KO Appl. 1020050016923.
- Kala CP. (2005). Ethnomedicinal botany of the Apatani in the Eastern Himalayan region of India. J Ethnobiol Ethnomed, 1, 11.
- Kang H, Ahn K, Oh S, Kim JW. (2014). Genkwadaphnin induces IFN- γ via PKD1/NF- κ B/STAT1 dependent pathway in NK-92 cells. PLoS One, 9, e115146.
- Kang SS, Lee JY, Choi YK, Song SS, Kim JS, Jeon S, Han YN, Son KH, Han BH. (2005). Neuroprotective effects of naturally occurring biflavonoids. Bioorg Med Chem Lett, 15, 3588–91.
- Kapoor LD, Singh A, Kapoor SL, Shrivastava SN (1969). Survey of Indian plants for saponins, alkaloids and flavonoids. Lloydia, 32, 297–304.
- Karlsson D, Fallarero A, Brunhofer G, Mayer C, Prakash O, Mohan CG, Vuorela P, Erker T. (2012). The exploration of thienothiazines as selective butyrylcholinesterase inhibitors. Eur J Pharm Sci, 47, 190–205.

- Katsube T, Imawaka N, Kawano Y, Yamazaki Y, Shiwaku K, Yamane Y. (2006). Antioxidant flavonol glycosides in mulberry (*Morus alba* L.) leaves isolated based on LDL antioxidant activity. *Food Chem*, 97, 25–31.
- Kaushik A, Kaushik JJ, Das A, Gemal S, Gaim D. (2011). Preliminary studies on anti-inflammatory activities of *Diplazium esculentum* in experimental animal models. *Int J Pharma Sci Res*, 2, 1251–53.
- Kaushik A, Jijta C, Kaushik JJ, Zeray R, Ambesajir A, Beyene L. (2012). FRAP (Ferric reducing ability of plasma) assay and effect of *Diplazium esculentum* (Retz) Sw. (a green vegetable of North India) on central nervous system. *Indian J of Nat Prod Resources*, 3, 228–31.
- Khan MI, Denny-Joseph KM, Muralidhara M, Ramesh HP, Giridhar P. (2011). Acute, subacute and subchronic safety assessment of betalains rich *Rivina humilis* L. berry juice in rats. *Food Chem Toxicol*, 49, 3154–57.
- Khan PK, Awasthy KS. (2003). Cytogenetic toxicity of neem. *Food Chem Toxicol*, 41, 1325–28.
- Kikuzaki H, Nakatani N. (1993). Antioxidants effects of some ginger constituents. *J Food Sci*, 58, 1407–10.
- Kim HJ, Lim HW, Choi SW, Yoon CS. (2006). Antimicrobial effect of ethanol extract of *Dryopteris crassirhizoma* Nakai on *Propionibacterium acnes*. *J Soc Cosmet Sci Korea*, 32, 201–08.
- Kizil G, Kizil M, Yavuz M, Emen S, Hakimoglu F. (2008). Antioxidant activities of ethanol extracts of *Hypericum Triquetrifolium* and *Hypericum Scabroides*. *Pharmaceut Biol*, 46, 231–42.
- Kleemann R, Zadelaar S, Kooistra T. (2008). Cytokines and atherosclerosis: A comprehensive review of studies in mice. *Cardiovasc Res*, 79, 360–76.
- Kleszczynska H, Bonarska D, Luczynski J, Witek S, Sarapuk J. (2005). Hemolysis of erythrocytes and erythrocyte membrane fluidity change by new lysosmtropic compounds. *J Fluoresc*, 15, 137–41.

Klip A, Tsakiridis T, Marette A, Ortiz PA. (1994). Regulation of expression of glucose transporters by glucose: A review of studies *in vivo* and in cell cultures. *FASEB J*, 8, 43–53.

Kosinski RA, Zaremba M. (2007). Dynamics of the model of the *Caenorhabditis elegans* neural network. *Acta Phys Pol B*, 38, 2201–10.

Kumar D, Arya V, Kaur R, Bhat ZA, Gupta VK, Kumar V. (2012). A review of immunomodulators in the Indian traditional health care system. *J Microbiol, Immunol Infec*, 45, 165–84.

Kweon MR. (1986). Thermostable antithiamin factor of bracken fern. MS dissertation, Seoul National University, Seoul, Korea.

Kumari TK, Sakthidevi G, Muthukumaraswami S, Mohan VR. (2012). Antifertility activity of whole plant extract of *Sarcostemma secamone* (L) Bennet on male albino rats. *Int Res J Pharm*, 3, 139–44.

Lai HY, Lim YY, Kim KH. (2010). *Blechnum Orientale* Linn - a fern with potential as antioxidant, anticancer and antibacterial agent. *BMC Complementary Alt Med*, 10, 15.

Lee CH, Shin SL. (2011). Functional activities of ferns for human health. In: H. Fernández et al., ed. *Working with Ferns: Issues and Applications*, Berlin: Springer, 347–59.

Lee HB, Kim JC, Lee SM. (2009). Antibacterial activity of two phloroglucinols, flavaspidic acids AB and PB, from *Dryopteris crassirhizoma*. *Arch Pharm Res*, 32, 655–59.

Lee L, Kosuri P, Arancio O. (2014). Picomolar amyloid-beta peptides enhance spontaneous astrocyte calcium transients. *J Alzheimers Dis*, 38, 49–62.

Li J, Liang N, Mo L, Zhang X, He C. (1998). Comparison of the cytotoxicity of five constituents from *Pteris semipinnata* L. *in vitro* and the analysis of their structure-activity relationships. *Yao Xue Xue Bao*, 33, 641–44.

Li JH, He CW, Liang NC, Mo LE, Zhang X. (1999). Effects of antitumor compounds isolated from *Pteris semipinnata* L on DNA topoisomerases and cell cycle of HL-60 cells. *Zhongguo Yao Li Xue Bao*, 20, 541–45.

- Li XY. (2000). Immunomodulating components from Chinese medicines. *Pharmaceut Biol*, 38, 33–40.
- Li P, Yu-long Y, Li D, Kim SW, Wu G. (2007). Amino acids and immune function. *Br J Nutr*, 98, 237–52.
- Licciardi PV, Underwood JR. (2011). Plant-derived medicines: A novel class of immunological adjuvants. *Int Immunopharmacol* 11, 390–98.
- Lin N, Lin W. (1989). β -Ecdysone containing skin-protecting cosmetics. *Faming Zhuanli Shenqing Gongkai Shuomingshu*. CN 86106791 (Cl. A61K7/48) (Chemical Abstracts 111: 239323e).
- Lindeberg S, Cordain L, Eaton SB. (2003). Biological and clinical potential of a paleolithic diet. *J Nutr Environ Med*, 13, 149-60.
- Liu Y, Wujisguleng W, Long C. (2012). Food uses of ferns in China: A review. *Acta Soc Bot Pol* 81, 263–70.
- Long LH, Evans PJ, Halliwell B. (1999). Hydrogen peroxide in human urine: Implications for antioxidant defense and redox regulation. *Biochem Biophys Res Comm*, 262, 605–09.
- Lozano GA. (1998). Parasitic stress and self-medication in wild animals. In: Moler AP, Milinski M, Slater PJB, ed. *Advances in the Study of Behavior*. London, UK: Elsevier Science, 291–317.
- Ma LQ, Komar KM, Tu C, Zhang W, Kennelley ED. (2001). A fern that hyperaccumulates arsenic. *Nature*, 409, 579.
- Ma X, Gang DR. (2004). The Lycopodium alkaloids. *Nat Prod Reports*, 21, 752–72.
- Mahdi BM. (2011). Role of some cytokines on reproduction. *Middle East Fert Soc J*, 16, 220–23.
- Malagoli D. (2007). A full-length protocol to test hemolytic activity of palytoxin on human erythrocytes. *ISJ*, 4, 92–94.

- Manu KA, Kuttan G. (2007). Effect of punarnavine, an alkaloid from *Boerhaavia diffusa*, on cell-mediated immune responses and TIMP-1 in B16F-10 metastatic melanoma-bearing mice. *Immunopharmacol Immunotoxicol*, 29, 569–86.
- Martín-Cordero C, Reyes M, Ayuso MJ, Toro MV. (2001). Cytotoxic Triterpenoids from *Erica andevalensis*. *Z Naturforsch*, 56c, 45–48.
- Mathur PP, Chattopadhyay S. (1982). Involvement of lysosomal enzymes in flutamide-induced stimulation of rat testis. *Andrologia*, 14, 171–76.
- Meistrich ML, Finch M, da Cunha MF, Hacker U, Au WW. (1982). Damaging effects of fourteen chemotherapeutic drugs on mouse testis cells. *Cancer Res*, 42, 122–31.
- Meistrich ML. (1986). Relationship between spermatogonial stem cell survival and testis function after cytotoxic therapy. *Br J Cancer Suppl*, 7, 89–101.
- Meroni SB, Riera MF, Pellizzari EH, Cigorraga SB. (2002). Regulation of rat Sertoli cell function by FSH: Possible role of phosphatidylinositol 3-kinase/protein kinase B pathway. *J Endocrinol*, 174, 195–204.
- Meybeck A, Bonte F, Redziniak G. (1997). Use of an ecdysteroid for the preparation of cosmetic or dermatological compositions intended in particular, for strengthening the water barrier function of the skin or for the preparation of a skin culture medium, as well as to the compositions. US Patent 5, 609, 873.
- Middleton Jr. E, Kandaswami C, Theoharides T. (2000). The effects of plant flavonoids on mammalian cells: Implications for inflammation, heart disease, and cancer. *Pharmacol Rev*, 52, 673–751.
- Min BR, Hart SP. (2003). Tannins for suppression of internal parasites. *J Anim Sci*, 81, E102–09.
- Min BR, Pomroy WE, Hart SP, Sahlu T. (2004). The effect of short-term consumption of a forage containing condensed tannins on gastrointestinal nematode parasite infections in grazing wether goats. *Small Rumin Res*, 51, 279–83.

- Mishra RK, Singh SK. Effect of aqueous leaf extract of *Azadirachta indica* on the reproductive organs in male mice. (2005). *Indian J Exp Biol*, 43, 1093–1103.
- Mishra SB, Mukerjee A, Vijayakumar M. (2010). Pharmacognostical and phytochemical evaluation of leaves extract of *Jatropha curcas* Linn. *Pharmacog J*, 2, 9–14.
- Misra S, Maikhuri RK, Kala CP, Rao KS, Saxena KG. (2008). Wild leafy vegetables: A study of their subsistence dietetic support to the inhabitants of Nanda Devi Biosphere Reserve, India. *J Ethnobiol Ethnomed*, 4, 15.
- Mitsuda H, Yasumoto, Iwani K. (1967). Antioxidant actions of indole compounds during autooxidation of linoleic acid. *Eiyo to Shoduryou*, 19, 210.
- Montgomery R. (1957). Determination of glycogen. *Arch Biochem Biophys*, 67, 378-89.
- Mosmann T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods*, 65, 55–63.
- Mueller-Harvey I. (2006). Unravelling the conundrum of tannins in animal nutrition and health. *J Sci Food Agric*, 86, 2010–37.
- Nagy JG, Regelin WL. (1977). Influence of plant volatile oils on food selection by animals. *Proc Congr Game Biol*, 13, 225–30.
- Nakamori M, Iwahashi M, Nakamura M, Ueda K, Zhang X, Yamaue H. (2003). Intensification of antitumor effect by T helper 1-dominant adoptive immunogene therapy for advanced orthotopic colon cancer. *Clin Cancer Res*, 9, 2357–65.
- Nakane T, Maeda Y, Ebihara H, Arai Y, Masuda K, Takano A, Ageta H, Shiojima K, Cai S, Abdel-Halim OB. (2002). Fern constituents: triterpenoids from *Adiantum capillus-veneris*. *Chem Pharm Bull*, 50, 1273–75.
- Nanasombat S, Teckchuen N. (2009). Antimicrobial, antioxidant and anticancer activities of Thai local vegetables. *J Med Plants Res*, 3, 443–49.

- Naser-Esfahani MH, Aboutorabi R, Esfandiari E, Mardani M. (2002). Sperm MTT viability assay: A new method for evaluation of human sperm viability. *J Assist Reprod Genet*, 19, 477–82.
- Nichenametla SN, Taruscio TG, Barney DL, Exon JH. (2006). A review of the effects and mechanisms of polyphenolics in cancer. *Crit Rev Food Sci Nutr*, 46, 161–83.
- Nishimura T, Iwakabe K, Sekimoto M, Ohmi Y, Yahata T, Nakui M, Sato T, Habu S, Tashiro H, Sato M, Ohta A. (1999). Distinct role of antigen-specific T helper type 1 (Th1) and Th2 cells in tumor eradication in vivo. *J Exp Med*, 190, 617–27.
- Noelker C, Stuckenholtz V, Reese JP, Alvarez-Fischer D, Sankowski R, Rausch T, Oertel WH, Hartmann A, van Patten S, Al-Abed Y, Bacher M. (2013). CNI-1493 attenuates neuroinflammation and dopaminergic neurodegeneration in the acute MPTP mouse model of Parkinson's disease. *Neurodegener Dis*, 12, 103–10.
- Nonato FR, Barros TAA, Lucchese AM, Oliveira CEC, dos Santos RR, Soares MBP, Villarreal CF. (2009). Antiinflammatory and antinociceptive activities of *Blechnum occidentale* L. extract. *J Ethnopharmacol*, 125, 102–07.
- Nordeide MB, Hatloy A, Folling M, Lied E, Oshoug A. (1996). Nutrient composition and nutritional importance of green leaves and wild foods in an agricultural district, Koutiala, in Southern Mali. *Int J Food Sci Nutr*, 47, 455–68.
- Oh JH, Jones MB, Longhurst WM, Connolly GE. (1970). Deer browsing and rumen microbial fermentation of Douglas fir as affected by fertilization and growth stage. *Forest Sci*, 16, 21–27.
- Oh BM, Kweon MH, Ra KS. (1994). Isolation and characterization of acidic polysaccharides activation complement system from the hot water extracts of *Pteridium aquilinum* var. *latiusculum*. *Korean J Food Nutr*, 7, 159–68.
- Olsen JH, Dossing M. (1982). Formaldehyde-induced symptoms in day-care centers. *Am Ind Hyg Assn J*, 43, 366–70.

- Okada Y, Matono N, Shiono M, Takai T, Hikida M, Ohmori H. (1996). Suppression of *in vitro* cellular immune response by nitrogen-containing terpene alcohol derivatives. *Biol Pharm Bull*, 19, 1443–46.
- Orech FO, Aagaard-Hansen J, Friis H. (2007). Ethnoecology of traditional leafy vegetables of the Luo people of Bondo district, western Kenya. *Int J Food Sci Nutr*, 58, 522–30.
- Osawa T, Namiki M. (1981). A novel type of antioxidant isolated from leaf wax of *Eucalyptus* leaves. *Agric Biol Chem*, 45, 735–39.
- Ottolenghi A. (1959). Interaction of ascorbic acid and mitochondria lipids. *Arch Biochem Biophys*, 79, 355–63.
- Owen J, Punt J, Stranford S, Jones P. (2013). *Immunology*, 7th ed. New York , USA: W. H. Freeman and Company.
- Oyaizu M. (1986). Studies on products of browning reactions: Antioxidant activities of products of browning reaction prepared from glucose amine. *Japanese J Nutr*, 44, 307–15.
- Pacifico L, Di Renzo L, Anania C, Osborn JF, Ippoliti F, Schiavo E, Chiesa C. (2006). Increased T-helper interferon- γ -secreting cells in obese children. *European J Endocrinol*, 154, 691–97.
- Palo RT, Robbins CT. (1991). *Plant defenses against mammalian herbivory*. Boca Raton, USA: CRC Press.
- Park JH, Kim JT, Park YS, Park KY, Lee KY. (1995). Anticariogenic and manufacturing process for anticariogenic foods. *KO Appl*. 1019950016816.
- Park HA, Kweon MH, Han HM, Sung HC, Yang HC. (1998). Effects of the glycoprotein isolated from *Pteridium aquilinum* on the immune function of Mice. *Korean J Food Sci Technol*, 30, 976–82.
- Park KR, Lee JH, Choi CY, Liu KH, Seog DH, Kim YH, Kim DE, Ynu CH, Yea SS. (2007). Suppression of interleukin-2 gene expression by isoeugenol is mediated through down-regulation of NF-AT and NF- κ B. *Int Immunopharmacol*, 7, 1251–58.

- Pathania S, Kumar P, Singh S, Khatoon S, Rawat AKS, Punetha N, Jensen DJ, Lauren DR, Somvanshi R. (2012). Detection of ptaquiloside and quercetin in certain Indian ferns. *Curr Sci*, 102, 1683–91.
- Pedraza-Chaverrí J, Barrera D, Maldonado PD, Chirino YI, Macías- Ruvalcaba NA, Medina-Campos ON, Castro L, Salcedo MI, Hernández-Pando R. (2004). S-allylmercaptocysteine scavenges hydroxyl radical and singlet oxygen *in vitro* and attenuates gentamicin induced oxidative and nitrosative stress and renal damage *in vivo*. *BMC Clin Pharmacol*, 4, 5.
- Pedraza-Chaverrí J, Arriaga-Noblecía G, Medina-Campos ON. (2007). Hypochlorous acid scavenging capacity of garlic. *Phytother Res*, 21, 884–88.
- Pizzolatti MG, Brighente, IMC, Bortoluzzi AJ, Schripsema J,Verdi LG. (2007) .Cyathenosin A, a spiropyranosil derivate of proto-catechuic acid from *Cyathea phalerata*. *Phytochemistry*, 68, 1327–30.
- Plotkin MJ. (2000). *Medicine quest: In search of nature's healing secrets*. New York, USA: Penguin Putnam Inc.
- Pohanka M. (2011). Cholinesterases, a target of pharmacology and toxicology. *Biomed Pap*, 155, 219–29.
- Pohanka M. (2012). Alpha7 nicotinic acetylcholine receptor is a target in pharmacology and toxicology. *Int J Mol Sci*, 13, 2219–38.
- Pohanka M. (2013). Role of oxidative stress in infectious diseases. A review. *Folia Microbiol*, 58, 503–13.
- Pohanka M. (2014). Inhibitors of acetylcholinesterase and butyrylcholinesterase meet immunity. *Int J Mol Sci*, 15, 9809-25.
- Prasad AM, Ramnarayan K, Bairy KL. Effect of imatinib on histological parameters in male Swiss albino mice. (2010). *Int J Pharm Sci Rev Res*, 4, 116–22.
- Prescott-Allen R, Prescott-Allen C. (1990). How many plants feed the world? *Conserv Biol* 4, 365–74.

Provenza FD. (2008). What does it mean to be locally adapted and who cares anyway? *J Anim Sci*, 86, E271–84.

Provenza FD, Villalba JJ. (2010). The role of natural plant products in modulating the immune system: An adaptable approach for combating disease in grazing animals. *Small Rumin Res*, 89, 131–39.

Pryor JL, Hughes C, Foster W, Hales BF, Robaire B. (2000). Critical windows of exposure for children's health: The reproductive system in animals and humans. *Environ Health Persp*, 108, 491–503.

Raisuddin S, Zaidi SIA, Singh KP, Ray PK. (1991). Effect of subchronic aflatoxin exposure on growth and progression of Ehrlich's ascites tumor in mice. *Drug Chem Toxicol*, 14, 185–206.

Rakowski F, Srinivasan J, Sternberg PW, Karbowski J. (2013). Synaptic polarity of the interneuron circuit controlling *C. elegans* locomotion. *Front Comput Neurosci*, 7, 128.

Rancon S, Chaboud A, Darbour N, Comte G, Bayet C, Simon PN, Raynaud J, Di Pietro A, Cabalion P, Barron D. (2001). Natural and synthetic benzophenones: interaction with the cytosolic binding domain of Pglycoprotein. *Phytochemistry*. 57, 553–57.

Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-Evans C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Rad Biol Med*, 1999, 26, 1231–37.

Reddy VLN, Ravikanth V, Rao TP, Venkateswarlu Y. (2001). A new triterpenoid from the fern *Adiantum lunulatum* and evaluation of antibacterial activity. *Phytochem*, 56, 173–75.

Revell SG, Mrode RA. (1994). An osmotic resistance test for bovine semen. *Anim Reprod Sci*, 36, 77–86.

Risk Assessment Section. (2007). Natural Toxins in Food Plants. Report No. 27, Centre for Food Safety of the Food and Environmental Hygiene Department, Government of the Hong Kong.

Rosas-Ballina M, Tracey KJ. (2009). Cholinergic control of inflammation. *J Intern Med*, 265, 663–79.

Rosenthal GA, Janzen DH. (1979). *Herbivores: Their interaction with secondary plant metabolites*. New York, USA: Academic Press.

Rosenthal GA, Berenbaum MR. (1992). *Herbivores: Their interactions with secondary plant metabolites*, 2nd ed. New York, USA: Academic Press.

Rout SD, Panda T, Mishra N. (2009). Ethnomedicinal studies on some pteridophytes of Similipal Biosphere Reserve, Orissa, India. *Int J Med Med Sci*, 1, 192–97.

Salatino MLF, Prado J. (1998). Flavonoid glycosides of Pteridaceae from Brazil. *Biochem Sys Ecol*, 26, 761–69.

Sarkar M, Gangopadhyay P, Basak B, Chakrabarty K, Banerji J, Adhikary P, Chatterjee A. (2000). The reversible antifertility effect of *Piper betle* Linn. on Swiss albino male mice. *Contraception*, 62, 271–74.

Schilter B, Andersson C, Anton R, Constable A, Kleiner J, O'Brien J, Renwick AG, Korver O, Smit F, Walker R. (2003). Guidance for the safety assessment of botanicals and botanical preparations for use in food and food supplements. *Food Chem Toxicol*, 41, 1625–49.

Seal T. (2012). Antioxidant activity of some wild edible plants of Meghalaya state of India: A comparison using two solvent extraction systems. *Int J Nutr Metabolism*, 4, 51–56.

Segelman AB, Farnsworth NR, Quimby MW. (1969). False negative saponins test results induced by the presence of tannins. *Lloydia*, 32, 52–58.

Sellers RS, Morton D, Michael B, Roome N, Johnson JK, Yano BL, Perry R, Schafer K. (2007). Society of toxicologic pathology position paper: Organ weight recommendations for toxicology studies. *Toxicol Pathol*, 35, 751–55.

Sen A, Ghosh PD. (2011). A note on the ethnobotanical studies of some pteridophytes in Assam. *Indian J Trad Knowl*, 10, 292–95.

Shackleton SE, Dzerefos CM, Shackleton CM, Mathabala FR. (1998). Use and trading of wild edible herbs in central lowveld savannah region, South Africa. *Econ Botany*, 52, 251–59.

- Sharpe RM, Shakkebaek NE. (1993). Are estrogen involved in falling sperm counts and disorders of the male reproductive tract? *Lancet*, 341, 1392–1405.
- Shimada K, Fujikava K, Yahara K, Nakamura T. (1992). Antioxidative properties of xanthan on the autooxidation of soybean oil in cyclodextrin emulsion. *J Agric Food Chem*, 40, 945–48.
- Shin SL. (2010). Functional components and biological activities of Pteridophytes as healthy biomaterials. Ph.D. dissertation, Chungbuk National University, Cheongju, Korea.
- Silva-Herdade AS, Saldanha C. (2013). Effects of acetylcholine on an animal mode of inflammation. *Clin Hemorheol Microcirc*, 53, 209–16.
- Sinclair KD, Rooke JA, McEvoy TG. (2003). Regulation of nutrient uptake and metabolism in pre-elongation ruminant embryos. *Reprod Supp.* 61, 371–85.
- Singh A, Singh SK. (2009). Evaluation of antifertility potential of Brahmi in male mouse. *Contraception*, 79, 71–79.
- Singleton VL, Rossi JA. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *Americal J Enol Viticult*, 16, 144–58.
- Smirnov I, Belogurov A, Friboulet A, Masson P, Gabibov A, Renard PY. (2013). Strategies for the selection of catalytic antibodies against organophosphorus nerve agents. *Chem Biol Interact*, 203, 196–201.
- Smith BL, Seawright AA, Ng JC, Hertle AT, Thomson JA, Bostock PD. (1994). Concentration of ptaquiloside, a major carcinogen in bracken fern (*Pteridium* spp.) from eastern Australia and from cultivated worldwide collection held in Sydney, Australia. *Nat Toxins*, 2, 347–53.
- Somvanshi R, Lauren DR, Smith BL, Dawra RK, Sharma OP, Sharma, VK, Singh AK, Gangwar NK. (2006). Estimation of the fern toxin, ptaquiloside, in certain Indian ferns other than bracken. *Curr Sci*, 91, 1547–52.
- Son HH, Seo DS, You YC. (1999). Cosmetics compostin comprising spora *Lygodii*. *KO Appl* 1019990034870.

- Star AE, Mabry TJ. (1971). Flavonoid Frond Exudates from 2 Jamaican Ferns *Pityrogramma tartarea* and *Pityrogramma calmoelanos*. *Phytochemistry*, 10, 2817–18.
- Starec M, Sinet M, Kodym P, Rosina J, Fiserova A, Desforges B, Rouveix B. (1997). The effect of drugs on the mortality of mice inoculated with friend leukaemia virus or *Toxoplasma gondii*. *Physiol Res*, 46, 107–11.
- Suffredini IB, Bacchi EM, Sertie JAAA. (1999). Antiulcer action of *Microgramma squamulosa* (Kaulf.) Sota. *J Ethnopharmacol*, 65, 217–23.
- Sujaa SR, Lathaa PG, Pushpangadan P, Rajasekharan S. (2004). Evaluation of hepatoprotective effects of *Helminthostachys zeylanica* (L.) Hook against carbon tetrachloride-induced liver damage in Wistar rats.
- Sukumaran K, Kuttan R. (1991). Screening of 11 ferns for cytotoxic and antitumor potential with special reference to *Pityrogramma calomelanos*. *J Ethnopharmacol*, 34, 93–96.
- Sundriyal M, Sundriyal RC. (2001). Wild edible plants of the Sikkim Himalaya: Nutritive values of selected species. *Econ Botany*, 55, 377–90.
- Sun P, Zhou KW, Wang S, Li P, Chen SJ, Lin GP, Zhao Y, Wang TH. (2013). Involvement of MAPK/NF- κ B signaling in the activation of the cholinergic anti-inflammatory pathway in experimental colitis by chronic vagus nerve stimulation. *PLoS One*, 8, e69424.
- Thews O, Gassner B, Kelleher DK, Schwerdt G, Gekle M. (2006). impact of extracellular acidity on the activity of P-glycoprotein and the cytotoxicity of chemotherapeutic drugs. *Neoplasia*. 8, 143–52.
- Thomas GT, Rebecca S, Andre BA. (2008). The natural history of symptomatic androgen deficiency in men: Onset, progression, and spontaneous remission. *J Am Geriatr Soc*, 56, 831–93.
- Thong FS, Graham TE. (2002). The putative roles of adenosine in insulin and exercise-mediated regulation of glucose transport and glycogen metabolism in skeletal muscle. *Can J Appl Physiol*, 27, 152–78.

Tongco JVV, Villaber RAP, Aguda RM, Razal RA. (2014). Nutritional and phytochemical screening, and total phenolic and flavonoid content of *Diplazium esculentum* (Retz.) Sw. from Philippines. J Chem Pharm Res, 6, 238–42.

Trease GE, Evans WC. (1996). A textbook of Pharmacognosy, 14th ed. London, UK: Bailliere Tindall Ltd.

Turner NJ, Łuczaj ŁJ, Migliorini P, Pieroni A, Dreon AL, Sacchetti LE, et al. (2011). Edible and tended wild plants, traditional ecological knowledge and agroecology. Curr Rev Plant Sci, 30, 198–225.

US Consumer product safety commission (US CPSC). (1997). An update on formaldehyde. ([http:// www.cpsc.gov/cpscpub/pubs/725.pdf](http://www.cpsc.gov/cpscpub/pubs/725.pdf))

Villalba JJ, Provenza FD, Olson KC. (2006). Terpenes and carbohydrate source influence rumen fermentation, digestibility, intake, and preference in sheep. J Anim Sci, 84, 2463–73.

Vincent P, Kanna R. (2007). Antibacterial activity of ferns – *Christilla parasitica* and *Cyclosorus interruptus* against *Salmonella typhi*. SiddhaPapers. <http://openmed.nic.in/2009/>

Viveka S, Udyavar A, Shetty B, Kuriakose S, Sudha MJ. (2015). Histomorphometric effects of gemcitabine on Swiss albino mice spermatogenesis. Adv Biomed Res, 4, 29–34.

Waghorn GC. (1990). Beneficial effects of low concentrations of condensed tannins in forages fed to ruminants. In: Akin DE, Ljungdahl LG, Wilson JR, Harris PJ, ed. Microbial and plant opportunities to improve lignocellulose utilization by ruminants. New York: Elsevier Science Publishing Co., 137–247.

Wallace RA, Sander GP, Ferl RJ. (1991). Biology: the science of life. New York, USA: HarperCollins.

Wang ZP, Gu ZP, Cao L, Xu Y, You GD, Mao BY, Qian SZ. (1999). Effects of triphenylolide on the epididymides and testes of rats. Asian J Androl, 1, 121–25.

Wessler I, Kirkpatrick CJ. (2008). Acetylcholine beyond neurons: The non-neuronal cholinergic system in humans. Br J Pharmacol, 154, 1558–71.

- Wills PJ, Asha VV. (2006). Protective effect of *Lygodium flexuosum* (L.) Sw. extract against carbon tetrachloride-induced acute liver injury in rats. *J Ethnopharmacol*, 108, 320–26.
- Wilson, SD, Munson AE, Meade BJ. (1999). Assessment of the functional integrity of the humoral immune response: the plaque-forming cell assay and the enzyme-linked immunosorbent assay. *Methods*, 19, 3–7.
- Wooley A. (2003). Determination – general and reproductive toxicology. In: *A guide to practical toxicology evaluation, prediction and risk*. New York: Taylor and Francis, 80–106.
- World Health Organization. (1999). *WHO laboratory manual for the examination of human semen and sperm-cervical mucus interaction*, 4th ed. Cambridge, UK: Cambridge Univ. Press.
- Yeap SK, Alitheen NBM, Ho WY, Omar AR, Ali AM, Beh BK, Yousr AHN. (2010). Immunomodulatory role of *Rhaphidophora korthalsii* methanol extract on human peripheral blood mononuclear cell proliferation, cytokine secretion and cytolytic activity. *J Med Plant Res* 5, 958–65.
- Yousef MI, Salem MH, Ibrahim HZ, Helmi S, Seehy MA, Bertheussen, K. (1995). Toxic effect of carbofuran and glyphosate on semen characteristics in rabbits. *J Environ Sci Health B*, 30, 513–34.
- Zakharova LA, Izvol'skaia MS. (2012). Interactions between reproductive and immune systems during ontogeny: Roles of GnRH, sex steroids, and immunomediators. In: Kahn SM, ed. *Sex steroids*. Rijeka, Croatia - European Union: InTech, 221–46.
- Zeng-fu LI, Huil H, Hang-yi Z, Jun-chen Z. (2008). Review on the extraction of flavonoids from fern. *J Sanm Univ* 25, 22.
- Zhang SY, Ito Y, Yamanoshita O, Yanagiba Y, Kobayashi M, Taya K, Li C, Okamura A, Miyata M, Ueyama J, Lee CH, Kamijima M, Nakajima T. (2007). Permethrin may disrupt testosterone biosynthesis via mitochondrial membrane damage of Leydig cells in adult male mouse. *Endocrinol*, 148, 3941–49.

Zhang Z, ElSohly HN, Jacob MR, Pasco DS, Walker LA, Clark AM. (2002). Natural products inhibiting *Candida albicans* secreted aspartic proteases from *Lycopodium cernuum*. *J Nat Prod*, 65, 979–85.

Zhishen J, Mengcheng T, Jianming W. (1999). The determination of flavonoid content in mulberry and their scavenging effects on superoxide radicals. *Food Chem*, 64, 555–59.

Zuping H, Kokkinaki M, Dym M. (2009). Nodal signaling via an autocrine pathway promotes proliferation of mouse spermatogonial stem/progenitor cells through Smad2/3 and Oct-4 activation. *Stem cells*, 27, 2580–89.