

8. REFERENCES

- Abasa RO. 1972. Field and laboratory studies on the adult of *Ascotis selenaria reciprocaria* (Wlk.) (Lep.: Geometridae) a pest of arábica coffee in Kenya. Bulletin of Entomological Research. 61:559–563.
- Abbasi B, Ahmed K, Khaliq F, Ayub N, Liu H, Kazmi S, Aftab M. 2007. Rearing the cotton bollworm, *Helicoverpa armigera*, on a tapioca-based artificial diet. Journal of Insect Science. 7:35.
- Abdel-Rahman HR, Al-Mozini RN. 2007. Antifeedant and toxic activity of some plant extracts against larvae of cotton leaf worm *Spodoptera littoralis* (Lepidoptera: Noctuidae). Pakistan Journal of Biological Science. 10:4467–4472.
- Abdullah M, Sarthoy O, Chaeychomsri S. 2000. Comparative study of artificial diet and soybean leaves on growth, development and fecundity of beet armyworm, *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae). Kasetsart Journal (Natural Sciences). 34:339–344.
- Aboshi T, Yoshinaga N, Noge K, Nishida R, Mori N. 2007. Efficient incorporation of unsaturated fatty acids into volicitin-related compounds in *Spodoptera litura* (Lepidoptera: Noctuidae). Bioscience, Biotechnology and Biochemistry. 71:607–610.
- Adati T, Nakamura S, Tamo M, Kawazu K. 2004. Effect of temperature on development and survival of the legume pod-borer, *Maruca vitrata* (Fabricius) (Lepidoptera: Pyralidae) reared on a semi-synthetic diet. Applied Entomology and Zoology. 39(1):139–145.
- Agnew P, Haussy C, Michalakis Y. 2000. Effect of density and larval competition on selected life history traits of *Culex pipens quinquefasciatus* (Diptera: Culicidae). Journal of Medical Entomology. 37(5):732–735.
- Agnew P, Mallorie H, Sidobre C, Michalakis Y. 2002. A minimalist approach to the effects of density-dependent competition on insects life-history traits. Ecological Entomology. 27:396–402.

- Ahmad SA, Hopkins TL. 1992. Phenol 3-glucosyltransferase and -glucosidase activities in the tobacco hornworm larvae *Manduca Sexta* (L.): Properties and tissue location. *Archives of Insect Biochemistry and Physiology*. 21:207–224.
- Ahmed K. 1983. Development of artificial diets for mass breeding of Lepidopterous insects. M. Phil. Thesis, University of Karachi, Karachi, Pakistan.
- Alfazairy AA, Sadek HA, Guirguis GZ, Karam HH. 2012. An Agar-Free Artificial Diet: A New Approach for the Low Cost Mass Rearing of the Egyptian cotton Leaf worm, *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae). *Agricultural Science Research Journals*. 2(12):639–647.
- Andreeva EM. 2010. What can nutritional indices tell us about gypsy moth larvae (*Lymantria dispar* L.). *Pesticide, Phytomedica* (Belgrade). 25(1):71–77.
- Andrewartha HG, Birch LC. 1984. *The ecological web: more on distribution and abundance of animals*. Chicago: University of Chicago Press.
- Andrews EA. 1921. On Caterpillar Control by Collection of Chrysalides. Q. J1 Science Department, Indian Tea Association Calcutta 4:175–194.
- Anonymous. 2014. Plant Protection Code (PPC). Tea Board of India, Ministry of Commerce and Industry, Govt. of India.
- Anonymous. 2011. Tea looper caterpillars. Bulletin No. PP/02/2011. Tea Research Association, Tocklai Experimental Station, Jorhat, Assam, India.
- Anonymous. 1998. Final Important risk analysis of the importation of fruit of Fuji apple (*Malus pumila* Miller var. *domestica* Schneider) from Aomori Prefecture in Japan. Import Risk Analysis Secretariat Plant Quarantine Policy Branch Australian Quarantine & Inspection Service. Australia.
- Anonymous. 1994. Pests of Tea in North-East India and their control. Memorandum 27. Tea Research Association, Tocklai Experimental Station, Jorhat, Assam, India.
- Appel HM, Maines LW. 1995. The influence of host plant on gut conditions of Gypsy moth (*Lymantria dispar*) caterpillars. *Journal of Insect Physiology*. 41(3):241–246.

- Appel HM, Martin MM. 1992. Significance of metabolic load in the evolution of host specificity of *Manduca sexta*. *Ecology*. 73:216–228.
- Appel HM. 1993. The chewing herbivore gut lumen: physiochemical conditions and their impact on plant nutrients, allelochemicals and insect pathogens. In: Bernays EA, editor. *Insect-plant interactions*. Boca Raton, Florida: CRC press.
- Applebaum SW. 1985. Biochemistry of digestion. In: Kerkut GA, Gilbert LI, editors. *Comparative Insect Physiology, Biochemistry and Pharmacology*. Toronto: Pergamon Press. 4:279–312.
- Astuti D. 1992. Pakan Buatan Larva Kupu *Papilio demoleus*. Prosiding Seminar Hasil Penelitian dan Pengembangan Sumber Daya Hayati 1990/1991. Puslitbang Biologi LIPI Bogor. 366–372.
- Awmack CS, Leather SR. 2002. Host plant quality and fecundity in herbivorous insects. *Annual Review of Entomology*. 47:817–844.
- Azidah AA, Sofian-Azirun M, 2006. Life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on various host plants. *Bulletin of Entomological Research*. 96:613–618.
- Babic B, Poisson A, Darwish S, Lacasse J, Merckx-Jacques M, Despland E, Bede JC. 2008. Influence of dietary nutritional composition on caterpillar salivary enzyme activity. *Journal of Insect Physiology*. 54(1):286–296.
- Bailey CG. 1976. A quantitative study of consumption and utilization of various diets in the Berta armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae). *Canadian Entomologist*. 108:1319–1326.
- Banerjee B. 1993. *Tea Production and Processing*. New Delhi, Bombay, Calcutta: Oxford and IBH Publishing Co Pvt Ltd.
- Barrionuevo MJ, Murua MG, Goane L, Meagher R, Navarro F. 2012. Life Table Studies of *Rachiplusia nu* (Guenée) and *Chrysodeixis* (= *Pseudoplusia*) *includens* (Walker) (Lepidoptera: Noctuidae) on Artificial Diet. *Florida Entomologist*. 95(4):944–951.

- Barton Browne L. 1995. Ontogenetic changes in feeding behavior. In: Chapman RF, devBoer G, editors. Regulatory mechanisms in insect feeding. New York: Chapman and Hall.
- Basu Majumder A, Ghosh P. 2004. *Hyposidra talaca* (Walker) – a destructive pest of tea in Dooars tea plantation. Two and a Bud. 51:49–51.
- Basu Majumder A, Pathak SK, Hath TK. 2011. Growth and survival of a geometrid defoliator *Hyposidra infixaria* Walker (Lepidoptera: Geometridae) on four clonal varieties of tea. Acta Entomologica sinica. 54(7):815–819.
- Basu Majumder A, Pathak SK, Hath TK. 2012. Evaluation of some bio-rational insecticide against the looper complex *Hyposidra* spp. in tea plantations of Dooars, West Bengal. Journal of Biopesticides. 5(1):91–95.
- Basu Majumder A. 2008. Record of a geometrid looper, *Ectropis* sp. infesting tea in Dooars tea plantations, West Bengal, India. Entomon. 33(3):225–226.
- Beckman HF, Bruckart SM, Reiser R. 1953. Laboratory culture of the pink bollworm on chemically defined media. Journal of Economic Entomology. 46:627–630.
- Beeson CFC. 1941. The ecology and control of the forest insects of India and the neighbouring countries. Dehradun: Vasant Press.
- Berenbaum MR. 1980. Adaptive significance of midgut pH in larval Lepidoptera. American Naturalists. 115:138–146.
- Bernfeld P. 1955. Amylases, α and β . Methods in Enzymology. 1:149–158.
- Bhat NS, Bhattacharya AK. 1987. Consumption and utilization of soybean by *Spodoptera litura* at different temperatures. Indian Journal of Entomology. 40:16–25.
- Blomquist GJ, Borgeson CE, Vundla M. 1991. Polyunsaturated fatty acids and eicosanoids in insects. Insect Biochemistry. 21:99–106.
- Bloem S, Carpenter JE, Bloem KA, Tomlin L, Taggart S. 2004. Effect of rearing strategy and gamma radiation on field competitiveness of mass-reared codling moths (Lepidoptera: Tortricidae). Journal of Economic Entomology. 97:1891–1898.

- Bloem S, Bloem KA, Carpenter JE, Calkins CO. 1999. Inherited sterility in codling moth (Lepidoptera: Tortricidae): effect of sub sterilizing doses of radiation on insect fecundity, fertility, and control. *Annals of Entomological Society of America*. 92: 222–229.
- Bolaji OO, Bosque-Perez NA. 1998. Life history and mass-rearing of *Mussidia nigrivenella* Ragonot (Lepidoptera: Pyralidae) on artificial diet in the laboratory. *African Entomology*. 6(1):101–110.
- Bolte KB. 1990. Guide to the Geometridae of Canada (Lepidoptera). VI. Subfamily *Larentiinae*. 1. Revision of the genus *Eupithecia*. *Memoirs of the Entomological Society of Canada*. 151:1–253.
- Brambila J. 2013. Identification notes for *Spodoptera litura* and *Spodoptera littoralis* (Lepidoptera: Noctuidae) and some native *Spodoptera* moths. USDA-APHIS-PPQ.
- Brattsten LB. 1988. Enzymatic adaptations in leaf-feeding insects to host-plant allelochemicals. *Journal of Chemical Ecology*. 14:1919–1939.
- Browne FG. 1968. Pests and diseases of forest plantation trees: an annotated list of the principal species occurring in the British Commonwealth. Oxford: Clarendon press.
- Buitendag CH. 1965. *Plistophora reciprocaria spec, nov.*, a Microsporidian parasite of *Acostis selenaria reciprocaria* Walk. (Lepidoptera, Geometridae). *South African Journal of Agricultural Science*. 8:79–85.
- Calkins CO, Parker AG. 2005. Sterile insect quality. In: Dyck VA, Hendrichs J, Robinson AS, editors. *Sterile Insect Technique. Principles and Practice in Area wise Integrated Pest Management*. Dordrecht, The Netherlands: Springer.
- Carpenter JE, Hight SD. 2012. Rearing the oligophagous *Cactoblastis cactorum* (Lepidoptera: Pyralidae) on meridic diets containing different nonhost proteins. *Florida Entomologist*. 95:1132–1141.
- Castane C, Zapata R. 2005. Rearing the predatory bug *Macrolophus caliginosus* on a meat based diet. *Biological Control*. 34:66–72.

- Chapman RF. 1998. *The Insect: Structure and Function*. Cambridge: Cambridge University Press.
- Chen SC, Wang XQ, Wang JJ, Hu X, Peng P. 2015. The complete mitochondrial genome of a tea pest looper, *Buzura suppressaria* (Lepidoptera: Geometridae). *Mitochondrial DNA*. DOI:10.3109/19401736.2015.1007310.
- Chen YZ, Lin L, Wang CW, Yeh CC, Hwang SY. 2004. Response of two *Pieris* (Lepidoptera: Pieridae) species to fertilization of a host plant. *Zoological Studies*. 43:778–786.
- Chen ZM, Chen XF. 1989. An analysis of world tea fauna. *Journal of Tea Science*. 9(1):73–88.
- Chockalingam S. 1979. A study of food consumption and utilization in *Pericallia ricini* (Lepidoptera; Arctiidae). *Comparative Physiology and Ecology*. 4:78–80.
- Christeller JT, Laing WA, Markwick NP, Burgess EPJ. 1992. Midgut protease activities in 12 phytophagous lepidopteran larvae: Dietary and protease inhibitor interactions. *Insect Biochemistry and Molecular Biology*. 22(7):735–746.
- Chutia BC, Rahman A, Sarmah M, Barthakur BK, Borthakur M. 2012. *Hyposidra talaca* (Walker): A major defoliating pest of tea in North East India. *Two and a Bud*. 59:17–20.
- Cohen AC. 1992. Using a Synthetic Approach to develop artificial diets for predators. In: Anderson TE, Leppla NC, editors. *Advances in insect rearing for research and pest management*. New Delhi: Oxford and IBH Publishing Co. Pvt. Ltd.
- Cohen AC. 2001. Formalizing insect rearing and artificial diet technology. *American Entomologist*. 47:198–206.
- Cohen AC. 2004. *Insect Diets, Science and Technology*. Florida: CRC Press LLC.
- Coudron TA, Wittmeyer J, Kim Y. 2002. Life history and cost analysis for continuous rearing of *Podisus maculiventris* (Heteroptera: Pentatomidae) on

a Zoophytophagous artificial diet. *Journal of Economic Entomology*. 95:1159–1168.

- Cresswell JE, Merritt SZ, Martin MM. 1992. The effect of dietary nicotine on the allocation of assimilated food to energy metabolism and growth in fourth instar larvae of the southern armyworm, *Spodoptera eridania* (Lepidoptera: Noctuidae). *Oecologia*. 89:449–453.
- Dadd RH. 1985. Nutrition: Organisms. In: Kerkut GA, Gilbert LI, editors. *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. Washington, DC: Pergamon, Oxford. National Academy Press.
- Danthanarayana W, Kathiravetpillai, A. 1969. Studies on the ecology and causes of outbreaks of *Ectropis bhurmitra* Wkr. (Geometridae), the twig caterpillar of tea in Ceylon. *Journal of Applied Ecology*. 6(2):311–322.
- Das GM. 1957. Pests in relation to environment. *Two Bud*. 4(4):14–16.
- Das GM. 1965. Pests of tea in North-east India and their control. Tea Research Association, Calcutta.
- Das S, Mukhopadhyay A, Roy S, Biswa R. 2010. Emerging looper pests of tea crop from sub-Himalayan West Bengal, India. *Resistant Pest Management Newsletter*. 20(1):8–13.
- Das S, Mukhopadhyay A. 2008. Host based variation in life-cycle traits and general esterase level of the tea looper, *Hyposidra talaca* (Walker) (Lepidoptera: Geometridae). *Journal of Plantation crops*. 36(3):457–459.
- Das S, Mukhopadhyay A. 2014. Host-based life cycle traits and detoxification enzymes of major looper pests (Lepidoptera: Geometridae) of tea from Darjeeling Terai, India. *Phytoparasitica*. 42:275–283.
- Das S, Sarker M, De D, Mukhopadhyay A. 2006. Exploring the potential of insect enemies in controlling red slug and looper caterpillar, two major lepidopteran defoliators of tea from Darjeeling foothill regions. *Journal of Plantation Crops*. 34(3):432–434.

- Das S. 2015. A study on variability of isozymes in population of major Lepidoptera and mite pests of tea from Darjeeling foothills and adjoining Terai regions. Ph.D. Thesis, Department of Zoology, University of North Bengal, India.
- Dauglas JS, Reese JC. 1986. Sources of error in nutritional index studies of insects on artificial diet. *Journal of Insect Physiology*. 32(3):193–198.
- David BV, Ramamurthy VV. 2012. *Elements of Economic Entomology*. Chennai: Namratha Publication.
- De D, Sarker M, Das S, Mukhopadhyay A. 2006. Evaluation of killing efficacy of the polyhedrosis virus isolated from *Buzura suppressaria* Guen. (Lepidoptera: Geometridae), a defoliating pest of tea from Darjeeling foothills. *Journal of Plantation Crops*. 34(3):420–422.
- De D, Sarker M, Mukhopadhyay A. 2007. A report on the naturally occurring pathogenic bacteria of the lepidopteran tea pest, *Buzura suppressaria* (Lepidoptera: Geometridae) from Darjeeling foothills and plains. *Journal of Plantation Crops*. 35(2):122–124.
- DeSales MP, Alcazar A, Lima LM, Amorim TML, Pitanga JCM, Pereira RA, Macedo LLP, Uchoa AF. 2008. Major digestive carbohydrate during larval development of leaf moth, *Plodia interpunctella* (Lepidoptera: Pyralidae). *Protein and Peptide Letters*. 15:1022–1026.
- deOliveira CFT, Luz LA, Paiv PMG, Coelho LCBB, Marangoni S, Macedo MLR. 2011. Evaluation of seed coagulant *Moringa oleifera* lectin (cMoL) as a bioinsecticidal tool with potential for the control of insects. *Process Biochemistry*. 46:498–504.
- Després L, David JP, Gallet C. 2007. The evolutionary ecology of insect resistance to plant chemicals. *Trends in Ecology and Evolution*. 22:298–307.
- Dosdall LM, Ulmer BJ. 2004. Feeding, development, and oviposition of Bertha armyworm (Lepidoptera: Noctuidae) on different host plant species. *Environmental Entomology*. 33:756–764.
- Dougherty EC. 1959. Introduction to axenic culture of invertebrate metazoan: a goal. *Annals of the New York Academy of Sciences*. 77:27–54.

- Dow JAT. 1984. Extremely high pH in biological systems: a model for carbonate transport. *American Journal of Physiology*. 246:633–635.
- Duffy SS, Stout MJ. 1996. Antinutritive and toxic components of plant defense against insects. *Archives of Insect Biochemistry and Physiology*. 32:3–37.
- Dyck VA, Hendriches J, Robinson AS. 2005. *Sterile Insect Technique. Principles and Practice in Area-Wide Integrated Pest Management*. Springer.
- East DA, Edelson JV, Cartwright B. 1989. Relative cabbage consumption by the cabbage looper (Lepidoptera: Noctuidae), beet armyworm (Lepidoptera: Noctuidae), and diamondback moth (Lepidoptera: Plutellidae). *Journal of Economic Entomology*. 82:1367–1369.
- Edillo FE, Toure YT, Lanzaro GC, Dolo G, Taylor CE. 2004. Survivorship and distribution of immature *Anopheles gambiae* s.l. (Diptera: Culicidae) in Bangladesh village, Mali. *Journal of Medical Entomology*. 41(3):333–339.
- El Arnaouty SA, Galal H, Bessat-Arnaouty V, Ferran A, Grenier S. 2006. Influence of artificial diet supplements on developmental features of *Chrysoperla carnea* Stephens. *Egyptian Journal of Biological Pest Control*. 16:29–32.
- Erichsen C, Schoeman AS. 1994. Identification and potential pest-status of looper on Avocado. *South African Avocado Growers' Association Yearbook*. 17:113–116.
- Evans GO. 1992. *Principles of Acarology*. CAB International, Oxon, UK.
- Faisal M, Ahmad M, Saini D, Pahwa E. 2011. Suitability of host plants for the development of polyphagous defoliator, *Eupterote undata* (Lepidoptera: Eupterotidae). *Biology and Medicine. Special Issue* 3(2):303–306.
- Farahani S, Naseri B, Talebi AA. 2011. Comparative Life Table Parameters of the Beet Armyworm, *Spodoptera exigua* (Hübner) (Lepidoptera, Noctuidae) on Five Host Plants. *Journal of Entomological Research Society*. 13(1):91–101.
- Fathipour Y, Naseri B. 2011. Soybean Cultivars Affecting Performance of *Helicoverpa armigera* (Lepidoptera: Noctuidae). In: Tzi-Bun NG, editor. *Soybean - Biochemistry, Chemistry and Physiology*. Croatia, Sanghai.

- Feeny P. 1968. Effect of oak leaf tannins of larval growth of the winter moth, *Operopthera brumata*. *Journal of Insect Physiology*. 14:805–807.
- Felland CM, Hull LA. 1992. Integrated ground cover management. An Entomological Perspective. *Pennsylvania Fruits News*. 72:91–94.
- Fraenkel G, Blewett M. 1946. Linoleic acid, vitamin E and other fat soluble substances in the nutrition of certain insects [*Ephesia kuehniella*, *E. elutella*, *E. cautella* and *Plodia interpunctella* (Lep.)]. *Journal of Experimental Biology*. 22:172–190.
- Fragoso DB, Guedes RNC, Picanco MC, Zambolim L. 2002. Insecticide use and organophosphate resistance in the coffee leaf miner *Leucoptera coffeella* (Lepidoptera: Lyonetiidae). *Bulletin of Entomological Research*. 92:203–212.
- Franco OL, Rigden DJ, Melo FR, Bloch Jr. C, Silva CP, Grosside-Sa MF, 2000. Activity of wheat α -amylase inhibitors towards bruchid α -amylases and structural explanation of observed specificities. *European Journal of Biochemistry*. 267:2166–2173.
- Frappa C. 1939. Note sur deux nouvelles chenilles nuisibles a l'arachide a Madagascar. *Bulletin of Economics Madagascar N.S.* 17:51–54.
- Fu S, Guo X, Yuan GH, Luo MH, Yang WL, Zhao DS. 2008. A comparative study of the population fitness of *Helicoverpa armigera* (Hubner) on two tobacco species, *Nicotiana tabaccum* and *Nicotiana rustica*. *Acta Entomol Sinica* 51: 728–737.
- Futuyama DJ, Philippi TE. 1987. Genetic variation and covariation in responses to host plant by *Alsophila pometaria* (Lepidoptera: Geometridae). *Evolution*. 41:269–279.
- Gan YK. 1981. Studies on the nuclear polyhedrosis virus of *Buzura suppressaria*. *Acta Entomologica Sinica*. 24(4):372–378.
- Garthwaite PE. 1940. Entomological Research. Reptiles Silviculture and Entomology. 1938-1939: 94–105.

- Ge F, Liu X, Ding Y, Wang X, Zhao Y. 2003. Life table of *Helicoverpa armigera* in northern China and characters of population development in southern and northern China. *Ying Yong Sheng Tai Xue Bao*. 14:241–245.
- Genç H, Nation JL. 2004. An artificial diet for the butterfly *Phyciodes phaon* (Lepidoptera: Nymphalidae). *Florida Entomologist*. 87(2):194–198.
- Genç H. 2006. General Principles of Insect Nutritional ecology. *Trakya University Journal of Science*. 7(1):53–57.
- Ghatak SS, Reza MW. 2007. Bio-efficacy of *Beauveria bassiana* against tea looper caterpillar, *Buzura suppressaria* Guen. (Lepidoptera: Geometridae). *Acta Entomologica Sinica*. 50(9):962–966.
- Ghosh B, Mukhopadhyay A, Das A, Bahadur M. 2015. Restriction endonuclease fragment analysis of *Hyposidra talaca* nucleopolyhedrovirus genome. *International Journal of Current Research and Academic Review*. 3(8):81–87.
- Gilmour D. 1961. *The Biochemistry of Insects*. New York: Academic Press.
- Gingrich R. 1972. Nutritional studies: their bearing on the development of practical oligidic diet for mass rearing larvae of the screwworm, *Cochliomyia hominivorax*. In: Rodriguez JN, editor. *Insect and mite nutrition*. Holland, Amsterdam.
- Golizadeh A, Kamali K, Fathipour Y, Abbasipour H. 2009. Life Table of the Diamondback Moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) on Five Cultivated Brassicaceous Host Plants. *Journal of Agricultural Science and Technology*. 11:115–124.
- Gould J, Venette R, Winograd D. 2005. Effect of Temperature on Development and population parameters of *Copitarsia decolora* (Lepidoptera: Noctuidae). *Environmental Entomology*. 34(3):548–556.
- Greenberg SM, Sappington TW, Legaspi Jr. BC, Liu TX, Setamou M. 2001. Feeding and Life History of *Spodoptera exigua* (Lepidoptera: Noctuidae) on Different Host Plants. *Annals of the Entomology Society of America*. 94(4):566–575.

- Grillo LA, Majerowicz D, Gondim KCKC. 2007. Lipid metabolism in *Rhodnius prolixus* (Hemiptera: Reduviidae): Role of a midgut triacylglycerol-lipase. *Insect Biochemistry*. 37:579–588.
- Guennelon G, Audemard H, Fremond JC, El Idrissi Ammari MA. 1981. Progrès réalisés dans l'élevage permanent du Carpocapse (*Laspeyresia pomonella* L.) sur milieu artificiel. *Agronomie*. 1: 59–64. (English abstract. Translation to English provided by T. Blomefield)
- Gullan PJ, Cranston PS. 1994. *The Insects: An Outline of Entomology*. London: Chapman and Hall.
- Gupta RK, Raina JC, Monobrullah MD. 2007. Optimization of *in vivo* production of nucleopolyhedrovirus of homologous host larvae of *Helicoverpa armigera*. *Journal of Entomology*. 4(4):279–288.
- Gurusubramanian G, Rahman A, Sarmah M, Roy S, Bora S. 2008. Pesticide usage pattern in tea ecosystem, their retrospects and alternative measures. *Journal of Environmental Biology*. 29(6):813–826.
- Habig WH, Pabst MJ, Jakoby WB. 1974. Glutathione *S*-transferases. The first enzymatic step in mercapturic acid formation. *Journal of Biological Chemistry*. 246:7130–7139.
- Han L, Li S, Liu P, Peng Y, Hou M. 2012. New artificial diet for continuous rearing of *Chilo suppressalis* (Lepidoptera: Crambidae). *Annals of the Entomological Society of America*. 105(2):253–258.
- Hanks LM. 1999. Influence of the larval host plants on reproductive strategies of Cerambycid beetles. *Annual Review of Entomology*. 44:483–505.
- Hansen LS, Skoygard H, Hell K. 2004. Life table study of *Sitotroga cerealella* (Lepidoptera: Gelichiidae), a strain from West Africa. *Journal of Economic Entomology*. 97(4):1484–90.
- Harari AR, Ben-Yakir D, Chen M, Rosen, D. 1997. Life and fecundity tables of *Maladera matrida* (Coleoptera: Scarabaeidae). *Environmental Entomology*. 26(5):1073–1078.

- Harcourt DG. 1968. The development and use of Life tables in the study of Natural Insect populations. *Annual Review of Entomology*. 13:175–196.
- Hazarika LK, Bhuyan M, Hazarika BN. 2009. Insect Pests of Tea and Their Management. *Annual Review of Entomology*. 54:267–284.
- Hazarika LK, Borthakur M, Singh K, Sannigrahi S. 1994. Present status and future prospects of biological control of tea pests in North-East India. In: Proceedings of 32nd Tocklai Conference. Jorhat: Tea Research Association. Tocklai Experimental Station.
- Hedlund RC, Yendol WG. 1974. Gypsy moth nuclear polyhedrosis virus production as related to inoculating time, dosage and larval weight. *Journal of Economic Entomology*. 67:61–63.
- Helden AJ, Dixon AFG, Carter N. 1984. Environmental factors and morphological discrimination between spring and summer migrants of the grain aphid, *Sitobion avenae* (Homoptera: Aphididae). *European Journal of Entomology*. 91:23–28.
- Hirai K. 1976. A simple artificial diet for mass rearing of the armyworm, *Leucania separata* Walker (Lepidoptera: Noctuidae). *Applied Entomology and Zoology*. 11:278–283.
- Hiratsuka E. 1920. Researches on the nutrition of silkworm. *Bulletin of Sericulture Experimental Station Japan*. 1:257–315.
- Holloway GJ, Brake PM, Kofman S, Windig JJ. 1991. An artificial diet for butterflies, including *Bicyclus* Species, and its effect on development period, weight and wing pattern. *Journal of Research on Lepidoptera*. 30(1-2):121–128.
- Holloway JD. 1993. The Moths of Borneo, Part 11: Family Geometridae, subfamily Ennominae. *The Malayan Nature Journal*. 47(1-2):1–309.
- Hori K, Atalay R, Araki S. 1981. Digestive enzymes in the gut and salivary gland of the adult *Haematobia irritans* (Diptera: Muscidae). *Applied Entomology and Zoology*. 16:16–23.
- Horn DJ. 1988. *Ecological Approach to Pest Management*. London: Elsevier.

- Hoths G. 1917. Geometrids injurious to the foliage of tea. Special Report of Tea Plantation Experiments, Prefecture of Shidzuoka, Agricultural Experimental Station.
- Hou RF, Hsiao ML. 1986. An improved diet for rearing the diamondback moth, *Plutella xylostella* and its requirements for fatty acids. Chinese Journal of Entomology. 6:31–37
- House HL. 1974. Digestion. In: Rockstein M, editor. The Physiology of Insecta. New York: Academic Press.
- Hu CC, Chen HK. 1907. A study on *Ascotis selenaria cretacea* Butler. (in Chinese) Journal of Agricultural Association China (N.S.) 58:73–86.
- Hughes PR, Wood HA. 1998. Production of pharmaceutical and other recombinant proteins in insect larvae. SIM News. 48:105.
- Hung CF, Kao CH, Liu, CC, Lin JG, Sun CN. 1990. Detoxifying Enzymes of selected Insect Species with Chewing and Sucking Habits. Journal of Economic Entomology. 83(2):361–365.
- Hunter AF, Lechowicz MJ. 1992. Foliage quality changes during canopy development of some northern hardwood trees. Oecologia. 89:316–323.
- Itoyama K, Kawahira Y, Murata M, Tojo S. 1999. Fluctuation of some characteristics in the common cutworm, *Spodoptera litura* (Lepidoptera: Noctuidae) reared under different diets. Applied Entomology and Zoology. 34:315–321.
- Izhar Y, Wysoki M. 1995. Control of the giant looper *Boarmia selenaria* (*Ascotis*). Proceedings of the World Avocado Congress III. 440-441.
- Jallow MSA, Matsumura M, Suzuki Y. 2001. Oviposition preference and reproductive performance of Japanese *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). Applied Entomology and Zoology. 36:419–426.
- Jamjanyn T, Quisenberry SS. 1988. Fall armyworm (Lep:Noctuidae) consumption and utilization of nine Bermuda grasses. Journal of Economic Entomology. 81:697–704.

- Jarošik V, Honek A. 2007. Sexual differences in insect development time in relation to sexual size dimorphism. In: Fairbairn DJ, Blanckenhorn WU, Székely T, editors. *Sex, Size and Gender Roles: Evolutionary Studies of Sexual Size Dimorphism*. New York: Oxford University Press.
- Jha RK, Chi H, Tang LC. 2012. A comparison of artificial diet and hybrid sweet corn for the rearing of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) based on life table characteristics. *Environmental Entomology*. 41:30–39.
- John DRM, Guadalupe R, Juan A, Morales R. 2003. Artificial diet and rearing methods for *Thanasimus dubius* (Coleoptera: Cleridae), a predator of bark beetles (Coleoptera: Scolytidae). *Biological Control*. 27:315–322.
- John S, Graeme DR. 2008. Ecological factors influencing the evolution of insects' chemical defences. *Behavioural Ecology*. 19:146–153.
- Johnson KS. 1999. Comparative detoxification of plant (Magnolia virginiana) allelochemicals by generalist and specialist Saturniid silkmoths. *Journal of Chemical Ecology*. 25:253–269.
- Jongsma MA, Bolter C. 1997. The adaptation of insects to plant protease inhibitors. *Journal of Insect Physiology*. 43(10): 885–895.
- Kabir SE. 2001. A study on ecophysiology of tea (*Camellia sinensis*) with special reference to the influence of climatic factors on physiology of a few selected tea clones of Darjeeling. *International Society of Tea Science*. 1(4):1–9.
- Kalia VS, Chaudhari S, Gujar GT. 2001. Optimization of production of nucleopolyhedrovirus of *Helicoverpa armigera* throughout larval stages. *Phytoparasitica*. 29:1–6.
- Karban R, Agrawal AA. 2002. Herbivore offense. *Annual Review of Ecology and Systematics*. 33:641–664.
- Karimi-Malati A, Fathipour Y, Talebi AA, Bazoubandi M. 2014. Life Table Parameters and Survivorship of *Spodoptera exigua* (Lepidoptera: Noctuidae) at Constant Temperatures. *Environmental Entomology*. 43(3):795–803.

- Kato M. 1978. Phenols as indispensable components of the synthetic diet of the silkworm, *Bombyx mori*. *Entomologia Experimentalis et Applicata*. 24:485–490.
- Kim S, Hong S, Park H, Lee Y, Park K, Choi W, Kim N. 2014. An artificial diet for the swallowtail butterfly, *Papilio xuthus*. *International Journal of Industrial Entomologist*. 28(1):1–4.
- King EGJ, Hartley GG. 1992. Multiple-species insect rearing in support of research. In: Anderson TE, Leppla NC, editor. *Advances in insect rearing for research and pest management*. San Francisco: Westview Press.
- Klein I, Kogan M. 1974. Analysis of food intake, utilization and growth in phytophagous insects - a computer program. *Annals of Entomological Society of America*. 67:295–97.
- Knipling EF. 1979. The basic principles of insect population suppression and management. *USDA Agriculture Handbook*.
- Kogan M, Cope D. 1974. Feeding and nutrition associated with soybeans. 3. Food intake, utilization and growth in the soybean looper *Pseudoplusia includens*. *Annals of Entomological Society of America*. 67:66–72.
- Kogan M. 1980. Criação de insetos: bases nutricionais e aplicadas em programas de manejo de pragas. In: CONGRESSO BRASILEIRO DE ENTOMOLOGIA, 6, 1980, Campinas. *Anais*. Campinas: Fundação Cargil.
- Kotkar HM, Sarate PJ, Tamhane VA, Gupta VS, Giri AP. 2009. Responses of midgut amylases of *Helicoverpa armigera* to feeding on various host plants. *Journal of Insect Physiology*. 55:663–670.
- Kouhi D, Naseri B, Golizadeh A. 2014. Nutritional performance of the tomato fruit borer, *Helicoverpa armigera*. On different tomato cultivars. *Journal of Insect Science*. 14:102.
- Koul O, Singh G, Sing R, Singh J. 2004. Bioefficacy and mode-of-action some limonoids of salanin group from *Azadirachta indica* A. Juss and their role in a multicomponent system against lepidopteran larvae. *Journal of Bioscience*. 29:409–416.

- Kozhanchikov IV. 1950. Fauna USSR (The Fauna of the Soviet Union). Insecta, Lepidoptera. Volnyanki (Tussock Moths), Akademii Nauk SSSR, Moscow.
- Kumar CM, Sathiah N, Rabindra RJ. 2005. Optimizing the time of harvest of nucleopolyhedrovirus infected *Spodoptera litura* (Fabricius) larvae under *in vivo* production system. Current Science. 88:1682–1684.
- Kumar V, Reddy VR, Anal AKD, Nath V. 2014. Outbreak of the Looper, *Perixera illepidaria* (Lepidoptera: Geometridae) on Litchi, *Litchi chinensis* (Sapindales: Sapindaceae) - A New Pest Record from India. Florida Entomologist. 97(1):22–29.
- Kumaravadivelu P, Radhakrishnan B, Muraleedharan N. 1996. Studies on flushworm (*Cydia leucostoma* Meyrick) - tea plant interactions. Journal of Plantation Crops. 24(Suppl.):309–318.
- Law JH, Dunn PE, Kramer KJ. 1977. Insect proteases and peptidases. In: Meister A, editor. Advances in Enzymology and Related Areas of Molecular Biology. New York: J. Wiley and Sons.
- Lazarevic J, Peric-Mataruga V. 2003. Nutritive stress effects on growth and digestive physiology of *Lymantria dispar* larvae. Yugoslav Medical Biochemistry. 22:53–59.
- Leckie BM, Ownley BH, Pereira RM, Klingeman WE, Jones CJ, Gwinn KD. 2008. Mycelia and spent fermentation broth of *Beauveria bassiana* incorporated into synthetic diets affect mortality, growth and development of larval *Helicoverpa zea* (Lepidoptera: Noctuidae). Biocontrol Science and Technology. 18(7):697–710.
- Lenz CJ, Kang J, Rice WC, McIntosh AH, Chippendale GM, Schubert KR. 1991. Digestive proteinases of larvae of the corn ear worm, *Heliothis zea*: characterization, distribution and dietary relationships. Archives of Insect Biochemistry and Physiology. 16:201–212.
- Leuck DB, Perkins WD. 1972. A method of evaluating fall armyworm progeny reduction when evaluating control achieved by host plant resistance. Journal of Economic Entomology. 65:482–483.

- Lindroth RL, Klein KA, Hemming JDC, Feuker AM. 1997. Variation in temperature and dietary nitrogen affect performance of the gypsy moth (*Lymantria dispar* L.) Entomophaga. 15:401–406.
- Liu M, HU Z, Liang B, Jin F, Li M, Xie T. 1993. Physical mapping of Buzura suppressaria nuclear polyhedrosis virus genome. Achieves of Virology. 128(3-4):357–362.
- Liu Z, Li D, Gong P, Wu K. 2004. Life table studies of the cotton bollworm, *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae), on different host plants. Environmental Entomology. 33:1570–1576.
- Lowry OH, Rosebrough NJ, Farr AL, Randall RJ. 1951. Protein measurement with the folin phenol reagent. The Journal of Biological Chemistry. 193:265–275.
- Lyon RL, Brown SJ. 1970. Contact toxicity of insecticides applied to fall cankerworm reared on artificial diet. Journal of Economic Entomology. 63:1970–1971.
- Ma D, Gordh G, Zalucki MP. 2000. Biological effects of azadirachtin on *Helicoverpa armigera* (Hubner) (Lepidoptera: Noctuidae) fed on cotton and artificial diet. Austral Entomology. 39(4):301–304.
- Manivel L. 1980. Role of maintenance foliage of tea. Two and a Bud. 27(2):52–55.
- Mantey KD, Moffitt HR, Neven LG. 2000. Laboratory Rearing of Lesser Appleworm (Lepidoptera: Tortricidae). Journal of Economic Entomology. 93(3):1021–1024.
- Mao W, Schuler MA, Berenbaum MR. 2007. Cytochrome P450s in *Papilio multicaudatus* and the transition from oligophagy to polyphagy in the Papilionidae. The Royal Entomological Society. 16:481–490.
- Mariani M. 1937. New species and forms of Sicilian Lepidoptera and a new pest of citrus.
Giornale Science Nature and Economics. Journal of Science, Nature and Economics. 39(3):1–13.
- Markwick NP, Laing WA, Christeller JT, Mchenry JZ, Newton MR. 1998. Overproduction of digestive enzymes compensates for inhibitory effects of

- protease and α -amylase inhibitors fed to three species of leafrollers (Lepidoptera: Tortricidae). *Journal of Economic Entomology*. 91:1265–1276.
- Marti OG, Myers RE, Carpenter JE. 2008. Rearing *Cactoblastis cactorum* (Lepidoptera: Pyralidae) on artificial diet and *Opuntia* cladodes. *Journal of Entomological Science*. 43:95–106.
- Marti OG Jr., Carpenter J. E. 2008. Rearing *Cactoblastis cactorum* (Lepidoptera: Pyralidae) on a factitious meridic diet at different temperatures and larval densities. *Florida Entomology*. 91:679–685.
- Martin MM, van't Hof HM. 1988. The cause of reduced growth of *Manduca sexta* on low water diet increased metabolic cost of nutrient limitation. *Journal of Insect Physiology*. 34:515–525.
- Martinez JA, Katthain DG. 1999. Biology of *Triatoma pollidipennis* Stall. 1945 (Hemiptera: Reduviidae: Triatominae) under laboratory conditions. *Memorias- do- Instituto- Oswaldo- Cruz*. 94(6):837–839.
- Mathew G, Shamsudeen RSM, Chandran R. 2005. Insect fauna of Peechi-vazhani wild life sanctuary, Kerala, India. *Zoos' Print Journal*. 20(8):1955–1960.
- McGuffin WC. 1987. Guide to the *Geometridae* of Canada (Lepidoptera). V. Subfamily *Ennominae*. 4. *Memoirs of the Entomological Society of Canada*. 138:1–182.
- McFarlene JE. 1992. Can ascorbic acid or β -carotene substitute for Vitamin E in spermiogenesis in the house cricket. *Comparative Biochemistry and Physiology*. 103A:179–181.
- Mackauer M. 1972. Genetic aspects of insect production. *Entomophaga*. 17:27–48.
- McKinley DJ. 2004. An introduction to the use and preparation of artificial diets with special emphasis on diets for phytophagous Lepidoptera. *Journal of Pest Management*. 17:421–424.
- Meats A, Holmes HM, Kelly GL. 2004. Laboratory adaptation of *Bactrocera tryoni* (Diptera: Tephritidae) decreases mating age and increases protein consumption and number of eggs produced per milligram of protein. *Bulletin of Entomological Research*. 94:517–524.

- Mensah BA, Kudom AA. 2011. Nutritional ecology of the mimetic butterfly *Hypolimnas missipus* L. (Lepidoptera: Nymphalidae) in Ghana. *Journal of Research on Lepidoptera*. 44:29–33.
- Merkx-Jacques M, Bede JC. 2005. Influence of diet on the larval beet armyworm, *Spodoptera exigua*, glucose oxidase activity. *Journal of Insect Science*. 5(48):9.
- Miller JS. 1992. Pupal morphology and the subfamily classification of the Notodontidae (Lepidoptera: Noctuoidea). *Journal of New York Entomological Society*. 100(2):228–256.
- Mironidis GK, Savopoulou-Soultani M. 2008. Development, survivorship, and reproduction of *Helicoverpa armigera* (Lepidoptera: Noctuidae) under constant and alternating temperatures. *Environmental Entomology*. 37:16–28.
- Miyashita K, Frankel EN, Neff WE, Awl RA. 1990. Autoxidation of Polyunsaturated Triacylglycerols. III. Synthetic Triacylglycerols containing Linoleate and Linolenate. *Lipids*. 25:48–53.
- Morris RF, Miller C. 1954. The Development of life tables for the Spruce Bud Worm. *Canadian Journal of Zoology*. 32:283–301.
- Morsy TA, Rahem MA, Allam KA. 2001. Control of *Musca domestica* third instar larvae by the latex of *Calotropis procera* (Family: Asclepiadaceae). *Journal of Egyptian Society of Parasitology*. 31:107–110.
- Mosher E. 1915. A classification of the lepidoptera based on characters of the pupa. *Bulletin of the Illinois State Laboratory of Natural History*. Vol. XII, Art. II.
- Mukherjee S. 2003. Influence of plant allelochemicals on growth rate, nutritional physiology and mid-gut esterase activity in fifth instar larvae of *Spodoptera litura* (F.) (Lepidoptera: Noctuidae). *Invertebrate. Reproduction and Development*. 43:125–132.
- Mukherji MK, LeRoux EJ. 1969. A study in the energetic of *Podisus maculiventris* (Hemiptera: Pentatanidae). *Canadian Entomologists*. 104:1223–1228.

- Mukherjee MK, Guppy JC. 1970. A qualitative study of food consumption and growth in *Pseudaletia unipuncta* (Lepidoptera: Noctuidae). Canadian Entomologist. 102:1179–1188.
- Mukhopadhyay A, Das S, Roy S, Saha D. 2014. Stress induced changes in the pests of tea plantations of sub Himalayan Terai-Dooars region: An appraisal. Two and a Bud. 60(2):30–42.
- Mukhopadhyay A, De D, Khewa (Subba) S. 2010. Exploring the biocontrol potential of naturally occurring bacterial and viral entomopathogens of defoliating lepidopteran pests of tea plantation. Journal of Biopesticides. 3(special issue):117–120.
- Mukhopadhyay A, De D, Sarker M, Bambawale OM. 2007. New record of Baculovirus in *Buzura suppressaria* Guen. in India. Natural Product Radiance. 6(5):375–376.
- Mukhopadhyay A, Khewa (Subba) S, De D. 2011. Characteristics and virulence of NPV isolated from *Hyposidra talaca*. International Journal of Tropical Insect Science. 31(1-2):13–19.
- Mukhopadhyay A, Roy S. 2009. Changing dimensions of IPM in the tea plantations of the north eastern sub-Himalayan region. In: Proceedings of National symposium on IPM strategies to combat emerging pests in the current scenario of climate change, Entomological Society of India, IARI, New Delhi.
- Mullin CA. 1985. Detoxification enzyme relationships in arthropods of differing feeding strategies. In: Hedin PA, editor. Bioregulators for Pest Control, ACS Symposium Series, vol. 276, American Chemical Society, Washington DC.
- Mullin CA. 1988. Adaptive relationships of epoxide hydrolase in herbivorous arthropods. Journal of Chemical Ecology. 14(10):1867–1888.
- Muraleedharan N. 1992. Pest control in Asia. In: Wilson KC, Clifford MN, editors. Tea: Cultivation to Consumption. London: Chapman & Hall.

- Murata M. 2001. Reproduction on Long-Distance Migration in the Common Cutworm, *Spodoptera litura*. Ph.D. Dissertation, United Graduate School Agriculture, Kagoshima University (In Jaapnese).
- Muthukrishnan J, Pandian TN. 1987. Insecta. In: Pandian TJ, Vernberg FJ, editors. Animal Enegetics (Protozoan through Insecta). New York: Academic Press.
- Nair N, Sekh K, Debnath MR, Dhar PP, Somchoudhury AK. 2008. Biology of *Hyposidra* Walk. (Lepidoptera: Geometridae), a resurgent looper pest of tea. *Journal of Entomological Research*. 32(1):67–70.
- Naseri B, Fathipour Y, Moharramipour S, Hosseininaveh V. 2009. Comparative life history and fecundity of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) on different soybean varieties. *Entomological Science*. 12:147–154.
- Naseri B, Fathipour Y, Moharramipour S, Hosseininaveh V. 2010. Nutritional indices of the cotton bollworm, *Helicoverpa armigera*, on 13 soybean varieties. *Journal of Insect Science*. 10:151.
- Naseri B, Fathipour Y, Moharramipour S, Hosseininaveh V. 2011. Comparative reproductive performance of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) reared on thirteen soybean varieties. *Journal of Agriculture Science and Technology*. 13:17–26.
- Nasu Y, Arita Y, Kimura M, Ogata A. 2004. Some lepidopterous pests of eucalyptus trees from Japan. *Japanese Journal of Applied Entomology and Zoology*. 48(2):123–133.
- Nathan SS, Chung PG, Murugan K. 2005. Effect of biopesticides applied separately or together on nutritional indices of the rice leaf folder *Cnaphalocrocis medinalis*. *Phytoparasitica*. 33:187–195.
- Nation JL. 2001. *Insect Physiology and Biochemistry*. Boca Raton, Florida: CRC Press.
- Ngatimin SNA, Saranga AP, Agus N, Achmad A, Ridwan I. 2014. Two artificial diet formulations for *Troides helena* Linne larvae (Lepidoptera: Papilionidae) in

Bantimurung-Bulusaraung National Park, South Sulawesi. International Journal of Science and Technology Research. 3(7):170–173.

Nijhout HF, Williams CM. 1974. Control of moulting and metamorphosis in the tobacco hornworm *Manduca sexta* (L.): growth of the last instar larva and the decision to pupate. Journal of Experimental Biology. 61:481–491.

Otvos IS, Clarke LJ, Durling DS. 1982. A history of recorded hemlock looper outbreaks in Newfoundland. Information Report, Canadian Forestry Service.

Ozbek H, Calmasur O. 2010. Spotted ash looper, *Abraxas pantaria* (L.) (Lepidoptera: Geometridae), a new ash pest in Turkey. Turkish Journal of Zoology. 34:351–358.

Paraiso O, Smith TR, Hight SD, Davis BJ. 2014. Rearing a Native Cactus Moth, *Melitara prodenialis* (Lepidoptera: Pyralidae), on Artificial Diet and *Opuntia* Cladodes: Preliminary Comparisons. Florida Entomologist. 97(3):1232–1236.

Parra JRP, Panizzi AR, Haddad ML. 2012. Nutritional indices for measuring insect food intake and utilization. In: Panizzi AR, Parra JRP, editors. Insect Bioecology and Nutrition for Integrated Pest Management. Boca Raton, London, New York: CRC Press.

Parra JRP. 2012. The Evolution of Artificial Diets and their Interactions in Science and Technology. In: Panizzi AR, Parra JRP, editors. Insect Bioecology and Nutrition for Integrated Pest Management. London, New York: CRC Press.

Parra JRP. 2007. Técnicas de Criação de Insetos para Programa de Controle Biológico. Piracicaba: ESALQ/FEALQ. Brazil.

Parra JRP. 2008. Mass Rearing of Natural Enemies. Encyclopedia of Entomology. 2301–2305.

Pascua LT, Pascua EM. 2002. Life table of cotton bollworm, *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) in Batac, Llocos Norte, Philippines. Philipp Journal of Science. 131:75–89.

Penilla RP, Rodriguez AD, Hemingway J, Trezo A, Lopez AD, Rodriguez MH. 2007. Cytochrome P450-based resistance mechanism and pyrethroid

- resistance in the field *Anopheles albimanus* resistance management trial. *Pesticide Biochemistry and Physiology*. 89:111–117.
- Perez CJ, Shelton AM. 1997. Resistance of *Plutella xylostella* (Lepidoptera: Plutellidae) to *Bacillus thuringiensis* Berliner in Central America. *Journal of Economic Entomology*. 90(1):87–93.
- Peterson A. 1964. *Entomological techniques. How to work with insects*. Edward Brothers, Inc., Ann Arbor, Michigan.
- Petrusewicz K, MacFadyen A. 1970. *Productivity of Terrestrial Animals: Principle and Methods*. IBP Handbook No. 13. Blackwell Scientific Publications, Oxford, UK.
- Pljushch IG, Dolinskaya IV. 2003. Morphological characters of the pupae of some tiger moths (Lepidoptera: Arctiidae) of Far East Russia. *Vestnik zoologii*. 37(1):79–84.
- Ponnuvel KM, Nakazawa H, Furukawa S, Asaoka A, et al. 2003. A lipase isolated from the silkworm *Bombyx mori* shows antiviral activity against nucleopolyhedrovirus. *Journal of Virology*. 77:10725–10729.
- Powell G, Tosh CR, Hardie J. 2006. Host plant selection by aphids: behavioral, evolutionary and applied perspectives. *Annual Review of Entomology*. 51:309–330.
- Poykoo H, Hyvarinen M. 2011. To grow fast or to grow big? Time-limited larvae of *Eilema depressum* speed up their growth and reduce number of instars. *Entomologia Experimentalis et Applicata*. 142:145–152.
- Pradhan B, Sarkar M, Mukhopadhyay A. 2006. Development, reproduction and nutritional ecology of *Euproctis latisfascia* (Lepidoptera: Lymantriidae) on artificial diet and a natural host plant, *Camellia sinensis*. *International Journal of Tropical Insect Science*. 26(3):190–196.
- Prakash A, Rao J. 1999. Age specific fecundity, life-table and intrinsic rate of increase of Malaysian Black Bug, *Scotinophora coarctata* Fabricus. *Entomon*. 24(2):191–194.

- Prasad AK, Mukhopadhyay A. 2013. A Technique to Measure the Loss in Tea Crop by the Defoliating Pest (*Hyposidra talaca* Walker) on the Basis of Dry mass and Leaf-area Parameters. *International Journal of Bio-resource and Stress Management*. 4(2) Special:358–361.
- Prasad AK, Mukhopadhyay A. 2015a. First attempt of complete rearing of tea looper, *Biston (=Buzura) suppressaria*, on artificial and natural diet. *Proceedings of National Academy of Science. India Section B: Biological Sciences*. DOI: 10.1007/s40011-015-0532-y.
- Prasad AK, Mukhopadhyay A. 2015b. Fitness traits of the tea defoliator, *Hyposidra talaca* (Walker, 1860) (Lepidoptera: Geometridae) on natural and artificial diets in relation to gut enzymes and nutritional efficiencies. *Annales de la Société Entomologique de France*. 51(2):145–152.
- Prasad AK, Mukhopadhyay A. 2016. Growth, nutritional indices and digestive enzymes of *Hyposidra infixaria* Walker (Lepidoptera: Geometridae) on artificial and natural (tea) diets. *Journal of Asia-Pacific Entomology*. 19:167–172.
- Proverbs MD, Newton JR, Campbell CJ. 1982. Codling moth: a pilot program of control by sterile insect release in British Columbia. *Canadian Entomologist*. 114:363–376.
- Quinn P, Arnold DT. 2009. Developing and Implementing an Integrated Pest Management Program in Schools and Day Care Centers. *Structural Pest control*. State of Illinois Department of Public Health, State of Illinois.
- Rahman A, Bhola RK. 2012. Population dynamics of looper caterpillar, *Buzura suppressaria* Guen a major pest of tea and its larval endoparasitoid *Apanteles taprobanae* (Hymenoptera: Braconidae) Cameron. *Two and a Bud*. 59:39–42.
- Rath SS. 2010. Food Utilization efficiency in *Antheraea mylitta* fed on *Terminalia arjuna* leaves. *Academic Journal of Entomology*. 3(1):23–28.
- Raubenheimer D, Simpson SJ. 1999. Integrating nutrition: a geometrid approach; *Entomologia Experimentalis et Applicata*. 91:67–82.

- Reinecke JP. 1985. Nutrition: Artificial diets. In: Kerkut GA, Gilbert LI, editors. Comprehensive insect physiology, biochemistry and pharmacology. Pergamon: Oxford.
- Rezapanah M, Shojai-Estrabragh S, Jehle JA, Huber J. 2008. Molecular and biological characterization of new isolates of *Cydia pomonella* granulovirus (CpGV) from Iran. *Journal of Pest Science*. 81:187–191.
- Rizvi SJM, Raman A. 2015. *Epiphyas postvittana* (Lepidoptera: Tortricidae)—*Botrytis cinerea* (Helotiales: Sclerotiniaceae)—*Vitis vinifera* (Vitales: Vitaceae) Interaction: The Role of *B. cinerea* on the development of *E. postvittana* in Synthetic Nutritional Media. *Journal of Economic Entomology*. 108(4):1646–1654.
- Robert SC, Quentin L, Wharton RA. 2009. Insects reared from the wild fruits of Kenya. *Journal of East African Natural History*. 98:11–66.
- Rock GC, Patton RL, Glass EH. 1965. Studies of the fatty acid requirements of *Argyrotaenia velutinana* (Walker). *Journal of Insect Physiology*. 11:91–101.
- Roy S, Gurusubramanian G, Mukhopadhyay A. 2009. Variation of resistance to endosulfan in tea mosquito bug, *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) in tea plantation of the Sub-Himalayan Dooars, northern West Bengal, India. *Journal of Entomology and Nematology*. 1:29–35.
- Rogers DJ, Winks CJ. 1993. Quality control in laboratory-reared codling moth at Mt Albert Research Centre, Auckland, New Zealand. In: Nicoli G, Benuzzi M, Leppla NC, editors. Proceedings of 7th Workshop of the IOBC Global Working Group “Quality Control of Mass Reared Arthropods” 13–16 September 1993, Rimini, Italy.
- Rugman-Jones PF, Hoddle MS, Stouthamer R. 2010. Nuclear-mitochondrial barcoding exposes the global pest western flower thrips (Thysanoptera: Thripidae) as two sympatric cryptic species in its native California. - An Overview of Chilli Thrips, *Scirtothrips dorsalis* (Thysanoptera: Thripidae) Biology, Distribution and Management. *Journal of Economic Entomology*. 103(3):877–886.

- Sabhat A, Malik MA, Malik FA, Sofi AM, Mir MR. 2011. Nutritional efficiency of selected silkworm breeds of *Bombyx mori* L. reared on different varieties of mulberry under temperate climate of Kashmir. African Journal of Agricultural Research. 6(1):120–126
- Salinas AE, Wong MG. 1999. Glutathione S-transferases: a review. Current Medical Chemistry. 6:279–309.
- Sandhu HS, Nuessly GS, Webb SE, Cherry RH, Gilbert RA. 2010. Life table studies of *Elasmopalpus lignosellus* (Lep. Pyralidae) on sugarcane. Environmental Entomology. 39:2025–2032.
- Sarker M, Pradhan B, Mukhopadhyay A. 2007. Feeding biology and digestive enzymes of *Buzura suppressaria* Guen. and *Eterusia magnifica* Butl., two major defoliating pests of *Camellia sinensis* from Darjeeling plains, India. Munis Entomology & Zoology. 2(1):29–38
- Sato R. 2007. The genus *Ectropis* (Geometridae, Ennominae) in Indonesia, with descriptions of two new species. Transactions of the Lepidopterological Society of Japan. 58(2):205–214.
- Schoonhoven LM, Jermy T, van Loon JJA. 1998. Insect-plant biology from physiology to evolution. New York: Chapman & Hall.
- Schoonhoven LM, van Loon JJA, Dicke M. 2005. Insect–Plant Biology. New York: Oxford University Press.
- Schoonhoven LM. 1972. Secondary plant substances and insects. In: Runeckles VC, Tso TC, editors. Structural and Functional aspects of phytochemistry: Recent advances in phytochemicals. New York London: Academic Press.
- Scott JG, Liu N, Wen ZM. 1998. Insect cytochromes P450: diversity, insecticide resistance and tolerance to plant toxins. Comparative Biochemistry and Physiology. 121C:147–155.
- Scriber JM, Lintereur GL, Evans MH. 1982. Foodplant suitabilities and a new oviposition record for *Papilio glaucus canadensis* (Lepidoptera: Papilionidae) in northern Wisconsin and Michigan. Great Lakes Entomologist. 15:39–46.

- Scriber JM, Slansky FJr. 1981. The nutritional ecology of immature insects. *Annual Review of Entomology*. 26:183–211.
- Senthil-Nathan S, Man-Young C, Chae-Hoon P, Hong-Yul S. 2007. Food consumption, utilization, and detoxification enzyme activity of the rice leaf roller larvae after treatment with *Dysoxylum* triterpenes. *Pesticides Biochemistry and Physiology*. 88:260–267.
- Shakeri M. 2004. A review on investigations on pomegranate neck worm in Iran. In: A proceeding on evaluation of finding and current problems associated with *Spectrobates ceratoniae* management in pomegranate. Ministry of Jihad-e-agriculture, organization of research and education, Yazd agriculture and natural resources research center, Iran.
- Shapiro JP. 1992. Assimilation, Transport, and Distribution of Molecules in Insects from Natural and Artificial Diets. In: Anderson TE, Leppla NC, editors. *Advances in insect rearing for research and pest management*. New Delhi: Oxford and IBH Publishing Co. Pvt. Ltd.
- Shapiro M, Owens CD, Bell RA, Wood HA. 1981. Simplified, efficient system for in vivo mass production of gypsy moth nucleopolyhedrosis virus. *Journal of Economic Entomology*. 74:110–111.
- Shen TC, Tseng CM, Guan LC, Hwang SY. 2006. Performance of *Lymantria xylenae* (Lepidoptera: Lymantriidae) on artificial and host plant diets. *Journal of Economic Entomology*. 99(3):714–721.
- Shen WD. 1986. Effect of different rearing temperature I the fifth instar larvae of Silkworm on the nutritional metabolism and dietary efficiency II Digestion and utilization of dietary efficiency Crude protein. *Science Sericulture*. 12 (3):72–76.
- Shorey HH, Hale RL. 1965. Mass-rearing of the larvae of nine noctuid species on a simple artificial medium. *Journal of Economic Entomology*. 58:522–524.
- Simpson SJ, Raubenheimer D. 1993. A multi-level analysis of feeding behaviour: The geometry of nutritional decisions. *Philosophical Transactions of the Royal Society of London Series B: Biological Sciences*. 342(1302):381–402.

- Singh P. 1977. Artificial diet for insects, mites and spiders. IFI Plenum. New York
- Singh SM, Cunningham TK. 1981. Morphological and genetic differentiation in aphids (Aphididae). *Canadian Entomologist*. 113:539–550.
- Sinu PA, Mandal P, Antony B. 2011. Range expansion of *Hyposidra talaca* (Geometridae: Lepidoptera), a major pest, to Northeastern Indian tea plantations: change of weather and anti-predatory behaviour of the pest as possible causes. *International Journal of Tropical Insect Science*. 31(4):242–248.
- Sinu PA, Mandal P, Banerjee D, Mallick S, Talukdar T, Pathak SK. 2012. Moth pests collected in light traps of tea plantations in North East India: species composition, seasonality and effect of habitat type. *Current Science*. 104(5):646–651.
- Sivakumar S, Mohan M, Franco OL, Thayumanavan B. 2006. Inhibition of insect pest α -amylases by little and finger millet inhibitors. *Pesticide Biochemistry and Physiology*. 85:155–160.
- Slansky F, Scriber JM. 1985. Food consumption and utilization. In: Kerkut GA, Gilbert LI, editors. *Comprehensive Insect Physiology Biochemistry and Pharmacology, Regulation: Digestion, Nutrition, Excretion*. Oxford: Pergamum Press.
- Slansky F Jr, Wheeler GS. 1992. Caterpillars compensatory feeding response to diluted nutrients leads to toxic allelochemicals dose. *Entomologia Experimentalis et Applicata*. 65:171–186.
- Slansky Jr.F, Rodriguez JG. 1987. Nutritional ecology of insects, mites, spiders and related invertebrates: An overview. In: Slansky Jr.F, Rodriguez JG, editors. *Nutritional Ecology of insects, mites, spiders and related invertebrates*. New York: John Wiley and Sons.
- Slansky Jr.F. 1990. Insect nutritional ecology as a basis for studying host plant resistance. *Florida Entomologist*. 73:359–378.
- Snodgrass RE. 1935. *Principle of Insect Morphology*. McGraw Hill, New York.

- Soderlund DM, Bloomquist JR. 1990. Molecular mechanisms of insecticide resistance, In: Roush RT, Tabashnik BE, editors. Pesticide Resistance in Arthropods. New York: Chapman and Hall.
- Sogbesan AO, Ugwumba AAA. 2008. Nutritional evaluation of termite (*Macrotermes subhyalinus*) meal as animal protein supplements in the diets of *Heterobranchius longifilis* (Valenciennes, 1840) fingerlings. Turkish Journal of Fisheries and Aquatic Science. 8:149–157.
- Somchoudhury AK, Nair N, Tudu B, Debnath MR, Dey PK. 2010. Studies on the alternate host plants of *Hyposidra infixaria* Walk. (Lepidoptera: Geometridae), a resurgent looper pest of tea. Journal of Entomological Research. 34(3):271–274.
- Somchoudhury AK, Nair N, Tudu B, Debnath MR, Dhar PP. 2011. Effects of some common natural enemies and neem formulations on *Hyposidra infixaria* Walk. (Lepidoptera: Geometridae), a resurgent looper pest of tea. Journal of Entomological Research. 35(1):9–13.
- Song YY, Zhou DR, He KL. 1999. Studies on mass rearing of Asian corn borer: development of a satisfactory non-agar semi-artificial diet and its use. Acta Phytophylacica Sinica. 26(4):324–328.
- Soo Hoo CF, Fraenkel G. 1966. The consumption, direction and utilization of food plants by a polyphagous insect, *Prodenia eridania* (Cramer). Journal of Insect Physiology. 12:711–730.
- Sorensen JG, Addison MF, Terblanche JS. 2012. Mass-rearing of insects for pest management: Challenges, synergies and advances from evolutionary physiology. Crop Protection. 38:87–94.
- Sorour MA, Khamiss O, Abd El-Wahab AS, El-Sheikh MAK, Abul-Ela S. 2011. An Economically Modified Semi-Synthetic Diet for Mass Rearing the Egyptian Cotton Leaf Worm *Spodoptera littoralis*. Academic Journal of Entomology. 4(3):118–123.
- Southwood TRE. 1978. Ecological Methods. Chapman & Hall, London.

- Sree KS, Varma A, 2015. Biocontrol of Lepidopteran Pests: Use of Soil Microbes and their Metabolites. Springer.
- Srinivasan R, Uthamasamy S. 2005. Studies to elucidate antibiosis resistance in selected tomato accessions against fruitworm, *Helicoverpa armigera* Hubner. Resistant Pest Management Newsletter. 14:24–26.
- Srivastava N, Mukhopadhyay A. 2006. Nutritional ecology of *Chrysomela chlorina* Maulik (Coleoptera: Chrysomelidae) on large Cardamom (*Amomum subulatum* Roxb.) and its shade tree, *Alnus nepalensis* D.Don in the agroforestry systems of Sikkim. Journal of Plantation Crop. 34(3):446–448.
- Stockhoff BA. 1993. Ontogenic Changes in Dietary Selection for Protein and Lipid by Gypsy Moth Larvae. Journal of Insect Physiology. 39:677–686.
- Subramanian S, Mohankumar S. 2006. Genetic variability of the bollworm, *Helicoverpa armigera*, occurring on different host plants. Journal of Insect Science. 6:1–8.
- Sujatha S, Joseph B. 2011. Development of Tapioca Based Oligidic Diet and its Effects of Mass Rearing Performance (Biology) on Lepidopteran Pest of *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). Journal of Entomology. 8:174–182.
- Sutherland DW, Greene SGL. 1984. Cultivated and wild host plants. In: Lingren PD, Greene GL, editors. Suppression and management of cabbage looper populations. USDA Technical Bulletin 1684.
- Syed TS, Abro GH, Khanum A, Sattar M. 2011. Effects of Host plants on the biology of *Earias vittella* (Fab) (Noctuidae: Lepidoptera) under laboratory conditions. Pakistan Journal of Zoology. 43(1):127–132.
- Tan-Kristanto A. 2006. Characterisation of lipase genes in *Helicoverpa armigera*. Ph.D. Thesis, Faculty of Science, Genetics, University of Melbourne, Australia.
- Teffer G, Allotey J, Mpuchane S, Gashe BA. 2000. The nutritional status of three species of plant leaves as food for the larvae of '*Imbrasia belina*', an edible caterpillar. Botswana Notes and Records. 32:143–150.

- Teimouri N, Sendi JJ, Zibae A, Khosravi R. 2014. Feeding indices and enzymatic activities of carob moth *Ectomyelois ceratoniae* (Zeller) (Lepidoptera: pyrallidae) on two commercial pistachio cultivars and an artificial diet. *Journal of the Saudi Society of Agricultural Sciences*. 14(1):76–82.
- Timm AE, Warnich L, Geertsema. 2008. Morphological and molecular identification of economically important Tortricidae (Lepidoptera) on deciduous fruit tree crops in South Africa. *African Entomology*. 16(2):209–219.
- Tiwari S, Pelz-Stelinski K, Mann RS, Stelinski LL. 2011. Glutathione-*S*-transferase and cytochrome P450 activity levels in *Candidatus liberibacter asiaticus*-infected and uninfected Asian citrus psyllid, *Diaphorina citri*. *Annals of the Entomological Society of America*. 104:297–305.
- Tomizawa V. 1922. Noxious Insects of Mulberry trees in the Region of Iga. (in Japanese) *Konchu Sek (Insect World)*. 26(10):335–340. (1970. *Review of Applied Entomology*. 14:142).
- Turunen S. 1985. Absorption. In: Kerkut GA, Gilbert LI, editors. *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. New York: Pergamon Press.
- van Asperen K. 1962. A study of house fly esterases by means of sensitive colorimetric method. *Journal of Insect Physiology*. 8:401–406.
- van Loon JJA, Frenz WH. 1991. Electro-antennogram responses to plant volatiles in two species of *Pieris* butterflies. *Entomologia Experimentalis et Applicata*. 62:253–260.
- Vanderzant ES. 1966. Defined diets for phytophagous insects. In: Smith CN, editor. *Insect colonization and mass production*. New York, London: Academic Press.
- Vanderzant ES, Kerur D, Reiser R. 1957. The role of dietary fatty acids in the development of the pink bollworm. *Journal of Economic Entomology*. 50:606–608.
- Vanderzant ES. 1974. Development, significance, and application of artificial diets for insects. *Annual Review of Entomology*. 19:139–160.

- Versoi PL, French LK. 1992. The establishment of commercial insectaries. In: Anderson TE, Leppla NC, editors. *Advances in Insect Rearing for Research and Pest Management*. New Delhi: Westview Press.
- Via S. 1991. The genetic structure of host plant adaptation in a spatial patchwork—demographic variability among reciprocally transplanted pea aphid clones. *Evolution*. 45:827–852.
- Vreysen MJB, Carpenter JE, Marec F. 2010. Improvement of the sterile insect technique for codling moth *Cydia pomonella* (Linnaeus) (Lepidoptera Tortricidae) to facilitate expansion of field application. *Journal of Applied Entomology*. 134:165–181.
- Waldbauer GP. 1968. The Consumption and Utilisation of Food by Insects. *Advances in Insect Physiology*. 5:229–288.
- Walter HE. 1984. Proteinases: methods with haemoglobin, casein and azocoll as substrates. In: Bergmeyer HU, editor. *Methods of Enzymatic Analysis*. Weinheim, Germany: Verlag Chemie.
- Wang P, Lu PF, Zheng XL, Chen LZ, Lei CL, Wang XP. 2013. New artificial diet for continuous rearing of the Bean Pod Borer, *Maruca vitrata*. *Journal of Insect Science*. 13:121.
- Waters DG, Barfield CS. 1989. Larval development and consumption and utilization by *Anticarsia gemmatalis* (Lepidoptera: Noctuidae) fed various legume species. *Environmental Entomology*. 18:1006–1010.
- Watt G, Mann HH. 1903. The insect pests of tea of tea. In: *The pests and blights of tea plant*. Calcutta: Government Printing press.
- Weintraub H, Tietz A. 1973. Triglyceride digestion and absorption in the locust, locust a migratoria. *Biochimica et Biophysica Acta (BBA): Lipids and Lipid Metabolism*. 306(1):31–41.
- Wheeler GS, Slansky F, Yu SJ. 2001. Food consumption, utilization and detoxification enzyme activity of larvae of three polyphagous noctuid moth species when fed the botanical insecticide rotenone. *Entomologia Experimentalis et Applicata*. 98:225–239.

- Wigglesworth VB. 1972. The Principles of Insect Physiology. London: Chapman & Hall.
- Wigglesworth VB. 1984. Insect Physiology, 8th edition. Chapman and Hall.
- Winkler UK, Stuckmann M. 1979. Glycogen, hyaluronate, and some other polysaccharides greatly enhance the formation of exolipase by *Serratia marcescens*. Journal of Bacteriology. 138(3):663–670.
- Winotai A, Wright T, Goolsly JA. 2005. Herbivores in Thailand on *Rhodomyrtus tomentosa* (Myrtaceae), an invasive weed in Florida. Florida Entomologist. 88(1):104–105.
- Wu G, Chen FJ, Ge F. 2006. Response of multiple generations of cotton bollworm *Helicoverpa armigera* Hübner, feeding on spring wheat, to elevated CO₂. Journal of Applied Entomology. 130:2–9.
- www.mothsofborneo.com (August 2009).
- www.indiatea.org/tea_growing_regions.php (June 2015).
- Yan FM, Xu CG, Li SG, Lin CS, Li JH. 1995. Effects of DIMBOA on several enzymatic systems in Asian corn borer, *Ostrinia furnacalis* (Guenee). Journal of Chemical Ecology. 21:2047–2056.
- Yazlovetsky IG. 1992. Development of artificial diets for entomophagous insects by understanding their nutrition and digestion. In: Anderson TE, Leppla NC, editors. Advances in insect rearing for research and pest management. New Delhi: Oxford and IBH Publishing Co. Pvt. Ltd.
- Yin J, Sun Y, Wu G, Ge F. 2010. Effects of elevated CO₂ associated with maize on multiple generations of the cotton bollworm, *Helicoverpa armigera*. Entomologia Experimentalis et Applicata. 136:12–20.
- Yin J, Sun Y, Wu G, Parajulee MN, Ge F. 2009. No effects of elevated CO₂ on the population relationship between cotton bollworm, *Helicoverpa armigera* Hübner (Lepidoptera: Noctuidae), and its parasitoid, *Microplitis mediator* Haliday (Hymenoptera: Braconidae). Agriculture Ecosystem & Environment. 132:267–275.

- Yoshinaga N, Alborn HT, Nakanishi T, Suckling DM, Nishida R, Tumlinson JH, Mori N. 2010. Fatty acid-amino acid Conjugates Diversification in Lepidopteran Caterpillars. *Journal of Chemical Ecology*. 36:319–325.
- Zalucki MP, Clarke AR, Malcolm SB. 2002. Ecology and behaviour of first instar larval lepidoptera. *Annual Review of Entomology*. 47:361–393.
- Zhu Z, Yin F, Liu X, Hou D, Wang J, Zhang L, et al. 2014. Genome Sequence and Analysis of *Buzura suppressaria* Nucleopolyhedrovirus: A Group II *Alphabaculovirus*. *PLoS ONE*. 9(1): e86450. doi:10.1371/journal.pone.0086450.
- Zibae A, Bandani AR, Kafil M, Ramzi S. 2009. Characterization of α -amylase in the midgut and the salivary glands of rice striped stem borer, *Chilo suppressalis* Walker. (Lepidoptera: Pyralidae). *Journal of Asia-Pacific Entomology*. 11(4):201–205.