

## 9. INDEX

$\alpha$ -Naphthol, 50  
 $\alpha$ -Naphthyl acetate,

1-chloro-2, 4- dinitrobenzene (CDNB),  
50  
3,5- dinitro salicylic acid (DNS), 49

### A

Approximate Digestibility (AD), 16, 47  
*B. suppressaria*, 78, 79, 93, 94  
*H. infixaria*, 83, 84, 85, 99  
*H. talaca*, 80, 81, 82, 96, 97

### Adult

*B. suppressaria*, 53  
Emergence, 45  
*H. infixaria*, 56  
*H. talaca*, 55  
Key, 60  
Mating, 122  
Agar, 44, 63, 67, 70, 71  
Alphacel (Cellulose powder), 44, 63,  
67, 70, 71

### Amylase,

Assay, 49  
*B. suppressaria*, 103  
*H. infixaria*, 113  
*H. talaca*, 108  
Ascorbic acid, 44, 63, 67, 70, 71  
*Ascotis* sp, 7, 9, 22

### C

Casein, 44, 63, 67, 70, 71  
Cholesterol, 44, 63, 67, 70, 71  
Choline chloride, 44, 63, 67, 70, 71  
*Cleora* sp, 7, 9, 22  
CobaDex, 70  
Cytochrome P450 (CYP450), 17, 30  
Assay, 51  
*B. suppressaria*, 107  
*H. infixaria*, 117  
*H. talaca*, 111

### D

Developmental traits, 15, 25, 46  
On Natural diets,  
*B. suppressaria*, 77  
*H. infixaria*, 83  
*H. talaca*, 80  
On Synthetic diet,

*B. suppressaria*, 91  
*H. infixaria*, 97  
*H. talaca*, 96  
Dextrose, 44, 63, 67, 70, 71, 118, 135

### E

Efficiency of Conversion of Digested  
food (ECD), 16, 24

*B. suppressaria*, 79, 93, 94  
*H. infixaria*, 83, 84, 99  
*H. talaca*, 80, 81, 96

Efficiency of Conversion of Ingested  
food (ECI), 16, 24

*B. suppressaria*, 79, 93, 94  
*H. infixaria*, 83, 84, 99  
*H. talaca*, 80, 81, 96

*Ectropis* sp, 7, 9, 21, 22

### Eggs,

*B. suppressaria*, 53  
*H. infixaria*, 55  
*H. talaca*, 56  
Key, 59  
Sterilization, 122

### Esterase, 17, 30,

Assay, 50  
*B. suppressaria*, 107  
*H. infixaria*, 113  
*H. talaca*, 111

### Ethanol, 51

Ethylenediaminetetraacetic Acid  
(EDTA), 51  
Evion, 70

### F

Fast blue BB salt, 50  
Folic acid, 63, 64, 70, 71, 72  
Food Utilization efficiencies, 15, 22, 23  
*B. suppressaria*, 79, 93  
*H. infixaria*, 83, 99  
*H. talaca*, 80, 96  
Fructose, 49, 118

### G

Geometridae (Looper), 5, 7  
Collection, 40  
Damage symptoms, 7  
Rearing, 40  
Systematic position, 6  
Glucose, 29, 49  
Glutathione- *S*-transferases (GST), 17,  
Assay, 51

- B. suppressaria*, 107  
*H. infixaria*, 117  
*H. talaca*, 112  
 Gum Arabic, 50
- H**
- H<sub>2</sub>O<sub>2</sub>, 51
- I**
- Identification key, 53, 59  
     Preparation, 47  
 Inositol, 63, 70, 71, 72  
 Insect culture,  
     Maintenance, 43, 121  
     Standardization, 121  
     Sterilization, 42, 121  
 Invertase, 29,  
     Assay, 49  
     *B. suppressaria*, 103  
     *H. infixaria*, 113  
     *H. talaca*, 111
- L**
- Larva,  
     *B. suppressaria*, 53  
     *H. infixaria*, 56  
     *H. talaca*, 55  
     Key, 59  
 Linoleic acid, 44, 63, 64, 67, 70, 71, 73, 74, 75  
 Linolenic acid, 63, 64, 67, 71, 74, 75, 76  
 Linseed oil, 63, 64, 67, 71, 74, 75,
- M**
- Maltose, 49  
 Maintenance Cost (MC), 16  
     *B. suppressaria*, 79, 93, 94  
     *H. infixaria*, 83, 84, 99  
     *H. talaca*, 80, 81, 96
- N**
- Needlewood: *Schiima wallichii*, 14
- P**
- Production Index (PI), 16  
     *B. suppressaria*, 79, 93, 94  
     *H. infixaria*, 83, 84, 99  
     *H. talaca*, 80, 81, 96  
*p*-nitrophenol (*p*NP), 50  
*p*-nitrophenyl palmitate (*p*NPP), 50
- Potassium sorbate, 44, 63, 67, 70, 71  
 Protease, 17, 29  
     Assay, 49  
     *B. suppressaria*, 103  
     *H. infixaria*, 113  
     *H. talaca*, 111  
 Protein estimation, 51  
 Pupae,  
     *B. suppressaria*, 53  
     *H. infixaria*, 56  
     *H. talaca*, 55  
     Key, 59
- R**
- Relative Consumption Rate (RCR), 15, 47  
     *B. suppressaria*, 78, 79, 93, 94  
     *H. infixaria*, 83, 85, 99  
     *H. talaca*, 80, 81, 82, 96, 97  
 Rearing, 11  
     Complete rearing, 11  
     Mass rearing, 8, 17, 32, 38, 101  
     Partial/ incomplete rearing, 11  
     Types, 11  
 Relative Growth Rate (RGR), 15, 47  
     *B. suppressaria*, 78, 79, 93, 94  
     *H. infixaria*, 83, 84, 85, 99  
     *H. talaca*, 80, 81, 82, 96, 97
- S**
- Sodium acetate, 51  
 Sodium alginate, 44, 63, 67, 70, 71  
 Sodium deoxycholate, 50  
 Sodium phosphate buffer, 51  
 Starch, 49  
 Sucrose, 29, 44, 49, 63, 67, 70, 71  
 Survivorship, 46  
     *B. suppressaria*, 93  
     *H. infixaria*, 98  
     *H. talaca*, 95  
 Synthetic (Artificial) Diets, 12  
     Components, 71  
     Composition, 70  
     Holidic diets, 12  
     Meridic diets, 12  
     Oligidic diets, 12  
     Preparation, 44  
     Utility, 32
- T**
- TCA (Trichloroacetic acid), 49

Tea: *Camellia sinensis*, 1  
    Agro-climate, 2  
    Tea ecosystem, 4  
TMBZ, 51  
Tyrosine, 50

**V**

Vitamin E, 64, 71, 72, 73, 74

**W**

Wesson's salt mixture, 44, 63, 67,  
Wheat germ oil, 44, 63, 67, 70, 71