

Chapter 7

BIBLIOGRAPHY

- Ababutain IM, Aziz ZKA, Al-Meshhen NA.** Lincomycin antibiotic biosynthesis produced by *Streptomyces* sp. isolated from Saudi Arabia soil: taxonomical, antimicrobial and insecticidal studies on the producing organism. *Can J Pure Appl Sci.* **6(1):** 1739- , 2012.
- Abawi GS, Pastor-Corrales MA.** Root rots of beans in Latin America and Africa: Diagnosis, research methodologies, and management strategies. CIAT Publication No. **35**, Cali, Colombia.1990
- Abbas IH.** Biological and Biochemical Studies of Actinomycetes isolated from Kuwait Saline Soil. *J Appl Sci Res.* **2(10):** 809-815, 2006.
- Abeyasinghe S.** Biological control of *Fusarium solani* f. sp. *phaseoli* the causal agent of root rot of bean using *Bacillus subtilis* CA32 and *Trichoderma harzianum* RU01. *Ru J Sci.* **2:** 82-88. 2007.
- Agrios G.** *Plant Pathology*, 5th edition. Elsevier Academic Press. 2005.
- Akram A, Iqbal MS, Qureshi RA, Rauf CA.** Variability among isolates of *Sclerotium rolfsii* associated with collar rot disease of chickpea in Pakistan. *Pak. J. Bot,* **40(1):** 453-460.2008.
- Allay S and Chakraborty BN.** Activation of defense response of mandarin plants against *Fusarium* root rot disease using *Glomus mosseae* and *Trichoderma hamatum.* *J Mycol Pl Pathol,* **40 (4):** 499-511. 2010.
- Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W and Lipman DJ.** Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.***25:**3389-3402, 1997.
- Anitha A and Rabeeth M.** *In vitro* Antifungal Activity of *Streptomyces griseus* Against Phytopathogenic Fungi of Tomato Field. *Aca J Pl Sci* **2 (2):** 119-123.2009

- Anitha A and Rabeeth M.** Degradation of fungal cell walls of phytopathogenic fungi by lytic enzyme of *Streptomyces griseus*. *African J Pl Sci.* **4 (3)**:061-066, 2010
- Ara I, Bukhari NA, Perveen K and Bakir MA.** Antifungal activities of some actinomycetes isolated from Riyadh soil, Saudi Arabia: An evaluation for their ability to control *Alternaria* caused tomato blight in green house pot trial. *Afr J Agric Res.* **7(13)**: 2042-2050, 2012a
- Ara I, Rizwana H, Al-Othman MR and Bakir MA.** Studies of actinomycetes for biological control of *Colletotrichum musae* pathogen during post harvest anthracnose of banana. *Afr. J. Microbiol.Res.* **6(17)**3879-3886, 2012b.
- Ayari A, Morakchi H. and Djamilia KG** Identification and antifungal activity of *Streptomyces* sp. S72 isolated from Lake Oubeira sediments in North- East of Algeria. *Afr J Biotechnol.***11(2)**: 305-311. 2012.
- Aycock R.** Stem rot and other diseases caused by *Sclerotium rolfsii*. *NC Agric Exp Stn Tech Bull*, 174- 202. 1966.
- Balakrishna G, Shiva SA and Kumar PP.** Isolation of Phosphate Solubilizing Actinomycetes from Forest Soils of Mahabubnagar District. *IOSR J Pharma.* **2(2)** : 271-275, 2012
- Baniasadi F, Bonjar GH, Shahidi BA, Nik KA, Jorjandi M, Aghighi S. and Rashid PF** .Biological Control of *Sclerotinia sclerotiorum*, Causal Agent of Sunflower Head and Stem Rot Disease, by Use of Soil borne Actinomycetes Isolates. *American J Agri Biol Sci* **4 (2)**: 146-15,2009.
- Barakate, M, Ouhdouch Y , Oufdou Y and Beaulieu C.** Characterization of rhizospheric soil streptomycetes from Moroccan habitats and their antimicrobial activities. *World J. Microbiol. Biotechnol.* **18**: 49-54.2002
- Barka A, Belarbi EA, Hachet C, Nowak J, and Audran JC.** *Enhancement of in vitro growth and resistance to gray mould of Vitis vinifera cocultured with plant growth-promoting rhizobacteria.* *FEMS Microbiol. Lett.* **186**:91-95, 2000.
- Basha CSK and Rao SKRS.** An intrinsic assessment of bioactive potentiality of mangroves actinomycetes. *J. Entomol and Zool. Studies .* **5(1)**: 20-26, 2017

- Basilio A, Gonzalez I, Vicente MF, Gorrochategui, J, Cabello, A, Gonzalez, A, Genilloud O.** Patterns of antimicrobial activities from soil actinomycetes isolated under different condition of pH and salinity. *J. Appl. Microbiol.* **95**, 814–823, 2003.
- Behal V,** Bioactive products from *Streptomyces*. *Adv Appl Microbiol.***47**:113-157,2000
- Ben Rebah F, Tyagi RD, Prevost D.** Wastewater sludge as a substrate for growth and carrier for rhizobia: the effect of storage conditions on survival of *Sinorhizobium meliloti*. *Bioresour Technol.***83**:145–151, 2002.
- Berdy J.** Bioactive Microbial metabolites, a personal view. *J Antibiotics.* **58**: 1-26, 2005
- Bignell DR, Seipke RF, Huguet-tapia JC, Chambers AH, Parry RJ and Loria R.** *Streptomyces scabies* 87-22 contains a coronafacic acid like biosynthetic cluster that contributes to plant microbe interactions. *Mol Plant Microb Intract.***23**:161-175,2010
- Bilgi VN, Bradley CA, and Khot SD.** Response of Dry Bean Genotypes to Fusarium Root Rot, Caused by *Fusarium solani* f. sp. *phaseoli*, Under Field and Controlled Conditions . *Plant Disease.* **92 (81)**:197 -1200, 2008.
- Biswas KK and Sen C.** Management of stem rot of groundnut caused by *Sclerotium rolfsii* through *Trichoderma harzianum*. *Indian Phytopath.*, **53 (3)** : 290-295,2000
- Bloemberg, G. V. and Lugtenberg, B. J. J.** Molecular basis of plant growth promotion and biocontrol by rhizobacteria. *Curr. Opin. Plant Biol*, 2001, **4**, 343-352.
- Boller,T. and Mauch, F.** Colorimetric assay for chitinase. *Meth. Enzymol.* **161**:430-435.1998
- Bressan W.** Biological control of maize seed pathogenic fungi by use of actinomycetes. *Biocontrol.* **48**: 233-240, 2003

- Broetto F, Marchese JA, Leonardo M, Regina M.** Fungal elicitor-mediated changes in polyamine content, phenylalanine-ammonia lyase and peroxidase activities in bean cell culture. *Gen. Appl. Plant Physiology*. **31(3-4):**235-246, 2005.
- Buchanan RE and Gibbons NE .** *Bergey's Manual of Determinative Bacteriology*. (Eighth Edition), The Williams & Wilkins Co., Baltimore 1974
- Castillo UF, Strobel GA, Ford EJ, Hess WM Porter H, Jensen JB, Albert H, Robison R, Condron MAM, Teplow DB, Steevens D and Yaver D** *Munumbicins, wide-spectrum antibiotics produced by Streptomyces NRRL 30562, endophytic on Kennedia nigricans. Microbiol.* **148:**2675-2685. 2002.
- Chakraborty BN.** Scoping the potential uses of beneficial microorganisms for biopesticide industry and entrepreneurship development in crop protection. In: Perspectives of plant pathology in Genomic Era (Eds) P Chowdappa, P Sharma, D Singh and AK Misra, Today & tomorrow's printers and publishers, New Delhi. 335-355, 2016.
- Chakaraborty BN, Basu P, Das R, Saha A and Chakraborty U.** Detection of cross reactive antigen between *Pestalopsis theae* and tea leaves and their cellular location. *Ann. Appl. Biol.* **207:**11-21, 1995.
- Chakraborty BN and Saha A.** Detection and cellular location of cross-reactive antigens shared by *Camellia sinensis* and *Bipolaris carbonum*. *Physiol Mol Plant Pathol.* **44:** 403–416, 1994.
- Chakraborty BN, Acharya A and Chakraborty U.** Biochemical changes in *Persea bombycina* following infection with *Colletotrichum gloeosporioides*. *J. Mycopathol. Res*, **54(1):**127-133, 2016.
- Chakraborty BN, Sengupta D and Sharma M.** Serological relationship between *Exobasidium vexans* and *Camellia sinensis*. *Ind phytopathol* **62(1):** 19-26, 2009.
- Chakraborty, U. Chakraborty, B.N. and Kapoor, M..** Changes in levels of peroxidase and phenylalanine ammonia lyase in *Brassica napus* cultivars showing variable resistance to *Leptosphaeria maculans*. *Folia Microbiol.* **38:**491-496, 1993

- Charoensopharat K, Thummabenjapone P, Sirithorn P, Thammasirirak S.** Antibacterial substance produced by *Streptomyces* sp. No87. *Afr J Biotechnol* **7(9)**: 1362-1368. 2008.
- Chaudhary HS, Soni B, Shrivastava AR and Shrivastava S.** Diversity and versatility of actinomycetes and its role in antibiotic production. *J. Appl Pharma sci.* **3(8)**: 83-94, 2013
- Compant S, Duffy B, Nowak J, Clement C, Barka EA.** Use of plant growth promoting bacteria for Biocontrol of plant diseases: principles, mechanisms of action and future prospects. *Appl. Environ.Microbiol.* **71 (89)**: 4951- 4959. 2005.
- Coombs JT, Franco CMM.** Isolation and identification of actinobacteria from surface sterilized wheat roots. *Appl Environ. Microbiol.* **69(9)**: 5603-5608, 2003
- Costa GF, Zucchi DT and Melo de SI.** Biological Control of Phytopathogenic Fungi by Endophytic Actinomycetes Isolated from Maize (*Zea mays* L.) *Brazilian arc Biol Technol* **56(6)**:948-955, 2013.
- Couillerot O, Vatsa P, Loqman S, Ouhdouch Y, Jane H, Renault JH, Clement C and Barka EA.** Biocontrol and biofertilizar activities of the *Streptomyces anulatus* S37: an endophytic actinomycetes with biocontrol and plant growth promoting activities. *Biological Control of Fungal and bacterial plant Pathogens IOBC- WPRS Bulletin.* **86**:271-276, 2013
- Crawford DL, Lynch JM, Whipps JM and Ousley MA..** Isolation and characterization of Actinomycetes antagonists of a fungal pathogen. *Appl.Environ.Microbiol.* **59(11)** : 3899-3905.1993
- Cummins, C.S. and Harris, H. A.** Comparison of cell wall composition in *Nocardia*, *Actinomyces*, *Mycobacterium* and *Propionbacterium*. *J. Gen. Microbiol*, **15(9)**.19-56, 1956.
- Dahiya N, Tewari R, Hoondal GS.** Biotechnological aspects of chitinolytic enzymes. *Appl. Microbiol. Biotechnol.* **71**: 773-782. 2006.

- Danaei M, Baghizadeh A, Pourseyedi S, Amini J and Yaghoobi MM.** Biocontrol of plant fungal diseases using volatile substances of *Streptomyces griseus*. *Euro J Experimental Biol.* **4(1)**: 334-339, 2014.
- Dastager SG, Wen-Jun Li , Dayanand A, Shu-Kun Tang, Xin-Peng Tian, Xiao-Yang Zhi, Li-Hua Xu and Cheng-Lin Jiang .**Separation, identification and analysis of pigment (melanin) production in *Streptomyces*. *Afr J Biotechnol.* **5 (8)**:1131- 1134. 2006.
- Davis NK, and Chater KF.** Spore colour in *Streptomyces coelicolor* A 3(2) involves the developmentally regulated synthesis of a compound biosynthetically related to polyketide antibiotics. *Mol Microbiol.* **1(10)**:1679-91,1990.
- De Boer W, Gunnewick, P.J.A.K, Lafeber, P, Janse, J.D, Sujit, D.E. and Woldendrop, J.W.** Antifungal properties of chitinolytic dune soil bacteria. *Soil. Biol. Biochem.* **30**: 193-203. 1998.
- Dhanasekharan D, Sivamani P, Panneerelvam A, Thajuddin N, Rajakumar G, Selvamani S .**Biological control of tomato seedling damping off with *Streptomyces* sp. *Pl Pathol Journal* **4 (2)**: 91-95. 2005.
- Dieudonné N, Henri F, Germain EO, Laurette NN and Jean SR.** Pseudomonads and symbiotic micro-organisms as biocontrol agents against fungal disease caused by *Pythium aphanidermatum* *Afr J Biotechnol.* **6 (3)**: 190-197, 2007.
- Dobbelaere S, Croonenberghs A, Thys A, Van De Broek A.** Photostimulatory effects of *Azospirillum brasiliense* wildtype and mutant strains altered in IAA production in wheat. *Plant soil*, **212**:155-164, 1999
- Dochhil H, Dkhar MS and Barman D.** Seed germination enhancing activity of endophytic *Streptomyces* isolated from indigenous ethno-medicinal plant *Centella asiatica*. *Int J Pharma Bio Sci.* **4(1)**: 256-262, 2013.
- Doolotkeldieva T, Bobusheva S and Konurbaeva M.** Effects of *Streptomyces* biofertilizer to soil fertility and rhizosphere's functional biodiversity of agricultural plants. *Advances in Microbiol.* **5**: 555-571, 2015

- Doumbou, CL, V. Akimov, M. Côté, P.M. Charest, and C. Beaulieu.** Taxonomic study on nonpathogenic streptomycetes isolated from common scab lesions on potato tubers. *Syst. Appl. Microbiol.* **24**: 451-456. 2001.
- Duffy, B. Schouten, A and Raaijmakers.J.M.** Pathogen self defense: mechanisms to counteract microbial antagonism. *Annu. Rev. Phytopathol.* **41**:501- 538. 2003.
- El-Batanony NH, Massoud ON, Mazen MM and El-Monium A.** The inhibitory effects of cultural filtrates of some wild *Rhizobium* spp. on some faba bean root rot pathogens and their antimicrobial synergetic effect when combined with Arbuscular mycorrhiza(AM). *World J Agri.Sci.* **3(6)**: 721-730, 2007.
- El-Mohamedy RSR and Abd Alla MA.** Bio-priming seed treatment for biological control of soil borne fungi causing root rot of green bean (*Phaseolus vulgaris* L.) *J Agri.Technol.* **9(3)**: 589-599, 2013
- El-Nakeeb MA and Lechevalier HA.** Selective isolation of aerobic actinomycetes. *Appl. Microbiol.* **11**:75-77. 1963.
- El-Tarabily KA, Solimana MH, Nassara AH, Al-Hassania HA, Sivasithamparam K, McKennad F, Hardy GE** Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. *Plant Pathol.* **49**: 573-583. 2000.
- El-Tarabily KA.** Promotion of tomato plant growth by rhizosphere competent 1-aminocyclopropane-1-carboxylic acid deaminase producing-streptomycetes Actinomycetes. *Plant soil.* **308**: 161-174, 2008.
- Errakhi R, Lebrihi A, and Barakate M.** *In vitro* and *in vivo* antagonism of actinomycetes isolated from Moroccan rhizospheric soils against *Sclerotium rolfsii*: a causal agent of root rot on sugar beet (*Beta Vulgaris* L.) *J Appl Microbiol.* **107**: 672–681. (2009).
- Errakhi, R, Bouteau, F, Lebrihi, A, Barakate, M.** Evidences of biological control capacities of *Streptomyces* spp. against *Sclerotium rolfsii* responsible for damping-off disease in sugar beet (*Beta vulgaris* L.). *World J. Microbiol. Biotechnol,* **23**: 1503–1509. 2007.

- Frankowski, J. Lorito, M Scala, F. Schmidt, R. Berg, G. and Bahl. H** (2001).
Purification and properties of two chitinolytic enzymes of Serratia plymuthica HRO- C48. Arch. Microbiol. **176**:421-426, 2001
- Fridlender M, Inbar J and Chet I.** Biological control of soil borne plant pathogens by a β -1,3 glucanase producing *Pseudomonas cepacia*. *Soil Biol Biochem.***25**:1211-1221, 1993.
- Fuentesa, M.S, Benimelia, C.S, Cuozzoa, S.A. and Amoroso, M.J.** Isolation of pesticide-degrading actinomycetes from a contaminated site: Bacterial growth, removal and dechlorination of organochlorine pesticides. *International Biodeterioration & Biodegradation* **64**: 434–441. 2010.
- Gamliel A, Katan J and Cohen E.** Toxicity of chloronitobenzenes to *Fusarium oxisporum* and *Rhizoctonia solani* as related to their structure. *Phytoparasitica.* 17:101- 105, 1989.
- Gebreyohannes G, Moges F, Sahile S, Raja N .** Isolation and characterization of potential antibiotic producing actinomycetes from water and sediments of Lake Tana, Ethiopia. *Asian Pac J Trop Biomed.* **3(6)**: 426-435. 2013.
- Goodfellow M, Simpson KE.** Ecology of *Streptomyces*. *Frontiers Appl. Microbiol.* **2**:97- 125, 1987
- Gopalakrishnan S, Ranga Rao GV, Ratna Kumari B, Vijayabharathi R, Srinivas V and Gowda CLL.** Development of broad-spectrum actinomycetes for biocontrol and plant growth promotion of food crops. Recent Advances in Biofertilizers and Biofungicides (PGPR) For Sustainable Agriculture. *Proceedings of 3rd Asian Conference on Plant Growth-Promoting Rhizobacteria (PGPR) and other Microbials.* 75-100, 2013a
- Gopalakrishnan S, Vadlamudi S, Apparla S, Bandikinda P, Vijayabharathi R, Bhimineni RK, Rupela O.** Evaluation of *Streptomyces* spp. for their plant-growth- promotion traits in rice. *Canadian J. Microbiol.* **59(8)**: 534-539, 2013b
- Gopalakrishnan S, Pande S, Sharma M, Humayun P, Kiran B K, Dsyam S, Vidya, Sree Kanala D M, Om Rupela** Evaluation of actinomycete isolates obtained from herbal vermicompost for the biological control of *Fusarium*

wilt of chickpea. Crop Protection ,open access repository ,*International crops research institute for Semi-Arid Tropics*. 2011.

Gupte M, Kulkarni P, Ganguli BN Antifungal antibiotics. *Appl.Microbiol. Biotechnol.***58**: 46-57. 2002.

Hamdali H, Hafidi M, Virolle MJ and Ouhdouch Y. Rock phosphate solubilising actinomycetes: screening for plant growth promoting activity. *World J Microbiol Biotechnol.* **24**: 2565-2575, 2008.

Hasegawa S, Meguro A, Shimizu M, Nishimura T and Kunoh H. Endophytic Actinomycetes and Their Interactions with Host Plants *Actinomycetologica* **20(2)** :72–81.2006.

Hastuti RD, Lestari Y, Suwanto A and Saraswati R. Endophytic *Streptomyces* spp. As biocontrol agents of Rice Bacterial Leaf blight Pathogen (*Xanthomonas oryzae* pv. *oryzae*). *Hayati J Biosci.* **19(4)**:155-162,2012

Hathout TA, Felaifel MS, El-Khallal SM, Abo-Ghalia HH and Gad RA. Biocontrol of *Phaseolus vulgaris* root rot using arbuscular mycorrhizae. *Egypt J Agric Res.* **88(1)**: 15-29, 2010

Hayakawa, M, Otaguro, M, Takeuchi, T, Yamazaki, T. and Iimura, Y. Application of a method incorporating differential centrifugation for selective isolation of motile actinomycetes in soil and plant litter. *Antonie Van Leeuwenhoek.* **78**:171–85. 2000.

Helmy S. , Zeinat K. , Mahmoud S. , Moataza S. , Nagwa M. , Amany H. *streptomyces nigellus* as a biocontrol agent of tomato damping-off disease caused by *pythium ultimum*, *ejpau* **13(4)**. 2010.

Heng JLS, Md Shah UK, Rahman NAA, Shaari K, Hamzah H *Streptomyces ambofaciens* S2 -A Potential Biological Control Agent for *Colletotrichum gleosporioides* the Causal Agent for Anthracnose in Red Chilli Fruits. *J Plant Pathol Microbiol* S1: **006**. doi:10.4172/2157-7471.S1-006.2015.

- Hong-Sik Oh and Yong-Hwan Lee** .A Target-Site–Specific Screening System for Antifungal Compounds on Appressorium Formation in *Magnaporthe grisea* Phytopathology Vol. 90, No. 10, 1162-1168. 2000.
- Hsu SC and Lockwood JL** .Powdered Chitin Agar as a Selective Medium for Enumeration of Actinomycetes in Water and Soil, *Appl. Microbiol* **29(3)**: 422- 426. 1975.
- Igarashi Y, Iida T , Yoshida R and Furumai T.** Tpteridic acids A and B, novel plant growth promoters with auxin-like activity from *Streptomyces hygrosopicus* TP-A0451. *J. Antibiot.* **55**: 764–767. 2002a.
- Igarashi Y, Iida T, Sasaki Y , Saito N, Yoshida R and Furumai T.** Isolation of actinomycetes from live plants and evaluation of antiphytopathogenic activity of their metabolites. *Actinomycetologica* **16**: 9–13. 2002b.
- Ilic S.B, Konstantinovic S.S, Todorovic Z.B.** UV/ Vis analysis and antimicrobial activity of Streptomyces isolates. *Facta universitatis; series:Medicine and Biology* **12(1)** :44-46. 2005.
- Inrta B, Mungsuntisuk I, Nihira T, Igarashi Y and Panbangred W.** Identification of actinomycetes from plant rhizospheric soils with inhibitory activity against *Colletotricum* spp., the causative agent of anthracnose disease. *BMC Research Notes.* **4**:98, 2011
- Jami M, Ghanbari N, Kneifel W and Domig KJ.** Phylogenetic diversity and biological activity of culturable Actinobacteria isolated from freshwater fish gut microbiota. *Microbiological Res.* **175**:6-15, 2015.
- Janaki T, Nayak BK, Ganesan T .** Antifungal activity of soil actinomycetes from the mangrove *Avicennia marina*. *J. Medicinal Pl. Studies.* 2016; **4(2)**: 05-08, 2016
- Jog R, Pandya M, Nareshkumar G, Rajkumar S.** Mechanism of phosphate solubilization and antifungal activity of *Streptomyces* spp. isolated from wheat roots and rhizosphere and their application in improving plant growth. *Microbiol .* **160**: 778–788, 2014

- Joo JG.** Purification and characterization of an extracellular chitinase from the antifungal biocontrol agent *Streptomyces halstedii*. *Biotechnol. Lett.* **27**: 1483-1486. 2005
- Kalakoutswi V and Agre NS.** Endospores of actinomycetes: dormancy and germination. In *The Actinomycetales: Characteristics and Practical Importance*, pp. 179-195. Edited by G. Sykes and F. A. Skinner. London and New York: Academic Press. 1973.
- Kamal R, Gusain YS and Kumar V.** Interaction and symbiosis of AM fungi, Actinomycetes and Plant Growth promoting Rhizobacteria with plants: Strategies for the improvement of plants health and defense system. *Int J Curr Microbiol App Sci.* **3(7)**: 564-585, 2014
- Kamil Z, Rizk M, Saleh M and Moustafa S.** Isolation and identification of rhizosphere soil chitinolytic bacteria and their potential in antifungal biocontrol. *Global J Mol Sci.* **2**:57-66, 2007
- Kampfer P, Kroppenstedt RM, Dott W.A** Numerical classification of the genera *Streptomyces* and *Streptosverticillium* using miniaturized physiological tests. *J. Gen. Microbiol.* **137**: 1831-1891.1991
- Karandikar, A, Sharples, G.P. and Hobbs.G.** Differentiation of *Streptomyces coelicolor* A3(2) under nitrate limited conditions. *Microbiol.* **143**:3581–3590. 1997.
- Karimi E, Sadeghi A, Dehaji PA, Dalvand Y, Omidvari M and Nezhad KM.** Biocontrol activity of salt tolerant *Streptomyces* isolates against phytopathogens causing root rot of sugar beet. *Biocontrol Sci Technol.* **22(3)**:333-349, 2012
- Kaushik B.D.** Role of rhizosphere microorganisms in sustainable crop production. Chapter 2, -Rhizosphere biotechnology plant growth- retrospect and prospect. 7-21. 2007.
- Kavitha A, Vijayalakshmi M, Sudhakar P, Narasimha G.** Screening of Actinomycete strains for the production of antifungal metabolites, *Afr J Microbiol Res.* **4 (1)**: 27-32. 2010

- Khanna M, Solanki R and Lal R.** Selective Isolation of rare Actinomycetes producing novel Antimicrobial Compounds. *Inter. J. Adv. Biotechnol. Res.* **2(3)**:357-375. 2011.
- Kilicoglu MC and Ozkoc I.** Phylogenetic analysis of *Rhizoctonia solani* AG-4 isolates from common beans in Black sea coastal region, Turkey, based on ITS-5.8rDNA. *Turk J Biol.* **37**: 18-24, 2013.
- Kumari R, Shekhawat KS, Gupta Renu and Khokhar.MK** Integrated Management against Root-rot of Mungbean [*Vigna radiata* (L.) Wilczek] incited by *Macrophomina phaseolina*. *J Plant Pathol Microb.* **3**:5. 2012.
- Kundsen, D and Beegle, D.** Recommended phosphorous tests. P.122-15, In: W.C.Dahnke(ed.) Recommended chemical soil tests procedures for the north central region. Bulletin no. 499 (revised) North Dakota agric.exp.sta., Fargo, North Dakota, 1988.
- Labeda DP, Doroghazi JR, Ju KS and Metcalf WW.** Taxonomic evaluation of *Streptomyces albus* and related species using multilocus sequence analysis and proposals to emend the description of *Streptomyces albus* and describe *Streptomyces pathocidini* sp. nov. *Int. J Syst. Evolutionary Microbiol.* **64**:894-900, 2014.
- Laidi RF, Amany L, Kansoh A.K. Elshafei, A.M. and Cheikh.B** Taxonomy, identification and biological activities of a novel isolate of *Streptomyces tendae*. *Arab J Biotec.* **9(3)**; 427-436, 2006.
- Lam KS.** Discovery of novel metabolites from marine actinomycetes. *Curr Opin Microbiol.* **9(3)**: 245-251, 2006.
- Lambais MR, Ríos-Ruiz WF and Andrade RM.** Antioxidant responses in bean (*Phaseolus vulgaris*) roots colonized by arbuscular mycorrhizal fungi. *New Phytologist.* **160**: 421–428,2003
- Leo D, Amalraj E , Kumar GP, Desai S and Ahmed SK.** *In vitro* Characterization of *Trichoderma viride* for Abiotic Stress Tolerance and Field Evaluation against Root Rot Disease in *Vigna mungo* L. *Biofertil Biopestici*, **2**:3.2010.

- Lertcanawanichakul M and Sawangnop S.** A comparison of two methods used for measuring the antagonistic activity of *Bacillus* species. *Walailak J Sci. Tech.* **5**:161- 171, 2008
- Li Q, Xiu C, Jiang Y and Jiang C.** Morphological Identification of Actinobacteria. *Actinobacteria-Basics and Biotechnological Applications*. InTecOpen(NY) : 59-86, 2016
- Lim HS, Kim YS and Kim SD.** *Pseudomonas stutzeri* YPL-1 genetic transformation and antifungal mechanism against *Fusarium solani*, an agent of plant root rot. *Appl. Environ. Microbiol.* **57**:510-516. 1991.
- Lin QS, Chen SH, Hu MY, Haq UI, Yang MR L, and Li H.** Biodegradation of cypermethrin by a newly isolated actinomycetes HU-S-01 from wastewater sludge. *Int. J. Environ. Sci. Technol.* **8**: 45–56. 2011.
- Lo CW, Lai NS, Cheah HY, Wong NKI and Ho CC.** Actinomycetes isolated from soil samples from the crocker range sabah. *ASEAN Review of Biodiversity and Environmental Conservation* (ARBEC). 2002.
- Lowry OH, Rosenbrough NJ, Farr AL and Randell RJ.** Protein measurement with folin phenol reagent. *J. Biol. Chem.* **193**:265-275.1951
- Lu CG, Liu WC, Qiu JY, Wang HM, Liu T and Liu DW.** Identification of an antifungal metabolite produced by a potential biocontrol actinomyces strain a01. *Brazilian J. Microbiol.* **39**:701-707, 2008
- Mahadevan N and Shridhar R.** Methods in physiological plant pathology.2nd Ed. Sivakani Publ., India -242, 1982.
- Manulis S, Shafir H, Epstein E, Lichter A. and Barash I.** Biosynthesis of indole-3-acetic acid via the indole-3-acetamide pathway in *Streptomyces* sp. *Microbiology* **140**:1045–1050. 1994
- Marinelli F.** Antibiotics and *Streptomyces*: The future of antibiotic discovery. *Microbiol. Today* **36**:21–22. 2009.

- Masand M and Menghani E.** Antimicrobial activity of isolates of actinomycetes from soils of semi arid regions of Rajasthan. *W J pharma pharmaceutical Sci*, **4(4)**: 1549- 1556, 2015
- Masayuki H, Ishizawa K, Nonomura H,** Distribution of rare actinomycetes in Japanese soils. *J. Fermentation Technol.* **66(4)**: 367-373, 1988.
- Mathew K.A and Gupta SK.** Studies on web blight of French bean and its management. *Indian J Mycol Pl Pathol* **26**: 171-177, 1996
- Mathivanan N, Kabilan V and Murugesan K.** Production of chitinase by *Fusarium chlamydosporum*, a mychoparasite to groundnut rust, *Puccinia arachidis*. *Indian J Exp Biol.* **35**:890-893, 1997
- Matloob AH and Kamil JS.** Biological control of bean root rot diseases caused by *Rhizoctonia solani* under green house and field conditions. *Agric. Biol. J.N.Am.* **4(5)**:512-519, 2013
- Matsumoto A, Takahashi Y, Mochizuki M, Seno A, Iwai Y and Omura S.** Characterization of actinomycetes from fallen leaves. *Actinomycetologica.* **12**:46-48, 1998.
- Meguro, A. Ohmura Y, Hasegawa S, Shimizu M, Nishimura T and Kunoh H**
An endophytic actinomycete, *Streptomyces* sp. MBR-52, that accelerates emergence and elongation of plant adventitious roots. *Actinomycetologica* **20**: 1–9. 2006.
- Merriman P R, Price R D, Price KF** (1974) *Aus J Agri Res.* **25**:213-218
- Mishra BK, Mishra RK , Mishra RC, Tiwari AK, Yadav RC and Dikshit A.**
Biocontrol efficacy of *Trichoderma viride* isolates against fungal plant pathogens causing disease in *Vigna radiata*. L. *Arch. Appl. Sci. Res*: **3 (2)**:361-369, 2011.
- Mohseni M, Norouzi H, Hamedi J and Roohi A.** Screening of Antibacterial Producing Actinomycetes from Sediments of the Caspian Sea. *Int. J.Mol. Cell. Med.* **2(2)**: 64-71, 2013

- Moncheva PT , Dimitrova S , Chipeva N , Antonova-Nicolova VS. and Bogatzevska, N.** Characteristics of soil actinomycetes from Antarctica. *J culture collections* **3**: 3-14. 2002.
- Mukankusi CM, Melis RJ, Derera J, Buruchara RA and Mark DA.** Screening technique for resistance to *Fusarium* root rot of common bean. *Afr J Pl Sci.* **5 (3)**: 152-161. 2011.
- Muthu MR, Subbaiya R, Balasubramanium M, Ponmurugan P and Selvam M.** Isolation and Identification of Actinomycetes *Isoptericola variabilis* From Cauvery River Soil Sample. *Int.J.Curr. Microbiol. App. Sci.* **2(6)**: 236-245, 2013.
- Nandi S, Dutta S, Mondal A, Adhikari A, Nath R, Chattopadhaya A and Chaudhuri S.** Biochemical responses during the pathogenesis of *Sclerotium rolfsii* on cowpea. *Afr. J. Biotechnol.* **12(25)**: 3968-3977, 2013
- Newman, D.J. and Cragg, G.M.** Natural products as sources of new drugs over the last 25 years. *J Nat Prod* **70**: 461–477. 2007.
- Ningthoujam DS, Sanasam S, Tamreihao K and Nimaichand S.** Antagonistic activities of local actinomycetes against rice fungal pathogens. *Afr J Microbiol Res.* **3(11)**: 737-742, 2009
- Okazaki T, Takahashi K, Kizuka M, Enokita R** Studies on actinomycetes isolated from plant leaves. *Annu Rep Sankyo Res Lab* **47**:97–106, 1995.
- Okazaki, T.** Studies on actinomycetes isolated from plant leaves. In Selective Isolation of Rare Actinomycetes. National Library of Australia, (Ed. I. Kurtboke)102–121. 2003.
- Ordentlich, A, Elad, Y. and Chet. I .** *The role of chitinase of Serratia marcescens in biocontrol of Sclerotium rolfsii.* *Phytopathol.* **78**:84-88, 1988.
- Oskay M, Usame Tamer A and Azeri C.** Antibacterial activity of some actinomycetes isolated from farming soils of Turkey. *African J Biotechnol.* **3(9)**: 441-446,2004

- Pan SQ, Ye XS and Kuc J.** A technique for detection of chitinase, β -1,3 glucanase and protein patterns after a single separation using polyacrylamide gel electrophoresis for isoelectric focussing. *Phytopathology*, **81**: 970-974, 1991.
- Pandey A, Ali I, Butola K.S. and Chatterji T, Singh V.** Isolation and characterization of actinomycetes from soil and evaluation of Antibacterial activities of Actinomycetes against pathogens. *Int J Appl Biol PharmaTechnol*.**2(4)**: 384-392. 2011.
- Parihar PS, Prakash O and Punetha H.** Investigation on defensive enzymes activity of *Brassica juncea* genotypes during pathogenesis of *Alternaria* blight. *Nat Sci*. **10(2)**: 64-68, 2012.
- Park JO, El-Tarabily KL, Ghisalberti EL. and Sivasithamparam K.** Pathogenesis of *Streptovericillium albireticuli* on *Caenorhabditi elegans* and its antagonism to soil-borne fungal pathogens. *Letters in Appl Microbiol*. **35**: 361–365. 2002.
- Patel JD, Parmar M, Patel P, Rohit P, Taviyad R, Ansari P, Bhattacharya B, Vyas D, Kumar V, Sahay NS and Singh PK.** Dynamism of Antimicrobial activity of Actinomycetes- A case study from Unisturbed Microbial Niche. *Advances in Microbiol*. **4**: 324-334, 2014.
- Pattanapipitpaisal P, Kamlandharn R.** Screening of chitinolytic actinomycetes for biological control of *Sclerotium rolfsii* stem rot disease of chilli. *Songklanakarinn J. Sci. Technol*. **34 (4)**, 387-393, 2012
- Persello-Cartieaux F, Nussaume L. and Robaglia C.** Tales from the underground: Molecular plant rhizobacteria interactions. Review. *Plant, Cell Environ*. **26**: 189 - 199, 2003.
- Pikovskaya RI.** Mobilization of phosphorus in soil connection with the vital activity of some microbial species. *Microbiol*. **17**: 362-370.1948
- Polti MA, Amoroso MJ, and Abate CM.** Chromium(VI) resistance and removal by actinomycete strains isolated from sediments. *Chemosphere* **67**: 660–667. 2007.

- Prapagdee B, Kuekulvong C, and Mongkolsuk S** . Antifungal Potential of Extracellular Metabolites Produced by *Streptomyces hygroscopicus* against Phytopathogenic Fungi *Int. J. Biol. Sci.* **4(5)**:330-337. 2008.
- Pridham TG.** Color and Streptomyces. *Appl. Microbiol.* **13(1)**:43-61. 1965.
- Pridham, TG, Lindenfesler LA, Shotwell OL, Stodola FH, Benedict RG, Foley C, Jackson RW, Zaumeyer WJ, Preston WH and Mitchell JW.** Antibiotics against plant disease. I. *Laboratory and greenhouse survey. Phytopathol.* **46**:568–575. 1956.
- Prinsen E, Costacutra A, Michielis K, Vanderleyden J and Van Onckelen H.** *Azospirillum brasilense* indole-3-acetic acid biosynthesis: evidence for a nontryptophan dependent pathway. *Mol.Plant-microbe.Interact.***6**:609-615, 1993
- Punja ZK.** *Sclerotium (Athelia) rolfsii*, a pathogen of many plant species. In: *Genetics of plant pathogenic fungi.* (Ed.): G.S. Sidhu. London: Academic Press. **6**:523-534. 1988.
- Punja ZK and Rahe JE.** *Sclerotium.* In: *Methods for research on soilborn phytopathogenic fungi.* (Eds.): L.L. Singleton, J.D. Mihail and C.M. Rush. St. Paul: APS Press. 166-170.1992.
- Punja ZK.** Biology, ecology and control of *Sclerotium rolfsii*. *Ann Rev Phytopathol,* **23**: 97-127. 1985.
- Ramanathan A, Shanmugam V, Raghuchander T and Samiyappan R.** Induction of systemic resistance in ragi against blast disease by *Pseudomonas Fluorescens.* *Ann PC Prot Soc,* **10**: 313-318, 2002
- Ramanathan A, Vidhyasekaran P, Samiyappan R.** Two pathogenesis-related peroxidases in greengram (*Vigna radiata* (L.) wilczek) leaves and cultured cells induced by *Macrophomina phaseolina* (Tassi) Goid. and its elicitor. *Microbiol. Res.***156**: 139–144, 2001
- Ravi L, Baskar R, Sarveswari S, Krishnan K.** Co-culturing of Marine and Terrestrial Actinomycetes to Obtain Novel Secondary Metabolites. *Ann Pharmacol Pharm.* **2(7)**: 1041, 2017

- Ray P, Chakraborty AP and Chakraborty BN.** Biochemical and Molecular Characterization of *Streptomyces* species isolated from Agricultural field of North Bengal and evaluation for growth improvement and suppression of sclerotial blight diseases of *Vigna radiata*. *J Mycol Pl Pathol.* **46(4):** 219-229, 2016a.
- Ray P, Chakraborty AP and Chakraborty BN.** Evaluation of *Streptomyces* and non-streptomyces actinomycetes isolates for growth promotion in *Vigna radiata* and their use as biocontrol agent against *Sclerotium rolfsii*. *NBU J Pl Sci.* **10(1):**73-79, 2016b.
- Reddi GS and Rao AS.** Antagonism of soil actinomycetes to some soil-borne plant pathogenic fungi. *Indian Phytopathol.* **24:**649–657. 1971.
- Redshaw PA, McCann PA, Sankaran L and Pogell BM.** Control of differentiation in streptomycetes: involvement of extra chromosomal deoxyribonucleic acid and glucose repression in aerial mycelia development. *J. Bacteriol.***125:**698–705. 1976.
- Reissig JL, Strominger JL and Leloir LF.** A modified colorimetric method for the estimation of N-acetylamino sugars. *J Biol.Chem.* **217:** 959-966, 1959.
- Roiger DJ, Jeffers SN.** Evaluation of *Trichoderma* spp. for biological control of *Phytophthora* crown and root rot of apple seedlings. *Phytopathol* **81**, 910- 917. 1991.
- Rothrock CS and Gottlieb D.** Importance of antibiotic production in antagonism of selected streptomycetes species to two soil borne plant pathogens. *The J antibiotics* .**44 (7):** 830-835,1981.
- Sahaya MR and Dhanaseeli M.** Biocontrol potential of selected Actinomycetes and its Metabolites against *Rhizoctonia solani*. *Ind J Natural Sci.* **3(12):** 2012
- Sahin N, Ozturk E, Isik K, Kariptas E, Ozkanca R.** Selective Isolation and Numerical Classification of Novel Thermophilic *Streptomyces*. *Turk.J.Biol* **26:**13-24.2002
- Sahin N, Ugur A.** Investigation of the Antimicrobial Activity of Some *Streptomyces* Isolates. *Turk J Biol* **27:**79-84. 2003.

- Sangmanee P, Bhromsiri A and Akarapisan A.** The potential of endophytic actinomycetes, (*Streptomyces* sp.) for the biocontrol of powdery mildew disease in sweet pea (*Pisum sativum*). *As J Food Ag-Ind.* Special issue, 93-98, 2009
- Sarma BK, Singh UP and Singh KP.** Variability in Indian isolates of *Sclerotium rolfsii* *Mycologia*, **94(6)**:1051–1058, 2002
- Sastrahidayat IR, Djauhari S, Prasetya B and Saleh N.** Biocontrol of damping of disease(*Sclerotium rolfsii* sacc.) using actinomycetes and VAM fungi on soybean and impact to crop production and microorganism diversity in rhizosphere zone. *Int J Academic Res.* **3(6)**: 114-119, 2011.
- Satya VK, Vijayasamundeeswari A, Paranidharan V and Velazhahan R.** *Burkholderia* sp. strain TNAU-1 for biological control of root rot in Mung bean(*Vigna radiata* L.) caused by *Macrophomina phaseolina*. *J Pl Prot Res.* **51(3)**: 273-278,2011
- Schlegel HG.** General microbiology,7thedition, Cambridge University Press.104-108.1992.
- Schon R and Groth I.** Practical thin layer chromatography techniques for diamino pimelic acid and whole cell sugar analysis in the classification of environmental Actinomycetes. *J. Basic Microbiol.* **46 (3)**: 243-249, 2006
- Selman A, Wakson and Hubert A. Lechevalier.** Guide to the Classification and Identification of the Actinomycetes and Their Antibiotics. The Williams & Wilkins Co., Baltimore, 1953.
- Sharma M.** Actinomycetes: source, identification and their application, *Int J Curr Microbiol App Sci*, **3(2)**:801-832, 2014
- Shirling EB, Gottlieb D.** Methods for characterization of *Streptomyces* sp. *Int J Syst Bacteriol* **16**:313-340, 1966
- Shrivastava P, Kumar R, Yangdigeri MS.** *In vitro* biocontrol activity of halotolerant *Streptomyces aureofaciens* K20: A potent antagonist against *Macrophomina phaseolina* (Tassi) Goid. *Saudi J Biol Sci.* **24(1)**: 192-199, 2017
- Shrivastava S, D'Souza SF, Desai PD.** Production of indole-3-acetic acid by immobilized actinomycete (*Kitasatospora* sp.) for soil applications *Curr Sci.* **94(12)**: 1595-1604. 2008.

- Simizu M.** Endophytic Actinomycetes: Biocontrol Agents and Growth Promoters. *Bacteria in Agrobiolgy: Plant Growth responses*. D K Maheshwari (Ed.). Springer. 2011.
- Singh N, Samajpati N and Paul AK.** Dual inoculation of salt tolerant *Brady rhizobium* and *Glomus mosseae* for improvement of *Vigna radiata* L. cultivation in saline areas of west Bengal, india. *Agri. Sci.* **2(4)**:413-423, 2011.
- Singh PP, Shin YC, Park CS and Chung YR.** Biological control of *Fusarium wilt* of cucumber by chitinolytic bacteria. *Phytopathol* **89**:92-99. 1999.
- Singh UP and Pavgi. MS.** Spotted leaf rot of plants, a new sclerotial disease. *Pl. Dis.Reptr*, **49** :58-59. 1965.
- Sivakumar K, Sahu MK and Kathiresan K.** Isolation and Characterization of Streptomycetes producing antibiotic from a mangrove environment. *Asian J Microbiol, Biotechnol and Environ Sci*, **7**: 457-464, 2005
- Sneath PHA and Sokal RR.** Numerical taxonomy: Principles and practice of numerical taxonomy, (W H Freeman & Co, San Francisco, USA). 1973
- Soares ACF, Sousa CS, Garrido M, Perez JO, Almeida NS.** Soil *Streptomyces* with *in vitro* activity against the yam pathogens *Curvularia eragrostides* and *Colletotrichum gloeosporioides*. *Brazilian J. Microbiol.* **37**: 456-461, 2006.
- Soe KM, Bhromsiri A and Karladee D.** Effect of selected endophytic actinomycetes (*Streptomyces* sp.) and bradyrhizobia from Myanmar on growth, nodulation, nitrogen fixation and yield of different soybean varieties. *CMU. J. Nat. Sci.* **9(1)**: 95-109, 2010.
- Sowndhararajan K and Kang SC.** *In vitro* antagonistic potential of *Strptomycetes* sp. AM-S1 against plant and human pathogens. *J Agric Chem and Environ.* **1(1)**: 41-47, 2012
- Sprusansky O, Stirrett K, Skinner D, Denoya C, Westpheling J.** The bkdR gene of *Streptomyces coelicolor* is required for morphogenesis and antibiotic production and encodes a transcriptional regulator of a branched-chain amino acid dehydrogenase complex. *J Bacteriol.* **187**:664-71. 2005.

- Sreeja SJ And Surendra GK.** Bio-efficacy of endophytic actinomycetes for plant growth promotion and management of bacterial wilt in tomato Pest Management in Horticultural Ecosystems. Ph.D. Thesis Kerala Agri Univ. 2013.
- Srividya S, Thapa A, Bhat D, Golmei K and Dey N,** *Streptomyces* sp. 9p as effective biocontrol against chilli soilbourne fungal phytopathogens. *Euro j Exp Bio* **2(1)**: 163- 173, 2012.
- Sunar K.** Studies on soil microbial diversity of Darjeeling hills and their evaluation for utilization in the improvement of crop health. Ph.D. Thesis, University of North Bengal, Siliguri , India.2014.
- Suwan N, Boonying W and Nalumpang S.** Antifungal activity of soil actinomycetes to control chilli anthracnose caused by *Colletotrichum gloeosporioides*. *J Agri Technol.* **8(2)**: 725-737, 2012.
- Taechowisan T, Lu C, Shen Y, Lumyong S.** Secondary metebolites from endophytic *Streptomyces aureofaciens* CMUAc130 and their antifungal activity. *Microbiol.* **151**: 1691-1695, 2005.
- Taechowisan T, Peberdy JF, Lumyong S.** Chitinase production by endophytic *Streptomyces aureofaciens* CMUAc130 and its antagonism against phytopathogenic fungi. *Annals of Microbiol.* **53(4)**: 447-461, 2003.
- Takahashi Y and Ômura S.** Isolation of new actinomycetes strains for the screening of new bioactive compounds. *J. Gen. Appl. Microbiol*, **49**: 141–154. 2003.
- Tamura K, Dudley J, Nei M and Kumar S.** MEGA4: Molecular evolutionary genetics analysis (MEGA) software version 4.0, *Mol Biol Evol* **24**:1596-1599.2007
- Tamura K, Nei M and Kumar S.** Prospects for inferring very large phylogenies by using the neighbor-joining method, *Proc Natl Acad Sci USA*, **101**:11030-11035, 2004
- Thompson J, Higgins D and Gibson T.** CLUSTALW: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice, *Nucleic Acids Res* **22**: 4673-4680, 1994.

- Tokala RK, Strap JL, Jung CM, Crawford DL, Salove MH, Deobald LA, Bailey JF, Morra MJ.** Novel plant microbe rhizosphere interaction involving *Streptomyces l ydicus* WYEC108 and the pea plant (*Pisum sativum*) *Appl. Environ.Microbiol.* **68(5):** 2161-2171, 2002.
- Van Peer R, Niemann GJ and Schippers B.** Induced resistance and phytoalexin accumulation in biological control of Fusarium wilt of carnation by *Pseudomonas* sp. Strain WCS417r. *Phytopathol.* **81:** 728-734, 1991.
- Verma VC, Gond SK, Kumar A, Mishra A, Kharwar RN, Gange AC.** Endophytic actinomycetes from *Azadirachta indica* A. Juss.: isolation, diversity, and anti-microbial activity. *Microb Ecol.* **57(4):**749-56. 2009.
- Viswanathan R and Samiyappan R .** Induction of systemic resistance by plant growth-promoting rhizobacteria against red rot disease caused by *Colletotrichum falcatum* went in sugarcane. In Proceedings of the Sugar Technology Association of India, **61:**24-39,. 1999.
- Wang, Y, Zhang, Z. S, Ruan Wang, JS, Y.M. and Ali SM.** Investigation of actinomycete diversity in the tropical rainforests of Singapore. *J Industrial Microbiol Biotechnol.* **23:** 178–187. 1999.
- Warcup JH.** The origin of colonies of fungi on soil dilution plates. *Trans. Br.Mycol.Soc.*,**38**,298, 1955
- Wei G, Kloepper JW, TuZun S.** Induction of systemic resistance of cucumber to *Colletotrichum orbiculare* by select strains of plant growth-promoting rhizobacteria. *Phytopathol.* **81:**1508–1512, 1991
- Xiao K, Kinkel LL, Deborah A, Samac DA** Biological Control of *Phytophthora* Root Rots on Alfalfa and Soybean with *Streptomyces* *Biological Control* **23:**285–295. 2002.
- Xue L, Xue Q, Chen Q, Lin C, Shen G and Zaho J.** Isolation and evaluation of rhizospheric actinomycetes with potential application for biocontrol of Verticillium wilt of cotton. *Crop Protection.* **43:** 231-240, 2013.

- Yabe S, Aiba Y, Sakai Y, Hazaka M. and Yokota A.** *Thermasporomyces composti* gen. nov, sp. nov, a thermophilic actinomycete isolated from compost. *Int J Syst Evol Microbiol.* **61**:86–90. 2011.
- Yaqub F and Shahazad S.** Pathogenicity of *Sclerotium rolfsii* on different crops and effect of inoculum density on colonization of mungbean and sunflower roots. *Pak. J. Bot.* **37(1)**: 175-180. 2005
- Yu J, Zhang L, Liu Q, Qi X, Ji Y and Kim BS.** Isolation and characterization of actinobacteria from Yalujhang costal wetland, North China. *Asian Pac J Trop Biomed.* **5(7)**: 555-560, 2015.
- Yuan WM, Crawford DL.** Characterisation of *Streptomyces lydicus* WYEC108 as a potential Biocontrol agent against fungal root rot and seed rot. *Appl. Environ. Microbiol.* **61 (8)**: 3119- 3128. 1995.
- Zarandi ME, Bonjar Shahidi GH, Dehkaei PF, Ayatollahi MSA, Farokhi RP and Aghighi S.** Biological Control of Rice Blast (*Magnaporthe oryzae*) by use of *Streptomyces sindeneusis* isolate 263 in Greenhouse. *Am J Appl Sci* **6 (1)**: 194-199. 2009.