

Contents

Subject	Page
1.Introduction	1
2.Literature Review	6
3. Methodology	28
3.1.Identification of Study area	28
3.2.Soil sampling and collection	28
3.3.Determination of pH	28
3.4.Sterilization & cleaning of Glassware	28
3.5.Isolation of Microorganism from soil rhizosphere	28
3.6.Screening of Actinomycetes from rhizosphere soil	28
3.7.Maintenance and preservation of isolates	30
3.8.Assessment of actinomycelial growth	30
3.8.1.Solid media	30
3.8.2.Liquid media	30
3.9.Classical approach for characterization of isolates	30
3.9.1.Morphological method	31
3.9.1.1.Spore chain morphology	31
3.9.1.2.Study of Aerial mycelium and substrate mycelium (Macroscopic morphology)	31
3.9.1.3. Study of Diffusible pigments.	31
3.9.1.4.SEM study of isolates	32
3.10. Biochemical characterization of isolates	32
3.10.1.Gram reaction	32
3.10.2.Starch degradation	32
3.10.3.Catalase production	33
3.10.4. Indole production.	33
3.10.5.H ₂ S production	33
3.10.6.Urea digestion	33
3.10.7.HCN production	33
3.11.Physiological characterization of isolates	34
3.11.1.Growth of isolates at different salt concentration	34
3.11.2.Resistance of isolates to different antibiotics	34
3.12. <i>In vitro</i> Screening and evaluation of phosphate solubilizing activity of isolated microorganism.	34
3.12.1.Qualitative analysis for phosphate solubilising activity (screening)	34
3.12.2.Quantitative analysis for phosphate solubilising activity(Evaluation)	34
3.13. IAA production	35
3.13.1. Quantitative test for IAA production.	35
3.14. <i>In vitro</i> Screening and evaluation for antibacterial activity.	35
3.15. <i>In vitro</i> Screening and evaluation for antifungal activity.	35
3.15.1.Inhibition of fungal mycelial growth in solid medium	35
3.15.2.Inhibition of fungal growth by metabolites	36
3.15.2.1.Effect on Fungal mycelial growth.	

3.15.2.2.Effect on fungal spore germination.	36
3.15.2.3.Effect on sclerotia germination	36
3.16.Qualitative test for Chitinase production	37
3.17. Isolation of genomic DNA.	37
3.17.1.Preparation of genomic DNA extraction buffer	37
3.17.2.Extraction of actinomycetes genomic DNA	38
3.17.3.Purification of genomic DNA	38
3.17.4.Spectrophotometric quantification of genomic DNA	39
3.17.5.Agarose gel electrophoresis to check DNA quality	39
3.17.6.Preparation of DNA sample for electrophoresis	39
3.17.7.Run gel electrophoresis for DNA fraction	39
3.18.Sequencing of r DNA	40
3.19.BLAST of sequence	40
3.20.Submission of r DNA to NCBI GenBank	40
3.21.Multiple sequence alignment and phylogenetic analysis	40
3.22.Plant Material	41
3.23.Selection of potent isolates	41
3.24. <i>In Vivo</i> study of efficiency of selected isolates (<i>Streptomyces</i> <i>griseus</i> , <i>S. tricolor</i> , and <i>S. flavogriseus</i>) on plant growth promotion	41
3.24.1.Application of actinomycetes	41
3.24.1.1.Seed coating	41
3.24.1.2.Soil drench	42
3.24.1.3.Foliar spray	42
3.24.2.Pathogen Inoculum preparation and application	43
3.24.2.1.Preparation of inoculum	43
3.24.2.2.Disease assessment	43
3.25. Extraction and assay of defence enzyme activity in treated plants.	45
3.25.1. Associated changes in Phenylalanine (PAL) activity.	45
3.25.2. Associated changes in β -1,3-glucanase activity.	45
3.25.3. Associated changes in Chitinase activity.	46
3.25.4. Associated changes in Peroxidase activity.	46
3.26.Extraction and estimation of phenol contents from leaves and roots	47
3.27.Extraction and estimation of total protein contents from leaves and roots	48
3.28.Fluorescence antibody staining and microscopy	48
3.28.1.Immunolocalization of Chitinase and Glucanase enzymes by indirect immunofluorescence staining of leaf and root	48
4. Experimental	49
4.1.Isolation of actinomycetes from rhizosphere and their characterization	49
4.1.1.Morphological characterization of isolates	50
4.1.2.Biochemical characterization of isolates.	54
4.1.3.Physiological characterization of isolates.	56
4.2.Assessment of growth of isolates in media	59
4.2.1.In solid media	59

4.2.2. In liquid media	59
4.2.3. Microscopic observation	59
4.2.4. Deposition of the isolates to the National Agriculturally Important Culture Collection (NAIMCC)	62
4.3. <i>In vitro</i> Screening and evaluation of isolates for growth promoting attributes.	62
4.3.1. Phosphate solubilisation	62
4.3.1.1. In solid medium	62
4.3.1.2. In Liquid, medium	64
4.3.2. IAA production	65
4.4. <i>In vitro</i> Screening and evaluation for antifungal activity	66
4.4.1. Inhibition in solid media	66
4.4.2. Inhibition of fungal growth by metabolites	69
4.4.2.1. Inhibition of spore germination	69
4.4.2.2. Inhibition of mycelial growth	70
4.4.2.3. Inhibition of sclerotia germination	71
4.5. <i>In vitro</i> Screening and evaluation for antibacterial activity.	73
4.6. Molecular detection	73
4.6.1. <i>Streptomyces griseus</i>	74
4.6.1.1. 16S rDNA sequence analysis	74
4.6.1.2. Multiple sequence alignment	74
4.6.1.3. Phylogenetic analysis	77
4.6.2. <i>Streptomyces tricolor</i>	78
4.6.2.1. 16S rDNA sequence analysis	78
4.6.2.2. Multiple sequence alignment	78
4.6.2.3. Phylogenetic analysis	81
4.6.3. <i>Streptomyces flavogriseus</i>	82
4.6.3.1. 16S rDNA sequence analysis	82
4.6.3.2. Multiple sequence alignment	82
4.6.3.3. Phylogenetic analysis	85
4.6.4. Multiple sequence alignment of three isolates	86
4.6.5. Phylogenetic analysis of three isolates	89
4.7. Evaluation of potent Actinomycetes isolates on plant growth promotion	90
4.7.1. Evaluation of potential growth promotion of <i>Phaseolus vulgaris</i> upon treatment	90
4.7.2. Evaluation of potential growth promotion of <i>Vigna radiata</i> upon treatment	92
4.7.3. Effect of treatment upon nodule formation	93
4.7.3.1. Effect on nodule formation in <i>Phaseolus vulgaris</i>	93
4.7.3.2. Effect on nodule formation in <i>Vigna radiata</i>	94
4.8. Fungal pathogen	102
4.8.1. <i>Fusarium solani</i>	102
4.8.2. <i>Sclerotium rolfsii</i>	102
4.9. Histopathological study of roots of <i>Phaseolus vulgaris</i> , treated with actinomycetes formulation before and after pathogen inoculation	102
4.10. Histopathological study of roots of <i>Vigna radiata</i> treated with actinomycetes formulation before and after pathogen inoculation	103

4.11. Influence of Actinomycetes isolates on Fusarial root rot of <i>Phaseolus vulgaris</i>	105
4.11.1. Disease development	105
4.11.2. Percent Disease incidence (PDI%)	105
4.11.3. Associated Biochemical changes	105
4.12. Influence of Actinomycetes isolates on Sclerotial root rot of <i>Vigna radiata</i>	111
4.12.1. Disease development	111
4.12.2. Percent Disease incidence (PDI%)	111
4.12.3. Associated Biochemical changes	112
4.13. Artificial inoculation of <i>Phaseolus vulgaris</i> and <i>Vigna radiata</i> with actinomycetes formulation and associated changes in protein content before and after fungal inoculation	114
4.13.1. Total protein in <i>Phaseolus vulgaris</i>	114
4.13.2. Total protein in <i>Vigna radiata</i>	117
4.14. Tissue and cellular location of Chitinase and Glucanase enzyme by FITC labelling in <i>Phaseolus vulgaris</i>	118
4.15. Tissue and cellular location of Chitinase and Glucanase enzyme by FITC labelling in <i>Vigna radiata</i> .	121
5. Discussion	123
6. Conclusion	133
7. Bibliography	136
8. Appendices	I-VI