

## List of Tables

- Table 1.** List of antibiotic compound produced by actinomycetes
- Table 2.** Actinomycetes as biocontrol agent
- Table 3.** List of different diseases of *Vigna radiata* and biocontrol agent
- Table 4.** List of different diseases of *Phaseolus vulgaris* and biocontrol agent
- Table 5.** The arrangement (dummy) of the plants in Field condition.
- Table 6.** GIS position, code and colony characteristics of actinomycetes isolates
- Table 7.** Morphological characteristic of isolates
- Table 8.** Biochemical characterization of actinomycetes isolates
- Table 9.** Physiological characterization of actinomycetes isolates
- Table 10.** Grouping of isolates on the basis of spore chain morphology
- Table 11.** NAIMCC accession numbers of selected isolates
- Table 12.** Screening of Phosphate solubilization in the solid PKV medium
- Table 13.** *In vitro* quantification of phosphate solubilization by isolates in modified PKV broth culture
- Table 14.** Quantification of IAA production in actinomycetes isolates
- Table 15.** *In vitro* pairing of the isolates with *Sclerotium rolfsii* for evaluation of antifungal activities
- Table 16.** *In vitro* pairing of the isolates with *Fusarium solani* for evaluation of antifungal activities
- Table 17.** Effect of metabolites on spore germination of *Fusarium solani*
- Table 18.** Effect of metabolites on radial growth of *Fusarium solani* after 48 hours incubation
- Table 19.** Effect of metabolites on radial growth of *Sclerotium rolfsii* after 72 hours incubation
- Table 20.** Effect of metabolites on Sclerotia germination of phytopathogenic fungi
- Table 21.** Effect of metabolites on radial growth of Sclerotia after 72 hours incubation
- Table 22.** GenBank accession numbers and geographic location of exotype strains of *Streptomyces griseus* that showed homology with isolate ARHS/PO/15
- Table 23.** GenBank accession numbers and geographical location of exotype strains of *Streptomyces* species that showed homology with isolate ARHS/PO/26
- Table 24.** GenBank accession numbers and geographical location of exotype strains of *Streptomyces* species that showed homology with isolate ARHS/PO/27
- Table 25.** GenBank accession numbers and geographic location of exotype strains of *Streptomyces griseus*, *Streptomyces tricolor* and *Streptomyces*

*flavogriseus* that showed homology with isolate ARHS/PO/15, ARHS/PO/26, ARHS/PO/27

- Table 26.** Growth promotion in *Phaseolus vulgaris* following treatment with actinomycetes
- Table 27.** Growth promotion in *Phaseolus vulgaris* following treatment with actinomycetes
- Table 28.** Growth promotion in *Vigna radiata* following treatment with actinomycetes
- Table 29.** Growth promotion in *Vigna radiata* following treatment with actinomycetes
- Table 30.** Nodulation frequency and Nodulation Index of pot grown one month old *Phaseolus vulgaris* plants among different treatments
- Table 31.** Nodulation frequency and Nodulation Index of pot grown one month old *Vigna radiata* plants among different treatments
- Table 32.** Fusarial root rot development in the roots of *Phaseolus vulgaris* in presence and absence of actinomycetes isolates in pot condition
- Table 33.** Sclerotial root rot development in the roots of *Vigna radiata* in presence and absence of actinomycetes isolates in pot condition
- Table 34.** Total Protein content in Leaf of varieties of *P. vulgaris* treated with actinomycetes formulation before and after inoculation with pathogen
- Table 34 a.** ANOVA of the data in table 34 (Total Protein content)
- Table 35.** Total Protein content in root of varieties of *P. vulgaris* treated with actinomycetes formulation before and after inoculation with pathogen
- Table 35 a.** ANOVA of the data in table 35 (Total Protein content)

## List of Figures

- Figure 1.** (A-Q), Growth Pattern of different actinomycetes isolates.
- Figure 2.** (A-Q), Screening for pigmentation by the Actinomycetes isolates.
- Figure 3.** (A-L) Biochemical characterization of actinomycetes isolates. (A-C) catalase reaction; (D-F) Starch degradation reaction; (G-I) Indole Acetic Acid (IAA) reaction.
- Figure 4.** (A-G). Screening of Antibiotic Resistance of Selected Isolates; (a) ARHS/PO/26; (b) ARHS/PO/27; (c) ARHS/PO/15. A- Control; B-G Resistance to; Amphotericin [B-C], Kanamycin [D-E], Streptomycin [F-G]
- Figure 5.** (A-F) Visual Assessment; Growth of Selected Isolates in different Salt Concentrations. A- Control, B - 1% NaCl; C - 2% NaCl; D - 5% NaCl; E - 8% NaCl; F - 10% NaCl.
- Figure 6.** (A-Q). Microscopic identification of isolates based on morphological characters. (A-C) Rectiflexible, (D-E) Retinaculipettri, (F-Q) Spirales.
- Figure 7.** (A-E). Scanning Electron Micrograph of different actinomycetes isolates. (A-B). *Streptomyces tricolor* (KX894280). (C-D). *Streptomyces flavogriseus* (KX894281). (E-F). *Streptomyces griseus* (KX894282)
- Figure 8.** (A-Q) Screening for phosphate solubilizing activity by actinomycetes isolates in PVK solid media.
- Figure 9.** (A-H) *In vitro* antagonist activity assay of selected isolates (ARHS/PO/15, ARHS/PO/26, ARHS/PO/27) with *Sclerotium rolfsii*.; (A & E) Control; (B-D) radial method; (F-H) linear method
- Figure 10.** (A-H) *In vitro* antagonist activity assay of selected isolates (ARHS/PO/15, ARHS/PO/26, ARHS/PO/27) with *Fusarium solani*. (A & E) Control, (B-D) radial method; (F-H), linear method.
- Figure 11.** (A-D). Effect of metabolites of actinomycetes on conidial germination of *Fusarium solani*. A-Control, B-ARHS/PO/15, C-ARHS/PO/26, D-ARHS/PO/27
- Figure 12.** (A-H). Effect of metabolites of actinomycetes on germination of sclerotia of *Sclerotium rolfsii*. (A-D) Single sclerotium; A-Control; B-ARHS/PO/15; C-ARHS/PO/26; D-ARHS/PO/27. (E-H) Germination of sclerotia; E-Control; F-ARHS/PO/15; G-ARHS/PO/26; H-ARHS/PO/27
- Figure 13.** *In vitro* screening for antibacterial activity
- Figure 14.** Agarose Gel electrophoresis of genomic DNA of selected isolates from various sources.
- Figure 15.** Chromatogram and sequence deposit of 16S r RNA region of *Streptomyces griseus* ARHS/PO/15 (NCBI-KX894282)
- Figure 16.** 16S RNA gene sequence alignments of isolate *Streptomyces griseus* ARHS/PO/15 (NCBI-KX894282) with other exotypes from NCBI GenBank Database.
- Figure 17.** Phylogenetic placement of *Streptomyces griseus* (KX894282) with other exotype strain sequences obtained from NCBI GenBank Database.

- Figure 18.** Chromatogram and sequence deposit of 16S r RNA region of *Streptomyces tricolor* ARHS/PO/26 (NCBI-KX894280)
- Figure 19.** 16S rRNA gene sequence alignments of isolate *Streptomyces tricolor* ARHS/PO/26 (NCBI-KX894280) with other extypes from NCBI GenBank Database.
- Figure 20.** Phylogenetic placement of *Streptomyces tricolor*(KX894280) with other extype strain sequences obtained from NCBI GenBank Database.
- Figure 21.** Chromatogram and sequence deposit of 16S r RNA region *Streptomyces flavogriseus* ARHS/PO/27(NCBI-KX894281)
- Figure 22.** 16S rRNA gene sequence alignments of isolate *Streptomyces flavogriseus* ARHS/PO/ 27 (NCBI-KX894281) with other extypes from NCBI GenBank Database.
- Figure 23.** Phylogenetic placement of *Streptomyces flavogriseus*(KX894281)with other extype strain sequences obtained from NCBI GenBank Database
- Figure 24.** Multiple Sequence alignment of *Streptomyces griseus* (KX894282), *Streptomyces tricolor* (KX894280) and *Streptomyces flavogriseus* (KX894281) with other ex-types from NCBI
- Figure 25.** UPGMA based Phylogenetic placement of *Streptomyces griseus* (KX894282), *Streptomyces tricolor*(KX894280) and *Streptomyces flavogriseus* (KX894281) with other extype strain sequences obtained from NCBI GenBank Database.
- Figure 26.** Evaluation of growth promotion (A) Shoot Length, (B ) root Length & (C) Leaf Area of varieties of *P vulgaris* treated with actinomycetes formulation before and after challenge inoculation with *Fusarium solani*. UH2= Untreated Healthy (Jwala/CV2), UH3= Untreated Healthy (Kholar/CV3) T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3= Treated with *Streptomyces flavogriseus*.
- Figure 27.** (A-L) *Phaseolus vulgaris* in open field and pot condition ; (A-D) *Phaseolus vulgaris* in open field condition ; (E-H) *Phaseolus vulgaris* Cultivar Jwala (CV2) in pot condition,(I-L) *Phaseolus vulgaris* Cultivar Kholar (CV3) in pot condition,(E & I) Control, (F&J) T1, (G&K) T2,(H&L) T3.T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*,T3= Treated with *Streptomyces flavogriseus*.
- Figure 28.** Evaluation of growth promotion (A) Shoot Length, (B ) root Length & (C) Leaf Area of *Vigna radiata* treated with actinomycetes formulation before and after challenge inoculation with *Sclerotium rolfsii*. T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3= Treated with *Streptomyces flavogriseus*.
- Figure 29.** (A-D)*Vigna radiata* in open field condition; A- Control; B- T1;C- T 2; D-T3. (E-H) *Vigna radiata* in pot condition, E- Control; F- T1;G- T 2; H-T3. T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*,T3=Treated with *Streptomyces flavogriseus*.

- Figure 30.** Nodulation of *Phaseolus vulgaris* and the effect following application with actinomycetes. A- Field grown plant; B-Uprooted plant, C- Root nodulation
- Figure 31.** Nodulation of *Vigna radiata* and the effect following application with actinomycetes; A- Field grown plant; B-Uprooted plant;C-Root nodulation
- Figure 32.** Nodulation frequency and Nodulation Index in *Phaseolus vulgaris* under various treatments in selected cultivars CV2 (Jwala) and CV3 (Kholar).UH= Untreated Healthy, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3= Treated with *Streptomyces flavogriseus*.
- Figure 33.** Nodulation frequency and Nodulation Index under various treatments in *Vigna radiata*.UH= Untreated Healthy, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3= Treated with *Streptomyces flavogriseus*.
- Figure 34.** (A-F).Histopathological interaction of Host & Pathogen in *Phaseolus vulgaris*.A- Control in sterile water, B- Direct contact method with target pathogen, *Fusarium solani* C- Conidia of *F. solani* observed under microscopic field. (D & F)-Hyphal invasion of pathogen inside host tissue; E-Control tissue section.
- Figure 35.** (A-F).Histopathological interaction of Host & Pathogen in *Vigna radiata*. A- Control in sterile water, B- Direct contact method with target pathogen, *Sclerotium rolfsii* C- sclerotia of *S. rolfsii* observed under microscopic field. (D & F)-Hyphal invasion of pathogen inside host tissue; E- Control tissue section.
- Figure 36.** Disease index (Evident symptom of Disease) after challenge inoculation with target pathogen (*Fusarium solani*) and host response upon respective isolate treatments in two cultivars of *Phaseolus vulgaris*.T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 37.** PAL activity in (A) leaf & (B) roots of varieties of *P vulgaris* treated with actinomycetes formulation before and after challenge inoculation with *Fusarium solani*; UH= Untreated healthy, UI=Untreated Inoculated,T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*. CV2=Jwala (Cultivar 2), CV3=Kholar (Cultivar 3)
- Figure 38.** Total phenol content in (A) leaf & (B ) roots of varieties of *P vulgaris* treated with actinomycetes formulation before and after challenge inoculation with *Fusarium solani*; UH= Untreated healthy, UI=Untreated Inoculated,T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*. CV2=Jwala(Cultivar 2), CV3=Kholar (Cultivar 3)
- Figure 39.** Peroxidase activity in (A) leaf& (B ) roots of varieties of *P vulgaris* reacted with actinomycetes formulation before and after challenge inoculation with *Fusarium solani*; UH= Untreated healthy, UI=Untreated Inoculated,T1= Treated with *Streptomyces griseus*, T2=

Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*. CV2=Jwala (Cultiver 2), CV3=Kholar (Cultiver 3)

- Figure 40.**  $\beta$  1-3 Glucanase activity in (A) leaf & (B) roots of varieties of *P. vulgaris* treated with actinomycetes formulation before and after challenge inoculation with pathogen *Fusarium solani*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*. CV2=Jwala (Cultiver2), CV3= Kholar (Cultiver 3)
- Figure 41.** Chitinase activity in (A) leaf & (B) roots of varieties of *P vulgaris* treated with actinomycetes formulation before and after challenge inoculation with *Fusarium solani*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*. CV2=Jwala (Cultivar 2), CV3=Kholar (Cultivar 3)
- Figure 42.** (A-D) *Phaseolus vulgaris* (Cultivar 2, Jwala), in pot condition, A- Control, Untreated Healthy (UH). B- Control, Untreated Inoculated (UI). C- T1, Treated Healthy (T1H). D- T1 Treated Inoculated (T1I), E- T2 Treated Healthy (T2H), F-T2, Treated Inoculated (T2I), G- T3, Treated Healthy (T3H). H-T3, Treated Inoculated (T3I) T1= treated with *Streptomyces griseus*, T2=*Streptomyces tricolor*, T3= *Streptomyces flavogriseus*, Inoculated with *F. solani*
- Figure 43.** (E-H) *Phaseolus vulgaris* (Cultiver 3, Kholar), in pot condition, A- Control, Untreated Healthy (UH). B- Control, Untreated Inoculated (UI). C- T1, Treated Healthy (T1H). D- T1 Treated Inoculated (T1I), E- T2 Treated Healthy (T2H), F-T2, Treated Inoculated (T2I), G- T3, Treated Healthy (T3H). H-T3, Treated Inoculated (T3I) T1= treated with *Streptomyces griseus*, T2=*Streptomyces tricolor*, T3= *Streptomyces flavogriseus*, Inoculated with *F. solani*
- Figure 44.** Disease index (Evident symptom of Disease) after challenge inculcation with target pathogen (*Sclerotium rolfsii*) and host response upon respective isolate treatments in *Vigna radiata*. T1= treated with *Streptomyces griseus*, T2=*Streptomyces tricolor*, T3= *Streptomyces flavogriseus*
- Figure 45.** PAL activity in (A) leaf & (B) roots of varieties of *V. radiata* treated with actinomycetes formulation before and after challenge inoculation with *Sclerotium rolfsii*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 46.** Total phenol content in (A) leaf & (B) roots of varieties of *V. radiata* treated with actinomycetes formulation before and after challenge inoculation with *Sclerotium rolfsii*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 47.** Peroxidase activity in (A) leaf & (B) roots of varieties of *V radiata* treated with actinomycetes formulation before and after challenge

inoculation with *Sclerotium rolfsii*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.

- Figure 48.**  $\beta$  1-3 Glucanase activity in (A) leaf & (B ) roots of varieties of *V. radiata* treated with actinomycetes formulation before and after challenge inoculation with pathogen *Sclerotium rolfsii*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 49.** Chitinase activity in (A) leaf & (B ) roots of varieties of *V radiata* treated with actinomycetes formulation before and after challenge inoculation with *Sclerotium rolfsii*; UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 50.** (A-H) *Vigna radiata*, in pot condition, A- Control Untreated Healthy (UH), B- T1 Treated Healthy (T1H), C- T2 Treated Healthy (T2H), D- T3 Treated Healthy (T3H). E- Control Untreated Inoculated (UI), F- T1 Treated Inoculated (T1I), G- T2 Treated Inoculated (T2I), H- T3 Treated Inoculated (T3I), challenge pathogen *Sclerotium rolfsii*. T1= treated with *Streptomyces griseus*, T2=*Streptomyces tricolor*, T3= *Streptomyces flavogriseus*.
- Figure 51.** Total protein content in (A) leaf & (B) roots of varieties of *V radiata* treated with actinomycetes formulation before and after challenge inoculation with *Sclerotium rolfsii*. UH= Untreated healthy, UI=Untreated Inoculated, T1= Treated with *Streptomyces griseus*, T2= Treated with *Streptomyces tricolor*, T3=Treated with *Streptomyces flavogriseus*.
- Figure 52.** (A-F) FITC labeling of root tissue of *Phaseolus vulgaris* with Pab of Chitinase enzyme after treatment with *S. flavogriseus* (KX894281) and pathogen challenge. A. transverse section (TS) of cortical tissue of control; B-TS of vascular tissue of control; (C & D) TS of cortical & vascular tissue of root of CV2 plants; (E&F) TS of cortical & vascular tissue of root of CV3 plants
- Figure 53.** (A-F) FITC labeling of leaf tissue of *Phaseolus vulgaris* with PAb of Chitinase enzyme after treatment with *S. flavogriseus* (KX894281) and pathogen challenge. (A&B) TS of leaf tissue in untreated control; (C&D) TS of leaf tissue in CV2; (E&F) TS of leaf tissue in CV3, showing localization of chitinase enzyme.
- Figure 54.** (A-F) FITC labeling of leaf and root tissue of *Phaseolus vulgaris* with PAb of glucanase enzyme after treatment with *S. flavogriseus* (KX894281) and pathogen challenge. (A-C) TS of root tissue; (D-F) TS of leaf tissue ; (G&F) Localization of glucanase enzyme, in cortical tissue of root (G), root hair and epidermal layer in root (H) and vascular tissue in leaf midrib area (I).

**Figure 55.** (A-F) FITC labeling of root & leaf tissue of *Vigna radiata* with Pab of glucanase enzyme & Pab of chitinase enzyme after treatment with *S.tricolor* (KX894280) and pathogen challenge. A-TS of root tissue of control; (B-C & D)-TS of cortical & vascular tissue in roots ; (E & F) TS of leaf & localization of glucanase enzyme after pathogen challenge.



## **List of Appendices**

- APPENDIX A. List of Thesis related Publications
- APPENDIX B. List of Abbreviations
- APPENDIX C. List of Chemicals