

Chapter 7

BIBLIOGRAPHY

- Abadi R, Perl-Treves R and Levy Y.** Molecular variability among *Exserohilum turcicum* isolates using RAPD (random amplified polymorphic DNA). *Can. J. Plt. Pathol.* **18**: 29-34, 1996.
- Abdel-Fataah GM, Shabana YM, Ismail AE and Rashad YM.** *Trichoderma harzianum*: a biocontrol agent against *Bipolaris oryzae*. *Mycopathol.* **164**: 81-99, 2007.
- Abeles FB, Bosshart RT, Forrense LE and Habig WH.** Preparation and purification of glucanase and chitinase from bean leaves. *Plant Physiol.* **47**: 129-134, 1970.
- Acharya A, Ghosh S and Chakraborty BN.** Serological detection of *Pestalotiopsis disseminata* in *Persea bombycina* causing grey blight disease. *Int. J. Adv. Bio. Res.* **5(4)**: 327-333, 2015.
- Adhikari B, Bag MK, Bhowmick MK and Kundu C.** Rice in West Bengal-rice knowledge management portal (www.rkmp.co.in), Directorate of Rice Research, Rajendranagar, Hyderabad, Andhra Pradesh, **pp.** 88, 2012.
- Adlakha KL Wilcoxson RD and Raychaudhuri SP.** Resistance of wheat spot blotch caused by *Bipolaris sorokiniana*. *Pl. Dis.* **68**: 320-321, 1984.
- Akatsuka T, Kodama O, Kono Y and Takeuchi S.** 3-Hydroxy-7-oxosandaracopimaradiene (oryzalexin A), a new phytoalexin isolated from rice blast leaves. *Agric. Biol. Chem.* **47**: 445-447, 1983.
- Akiyama K, Matsuoka H and Hayashi H.** Isolation and identification of a phosphate deficiency-induced C-glycosylflavonoid that stimulates arbuscular mycorrhiza formation in melon roots. *Mol. Pl.Mic. Int.* **15**: 334-340, 2002.
- Alba APC and Devay JE.** Detection of cross-reactive antigens between *Phytophthora infestans* (Mont.) de Barley and *Solanum* species by indirect enzyme-linked immunosorbent assay. *Phytopathol.* **112**: 97-104, 1985.
- Alcorn JL.** The taxonomy of "Helminthosporium" species. *Ann. Rev. Phytopathol.* **26**: 37-56, 1988.

- Allay S and Chakraborty BN.** Activation of defense response of mandarin plants against Fusarium root rot disease using *Glomus mosseae* and *Trichoderma hamatum*. *J. Myco. Plt. Pathol.* **40 (4):**499-511, 2010.
- Aloui A, Recorbet G, Robert F, Schoefs B, Bertrand M, Henry C, Gianinazzi-Pearson V, Dumas-Gaudot E and Aschi-Smiti S.** Arbuscular mycorrhizal symbiosis elicits shoot proteome changes that are modified during cadmium stress alleviation in *Medicago truncatula*. *BMC Plt. Biol.* **11:**75, 2011.
- Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W and Lipman DJ.** "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs." *Nucleic Acids Res.***25:** 3389-3402, 1997.
- Aluko MO.** Crop losses caused by brown leaf spot disease of rice in Nigeria. *Plt. Dis. Rep.* **59:** 609–613, 1975.
- Amadioha AC.** Controlling Rice Blast in Vitro and in-Vivo with Extracts of *Azadirachta indica*. *Crop Protec.* **19:** 287-290, 2000.
- Araujo AEDS, Baldani VLD, Galisa PDS, Pereira JA and Baldani JI.** Response of traditional upland rice varieties to inoculation with selected diazotrophic bacteria isolated from rice cropped at the Northeast region of Brazil. *Applied Soil Ecol.* **64:** 49-55, 2013.
- Arnon DI.** Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant Physiol.* **24:** 1-15, 1949.
- Artursson V, Finlay RD and Jansson JK.** Interactions between arbuscular mycorrhizal fungi and bacteria and their potential for stimulating plant growth. *Environ. Microbiol.* **8:** 1–10, 2006.
- Ashrafuzzaman M, Hossen FA, Ismail MR, Hoque MA, Islam MZ, Shahidullah SM and Meon S.** Efficiency of plant growth-promoting rhizobacteria (PGPR) for the enhancement of rice growth. *African J. Biotech.* **8 (7):** 1247-1252, 2009.
- Ausubel FM.** Are innate immune signaling pathways in plants and animals conserved? *Nat. Immunol.* **6:** 973–979, 2005.

- Azcon-Aguilar C and Barea JM.** Arbuscular mycorrhizas and biological control of soil-borne plant pathogens - An overview of the mechanisms involved. *Mycorrhiza*, **6**: 457–464, 1997.
- Bae H, Sicher RC, Kim MS, Kim S, Strem MD and Melnick RL.** The beneficial endophyte *Trichoderma hamatum* isolate DIS 219b promotes growth and delays the onset of the drought response in *Theobroma cacao*. *J. Expt. Bot.* **60**: 3279–3295, 2009.
- Bagyaraj DJ and Varma V.** Interaction between arbuscular mycorrhizal fungi and plants. Their importance in sustainable agriculture and in arid and semiarid tropics. In: *Advances in microbial ecology*, Academic Press, London, **pp.** 119–142, 1995.
- Bais HP, Park SW, Weir TL, Callaway RM and Vivanco JM.** How plants communicate using the underground information superhighway. *Trends Plant Sci.* **9**: 26–32, 2004.
- Baker R.** *Trichoderma* spp. as plant-growth stimulants. *Biotechnol.* **7**: 97–106, 1988.
- Bakonyi J, Pomazi A, Fischl G and Hornok L.** Comparison of selected species of *Bipolaris*, *Drechslera* and *Exserohilum* by random amplification of polymorphic DNA. *Acta. Microbiol. Immun. Hungarica* **42**:355-366, 1995.
- Ballhorn DJ, Kautz S, Heil M and Hegeman AD.** Cyanogenesis of wild lima bean (*Phaseolus lunatus* L.) is an efficient direct defence in nature. *Plt. Sign. Behavior.* **4**: 735-745, 2009.
- Baranwal MK, Kotasthane A, Magculia N, Mukherjee PK, Savary S, Sharma AK, Singh HB, Singh US, Sparks AH, Variar M and Zaidi N.** A review on crop losses, epidemiology and disease management of rice brown spot to identify research priorities and knowledge gaps. *Eur. J. Plant Pathol.* **136**: 443-457, 2013.
- Barea JM, Pozo MJ, Azcon R and Azcon-Aguilar C.** Microbial co-operation in the rhizosphere. *J. Exp. Bot.* **56**:1761–1778, 2005.
- Beckers GJ and Conrath U.** Priming for stress resistance: from the lab to the field. *Curr. Opin. Plant Biol.* **10**: 425–431, 2007.

- Bedi KS and Gill HS.** Losses caused by the brown leaf spot disease in the Punjab. *Indian Phytopathol.* **13**: 161–164, 1960.
- Bell CR, Dickie GA, Harvey WLG and Chan JWYF.** Endophytic bacteria in grapevine. *Can. J. Microbiol.* **41**: 46–53, 1995.
- Bera S and Purkayastha RP.** Multicomponent coordinated defence response of rice to *Rhizoctonia solani* causing sheath blight: *Curr. Sci.* **76 (10)**:1376-1384, 1999.
- Berta G, Fusconi A and Hooker JE.** Arbuscular mycorrhizal modifications to plant root systems: scale, mechanisms and consequences. In S. Gianinazzi, H. Schüepp, J. M. Barea, and K. Haselwandter (eds.), *Mycorrhizal Technology in Agriculture. From Genes to Bioproducts.* Birkhaeuser, Basel. **pp.**71–85, 2002.
- Bever JD.** Soil community feedback and the coexistence of competitors: conceptual frameworks and empirical tests. *New Phyt.* **157**: 465–473, 2003.
- Bigirimana J, De Mayer G, Poppe J, Elad Y and Hofte M.** Induction of systemic resistance on bean (*Phaseolus vulgaris*) by *Trichoderma harzianum*. *Med. Fac. Landbouww. Univ. Gent.* Probably the first paper to clearly show induced systemic resistance resulting from an interaction between a plant and a *Trichoderma* strain. **62**: 1001–1007, 1997.
- Biswas C, Srivastava SSL and Biswas SK.** Biochemical changes associated with induction of resistance by *Trichoderma* spp. in paddy against brown spot disease. *Indian Phytopath.* **63 (3)**: 269-272, 2010a.
- Biswas C, Srivastava SSL and Biswas SK.** Effect of biotic, abiotic and botanical inducers on crop growth and severity of brown spot in rice. *Indian Phytopathol.* **63**: 187–191, 2010b.
- Blilou I, Ocampo JA and García-Garrido JM.** Resistance of pea roots to endomycorrhizal fungus or Rhizobium correlates with enhanced levels of endogenous salicylic acid. *J. Exp. Bot.* **50**: 1663–1668, 1999.
- Bloemberg GV and Lugtenberg BJJ.** Molecular basis of plant growth promotion and biocontrol by rhizobacteria. *Curr. Opin. Plant Biol.* **4**: 343–350, 2001.
- Boddey RM, Moraes JCDS, Alves BJR and Urquiaga S.** The contribution of biological nitrogen fixation for sustainable agricultural systems in the tropics. *Soil Biol. Biochem.* **29**: 787-799, 1997.

- Boller T and He SY.** Innate immunity in plants: An arms race between pattern recognition receptors in plants and effectors in microbial pathogens. *Science*, **324**: 742–744, 2009.
- Boller T and Mauch F.** Colorimetric assay for chitinase. *Meth. In. Enzymol.***161**: 403-435, 1988.
- Bonfante-Fasolo P and Grippiolo R.** Cytochemical and biochemical observations on the cell wall of the spore of *Glomus epigaeum*. *Protoplasm.* **123**: 140-151, 1984.
- Bonfante-Fasolo P and Perotto S.** Plant and endomycorrhizal fungi: the cellular and molecular basis of their interaction In: Verma,ed, *Molecular signals in plant –microbe communications*. Boca Raton, Florida: CRS Press, 445-470, 1992.
- Boue SM, Cleveland TE, Carter-Wientjes C, Shih BY, Bhatnagar D and McLachlan JM.** Phytoalexin-enriched functional foods. *J. Agric. Food Chem.* **57**: 2614–2622, 2009.
- Bray HG and Thorpe WV.** Analysis of phenolic compounds of interest in metabolism. *Methods. Biochem.Anal.***1**: 27-52, 1954.
- Breullin F, Schramm J, Hajirezaei M, Ahkami A, Favre P, Druège U, Hause B, Bucher M, Kretzschmar T, Bossolini E, Kuhlemeier C, Martinoia E, Franken P, Scholz U and Reinhardt D.** Phosphate systemically inhibits development of arbuscular mycorrhiza in *Petunia* hybrid and represses genes involved in mycorrhizal functioning. *Plant J.* **64**:1002–1017, 2010.
- Brogliè K, Chet I, Holliday M, Cresmann R, Biddle P, Kowlton S, Mauvais C and Brogliè R.** Transgenic plants with enhanced resistance to the fungal pathogen *Rhizoctonia solani*. *Science*, **254**: 1194-1197, 1991.
- Brooks CJW and Watson DG.** Terpenoid phytoalexins. *Nat. Prod. Rep.* **8**: 367-389, 1991.
- Brundrett M.** Mycorrhizas in natural ecosystems. *Adv. Eco. Res.* **21**: 171-313, 1991.
- Bruns TD, Vilgalys R, Barns SM, Gonzalez D, Hibbert DS, Lane DJ, Simon L, Stickel S, Szaro TM, Weisburg WG and Sogin ML.** Evolutionary relationships within fungi: analysis of nuclear small subunit rRNA sequences. *Mol. Phy. Evo.* **1**: 231-24, 1992.

- Caligiorne RB, Resende MA, Dias-Neto E, Oliveira SC and Azevedo V.** Dematiaceous fungal pathogens: analysis of ribosomal DNA gene polymorphism by polymerase chain reaction - restriction fragment length polymorphism. *Mycoses*. **42**:609-614, 1999.
- Callaway RM, Thelen GC, Barth S, Ramsey PW and Gannon JE.** Soilfungi alter interactions between the invader *Centaurea maculosa* and NorthAmerican natives. *Eco*. **85**:1062–1071, 2004.
- Cameron RK.** Salicylic acid and its role in plant defense responses: what do we really know? *Physiol. Mol. Plant Pathol.* **56**: 91-93, 2000.
- Campos-Soriano L, García-Martínez J and Segundo BS.** The arbuscular mycorrhizal symbiosis promotes the systemic induction of regulatory defense-related genes in rice leaves and confers resistance to pathogen infection. *Mol. Plant Pathol.* **10**: 1364-3703, 2012.
- Cartwright D, Langcake P, Pryce RJ, Leworthy DP and Ride JP.** Chemical activation of host defence mechanisms as a basis for crop protection. *Nat.* **267**: 511–513, 1977.
- Chabot R, Antoun H and Cescas MP.** Growth promotion of maize and lettuce by phosphatesolubilizing *Rhizobium leguminosarum* biovar. *phaseoli*. *Plt. Soil.* **184**: 311-321, 1996.
- Chakrabarti NK.** Epidemiology and disease management of brown spot of rice in India. In: Major Fungal Disease of Rice: Recent Advances. Kluwer Academic Publishers. **pp.** 293–306, 2001.
- Chakraborty BN and Purkayastha RP.** Serological relationship between *Macrophomina phaseolina* and soybean cultivars. *Physiol. Plant Pathol.* **23**: 197–205, 1983.
- Chakraborty BN and Chakraborty U.** Immunodetection of plant pathogenic fungi. In: Frontiers of Fungal Diversity in India. Editors, Rao, G.P., Manoharachari, C., Bhatt, D.J., Rajak, R.C. and Lakhanpal, T.N. International Book Distributing Company, India, **pp.** 23–41, 2003.

- Chakraborty BN and Saha A.** Detection and cellular location of cross-reactive antigens shared by *Camellia sinensis* and *Bipolaris carbonum*. *Physiol. Mol. Plant Pathol.* **44**: 403–416, 1994.
- Chakraborty BN, Basu P, Das R, Saha A and Chakraborty U.** Detection of cross reactive antigens between *Pestalotiopsis theae* and tea leaves and their cellular location. *Ann. Appl. Biol.* **127**: 11–21, 1995.
- Chakraborty BN, Chakraborty U, Barman BC, Bhutia L and Ghosh PK.** Induction of systemic resistance in tea plants against root rot pathogens upon field application of VAM, phosphate solubilizing fungus and bacterium. In: *Rhizosphere Biotechnology/Microbes in relation to plant health: Retrospects & Prospects*. Eds. A.K. Roy, B.N. Chakraborty, D.S. Mukadam and Rashmi, Scientific Publishers (India), Jodhpur, pp.61-71, 2007.
- Chakraborty BN, Chakraborty U, Chakraborty AP and Sashankar P.** Serological and molecular detection of *Bipolaris sorokiniana* Sacc. causing Spot blotch disease of wheat. *J. Mycopathol. Res.* **54(1)**: 117-125, 2016a.
- Chakraborty BN, Chakraborty U, De UK and Chakraborty AK.** Induction of resistance in *Camellia sinensis* against *Sclerotium rolfsii* by dual application of *Rhizophagus fasciculatus* and *Bacillus pumilus*. *Arch. Phytopathol. Pl. Protect.* DOI: 10.1080/03235408.2016.1140607. 1-16, 2016b.
- Chakraborty BN, Chakraborty U, Das R, Basu P and Saha A.** Serological relationship between *Glomerella cingulata* (Stoneman) Spaulid & Schrenk and *Camellia sinensis* (L.) O. Kuntze. *J. Plant. Crops.* **24**: 205-211, 1996.
- Chakraborty BN, Chakraborty U, De U, Chakraborty AP and Rai K.** Dual application of *Glomus mosseae* and *Bacillus pumilus* to enhance growth of tea and suppress sclerotial blight disease. *J Myco. Plant Pathol.* **39**:565-566, 2009.
- Chakraborty BN, Chakraborty U, Rai K, Sunar K and Dey PL.** Serological and molecular detection of *Macrophomina phaseolina* causing root rot of *Citrus reticulata*. *NBU J. Pl. Sci.* **6(1)**: 77-86, 2012.
- Chakraborty BN, Chakraborty U, Sengupta D, Deb D, and Das J.** Development of immunodiagnostic kits for detection of *Ustilina zonata* in soil and tea root tissues. *J. Basic App. Myco.* **1**: 58-61, 2002a.

- Chakraborty BN, Dutta S and Chakraborty U.** Biochemical responses of tea plants induced by foliar infection with *Exobasidium vexans*. *Indian Phytopath.* **55 (1):** 8-13, 2002b.
- Chakraborty U, Basnet M, Bhutia L and Chakraborty BN.** Plant growth promoting activity of *Bacillus pumilus* and *Bacillus megaterium* from tea rhizosphere. In: *Proceedings of 2004 International Conference on O-Cha (tea) Culture and Science (ICOS)*, Shizuoka, Japan, **pp.102-105**, 2004.
- Chakraborty U, Chakraborty BN, Kapoor M.** Changes in the level of peroxidase and phenyl alanine ammonia lyase in *Brassica napus* cultivars showing variable resistance to *Leptosphaeria maculans*. *Folia Microbiol.* **38:**491-496, 1993.
- Chakraborty U, Sarkar B and Chakraborty BN.** Protection of soybean root rot by *Bradyrhizobium japonicum* and *Trichoderma harzianum*, associated changes in enzyme activities and phytoalexins production. *J. Mycol. Pl. Pathol.* **33:** 21-25, 2003.
- Chakravorty A and Ghosh PD** .Characterization of Landraces of Rice from Eastern India. *Ind. J. Plant Genet. Resour.* **26(1):** 62-67, 2013.
- Chakravorty A, Ghosh PD and Sahu PK** .Multivariate analysis of phenotypic diversity of landraces of rice of West Bengal. *Am. J. Exp. Agri.* **3:** 110-123, 2013.
- Chandanie W, Kubota M and Hyakumachi M.** Interactions between plant growth promoting fungi and arbuscular mycorrhizal fungus *Glomus mosseae* and induction of systemic resistance to anthracnose disease in cucumber. *Pl. Soil*, **286:** 209–217, 2006.
- Chatterjee SD, Adhikari B, Ghosh A, Ahmed J, Neogi SB and Pandey N** .The rice bio-diversity in West Bengal. Department of Agriculture, Govt. of West Bengal. **pp. 50**, 2008.
- Cipollini D, Rigsby CM and Barto EK.** Microbes as targets and mediators of allelopathy in plants. *J. Chem. Ecol.* **38 (6):** 714-727, 2012.
- Clausen J.** Laboratory techniques in biochemistry and molecular biology. Vol 1, part-3, (ed. R. H. Burdon and P. H. Van Kinppenberg). **pp. 64-65**, 1988.

- Coleman JJ, White GJ, Rodriguez- Carres M and Vanetten HD.** An ABC transporter and a cytochrome P450 of *Nectria haematococca* MPVI are virulence factors on pea and are the major tolerance mechanisms to the phytoalexin pisatin. *Mol. Plt. Microbe Interact.* **24:** 368–376, 2011.
- Compant S, Reiter B, Sessitsch A, Nowak J, Cle´ment C and Ait Barka E.** Endophytic colonization of *Vitis vinifera* L. by a plant growth- promoting bacterium, *Burkholderia* sp. strain PsJN. *Appl. Environ. Microbiol.* **71:** 1685–1693, 2005.
- Conrath U, Beckers GJM, Flors V, Garc´ıa-Agust´ın P, Jakab G, Mauch F, Newman MA, Pieterse CMJ, Poinssot B, Pozo M J, Pugin A, Schaffrath U, Ton J, Wendehenne D, Zimmerli L and Mauch-Mani B.** Priming: Getting ready for battle. *Mol. Plant-Microbe Interact.* **19:** 1062–1071, 2006.
- Cook RJ.** Advances in plant health management in the 20 century. *Ann. Rev. Phytopathol.* **38:** 95-116, 2000.
- Coquoz JL, Buchala AJ, Meuwly P and Mettraux JP.** Arachidonic acid treatment of potato plants induces local synthesis of salicylic acid and confers systemic resistance to *Phytophthora infestans* and *Alternaria solani*. *Phytopathol.* **85:**1219-1224, 1995.
- Cordier C, Pozo MJ, Barea JM, Gianinazzi S and Gianinazzi-Pearson V.** Cell Defense responses Associated with Localized and Systemic Resistance to *Phytophthora parasitica* Induced in Tomato by an Arbuscular Mycorrhizal Fungus. *Mol. Plant Microbe Interact.***11:** 1017-1028, 1998.
- Cosio EG, Frey T and Ebel J .**Identification of a high-affinity binding protein for a hepta-P-glucoside phytoalexin elicitor in soybean. *Eur. J. Biochem.* **204:** 1115-1123, 1992.
- Cruickshank IA and Perrin DR.** The isolation and partial characterisation of Monilicolin A, a polypeptide with phaseollin inducing activity from *Monilinia fructicola*. *Life Sci.* **7:** 449-458, 1968.
- Dangl J and Jones J.** Plant pathogens and integrated defence responses to infection. *Nat.* **411:** 826–833, 2001.

- Datta KN and Datta SK.** Expression and function of PR-proteins genes in transgenic plants. In: Datta S, Muthukrishnan S, eds. Pathogenesis related proteins in plants. Boca Raton: CRC Press, pp. 261-277, 1999.
- Davis BJ.** Disc electrophoresis methods and application to human serum proteins. *Ann. N. Y. Acad. Sci.* **121**: 404, 1964.
- De La Noval B, Pérez E, Martínez B, León O, Martínezg Allardo N and Délano-Frier J.** Exogenous systemin has a contrasting effect on disease resistance in mycorrhizal tomato (*Solanum lycopersicum*) plants infected with necrotrophic or hemibiotrophic pathogens. *Mycorr.* **17**: 449–460, 2007.
- De Laat AMM and van Loon LC.** The relationship between stimulated ethylene production and symptom expression in virus-infected tobacco leaves. *Physiol Plant Pathol.* **22**: 261-273, 1983.
- De Meyer G , Bigirimana J , Elad Y and Hofte M.** Induced systemic resistance in *Trichoderma harzianum* T39 biocontrol of *Botrytis cinerea*. *Eur. J. Plant Pathol.* **104**: 279–286, 1998.
- De Román M, Fernández I, Wyatt T, Sahrawy M, Heil M and Pozo MJ.** Elicitation of foliar resistance mechanisms transiently impairs root association with arbuscular mycorrhizal fungi. *J. Ecol.* **99**: 36–45, 2011.
- De Weger LA, van der Bij AJ, Dekkers LC, Simons M, Wijffelman CA and Lugtenberg BJJ.** Colonization of the rhizosphere of crop plants by plant-beneficial pseudomonads. *FEMS Microbiol. Ecol.* **17**: 221–228, 1995.
- Deb D .** Seeds of tradition, seeds of future: folk rice varieties from east India. Research Foundation for Science Technology & Ecology, New Delhi, India, p 136, 2005.
- Dela Paz and Madonna Angelita G.** Molecular characterization of Isolates Causing Brown Spot of Rice (*Oryza sativa* L.) in Rainfed Ecosystem in Phillippines. 2005.
- Delaney TP, Uknes S, Vernooij B, Friedrich L, Weymann K, Negrotto D, Gaffney T, Gut-Rella M, Kessmann H, Ward E and Rylas J.** A central role of salicylic acid in plant disease resistance. *Sci.* **266**: 1247-1249, 1994.

- Dickens JSW and Cook RTA.** *Glomerella cingulata* on *Camellia*. *Plant Pathol.* **38**:75-85, 1989.
- Djonovic S, Vargas WA, Kolomiets MV, Horndeski M, Wiest A and Kenerley CM.**
A proteinaceous elicitor Sm1 from the beneficial fungus *Trichoderma virens* is required for induced systemic resistance in maize. *Plant Physiol.* **145**: 875–889, 2007.
- Dobbelaere S, Vanderleyden J and Okon Y.** Plant growth-promoting effects of diazotrophs in the rhizosphere. *Crit. Rev. Plant Sci.* **22**: 107– 149, 2003.
- Drechsler C.** Phytopathological and taxonomic aspects of *Ophiobolus*, *Pyrenophora*, *Helminthosporium*, and a new genus, *Cochliobolus*. *Phytopathol.* **24**: 953-985, 1934.
- Dubey A, Mishra MK, Singh PK and Vyas D.** Occurrence of AM fungi at varying stages of growth of rice plants. *Proc. Nat. Acad. Sci. Ind.* **78(1)**: 51–55, 2008.
- Dumas-Gaudot E, Gollotte A, Cordier C, Gianinazzi S and Gianinazzi-Pearson V.**
Modulation of host defence systems, In Y. Kapulnick, and D. D. Douds Jr (eds.), *Arbuscular Mycorrhizas: Physiology and Function*. Kluwer Academic Press, Dordrecht. pp.173–200, 2000.
- Dumas- Gaudot E, Slezack S, Dassi B, Pozo MJ, Gianinazzi- Pearson V and Gianinazzi S.** Plant hydrolytic enzymes (chitinases and β -1,3-glucanases) in root reactions to pathogenic and symbiotic microorganisms. *Plant and Soil.* **185**: 211-221, 1992.
- Durrant WE and Dong X.** Systemic acquired resistance. *Annu. Rev. Phytopathol.* **42**: 185-209, 2004.
- Edreva A.** A novel strategy for plant protection: induced resistance. *Journal of Cell and Mol. Biol.* **3**: 61–69, 2004.
- Effmert U, Kalderas J, Warnke R and Piechulla B.** Volatile mediated interactions between bacteria and fungi in the soil. *J. Chem. Ecol.* **38 (6)**: 665-703, 2012.
- Farmer EE and Ryan CA.** Octadecanoid precursors of jasmonic acid activate the synthesis of wound-inducible proteinase inhibitors. *Plt. Cell*, **4**: 129-134, 1992.

- Fester T and Hause G.** Accumulation of reactive oxygen species in arbuscular mycorrhizal roots. *Mycorr.* **15**: 373–379, 2005.
- Fester T and Sawers R.** Progress and challenges in agricultural applications of arbuscular mycorrhizal fungi. *Crit. Rev. Plant Sci.* **30**: 459–470, 2011.
- Fester T, Fetzer I, Bucher TS, Lucas R, Rillig M and Hartig C.** Towards a systemic metabolic signature of the arbuscular mycorrhizal interaction. *Oecol.* **167**: 913–924, 2011.
- Fiorilli V, Catoni M, Miozzi L, Novero M, Accotto GP and Lanfranco L.** Global and cell-type gene expression profiles in tomato plants colonized by an arbuscular mycorrhizal fungus. *New Phytol.* **184**: 975–987, 2009.
- Fischer KS, Barton J, Khush GS, Leung H and Cantrell R.** Collaborations in rice. *Sci.* **290**: 279–280, 2000.
- Fitter AH and Garbaye J.** Interaction between mycorrhizal fungi and other soil microorganisms. *Plt. Soil.* **159**: 123–132, 1994.
- Flob DS, Hause B, Lange PR, Küster H, Strack D and Walter MH.** Knock-down of the MEP pathway isogene 1-deoxy-d-xylulose 5-phosphate synthase 2 inhibits formation of arbuscular mycorrhiza-induced apocarotenoids, and abolishes normal expression of mycorrhiza-specific plant marker genes. *Plant J.* **56**: 86–100, 2008.
- Fogliatto S, Vidotto F and Ferrero A.** Morphological characterization of Italian weedy rice (*Oryza sativa*) populations. *An International journal of Weed Biology, Ecol. Veg. Mang.* pp. 60-69, 2011.
- Fomba SN and Singh N.** Crop losses caused by brown spot disease in mangrove swamps of North Sierra Leone. *Trop. Pest Mang.* **36**: 387–393, 1990.
- Food and Agricultural Organization, 2012.** Faostat.fao.org.
- Frankel OH, Brown AHD and Burdon JJ.** The conservation of plant biodiversity. Cambridge University Press, London. 1995.
- Friese CF and Allen MF.** The spread of VA mycorrhizal fungal hyphae in the soil: Inoculum types and external hyphae architecture. *Mycol. Res.* **92**: 317–321, 1991.

- Fritz M, Jakobsen I, Lyngkjær MF, Thordal-Christensen H and Pons-Kuhnemann J.** Arbuscular mycorrhiza reduces susceptibility of tomato to *Alternaria solani*. *Mycorr.* **16**: 413–419, 2006.
- Fry SC, Aldington S, Hetherington PR and Aitken J.** Oligosaccharides as signals and substrates in the plant cell wall. *Plant Physiol.* **103**: 1–5, 1993.
- Gaffney T, Friedrich L, Vernooij B, Negrotto D, Nye G, Uknes S, Ward E, Kessmann H and Ryals J.** Requirement of salicylic acid for the induction of systemic acquired resistance. *Sci.* **261**: 754-756, 1994.
- García-Garrido JM and Ocampo JA.** Regulation of the plant defense response in arbuscular mycorrhizal symbiosis. *J. Exp. Bot.* **53**: 1377–1386, 2002.
- Gardes M and Bruns TD.** ITS primers with enhanced specificity for basidiomycetes application to the identification of mycorrhizae and rusts. *Mol. Eco.* **2**: 113-118, 1993.
- Gerdemann JW and Nicolson TH.** Spores of mycorrhizal Endogone species extracted from soil by wet sieving and decanting. *Trans. B. Mycol. Soc.* **46**: 235-244, 1963.
- Gerhardson B.** Biological substitutes for pesticides. *Trends Biotechnol.* **20**: 338–343, 2002.
- Gernns H, Von alten H and Poehling HM.** Arbuscular mycorrhiza increased the activity of a biotrophic leaf pathogen – Is a compensation possible? *Mycorr.* **11**: 237–243, 2001.
- Ghany TM.** Fungal leaf spot of maize: pathogen isolation, identification and host biochemical characterization. *Mycopath.* **10(2)**:41-49, 2012.
- Ghosal A and Purkayastha RP.** Biochemical responses of Rice (*Oryza sativa* L.) leaves to some abiotic elicitors of Phytoalexin. *Ind. J. Expt. Biol.* **25**: 395-399, 1987.
- Gilreath P.** *Manatee Vegetable Newsletter*, University of Florida, Manatee County Extension Service, January/February, 2002.
- Giovannetti M and Mosse B.** An evaluation of techniques to measure vesicular-arbuscular infection in roots. *New Phytol.* **84**: 489-500, 1980.

- Glazebrook J and Ausubel F.** Isolation of phytoalexindeficient mutants of *Arabidopsis thaliana* and characterisation of their interactions with bacterial pathogens. *Proc. Nat. Acad. Sci. USA.* **91**: 8955-8959, 1994.
- Glazebrook J.** Contrasting mechanisms of defense against biotrophic and necrotrophic pathogens. *Annu. Rev. Phytopathol.* **43**: 205–227, 2005.
- Glick B.** The enhancement of plant growth by free-living bacteria. *Can. J. Microbiol.* **41**: 109–117, 1995.
- Goel RK, Bala R and Singh K.** Genetic characterization of resistance to brown leaf spot caused by *Drechslera oryzae* in some wild rice (*Oryza sativa*) lines. *Ind. J. Agri. Sci.* **76**: 705–707, 2006.
- Goellner K and Conrath U.** Priming: It's all the world to induced disease resistance. *Eur. J. Plant Pathol.* **121**: 233–242, 2008.
- Graham JH, Linderman RG and Menge JA.** Development of external hyphae by different isolates of mycorrhizal *Glomus* spp. in relation to root colonization and growth of troyer citrange. *New Phytol.* **91**:183-189, 1982.
- Gray EJ and Smith DL.** Intracellular and extracellular PGPR: commonalities and distinctions in the plant-bacterium signaling processes. *Soil Biol. Biochem.* **37**: 395–412, 2005.
- Grayer RJ and Kokubun T.** Plant-fungal interactions: The search for phytoalexins and other antifungal compounds from higher plants. *Phytochem.* **56**: 253-263, 2001.
- Greenberg JT, Silverman FP and Liang H.** Uncoupling salicylic acid –dependent cell death and defense- related responses from disease resistance in the *Arabidopsis* mutant *acd5*. *Gen.* **156**: 341-350, 2000.
- Guimil S , Chang HS, Zhu T, Sesma A, Osbourn A, Roux C, Ioannidis V, Oakeley EJ, Docquier M, Descombes P, Briggs SP and Paszkowski U.** Comparative transcriptomics of rice reveals an ancient pattern of response to microbial colonization. *Proc. Nat. Acad. Sci. USA,* **102**: 8066–8070, 2005.
- Gundlach H, Müller MJ, Kutchan TM and Zenk MH.** Jasmonic acid is a signal transducer in elicitor-induced plant cell cultures. *Proc. Natl. Acad. Sci. USA,* **89**: 2389-2393, 1992.

- Haas D, Keel C and Reimmann C.** Signal transduction in plantbeneficial rhizobacteria with biocontrol properties. *Ant. Leeu.***81**: 385–395, 2002.
- Haas D, Blumer C, and Keel C.** Biocontrol ability of fluorescent pseudomonads genetically dissected: importance of positive feedback regulation. *Curr. Opin. Biotechnol.* **11**: 290–297, 2000.
- Hallman J, Quadt-Hallman A, Mahafee WF and Kloepper JW.** Bacterial endophytes in agricultural crops. *Can. J. Microbiol.* **43**: 895–914, 1997.
- Hammerschmidt R and Kuc J.** Induced Resistance to Disease in Plants. Kluwer Academic Publishers, Dordrecht, Netherlands.**pp.**182, 1995.
- Hammerschmidt R.** Induced disease resistance: how do induced plants stop pathogens? *Phy. and Mol. Plant Pathol.* **55**:77-84, 1999a.
- Hammerschmidt R.** Phytoalexins: what have we learned after 60 years? *Annu.Rev. Phytopathol.* **37**: 285-306, 1999b.
- Hammond-Kosack KE and Jones JDG.** Resistance gene dependent plant defence responses. *Plt. Cell.* **8**: 1773-1791, 1996.
- Harborne JB.** Phytochemical methods.Chapman and hall Ltd. London- **pp.** 278, 1973.
- Harborne JB.** The comparative biochemistry of phytoalexin induction in plants. *Biochem. Syst. and Eco.* **27**: 335–367, 1999.
- Harish S, Saravavakumar D, Radjacommar R, Ebenezar EG and Seetharaman K.** Use of plant extracts and biocontrol agents for the management of brown spot disease in rice. *Biocontrol.* **53(3)**: 555-567, 2007.
- Harman GE, Howell CR, Viterbo A, Chet I and Lorito M.** *Trichoderma* species — opportunistic, avirulent plant symbionts. *Microbiol.* **2**: 43-56, 2004.
- Harman GE.** Trichoderma—not just for biocontrol anymore. *Phytoparasi.* **39(2)**:103–108, 2011.
- Harrier LA and Watson CA.** The potential role of arbuscular mycorrhizal (AM) fungi in the bioprotection of plants against soil-borne pathogens in organic and/or other sustainable farming systems. *Pest Manag. Sci.* **60**: 149–157, 2004.
- Harrison M and Dixon R .** Isoflavonoid accumulation and expression of defense gene transcripts during the establishment of vesicular arbuscular mycorrhizal

- associations in roots of *Medicago truncatula*. *Mol. Plant-Microbe Interact.* **6**: 643–659, 1993.
- Harrison MJ.** Molecular and cellular aspects of the arbuscular mycorrhizal symbiosis. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **50**: 361–389, 1999.
- Hause B and Fester T.** Molecular and cell biology of arbuscular mycorrhizal symbiosis. *Planta*, **221**:184–196, 2005.
- Hause B, Mrosk C, Isayenkov S and Strack D.** Jasmonates in arbuscular mycorrhizal interactions. *Phytochem.* **68**:101–110, 2007.
- Hawksworth DL.** Fungal genera in urgent need of taxonomic work. *Microbiol. Sci.***3**:58, 1986.
- Herrera-Medina MJ, Gagnon H, Piche Y, Ocampo JA, García-Garrido JM and Vierheilig H.** Root colonization by arbuscular mycorrhizal fungi is affected by the salicylic acid content of the plant. *Plant Sci.* **164**: 993–998, 2003.
- Hiremath L and Naik GR.** Rapid diagnosis of sugarcane red rot by Dot-immunobinding assay (DIBA) technique. *Ind. J. Biotech.* **3**: 542-545, 2004.
- Holland KW and O'Keefe SF.** Recent applications of peanut phytoalexins. *Rec.Pat. on Food, Nut. & Agri.* **2**: 221–232, 2010.
- Hore DK.** Rice diversity collection, conservation and management in north-eastern India. *Genet Resour. Crop Evol.* **52**: 1129-1140, 2005.
- Hossain M, Khalequzzaman KM, Mollah MRA, Hussain MA and Rahim MA.** Reaction of breeding lines/ cultivars of rice against brown spot and blast under field condition. *Asian J. Plt. Sci.* **3**: 614–617, 2004.
- Huffaker A, Kaplan F, Vaughan MM, Dafoe NJ, Ni X and Rocca JR.** Novel acidic sesquiterpenoids constitute a dominant class of pathogen-induced phytoalexins in maize. *Plt. Physiol.* **156**: 2082–2097, 2011.
- Hunt MD, Neuenschwander UH, Delaney TP, Weymann KB, Friedrich LB, Lawton KA, Steiner HY and Ryals JA.** Recent advances in systemic acquired resistance research-a review. *Gene.* **179**: 89-95, 1996.
- Igawa T, Tokal T, Kudo T, Yamagushi I and Kimura M.** A wheat xylanase inhibitor gene, Xip-I, but not Taxi-I, is significantly induced by biotic and abiotic

- signals that trigger plant defense. *Biosci. Biotechnol. and Biochem.* **69**: 1058–1063, 2005.
- Ito S and Kuribayashi.** *Cochliobolus miyabeanus*. *Ind. J. Agric. Sci.* **12**: 733, 1942.
- Iwai T, Miyasaka A, Seo S and Ohashi Y.** Contribution of ethylene Biosynthesis for resistance to blast fungus infection in young rice plants. *Plt. Physiol.* **142**: 1202-1215, 2006.
- Jackson AO and Taylor CB.** Plant microbe interactions: life and death of the interface. *The Plt. Cell.* **8**: 1651-1668, 1996.
- Jahangir M, Kim HK, Choi YH and Verpoorte R.** Health-affecting compounds in Brassicaceae. *Comp. Rev. in Food Sci. and Food Saf.* **8**: 31–43, 2009.
- Jones JDG and Dangl JL.** The plant immune system. *Nat.* **444**: 323–329, 2006.
- Jones LR.** The relation of environment to disease in plant. *Ann. J. Bot.* **11**: 601 – 609, 1924.
- Joshi N, Brar KS, Pannu PPS and Singh P.** Field efficacy of fungal and bacterial antagonists against brown spot of rice. *J. of Bio. Cont.* **21**: 159–162, 2007.
- Kachroo A and Kachroo P.** Fatty Acid–Derived Signals in Plant Defense. *Annu. Rev. Phytopathol.* **47**: 153–76, 2009.
- Kanno H, Satoh H, Kimura T and Fujita Y.** Some aspects of induced resistance to rice blast fungus, *Magnaporthe grisea*, in rice plant infested by white-backed planthopper, *Sogatella furcifera*. *Appl. Entomol. and Zoo.* **40**: 91–97, 2005.
- Kaschuk G, Kuyper TW, Leffelaar PA, Hungria M and Giller KE.** Are the rates of photosynthesis stimulated by the carbon sink strength of rhizobial and arbuscular mycorrhizal symbioses? *Soil Biol. Biochem.* **41**: 1233–1244, 2009.
- Katiyar RS, Das PK, Chowdhury PC, Ghosh A, Singh GB and Datta RK.** Response of irrigated mulberry (*Morus alba* L.) to VA mycorrhizal inoculation under graded doses of phosphorus. *Plt. Soil*, **5**: 369–373, 1994.
- Kato T, Kodama O, Akatsuka T and Hirukawa T.** Oryzalexin E, a diterpene phytoalexin from UV irradiated rice leaves. *Phytochem.* **33**: 79–81, 1993.

- Kerry BR.** Rhizosphere interactions and the exploitation of microbial agents for the biological control of plant-parasitic nematodes. *Annu. Rev. Phytopathol.* **38**: 423–441, 2000.
- Kessler A, Halitschke R, Diezel C and Baldwin I.** Priming of plant defense responses in nature by airborne signalling between *Artemisia tridentata* and *Nicotiana attenuata*. *Oecol.* **148**: 280–292, 2006.
- Khush GS.** Origin, dispersal, cultivation and variation of rice. *Plant Mol. Biol.* **35**: 25–34, 1997.
- Kiers ET, Duhamel M, Beesetty Y, Mensah JA, Franken O, Verbruggen E, Fellbaum CR, Kowalchuk GA, Hart MM, Bago A, Palmer TM, West SA, Vandenkoornhuyse P, Jansa J and Bucking H.** Reciprocal rewards stabilize cooperation in the mycorrhizal symbiosis. *Sci.* **333**: 880–882, 2011.
- Kilic-Ekici O and Yuen GY.** Comparison of strains of *Lysobacter enzymogenes* and PGPR for induction of resistance against *Bipolaris sorokiniana* in tall fescue. *Biol. Cont.* **30**: 446–455, 2004.
- Klessig DF, Vlot CA and Dempsey DA.** Salicylic acid, a multifaceted hormone to combat disease. *Annu. Rev. Phytopath.* **47**: 177–206, 2009.
- Kloepper JW and Schroth MN.** Plant growth-promoting rhizobacteria on radishes, In Station de pathologie vegetale et phyto-bacteriologie (ed.), Proceedings of the 4th International Conference on Plant Pathogenic Bacteria, vol. II. Gilbert-Clarey, Tours, France, pp. 879–882, 1978.
- Kloepper JW, Rodriguez-Ubana R, Zehnder GW, Murphy JF, Sikora E and Fernandez C.** Plant root-bacterial interactions in biological control of soil borne diseases and potential extension to systemic and foliar diseases. *Austral. Plant Pathol.* **28**: 21–26, 1999.
- Kloepper JW, Leong J, Teintze M and Schroth MN.** Enhanced plant growth by siderophores produced by plant growth-promoting rhizobacteria. *Nat.* **286**: 885–886, 1980.
- Kloepper JW, Schippers B and Bakker PAHM.** Proposed elimination of the term endorhizosphere. *Phytopathol.* **82**: 726–727, 1992.

- Kloppholz S, Kuhn H and Requena N.** A secreted fungal effector of *Glomus* intraradices promotes symbiotic biotrophy. *Curr. Biol.* **21**:1204–1209, 2011.
- Kodama O, Miyakawa J, Akatsuka T and Kiyosawa S.** Sakuranetin, a flavanone phytoalexin from ultraviolet-irradiated rice leaves. *Phytochem.* **31**: 3807–3809, 1992.
- Koga J, Ogawa N, Yamauchi T, Kikuchi M, Ogasawara N and Shimura M.** Functional moiety for the antifungal activity of phytocassane E, a diterpene phytoalexin from rice. *Phytochem.* **44**: 249–253, 1997.
- Koga J, Osima K, Ogawa N, Ogasawara N and Shimura M.** A bioassay for measuring elicitor activity in rice leaves. *Ann. Phytopathol. Soc. Jpn.* **64**: 97–101, 1998.
- Koga J, Shimura M, Oshima K, Ogawa N, Yamauchi T and Ogasawara N.** Phytocassanes A, B, C and D, novel diterpene phytoalexins from rice, *Oryza sativa* L. *Tetrahedron*, **51**: 7907–7918, 1995.
- Koide RT and Schreiner RP.** Regulation of the vesicular arbuscular mycorrhizal symbiosis. *Ann. Rev. of Plt. Physiol. Plt. Mol. Biol.* **43**: 557–581, 1992.
- Kono Y, Takeuchi S, Kodama O and Akatsuka T.** Absolute configuration of oryzalexin A and structures of its related phytoalexins isolated from rice blast leaves infected with *Pyricularia oryzae*. *Agric. Biol. Chem.* **48**: 253–255, 1984.
- Koricheva J, Gange AC and Jones T.** Effects of mycorrhizal fungi on insect herbivores: a meta-analysis. *Ecol.* **90**: 2088–2097, 2009.
- Koske RE.** Evidence for a volatile attractant from plant roots affecting germ tubes of a VA mycorrhizal fungus. *Trans. Brit. Mycol. Soc.* **79**: 305–310, 1982.
- Kratka J, Kynerova BK, Kudlikova I, Slovacek J and Zemankova M.** Utilisation of immunochemical methods for detection of *Colletotrichum* spp. in Strawberry. *Plant Protec. Sci.* **38(2)**: 55–63, 2002.
- Kravchuk Z, Vicedo B, Flors V, Camañes G, González-Bosch C and García-Agustín P.** Priming for JA-dependent defenses using hexanoic acid is an effective mechanism to protect *Arabidopsis* against *B. cinerea*. *Plant Physiol.* **168**: 359–366, 2011.

- Krishna KR and Bagyaraj DJ.** Influence of vesicular-arbuscular mycorrhiza on growth and nutrition of *Arachis hypogea*. *Legume Res.* **5**:18–22, 1982.
- Kuc J.** Increasing crop productivity and value by increasing disease resistance through non-genetic techniques. In: *Forest Potentials, Productivity and value, Weyerhaeuser Science Symp.* (Eds., R. Ballard *et al.*,) Weyerhaeuser Co. Press, pp. 147-190, 1985.
- Kuc J.** Phytoalexins, stress metabolism, and disease resistance in plants. *Ann. Rev. of Phytopathol.* **33**: 275-297, 1995.
- Kulkarni S, Ramakrishnan K and Hegde RK.** Incidence of brown leaf spot of rice caused by *Drechslera oryzae* (Breda de Haan) Subram. & Jain under different agroclimatic conditions of Karnataka. *Mysore J. Agri. Sci.* **14**: 321-322, 1980.
- Kumar S and Sridhar R.** Significance of cell wall phenols in the resistance of rice against blast. *Curr. Sci.* 54:874-876, 1985.
- Kumawat GL, Biswas SK and Srivastava SSL.** Biochemical evidence of defense response in paddy induced by bio-agents against brown leaf spot pathogen. *Indian Phytopath.* **61 (2)**: 197-203, 2008.
- Kumawat GL.** Effect of *Trichoderma* on *Drechslera oryzae* and its role in defense against brown leaf spot of paddy. M.Sc. Thesis. *C.S.A. Univ. Agric. & Tech., Kanpur*, pp. 78, 2006.
- Laemmli UK.** Cleavage of structural proteins during assembly of the head of bacteriophage T4. *Nat.* **227**: 680-685, 1970.
- Lange L, Heide M and Olson LW.** Serological detection of *Plasmodiophora brassicae* by dot immunobinding and visualization of the serological reaction by scanning electron microscopy. *Phytopathol.* **79**: 1066-1071, 1989.
- Larose G, Chenevert Moutoglis P, Gagne S and Piche Vierheilig H.** Flavonoid levels in roots of *Medicago sativa* are modulated by the developmental stage of the symbiosis and the root colonizing arbuscular mycorrhizal fungus. *J. Plant Physiol.***159**: 1329–1339, 2002.
- Lee CS, Lee YJ and Jeun YC.** Observations of infection structures on the leaves of cucumber plants pre-treated with arbuscular mycorrhiza *Glomus intraradices*

- after challenge inoculation with *Colletotrichum orbiculare*. *Plant Pathol. J.* **21**: 237–243, 2005.
- Legrand M, Kauffmann S, Pierrette G and Fritig B.** Biological function of pathogenesis-related proteins: Four tobacco pathogenesis proteins are chitinases. *Proc. of the Nat.l Aca. of Sci.s of USA.* **84**: 6750-6754, 1987.
- Lenzemo VW, Kuyper TW, Matusova R, Bouwmeester HJ and Ast AV.** Colonization by arbuscular mycorrhizal fungi of Sorghum leads to reduced germination and subsequent attachment and emergence of *Striga hermonthica*. *Plant Sign. Behav.* **2**: 58–62, 2007.
- Linderman RG.** Role of VAM fungi in biocontrol. In FL. Pflieger and RG. Linderman (eds.), *Mycorrhizae and Plant Health*. APS Press, St. Paul, MN. **pp.** 1–26, 1994.
- Liu J, Blaylock LA, Endre G, Cho J, Town CD, Vandenbosch KA and Harrison MJ.** Transcript profiling coupled with spatial expression analyses reveals genes involved in distinct developmental stages of an arbuscular mycorrhizal symbiosis. *Plt. Cell*, **15**: 2106–2123, 2003.
- Liu J, Maldonado-Mendoza I, Lopez-Meyer M, Cheung F, Town CD and Harrison MJ.** Arbuscular mycorrhizal symbiosis is accompanied by local and systemic alterations in gene expression and an increase in disease resistance in the shoots. *Plant J.* **50**: 529–544, 2007.
- Lodewyckx C, Vangronsveld J, Porteous F, Moore ERB, Taghavi S, Mezgeay M and van der Lelie D.** Endophytic bacteria and their potential applications. *Crit. Rev. Plant Sci.* **21**: 583–606, 2002.
- Lopez-Raez JA, Flors V, García JM. and Pozo MJ.** AM symbiosis alters phenolic acid content in tomato roots. *Plant Sign. Behav.* **5**: 1138–1140, 2010a.
- Lopez-Raez JA, Verhage A, Fernández I, García JM, Azcón-Aguilar C, Flors V and Pozo MJ.** Hormonal and transcriptional profiles highlight common and differential host responses to arbuscular mycorrhizal fungi and the regulation of the oxylipin pathway. *J. Exp. Bot.* **61**: 2589–2601, 2010b.
- Lowry OH, Rosebrough NJ, Farr AL and Randall RJ.** Protein measurement with folin phenol reagent. *J. Biol. Chem.* **193**: 265-275, 1951.

- Ludwig J, Moura AB, dos Santos AS and Ribeiro AS.** Seed microbiolization for the control of rice brown spot and leaf scald. *Tropical Plt. Pathol.* **34**: 322–328, 2009.
- Lugtenberg BJJ, Dekkers L and Bloemberg GV.** Molecular determinants of rhizosphere colonization by *Pseudomonas*. *Annu. Rev. Phytopathol.* **39**: 461–490, 2001.
- Lugtenberg BJJ and Dekkers LC.** What make *Pseudomonas* bacteria rhizosphere competent? *Environ. Microbiol.* **1**: 9–13, 1999.
- Luna E, Bruce TJA, Roberts MR, Flors V and Ton J.** Next-generation systemic acquired resistance. *Plant Physiol.* **158**: 844–853, 2012.
- Macleán JL, Dawe DC, Hardy B and Hettel GP.** Rice almanac. Los Baños (Phillippines): *Int. Rice Res.* 2002.
- Mahadevan N and Shridhar R.** Methods in physiological plant pathology. 2nd Ed. Sivakani Publ., India – pp. 242, 1982.
- Maiti D, Variar M and Saha J.** Colonization of upland rice by native VAM under rainfed monocropped ecosystem. In: Roy AK, Sinha KK (eds) Recent advances in phytopathological research, MD Publication, New Delhi, pp. 45–51, 1995.
- Malamy J, Carr JP, Klessig DF and Raskin I.** Salicylic acid: a likely endogenous signal in the resistance to tobacco to viral infection. *Sci.* **250**: 1002-1004, 1990.
- Malik KA, Bilal R, Mehnaz S, Rasul G and Mirza MS.** Association of nitrogen-fixing, Plant-Growth-Promoting Rhizobacteria (PGPR) with kallar grass and rice. *Plt. Soil.* **194**: 37-44, 1997.
- Mansfield JW.** Role of phytoalexins in disease resistance. In: Phytoalexins. Mansfield JW and Bailey J (Ed). Blackie, Glasgow. 1982.
- Mason JR and Mathew DN.** Evaluation of neem as bird repellent chemical. *Int. J. Pest Mang.* **42** (1): 47- 49, 1996.
- Mathur A, Hong Y, Kemp BK, Barrientos AA and Erusalimsky JD.** Evaluation of fluorescent dyes for the detection of mitochondrial membrane potential changes in cultured cardiomyocytes. *Cardiovasc Res.* **46** (1): 126-138, 2000.

- Matsumura ATS, Moraes Fernandes MIB, Prestes AM, Zanettini MBB and Oliveira MAR.** Relações fenéticas entre isolados naturais de *Bipolaris sorokiniana*: Resumo, XV Reunião Nacional de Pesquisa de Trigo, Passo Fundo, RS.p. 230, 1998.
- Mauch F, Mauch-Mani B, Gaille C, Kull B, Haas D and Reimann C.** Manipulation of salicylate content in *Arabidopsis thaliana* by the expression of an engineered bacterial salicylate synthase. *The Plt. J.***25**: 67-77, 2001.
- Mauch-Mani B and Metraux JP.** Salicylic acid and systemic acquired resistance to pathogen attack. *Ann. of Bot.* **82**: 535-540, 1998.
- Mayak S, Tirosch T and Glick BR.** Plant growth-promoting bacteria confer resistance in tomato plants to salt stress. *Plant Physiol. Biochem.* **42**: 565–572, 2004.
- McInroy JA and Klopper JW.** Population dynamics of endophytic bacteria in field-grown sweet corn and cotton. *Can. J. Microbiol.* **41**: 895–901, 1995.
- Meghvansi MK, Prasad K, Harwani D and Mahna SK.** Response of soybean cultivars toward inoculation with three arbuscular mycorrhizal fungi and *Bradyrhizobium japonicum* in the alluvial soil. *Eur. J. of Soil Biol.* **44**: 316-323, 2008.
- Mert-Turk F, Bennett MH, Glazebrook J, Mansfield J and Holub E.** Biotic and abiotic elicitation of camalexin in *Arabidopsis thaliana*. 7th International Congress of Plant Pathology. Edinburgh, Scotland, UK. 1998.
- Metraux JP, Signer H, Ryals J, Ward E, Wyss-Benz M, Gaudin J, Raschdorf K, Schmid E, Blum W and Inverardi B.** Increase in the salicylic acid at the onset of systemic acquired resistance. *Sci.* **250**:1004-1006, 1990.
- Metraux JP, Nawrath C and Genoud T.** Systemic acquired resistance. *Euphy.***124**: 237–243, 2002.
- Metraux JP.** Systemic acquired resistance and salicylic acid:current state of knowledge. *Eur.J. of Plt. Pathol.***107**: 13-18, 2001.
- Meuwly P, Molders W, Buchala A and Metraux JP.** 1995. Local and systemic biosynthesis of salicylic acid in infected cucumber plants. *Plant Physiol.***109**: 1107-1114, 1995.

- Mew TW and Gonzales P.** A Handbook of Rice Seed borne Fungi Science Publishers, Inc. 2002.
- Mia MAB, Shamsuddin ZH and Mahmood M.** Effects of rhizobia and plant growth promoting bacteria inoculation on germination and seedling vigor of lowland rice. *African J. Biotechnol.* **11**: 3758-3765, 2012.
- Miransari M.** Contribution of arbuscular mycorrhizal symbiosis to plant growth under different types of soil stress. *Plant Biol.* **12**: 563–569, 2010.
- Mishra AP and Prasad Y.** The nature of resistance of paddy to *Helminthosporium oryzae* Bada de Haan. *Indian Phytopath.* **27**: 287-294, 1964.
- Mohadevan A, Rahman N and Natarajan K.** Mycorrhizae for green Asia. University of Madras, Madras. 1988.
- Moller K, Kristensen K, Yohalem D and Larsen J.** Biological management of gray mold in pot roses by coinoculation of the biocontrol agent *Ulocladium atrum* and the mycorrhizal fungus *Glomus mosseae*. *Biol Control.***49**: 120–125, 2009.
- Morandi D.** Occurrence of phytoalexins and phenolic compounds on endomycorrhizal interactions, and their potential role in biological control. *Plt. Soil.* **185**: 241–251, 1996.
- Morton JB and Benny GL.** Revised classification of arbuscular mycorrhizal fungi (Zygomycetes): a new order, Glomales, two new suborders, Glomineae and Gigasporineae, and two new families, Acaulosporaceae and Gigasporaceae, with an emendation of Glomaceae. *Mycotaxon.* **37**:471-491, 1990.
- Morton JB.** Evolutionary relationships among arbuscular mycorrhizal fungi in the Endogonaceae. *Mycologia.* **82**:192-207, 1990.
- Motlagh MR and Kaviani B.** Characterization of new *Bipolaris* spp.: the causal agent of rice brown spot disease in the North of Iran. *Int. J. Agri. Biol.* **10**: 638–42, 2008.
- Mukerji K and Ciancio A.** Mycorrhizae in the integrated pest and disease management, , in A. Ciancio and K. G. Mukerji (eds.), General Concepts in Integrated Pest and Disease Management. Springer Netherlands, Dordrecht, pp. 245–266, 2007.

- Muller K.** Studies on phytoalexins. In. The formation and the immunological significance of phytoalexin produced by *Phaseolus vulgaris* in response to infections with *Sclerotinia fructicola* and *Phytophthora infestans*. *Aust. J. Boil. Sci.* **11**: 275-300, 1958.
- Muller KO and Borger H.** Experimentelle Untersuchungen über die Phytophthora: Resistenz der Kartoffel. *Arb. Biol. Reichsanst. Land Forstwirtschaft.* **23**: 189-231, 1940.
- Muyanga SC, Nembaware V and Gehring C.** The protection of *Pseudomonas aeruginosa* wheat seeds treated against powdery mildew and leaf blight correlates with up-regulated expression of a subtilisin-like gene in leaves. *South African J. of Sci.* **100**: 201–204, 2005.
- Nagai I and Hara S.** On the inheritance of variegation disease in a strain of rice plant. *Japanese J. of Gene.* **5**: 140–144, 1930.
- Narwal S, Balasubrahmanyam A, Sadhna P, Kapoor H and Lodha ML.** A systemic resistance inducing antiviral protein with N- glycosidase activity from *Bougainvillea xbuttiana* leaves. *Indian J. Exp. Biol.* **39**: 600, 2000.
- Newsham KK, Fitter AH and Watkinson AR.** Multi functionality and biodiversity in arbuscular mycorrhizas. *Trends Ecol. Evol.* **10**: 407–411, 1995.
- Ng TB, Yi XJ, Wong JH, Fang EF, Chan YS, Pan W, Ye XY, Sze SC, Zhang KY, Liu F and Wang HX.** Glyceollin, a soybean phytoalexin with medicinal properties. *Appl. Microbiol. Biotechnol.* **90**: 59–68, 2011.
- Niki T, Mitsuhara I, Seo S, Ohtsubo N and Ohasi Y.** Antagonistic effects of salicylic acid and jasmonic acid on the expression of pathogenesis- related (PR) protein genes in wounded mature tobacco leaves. *Plt. Cell Physiol.* **39**: 500-507, 1998.
- Nowak J and Shulaev V.** Priming for transplant stress resistance in in vitro propagation. *In Vitro Cell Dev. Biol. Plant.* **39**:107–124, 2003.
- Okubara PA, Kornoely JP and Landa BB.** Rhizosphere colonization of hexaploid wheat by *Pseudomonas fluorescens* strains Q8rl-96 and Q2-87 is cultivar-variable and associated with changes in gross root morphology. *Biol. Cont.* **30**: 392–403, 2004.

- Olivieri F, Prasad V, Valbonesi P, Srivastava P, Ghosal- Chowdhury P, Barbieria L, Bolognesia A and Stirpe F.** A systemic antiviral resistance-inducing protein isolated from *Clerodendrum inerme* Gaertn. is a polynucleotide:adenosine glycosidase (ribosome-inactivating protein). *FEBS Lett*, **396**: 132, 1996.
- Ou SH.** Rice disease (2nd ed.). Kew: Commonwealth Mycological Institute. **pp.** 380, 1985.
- Padmanabhan SY.** The great Bengal Famine. *Ann. Rev. of Phytopathol.* **11**: 11–26, 1973.
- Pan SQ, Ye XS and Kuc J.** A technique for detection of chitinase, β -1,3 glucanase and protein patterns after a single separation using polyacrylamide gel electrophoresis or isoelectric focussing. *Phytopathol.* **81**: 970-974, 1991.
- Paplomatas EJ.** Molecular Diagnostics of Fungal Pathogens. *Arab. J. of Plt. Prot.* **24**: 147-158, 2006.
- Pari L and Latha M.** Antihyperglycaemic effect of *Scopariadulcis*: effect of key metabolic enzymes of carbohydrate metabolism in streptozotocin-induced diabetes. *Pharm. Biol.* **42**: 570–576, 2004.
- Pari L, Karamac M, Kosinska A, Rybarczyk A and Amarowicz R.** Antioxidant activity of the crude extracts of the drumstick tree (*Moringaoleifera* Lam.) and Sweet Broomweed (*Scopariadulcis*L.) leaves. *Pol.J.Food.Nutr.Sci.* **57**: 203-208, 2007.
- Parihar PS, Prakash O and Punetha H.** Investigation on defensive enzymes activity of *Brassica juncea* genotypes during pathogenesis of *Alternaria blight*. *Nat. Sci.* **10**: 64-68, 2012.
- Paroda RS and Malik SS .**Rice genetic resources – its conservation and use in India. *Oryza.* **27**: 361-369, 1990.
- Pastor A, Jones DM and Currie J.** High-dose baclofen for treatment-resistant alcohol dependence. *J. Clin. Psychopharmacol.* **32**: 266–268, 2012.
- Paszkowski U.** Mutualism and parasitism: the yin and yang of plant symbioses. *Curr. Op. Plant Biol.* **9**: 364–370, 2006.

- Paul PK and Sharma PD.** Azadirachta indica leaf extract induces resistance in barley against leaf stripe disease. *Physiol. Mol. Plant Pathol.* **61:** 3-13, 2002.
- Pedras MSC and Seguin-Swartz G.** The black-leg fungus: phytotoxins and phytoalexins. *Can. J. Plant Pathol.* **14:** 67-75, 1992.
- Pedras MSC, Yaya EE and Glawischnig E.** The phytoalexins from cultivated and wild crucifers: chemistry and biology. *Nat. Prod. Rep.* **28:** 1381–1405, 2011.
- Pegg GF.** Chitinase from *Verticillium alba-atrum*. *Methods in Enzymology.* **161:** 474-479, 1988.
- Peng S, Biswas JC, Ladha JK, Gyaneshwar P and Chen Y.** Influence of rhizobial inoculation on photosynthesis and grain yield of rice. *Agron. J.* **94:** 925-929, 2002.
- Peret B, Svistoonoff S and Laplaze L.** When plants socialize: Symbioses and root development. *Annu. Plant Rev.* **pp.** 209–238, 2009.
- Petkovsek MM, Stampar F and Veberic R.** Increased phenolic content in apple leaves infected with the apple scab pathogen. *J. Pl. Pathol.* **90 (1):** 49-55, 2008.
- Pettersson M and Baath E.** Effects of the properties of the bacterial community on pH adaptation during recolonization of a humus soil. *Soil Biol. Biochem.* **36:**1383–1388, 2004.
- Phillips JM and Hayman DS.** Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. *Trans. British. Mycol. Soc.* **55:** 157-160, 1970.
- Picco AM and Rodolfi M.** *Pyricularia grisea* and *Bipolaris oryzae*: a preliminary study on the occurrence of airborne spores in a rice field. *Aerobiol.* **18(2):** 163-167, 2002.
- Pieterse CMJ, Leon-Reyes A, Van der ent S and Van Wees SCM.** Networking by small-molecule hormones in plant immunity. *Nat. Chem. Biol.* **5:** 308–316, 2009.
- Ping L and Boland W.** Signals from the underground: bacterial volatiles promote growth in *Arabidopsis*. *Trends Plant Sci.* **9:** 263–269, 2004.

- Plummer D.** An introduction to plant biochemistry. Tata Mc Graw Hill Publication, New Delhi. 362, 1978.
- Postma J, Montanari M and van den Boogert PHJF.** Microbial enrichment to enhance the disease suppressive activity of compost. *Eur. J. Soil Biol.* **39**:157–163, 2003.
- Pozo MJ and Azcón-Aguilar C.** Unraveling mycorrhizainduced resistance. *Curr. Opin. Plant Biol.* **10**: 393–398, 2007.
- Pozo MJ, Azcón-Aguilar C, Dumas-Gaudot E and Barea JM.** Chitosanase and chitinase activities in tomato roots during interactions with arbuscular mycorrhizal fungi or *Phytophthora parasitica*. *J. Exp. Bot.* **49**:1729–1739, 1998.
- Pozo MJ, Cordier C, Dumas-Gaudot E, Gianinazzi S, Barea JM and Azcón-Aguilar C.** Localized versus systemic effect of arbuscular mycorrhizal fungi on defence responses to *Phytophthora* infection in tomato plants. *J. Exp. Bot.* **53**: 525–534, 2002.
- Pozo MJ, Dumas-Gaudot E and Barea JM.** β -1, 3-glucanase activities in tomato roots inoculated with arbuscular mycorrhizal fungi and/or *Phytophthora parasitica* and their possible involvement in bioprotection. *Plant Sci.* **141**: 149–157, 1999.
- Pozo MJ, Jung SC, López-Ráez JA and Azcón-Aguilar C.** Impact of arbuscular mycorrhizal symbiosis on plant response to biotic stress: The role of plant defence mechanisms. In H. Koltai and Y. Kapulnik (eds.), *Arbuscular Mycorrhizas: Physiology and Function*. Springer Netherlands, Dordrecht., pp. 193–207, 2010.
- Pozo MJ, Van loon LC and Pieterse CMJ.** Jasmonates - Signals in plant microbe interactions. *J. Plant Growth Reg.* **23**: 211–222, 2004.
- Pozo MJ, Verhage A, García-Andrade J, García JM, and Azcón-Aguilar C.** Priming plant defence against pathogens by arbuscular mycorrhizal fungi. In C. Azcón-Aguilar, J. M. Barea, S. Gianinazzi, and V. Gianinazzi-Pearson (eds.), *Mycorrhizas - Functional Processes and Ecological Impact*. Springer, Berlin Heidelberg. pp. 123–135, 2009.

- Pueppke SG and Van Etten HD.** The relation between pisatin and the development of *Aphanomyces eluteiches* in diseased *Pisum sativum*. *Phytopathol.* **66:** 1174-1185, 1976.
- Purkayastha RP.** Phytoalexins - Plant Antigens and Disease Resistance. *Sci. and Cul.***39:**528-535, 1973.
- Purkayastha RP, Ghosal A and Biswas S.** Production of Momilactone associated with resistance of rice cultivars to Sheath Rot disease. *Curr. Sci.* **52:**131-132, 1983.
- Purkayastha RP and Pradhan S.** Immunological approach to study the etiology of *Sclerotium* rot disease of ground nut. *Proc. of Ind. Nat. Sci. Aca.***60 (2):** 157-165, 1994.
- Ramamoorthy V, Raguchander T and Samiyappan R.** Induction of defense related proteins in tomato roots treated with *Pseudomonas fluorescence* Pf1 and *Fusarium oxysporum* f. sp. *lycopersici* . *Plt. and Soil.* **239:** 55, 2002.
- Ramamoorthy V, Viswanathan R, Raguchander T, Prakasam V and Samiyappan R.** Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Protect.* **20:** 1-11, 2001.
- Rao VP, Pawar SE and Singh SN.** Production and application of vesicular-arbuscular mycorrhizal inocula for sustainable agriculture. In: Adholaya A, Singh S (eds) *Mycorrhizae Biofertilizer for the Future*. TERI Publication, New Delhi, **pp.** 424-428, 1995.
- Raskin I.** Role of salicylic acid in plants. *Annual Review of Plant Physiology and Plant Mol. Biol.***43:** 439-463, 1992.
- Rasmann S, De Vos M, Casteel CL, Tian D, Halitschke R, Sun JY, Agrawal AA, Felton GW and Jander G.** Herbivory in the previous generation primes plants for enhanced insect resistance. *Plant Physiol.* **158:** 854-863, 2012.
- Rasmussen JB, Hammerschmidt R and Zook MN.** Systemic induction of salicylic acid accumulation in cucumber after inoculation with *Pseudomonas syringe* pv *syringe*. *Plant Physiol.***97:** 1342-1347, 1991.
- Ravi M, Geethanjali S, Sameeyafarheen F and Maheswaran M.** Molecular marker based genetical diversity in rice (*Oryza sativa* L.) using RAPD and SSR markers. *Euphy.* **133:** 243-252, 2003.

- Reddy CS, Laha GS, Prasad MS, Krishnaveni D, Castilla NP and Nelson A.** Characterizing multiple linkages between individual diseases, crop health syndromes, germplasm deployment and rice production situations in India. *Field Crops Res.* **120**: 241–253, 2010.
- Reddy MM and Garber ED.** Genetic studies of variant enzymes. III. Comparative electrophoretic studies of esterases and peroxidase for species, hybrids and amphiploids in the genus *Nicotiana*. *Bot. Gaz.* **132**: 156-158. 1971.
- Reynolds HL, Packer A, Bever JD and Clay K.** Grassroots ecology: plant–microbe–soil interactions as drivers of plant community structure and dynamics. *Eco.* **84**: 2281–2291, 2003.
- Rovira AD.** Interactions between plant roots and soil microorganisms. *Annu Rev Microbiol.* **19**: 241–266, 1965.
- Roy JK, De RN, Ghorai DP and Panda A .** Collection and evaluation of genetic resources of rice in India. *Phy. Tobreedon .1*: 1-9, 1985.
- Ryu CM, Farag MA, Hu CH, Reddy MS, Kloepper JW and Paré PW.** Bacterial volatiles induce systemic resistance in *Arabidopsis*. *Plant Physiol.* **134**: 1017–1026, 2004.
- Ryu CM, Murphy JF, Mysore KS and Kloepper JW.** Plant growth-promoting rhizobacterial systemically protect *Arabidopsis thaliana* against *Cucumber mosaic virus* by a salicylic acid and NPR1-independent and jasmonic acid-dependent signaling pathway. *The Plant J.* **39**: 381–392, 2004.
- Saha R, Saha J, Bhattacharya PM, Maiti D and Chowdhury S.** Arbuscular mycorrhizal responsiveness of two varieties in nutrient deficient laterite soil (abstr.). In: Proc Nat Conf on Mycorrhiza, Barkhatullah University, Bhopal, **28**: 5–7, 1999.
- Sahai AS and Manocha MS.** Chitinases of fungi and plants: their involvement in morphogenesis and host-parasitic interaction. *FEMS. Microbiol. Rev.* **11**: 317-338, 1993.
- Saharan BS and Nehra V.** Plant growth promoting rhizobacteria: A critical review. *Life Sci. Med. Res.*, **21**: 1-29, 2011.

- Saitou N and Nei M.** The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Mol. Biol. and Evo.* **4**:406-425, 1987.
- Salzer P, Corbiere H and Boller T.** Hydrogen peroxide accumulation in *Medicago truncatula* roots colonized by the arbuscular mycorrhiza- forming fungus *Glomus mosseae*. *Planta*, **208**: 319-325, 1999.
- Sarma BK, Yadav SK, Singh S and Singh HB.** Microbial consortium-mediated plant defense against phytopathogens: Readdressing for enhancing efficacy. *Soil Bio. and Biochem.* **87**: 25-33, 2015.
- Sasaki T and Burr B.** International rice genome sequencing project: the effort to completely sequence the rice genome. *Curr. Opin. Plant Biol.* **3**: 138–141, 2000.
- Satiya A, Chahal SS and Pannu PPS.** Evaluation of rice genotypes against brown leaf spot disease. *Pl. Dis. Res.* **20**: 163–164, 2005.
- Savary S, Castilla NP, Elazegui FA and Teng PS.** Multiple effects of two drivers of agricultural change, labour shortage and water scarcity, on rice pest profiles in tropical Asia. *Field Crops Res.* **91**:263–271, 2005.
- Savary S, Nelson A, Sparks AH, Willocquet L, Duveiller E and Mahuku G.** International agricultural research tackling the effects of global and climate changes on plant diseases in the developing world. *Pl. Dis.* **48**: 1–40, 2011.
- Savary S, Teng PS, Willocquet L and Nutter FW Jr.** Quantification and modeling of crop losses: a review of purposes. *Ann. Rev. of Phytopathol.* **44**:89–112, 2006.
- Savary S, Willocquet L, Elazegui FA, Teng PS, Du PV and Zhu D.** Rice pest constraints in tropical Asia: characterization of injury profiles in relation to production situations. *Plt. Dis.* **84**: 341–356, 2000a.
- Savary S, Willocquet L, Elazegui FA, Castilla N and Teng PS.** Rice pest constraints in tropical Asia: quantification of yield losses due to rice pests in a range of production situations. *Plt. Dis.* **84**: 357–369, 2000b.
- Schenck NC and Perez Y.** Manual for the Identification of VA Mycorrhizal Fungi. Second Edition. International Culture Collection of VA Mycorrhizal Fungi (INVAM), University of Florida, Gainesville, Florida. 1987.

- Schippers B, Bakker AW and Bakker PAHM.** Interactions of deleterious and beneficial rhizosphere microorganisms and the effect of cropping practices *Ann. Rev. of Phytopathol.* **25:** 339–358, 1987.
- Schliemann W, Ammer C and Strack D.** Metabolite profiling of mycorrhizal roots of *Medicago truncatula*. *Phytochem.* **69:**112–146, 2008.
- Schlumbaum A, Mauch F, Vogeli U and Boller T.** Plant chitinases are potent inhibitors of fungal growth. *Nat.* **324:** 365-367, 1986.
- Schmelz EA, Kaplan F, Huffaker A, Dafoe NJ, Vaughan MM, Ni X, Rocca JR, Alborn HT and Teal PE.** Identity, regulation, and activity of inducible diterpenoid phytoalexins in maize. *Proc. Natl. Acad. Sci. USA*, **108:** 5455–5460, 2011.
- Schneider M, Schweizer P, Meuwly P and Mettraux JP.** Systemic acquired resistance in plants. In: Jeon KW.ed. *Int. Rev. of Cyt.* **168:** 303-340, 1996.
- Schneider S and Ullrich WR.** Differential induction of resistance and enhanced enzyme activities in cucumber and tobacco caused by treatment with various abiotic and biotic inducers. *Physiol. Mol. Plant Pathol.* **45:** 291–304, 1994.
- Schroth MN and Hancock JG.** Selected topics in biological control. *Annu. Rev. Microbiol.* **35:** 453–476, 1981.
- Schubler A, Schwarzott D and Walker C.** A new fungal phylum, the Glomeromycota: phylogeny and evolution. *Mycol. Res.* **105:** 1413–1421, 2001.
- Sekido H, Endo T, Suga R, Kodama O, Akatsuka T, Kono Y and Takeuchi S.** Oryzalexin D (3,7-dihydroxy-(+)-sandaracopimaradiene), a new phytoalexin isolated from blast-infected rice leaves. *J. Pest Sci.* **11:** 369–372, 1986.
- Semwal DP, Pandey A, Bhandari DC, Dhariwal OP and Sharma SK.** Variability study in seed morphology and uses of indigenous rice landraces (*Oryza sativa* L.) collected from West Bengal, India. *Aust. J. of Crop Sci.* **8(3):**460-467, 2014.
- Seo S, Seto H, Yamakawa H and Ohashi Y.** Transient accumulation of jasmonic acid during the synchronized hypersensitive cell death in *tobacco mosaic virus*-infected tobacco leaves. *Mol. Plant-Microbe Interact.* **14:** 261-264, 2001.

- Shibuya N, Kaku H, Kuchitu K and Maliarik MJ.** Identification of a novel high-affinity binding site for N-acetylchitoooligosaccharide elicitor in the membrane fraction from suspension-cultured rice cells. *FEBS Lett*, **329**: 75, 1993.
- Shinbo Y, Nakamura Y, Altaf-Ul-Amin M, Asahi H, Kurokawa K, Arita M, Saito K, Ohta D, Shibata D and Kanaya S.** KNApSAcK: a comprehensive species–metabolite relationship database. *Springer*, **57**: 165–181, 2006.
- Shoemaker RA.** "Nomenclature of *Drechslera* and *Bipolaris*, grass parasites segregated from *Helminosporium*". *Can. J. of Bot.* **37 (5)**: 879–87, 1959.
- Shoresh M, Harman GE and Mastouri F.** Induced systemic resistance and plant responses to fungal biocontrol agents. *Ann. Rev. of Phytopathol.* **48**: 21–43, 2010.
- Shrivastava D, Kapoor R, Shrivastava SK and Mukherji KA.** Vesicular arbuscular mycorrhiza—an overview. In: Mukherji KG (ed) Kluwer Academic Publishers, Netherlands. pp. 1–39, 1996.
- Shukla VD, Chauhan JS, Variar M, Maiti D, Chauhan VS and Tomar JB.** Reaction of traditional rainfed rice accessions to brown spot, blast and sheath rot diseases. *Ind. Phytopath.* **48**: 433–435, 1995.
- Silverman P, Seskar M, Kanter D, Schweizer P and Mettraux J.** Salicylic acid in rice. *Plant Physiol.* **108**: 633-639, 1995.
- Singh DC.** Scope of medicinal and aromatic plants in pest management. International Symposium, Allelopathy in sustainable Agriculture, Forestry and Environment, New Delhi. pp. 68, 1994.
- Singh K, Khirbat SK, Chugh LK and Jain V.** Biochemical changes in chilli against *Colletotrichum capsici*. *Ind. Phytopath.* **67(2)**: 187-189, 2014.
- Singh RK, Singh CV and Shukla VD.** Phosphorus nutrition reduces brown spot incidence in rainfed upland rice. *Int. Rice Res. Notes*, **30(2)**: 31–32, 2005.
- Singh RS.** Plant Disease (8th edition) Oxford & IBH Publishing Co. Pvt. Ltd., New Delhi, pp. 439-444, 2005.

- Sinha AK and Das NC.** Induced resistance in rice plants to *Helminthosporium oryzae*. *Physiol. Pl. Pathol.* **2:** 401-410, 1972.
- Slaughter A, Daniel X, Flors V, Luna E, Hohn B and Mauch-Mani B.** Descendants of primed Arabidopsis plants exhibit resistance to biotic stress. *Pl. Physiol.* **158:** 835–843, 2012.
- Smith SE and Read DJ.** Mycorrhizal Symbiosis (Academic, London). 2008.
- Smith S, Facelli E, Pope S and Andrew Smith F.** Plant performance in stressful environments: interpreting new and established knowledge of the roles of arbuscular mycorrhizas. *Pl. Soil*, **326:** 3–20, 2010.
- Smith SE and Read DJ.** *Mycorrhizal Symbiosis*. 2nd ed Academic Press, London. 605, 1997.
- Smith SE, Jakobsen I, Gronlund M and Smith FA.** Roles of arbuscular mycorrhizas in plant phosphorus nutrition: Interactions between pathways of phosphorus uptake in arbuscular mycorrhizal roots have important implications for understanding and manipulating plant phosphorus acquisition. *Plant Physiol.* **156:** 1050–1057, 2011.
- Smoliga JM, Baur JA and Hausenblas HA.** Resveratrol and health – a comprehensive review of human clinical trials. *Mol. Nutr. Food Res.* **55:** 1129–1141, 2011.
- Soto MJ, Domínguez-Ferreras A, Pérez-Mendoza D, Sanjuán J and Olivares J.** Mutualism versus pathogenesis: the give-and-take in plant–bacteria interactions. *Cell. Microbiol.* **11:** 381–388, 2009.
- Sticher L, Mauch-Mani B and Mettraux JP.** Systemic acquired resistance. *Ann. Rev. of Phytopathol.* **35:** 235-270, 1997.
- Strack D and Fester T.** Isoprenoid metabolism and plastid reorganization in arbuscular mycorrhizal roots. *New Phytol.* **172:** 22–34, 2006.
- Strack D, Fester T, Hause B, Schliemann W and Walter MH.** Arbuscular mycorrhiza: Biological, chemical, and molecular aspects. *J. Chem. Ecol.* **29:** 1955–1979, 2003.

- Sturz AV, Christie BR and Nowak J.** Bacterial endophytes: potential role in developing sustainable systems of crop production. *Crit. Rev. Plant Sci.* **19**: 1–30, 2000.
- Subamanian CV and Jain BL.** A Revision of some Graminicolous Helminthosporia. *Curr.Sci.* **35**:352-355, 1966.
- Sunar K, Chakraborty U and Chakraborty BN.** Harnessing beneficial microorganisms from Darjeeling Hills and development of strategies for their utilization in management of root diseases. *J. Mycol. Plant Pathol.* **44(1)**: 25-40, 2014.
- Sunar K, Dey P, Chakraborty U and Chakraborty BN.** Biocontrol efficacy and plant growth promoting activity of *Bacillus altitudinus* isolated from Darjeeling hills, India. *J. Basic Microbiol.* **53**:1-14, 2013.
- Khati S, Bhattacharjee P, Sashankar P, Chakraborty U and Chakraborty B.** Evaluation of plant growth promoting rhizobacteria on rice cultivars for management of brown spot. *J. Mycopathol Res.* **54(3)**:401-408, 2016.
- Khati S and Bishwanath Chakraborty.** Morphological characterization of rice cultivars their root colonization with arbuscular mycorrhizal fungi and screening for field resistance caused by brown spot disease. *NBU J. of Plt. Sci.* **9**:78-86, 2015.
- Tamura K, Stecher G, Peterson D, Filipski A and Kumar S.** MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Mol. Biol. and Evo.***30**: 2725-2729, 2007.
- Taware PB, Dhumal KN, Oulkar DP, Patil SH and Banerjee K.** Phenolic alterations the neighbor-joining method. *Proc. of the Nat. Acad. of Sci. (USA)* **101**:11030-11035, 2004.
- Thomashow LS.** Biological control of plant root pathogens. *Curr. Opin. Biotechnol.***7**: 343–347, 1996.
- Thomma BPHJ, Nurnberger T and Joosten MHAJ.** Of PAMPs and effectors: The blurred PTI-ETI dichotomy. *Plt. Cell*, **23**: 4–15, 2011.

- Thompson JD and Clustal W.** Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* **22**:4673-4680, 1994.
- Timmusk S and Wagner EGH.** The plant-growth promoting rhizobacterium *Paenibacillus polymyxa* induces changes in *Arabidopsis thaliana* gene expression: A possible connection between biotic and abiotic stress responses. *Mol. Plant-Mic. Int.* **12**: 951–959, 1999.
- Ton J, D'aless Ro M, Jourdie V, Jakab G, Karlen D, Held M, Mauch-Mani B and Turlings TCJ.** Priming by airborne signals boosts direct and indirect resistance in maize. *Plant J.* **49**: 16–26. 2007.
- Ton J, Jakab G, Toquin V, Flors V, Iavicoli A, Maeder MN, Métraux JP and Mauch-Mani B.** Dissecting the β -aminobutyric acid-induced priming phenomenon in *Arabidopsis*. *Plt. Cell*, **17**: 987–999, 2005.
- Tsahouridou PC and Thanassoulopoulos CC.** Proliferation of *Trichoderma koningii* in the tomato rhizosphere and the suppression of damping off by *Sclerotium rolfsii*. *Soil Biol. Biochem.* **34**: 767-776, 2002.
- Umemura K, Ogawa N, Shimura M, Koga J, Usami H and Kono T.** Possible role of Phytoalexanes, Rice Phytoalexin, in Disease Resistance of Rice against the Blast Fungus *Magnaporthe grisea*. *Biosci. Biotechnol. Biochem.* **67**: 899-902, 2003.
- Vallad GE and Goodman RM.** Systemic Acquired Resistance and Induced Systemic Resistance in Conventional Agriculture. *Crop sci.* **44**: 1920-1934, 2004.
- van Der Ent S, Van Hulten M, Pozo MJ, Czechowski T, Udvardi MK, Pieterse CMJ and Ton J.** Priming of plant innate immunity by rhizobacteria and β -aminobutyric acid: Differences and similarities in regulation. *New Phytol.* **183**: 419–431, 2009.
- van Etten HD.** Differential sensitivity of fungi to pisatin and to phaseollin. *Phytopathol.* **63**:1477-1482, 1973.
- van der Putten WH.** Plant defense belowground and spatiotemporal processes in natural vegetation. *Eco.* **84**: 2269–2280, 2003.

- van Hulsten M, Pelser M, Van Loon LC, Pieterse CMJ and Ton J.** Costs and benefits of priming for defense in Arabidopsis. *Proc. Natl. Acad. Sci. USA*, **103**: 5602–5607, 2006.
- van Loon LC and van Kammen A.** Polyacrylamide disc electrophoresis of the soluble leaf protein from *Nicotiana tabacum* var. ‘Samsun’ and ‘Samsun NN’II. Changes in protein constitution after infection with tobacco mosaic virus. *Virology*. **40**:199-211, 1970.
- van Loon LC, Bakker PAHM and Pieterse CMJ.** Systemic resistance induced by rhizosphere bacteria. *Annu. Rev. Phytopathol.* **36**: 453–483, 1998.
- van Loon LC, van Strien EA.** The families of pathogenesis related proteins, their activities and comparative analysis of PR-1 type proteins. *Physiological and Mol. Plt. Pathol.***55**: 85-97, 1999.
- van Loon LC.** Occurance and properties of plant pathogenesis- related proteins. In: Datta SK, Muthukrishnan S, eds. Pathogenesis related proteins in plants. Boca Raton: CRC Press, pp.1-19, 1999.
- van Peer R , Punte HLM, de Weger LA and Schippers B.** Characterization of root surface and endorhizosphere pseudomonads in relation to their colonization of roots. *Appl. Environ. Microbiol.* **56**: 2462– 2470, 1990.
- van Wees SCM, Van Der Ent S and Pieterse CMJ.** Plant immune responses triggered by beneficial microbes. *Curr. Opin. Plant Biol.* **11**: 443–448, 2008.
- Verhagen BWM, Glazebrook J, Zhu T, Chang HS, Van Loon LC and Pieterse CMJ.** The transcriptome of rhizobacteria-induced systemic resistance in Arabidopsis. *Mol. Plant-Microbe Interact.* **17**: 895–908, 2004.
- Verma SC, Ladha JK and Tripathi AK.** Evaluation of plant growth promoting and colonization ability of endophytic diazotrophs from deep water rice. *J. Biotechnol.* **91**: 127-141, 2001.
- Vernooij B, Friedrich L, Morse A, Reist R, Kolditz-Jawhar R, Ward E, Uknes S, Kessmann H and Ryals J.** Salicylic acid is not the translocated signal responsible for inducing systemic acquired resistance but is required in signal transduction. *Plt. Cell.* **6**: 959-965, 1994.

- Vicedo B, Flors V, Leyva MO, Finiti I, Kravchuk Z and Real MD.** Hexanoic acid-induced resistance against *Botrytis cinerea* in tomato plants. *Mol. Plant Microbe Interact.* **22:** 1455–1465, 2009.
- Vierheilig H and Piché Y.** Signalling in arbuscular mycorrhiza: Facts and hypotheses, in B. Buslig and J. Manthey (eds.), *Flavonoids in Cell Functions*. Kluwer Academic/Plenum Publishers, New York **pp.** 23–39, 2002.
- Vierheilig H, Steinkellner S, Khaosaad T and Garciag Arrido JM.** The biocontrol effect of mycorrhization on soilborne fungal pathogens and the autoregulation of the AM symbiosis: One mechanism, two effects? In A. Varma (ed.), *mycorrhiza*. Springer, Berlin, Heidelberg. **pp.** 307–320, 2008.
- Vierheilig H.** Further root colonization by arbuscular mycorrhizal fungi in already mycorrhizal plants is suppressed after a critical level of root colonization. *Plant Physiol.* **161:** 339–341, 2004.
- Vinita P, Taneja N, Vikram P, Singh NK and Singh S.** Molecular and morphological characterization of Indian farmers rice varieties (*Oryza sativa* L.). *Aust. J. Crop Sci* **7(7):** 923-932, 2013.
- Vlot AC, Klessig DF and Park SW.** Systemic acquired resistance: the elusive signal(s). *Curr. Opin. in Plant Biol.* **11:** 436–442, 2008.
- Wakeham AJ and White JG.** Serological detection in soil of *Plasmodophora brassicae* resting spores. *Physiol. Mol. Plant. Pathol.* **48:** 289-303, 1996.
- Walker C.** Systematics and taxonomy of the Arbuscular endomycorrhizal fungi (Glomales) a possible way forward. *Agronomie.* **12:** 887-897, 1992.
- Walker W.** *Acaulospora spinosa* sp. nov. With a key to the species of Acaulospora. *Mycotaxon.* **12:** 512-521, 1981.
- Walters D and Heil M.** Costs and trade-offs associated with induced resistance. *Physiol. Mol. Plant Pathol.* **71:** 3–17, 2007.
- Wehner J, Antunes PM, Powell JR, Mazukatow J and Rillg MC.** Plant pathogen protection by arbuscular mycorrhizas: A role of fungal diversity? *Pedobiologia.* **53:** 197-201, 2010.

- Welbaum G, Sturz AV, Dong Z and Nowak J.** Fertilizing soil microorganisms to improve productivity of agroecosystems. *Crit. Rev. Plant Sci.* **23**: 175–193, 2004.
- Weller DM.** Biological control of soilborne plant pathogens in the rhizosphere with bacteria. *Annu. Rev. Phytopathol.* **26**: 379–407, 1988.
- Werder J and Kern H.** Resistance of maize to *Helminthosporium carbonum*: Changes in host phenolics and their antifungal activity. *J. Plt. Dis. Protec.* **92**: 477-484, 1985.
- Whipps JM.** Prospects and limitations for mycorrhizas in biocontrol of root pathogens. *Can. J. Bot.* **82**: 1198–1227, 2004.
- Whipps JM.** Microbial interactions and biocontrol in the rhizosphere. *J. Exp. Bot.* **52**: 487-511, 2001.
- Whipps JM.** Developments in biological control of soil-borne pathogens. In Advances in Botanical Research-Incorporating advances in Plant Pathology. **26**:1-30, 1997.
- White TJ, Bruns T, Lee S and Taylor JW.** Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: PCR Protocols: A Guide to Methods and Applications. Eds: M.A. Innis, D.H. Gelgard, J.J. Sninsky and T.J. White, Academic Press, Inc. **pp.** 315-322, 1990.
- Yamada A, Shibuya N, Kodama O and Akatuka T.** Induction of phytoalexin formation in suspension-cultured rice cells. *Biosci. Biotechnol. Biochem.* **57**: 405-409.1993.
- Yang L, Browning JD and Awika JM.** Sorghum 3-deoxyanthocyanins possess strong phase II enzyme inducer activity and cancer cell growth inhibition properties. *J. of Agri. and Food Chem.* **57**: 1797–1804, 2009.
- Yanni YG, Rizk RY, Corich V, Squartini A and Ninke K.** Natural endophytic association between *Rhizobium leguminosarum* bv. *trifolii* and rice roots and assessment of its potential to promote rice growth. *Plt. Soil.* **194**: 99-114, 1997.

- Yeasmin T, Zaman P, Rahman A, Absar N and Khanum NS.** Arbuscular mycorrhizal fungus inoculum production in rice plants. *J. Exp. Bot.* **52**: 487–511, 2008.
- Yi HS, Heil M, Adame-Álvarez RM, Ballhorn DJ and Ryu CM.** Airborne induction and priming of plant defences against a bacterial pathogen. *Plt. Physiol.* **151**: 2152–2161, 2009.
- Zadoks JC.** On the political economy of plant disease epidemics—capita selecta in historical epidemiology. Wageningen: Wageningen Academic, **pp.** 249, 2008.
- Zadoks JC.** The role of epidemiology in modern Phytopathology. *Phytopath.***64**: 918–929, 1974.
- Zamioudis C and Pieterse CMJ.** Modulation of host immunity by beneficial microbes. *Mol. Plant-Microbe Interact.* **25**: 139–150, 2012.
- Zanao Junior LA, Rodrigues FÁ, Fontes RLF, Korndorfer GH and Neves JCL.** Rice resistance to brown spot mediated by silicon and its interaction with manganese. *J. Phytopathol.* **157**: 73–78, 2009.