

## **LIST OF TABLES**

|  |         |
|--|---------|
| 3.1. Family, genus and species of Pteridophytic flora.               | 249-250 |
| 4.1. Diversity indices for different forest type in Darjiling hills. | 261     |
| 5.1. Questionnaires for utilization of ferns in Darjiling hills.     | 273     |
| 5.2. Cattle bed fern (CBH) of Darjiling hills.                       | 275     |
| 5.3. Edible fern (EF) of Darjiling hills.                            | 275-277 |
| 5.4. Medicinal fern (MF) of Darjiling hills.                         | 277-278 |
| 5.5. Ornamental fern (OF) of Darjiling hills.                        | 278-279 |

## LIST OF FIGURE

|  |     |
|--|-----|
| 1.1 Map of Study area.   | 3   |
| 1.2 Average Monthly Rainafall ( TRA= Kuresong, HPV= Happpy Valley tea Estate, BBG= Barnesbeg Tea Estate)                           | 9   |
| 1.3 Average Monthly Temperature in the Upper Hills of Darjiling (Recorded from Darjiling, Happy Valley Tea Estate)                 | 10  |
| 1.4 Average Monthly Temperature in Kuresong (Recorded from TRA,kuresong)   | 10  |
| 1.5 Average Monthly Temperature in lower hill in Darjiling (Recorded from Barnesbeg Tea Estate)                                    | 11  |
| 1.6 Average Monthly Humidity ( TRA= Kuresong, HPV= Happpy Valley Tea Estate, BBG= Barnesbeg Tea Estate)                            | 11  |
| 2.1 Sampling design of Phytosociological analysis.   | 24  |
| 3.1: A. <i>Dryopteris serratodentata</i> Beddome (Habit); B. Pinnae; C. Spores 400x; D. Rhizome scales.                            | 204 |
| 3.2: A. <i>Loxogramme porcata</i> Price ; B. Portion of frond magnified; C. Spore 400x; D. Rhizome scales.                         | 205 |
| 3.3: A. <i>Diplazium succulentum</i> Clarke ; B.Pinnae; C.Spore 400x; D. Scales 20x.   | 206 |
| 3.4: A. <i>Cyathea brunoniana</i> Clarke ; B. Spores 400x; C. Costule scales 40x.  | 207 |
| 3.5: A. <i>Pteris austrosinica</i> (Ching)Ching; B. Spore 400x; C.Ultimate segment, D. Hairs on the Costules, E. Tripartite stipe. | 208 |
| 3.6: A. <i>Microsorium punctatum</i> (Linnaeus)Copeland ; B. Rhizome scales 40x; C. Spore 400x.                                    | 209 |
| 3. 7: A. <i>Dennstaedtia apendiculata</i> (Wallich ex Hooker)Smith ; B.Pinnae; C. Hairs 40x; D. Spore 400x.                        | 210 |
| 3. 8: A. <i>Pyrrosia mannii</i> (Giesenh)Ching ; B. Stellate hairs 40x; C. Rhizome Scales 40x;D. Spore 400x.                       | 211 |
| 3. 9: A. <i>Monachosorum henryi</i> Christ ; B. Pinnae; C. Hairs 40x; D. Spore 400x.   | 212 |

|   |     |
|---|-----|
| 3. 10: A. <i>Odontosoria chinensis</i> (Linnaeus)Smith ; B. Pinnae; C. Hairs 40x;<br>D. Spore 400x.                                   | 213 |
| 3. 11: A. <i>Lindsaea odorata</i> Roxburgh ;B. Pinnae; C. Rhizome scale 40x; D.<br>Spore 400x.  | 214 |
| 3. 12: A. <i>Tectaria polymorpha</i> (Wallich ex Hooker)Copeland (Portion of<br>pinnae); B. Rhizome scales 40x; C. Spore 400x.        | 215 |
| 3.13: A. <i>Lepisorus mehrae</i> Fraser-Jenkins; B. Veins and sori; C. Rhizome<br>scales;D. Spore 400x.                               | 216 |
| 3.14:A. <i>Oleandra wallichii</i> (Hooker)Presl; B. Veins and Sori; C. Scales 20x;<br>D.Spore 400x.                                   | 217 |
| 3.15: A. <i>Leptochilus decurrens</i> Blume subsp. <i>hemionitideus</i> Fraser-Jenkins;<br>B.Veins and sori;C. Scales 20x;Spore 400x. | 218 |
| 3.16: A. <i>Asplenium phyllitidis</i> D.Don ;B.Veins and sori; C. Scales 20x; D.<br>Spore 400x.                                       | 219 |
| 3.17: A. <i>Pteris ensiforme</i> N.L Burman; B.Pinnae with sori and veins; C.<br>Scales 20x; spore 400x.                              | 220 |
| 3.18: A. <i>Thelypteris lakhimpurensis</i> (Rosenst.)Iwatsuki pinnae; B. Hairs<br>20x; C. Spore 400x.                                 | 221 |
| 3.19: A. <i>Deparia petersenii</i> (Kunze) Kato ;B. Portion of Pinnae; C. Scales<br>40x; Spore 400x.                                  | 222 |
| 3.20: A. <i>Blechnum orientale</i> Linnaeus; B.Portion of Pinnae; C. Scales 20x;<br>D. spore 400x.                                    | 223 |
| 3.21:A. <i>Lygodium flexuosum</i> (Linnaeus)Swartz; B.Portion of Pinnae; C.<br>Spores 400x.   | 224 |
| 3.22: A . <i>Botrychium lunaria</i> (Linnaeus) Swartz; B. Fertile sporophore; C.<br>Sterile pinnae showing venation; D. Spores 400x.  | 225 |
| 3.23: Overall scenario of Pteridophytic flora Darjiling hills.  | 249 |
| 3.24: Graph representing Habit & percentage of Species.   | 251 |

|  |     |
|--|-----|
| 4.1: Shannon- Weiner Index of species diversity for different forest types in different Strata.  | 261 |
| 4.2: Simpson's Index of concentration of dominance for various forest types in different strata.   | 262 |
| 4.3: Menhinick's Index of species richness for various forest types in different strata.   | 262 |
| 4.4: Dominance-diversity curve for different strata in Tropical Forest.  | 263 |
| 4.5 Dominance-diversity curve for different strata in Sub-Tropical Forest.   | 263 |
| 4.6: Dominance-diversity curve for different strata in Temperate Forest.   | 264 |
| 4.7: Dominance-diversity curve for different strata in Sub-alpine Forest.  | 264 |
| 4.8: Species Distribution of Pteridophytes in Darjiling Hills.   | 265 |
| 4.9: Species distribution of Pteridophytes in different strata.  | 265 |
| 5.1: Utilization of Pteridophyte in Darjiling hills (CBF: Cattle bed ferns; Ef: Edible ferns; MF: Medicinal ferns; OF: Ornamental ferns) | 279 |

## LIST OF PLATE

- 3.1. Lycopods of Darjeeling Hills. 226
- 3.2: A. *Selaginella subdiaphana* (Wallich ex Hooker & Greville) Spring; B. Strobilus ; C. Ventral Leaf; D. Ventral Leaf base magnified 100x; E. Median leaf 40x; F. Microsporophyll (Microsporangium) 40x; G. Megasporangium 400x ; H. Megaspore 400x; I. Microspore 400x. 227
- 3.3: A. *Selaginella repanda* (Desvaux ex Poiret) Spring ;B. Stem with leaf; C.Strobilus; D. Ventral leaf;E. Median Leaf; F. Sporophyll; G. Microspore 400x; H. Megaspore 400x. 228
- 3.4: A.*Equisetum arvense* Linnaeus subsp.*diffusum* Fraser-Jenkins; B.Node and internode; C. Spore 100x.D. *Equisetum ramosissimum* Desf.;E. Strobilus;C. Immature spore 100x. 229
- 3.5: A. *Tomophyllum donianum* (D.Don)Fraser-Jenkins;B. Stipe with Hairs; C. Pinnae; D. Pinnae with sori; E. Spore 400x. 230
- 3.6: A. *Dryopsis apiciflora* (Wallich ex Mettineus)Holtum & Edwards; B. Pinnae; C. Lobes with veins 40x; D. Rhizome Scales 40x; E. Spore 400x; F. *Polystichum mehrae* Fraser-Jenkins(Habit). 231
- 3.7: A. *Osmunda claytoniana* Linnaeus subsp *vestita* (Wallich ex Milde) A.Love & D.Love (Habit); B. young croizer;C. Young fronds;D. Pinnae And sori; E & F. *Ophioglossum reticulatum* Linnaeus (Habit and Habitat); G. *Botrychium lanuginosum* Wallich ex Hooker & Greville; H. Forking of Sporophore and Tropophore;I. Spore 100x. 232
- 3.8: A. *Hymenophyllum exsertum* Wallich ex Hooker;B.Hairs 40x;C.Pinnae 20x; D. Sporangium 100x;E. Involucure 40x;F.Spore 100x; G.*Vittaria taeniophylla* Copeland; H.*Woodwardia unigemmata* (Makino)Nakai; I.*Dryopteris woodsii* Hayata. 233
- 3.9: A. *Selliguea griffithiana* (Hooker)Fraser-Jenkins; B.Pinnae; c. Rhizome scales 40x; D. Sporangium 100x; E. Spore 400x; F &G. *Crytomium caryotideum* (Wallich ex Hooker & Greville)C.Presl; H. Pinnae ; I. *Phanerophlebiopsis hookeriana* (C.Presl) Fraser-Jenkins 234

- 3.10: A. *Aleuritopteris formosona* (Hayata)Tagawa;B. Stipe with scales; C.Scales 40x;D.Spore 100x;E. *Aleuritopteris chrysophylla* (Hooker)Ching; F.*Aleuritopteris albomarginata* (C.B Clarke) Ching. 235
- 3.11: A. *Tricholepidium normale* (D.Don)Ching;B. Clinging root; C.Veins and Sori; D. Scales with setae; Spore 100x. 236
- 3.12:A. *Polystichum perscotianum* (Wallich ex Mettenius) T.Moore; B.Scales on Stipe; C.Micro scales on Segment; D.Spore 100x. 237
- 3.13:A. *Thelypteris cana* (Baker)Ching;B.Pinnae; C.Segmets hairy; D. Rachis hairy; E.Sporangium 100x; F. Spore 400x. 238
- 3.14: A. *Pichisermollodes crenato-pinnata* (C.B Clarke) Fraser-Jenkins; B.Stipe; C. Pinnae; D.Scales 40x; E. Spore 100x; F. *Atrthromers lehmannii* (Mettenius)Ching ;G. Rhizome;H. Scales 40x. 239
- 3.15: A. *Diplazium spectabile* (Wallich ex Mettenius)Ching; B. Pinnae; C. Segment 20x;D. Scales 40x; E.Sporangium 100x; F. Spore 400x. 240
- 3.16: A. *Athyrium clarkei* Beddome; B.Rachis with bulbils; C. Segment 20x; D. Scale 20x;E. Spore 400x. 241
- 3.17: A.*Adiantum venustum* D.Don; B. Ultimate segment with sori; C. Scales 20x; D. Sporangium 100x; E.Spore 400x. 242
- 3.18: A. *Nothoperanema squamiseta* (Hooker) Ching;B. Scales on Stipe;C. Scale 20x;D.Segment with Sori; E. Sporangium 100x; F. Spore 400x. 243
- 3.19: A. *Cerosora microphylla* (Hooker) R.M Tryon; B. Segments with Sori; C.Spore 400; D. *Dryopteris splendens* (Hooker) Kuntze; E. Scales; F. Spore 400x. 244
- 3.20:A. *Polypodiodes lachnopus* (Wallich ex Hooker)Ching; b. Rhizome scales; C. Segment with sori;D. Scales 20x; E. Sporangium 100x;F. Spore 400x. 245
- 3.21:A. *Deparia allantodiodes* (Beddome)M.Kato ; B. Pinnae; C. Pinnae with sori; D. Hairs in segment; E. Sori 40x;F. Spore 400x. 246
- 3.22:A. *Asplenium ensiforme* Wallich ex Hooker & Greville ; B. *Goniophlebium argutum* (Wallich ex Hooker ) Smith(Close to *G.metzense*); C.*Botrychium Lanuginosum* Wallich ex Hooker et Greville ( Close to *B.*

*Virginianum*); D. Anormal monomorphic frond of *Plagiogyra pycnophylla* (Kunze)Mettenius; E. Abnormal bifurcation in *Loxogramme involuta* M.G Price; F. Abnormal stobilus in *Equisetum arvense* Linnaeus subsp *diffusum* Fraser-Jenkins. 247

4.1: A. Sub-Alpine Forest; B. Temperate Forest; C. Sub-Tropical Forest; D. Tropical Forest. 266

4.2: A. Watch Tower at Neora Valley National Park; B. Biggest Girth *Rhododendron arboreum* Smith in Park;C. Field study; D. Sub-Alpine Vegetation; E. *Polystichum perscotianum* (Wallich e Mettenius)T.Moore; F. Taking GPS reading on field . 267

4.3: A. Collecting Raw data; B. Field survey; C. Tagging for Quadrat study; D. Invasiveness of *Arundinaria sp* in the field; E. Measurement of girth; F. Tropical vegetation. 268

5.1: A. *Cyathea spinulosa* Wallich ex Hooker (croizer); B.*Deparia boryana* (Willdenow.)M.Kato croizer; C.*Tectaria fuscipes* (Wallich ex Beddome) C. Christensen; D.*Huperzia squarosa* (Forster)Trevisan; E. *Davallia fijiensis*; F. *Cyathea brunoniana* C.B Clarke trunks utilized for making pot; G. *Huperzia pulchermia*(Wallich ex Hooker et Greville)Pich.Sermolli;H. *Pteridium revolutum* (Blume)Nakai; I.*Thelypteris procer* (D.Don)Fraser-Jenkins. 274

## **LIST OF APPENDICES**

**APPENDIX A:**Phytosociological table for the tree layers in different forest in Darjiling hills.

**APPENDIX B:** Phytosociological table for the Shrub layers in different forest in Darjiling hills.

**APPENDIX C:** Phytosociological table for Herbaceous layers in different forest in Darjiling hills.



## Abbreviation

|        |                               |
|--------|-------------------------------|
| A      | Abundance                     |
| amsl   | Above mean sea level          |
| CBF    | Cattle bed fern               |
| D      | Density                       |
| E      | East                          |
| EF     | Edible fern                   |
| F      | Frequency                     |
| IVI    | Importance value index        |
| MF     | Medicinal fern                |
| N      | North                         |
| OF     | Ornamental fern               |
| RA     | Relative abundance            |
| RD     | Relative density              |
| RDm    | Relative dominance            |
| RF     | Relative frequency            |
| cm     | centimeter                    |
| µm     | Micron                        |
| diamm. | Diameter                      |
| DGHC   | Darjeeling Gorkh hill council |
| BA     | Basal area                    |
| ha     | Hectar                        |
| Indiv  | Individual                    |
| SJC    | St. Joseph College            |
| LBH    | Llyod's Botanical Herbaria    |