

## BIBLIOGRAPHY

---

## 8 BIBLIOGRAPHY

- Ahmed M., Paul S. K. and Mamun M. S. A. (2011) Field performance and economic analysis of some commonly used insecticides against tea mosquito bug, *Helopeltis theivora* W. *Bangladesh Journal of Agricultural Research* 36, 449-454.
- Aktar W., Sengupta D. and Chowdhury A. (2009) Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology* 2, 1-12.
- Alves A. P., Allgeier W. J. and Siegfried B. D. (2008) Effects of the synergist S,S-S-tributyl phosphorotrithioate on indoxacarb toxicity and metabolism in the European corn borer, *Ostrinia nubilalis* (Hübner). *Pesticide Biochemistry and Physiology* 90, 26-30.
- Anonymous (1990) Proposed insecticide/acaricide susceptibility tests. *EPPO Bulletin* 20, 389-404.
- Anonymous (1992) Distribution maps of plant pests. *The Centre for Agriculture and Bioscience International (CABI)*,
- Anonymous (2010) Special bulletin on Tea mosquito bug *Helopeltis theivora* Waterhouse. *Plant Protection Division, Tea Research Association, Jorhat, Assam, India*,
- Anonymous (2014a) 60th Annual Report. *Tea Board of India, Ministry of Commerce and Industry, Government of India*, 59.
- Anonymous (2014b) Plant Protection Code, ver. 3.0. *Tea board of India, Ministry of Commerce and Industry, Government of India*, 59.
- Anonymous (2015a) Answer by the Minister of State in the Ministry of Commerce and Industry (Independent Charge) (Smt. Nirmala Sitharaman), Government of India to Rajya Sabha Starred Question No. 215 on 18th March, 2015.
- Anonymous (2015b) Annual bulletin of statistics, supplement 2014. *International Tea Committee*, 112.
- Anonymous (2016) Trends and challenges in pesticide resistance detection. *Trends in Plant Science* 21, 834-853.
- Apple L. J. and Smith R. F. (1976) *Integrated Pest Management* Springer US.

- Arnold D. J. (1998) The fate and behavior of piperonyl butoxide in the environment. pp. 105-119 In D. G. Jones. (Ed.) *Piperonyl Butoxide: The Insecticide Synergist*. San Diego, CA, Academic Press.
- Banerjee B. (1976) Development of the red crevice mite *Brevipalpus phoenics* (Geijskes) on coffee and tea. *Zeitschrift fur angewandte Entomologie* 80, 342-346.
- Banerjee B. (1979) A key-factor analysis of population fluctuations in *Andraca bipunctata* Walker (Lepidoptera: Bombycidae). *Bulletin of Entomological Research* 69, 195-201.
- Banerjee B. (1993) *Tea Production and Processing* Oxford & IBH Publishing Co. Pvt. Ltd. New Delhi.
- Banerjee B. (2001) Tea pp. 361-378 In F. T. Last. (Ed.) *The woody pernnials*. Amsterdam, Elsevier.
- Barbora B. C. and Biswas A. K. (1996) Use pattern of pesticides in tea estates of North East India. *Two and a Bud* 47, 19-21.
- Barth F. G. (1993) Sensory guidance in spider pre-copulatory behaviour. *Comparative Biochemistry and Physiology Part A: Physiology* 104, 717-733.
- Basnet K. and Mukhopadhyay A. (2014) Biocontrol potential of the lynx spider *Oxyopes javanus* (Araneae: Oxyopidae) against the tea mosquito bug, *Helopeltis theivora* (Heteroptera: Miridae). *International Journal of Tropical Insect Science* 34, 232-238.
- Basnet K., Saha D. and Mukhopadhyay A. (2015) Enhancement of resistance *vis-à-vis* defence-enzyme activity in tea mosquito bug, *Helopeltis theivora* Waterhouse (Hemiptera: Miridae) selected through exposure to sub-lethal dose of monochrotophos. *Proceedings of the Zoological Society (Calcutta)* 68, 184-188.
- Bass C., Puinean A. M., Zimmer C. T., Denholm I., Field L. M., Foster S. P., Gutbrod O., Nauen R., Slater R. and Williamson M. S. (2014) The evolution of insecticide resistance in the peach potato aphid, *Myzus persicae*. *Insect Biochemistry and Molecular Biology* 51, 41-51.

- Basu Majumder A., Pathak S. K. and Hath T. K. (2012) Evaluation of some bio-rational insecticides against the looper complex, *Hyposidra* spp. in tea plantations of Dooars, West Bengal. *Journal of Biopesticides* 5, 91-95.
- Bernard C. and Philogène B. J. R. (1993) Insecticide synergists: role, importance, and perspectives. *Journal of Toxicology and Environmental Health* 38, 199-223.
- Bezbaruah H. P. (1976) The tea varieties in cultivation - an appraisal. *Two and a Bud* 23, 13-19.
- Bills P. S., Mota-Sanchez D. and Whalon M. (2000) The database of arthropods resistant to insecticides. [www.pesticideresistance.org](http://www.pesticideresistance.org).
- Brogdon W. G. and Barber A. M. (1990) Microplate assay of glutathione S-transferase activity for resistance detection in single-mosquito triturates. *Comperative Biochemistry and Physiology B* 96, 339-342.
- Brogdon W. G. and McAllister J. C. (1998) Insecticide resistance and vector control. *Emerging Infectious Diseases* 4, 605-613.
- Brogdon W. G., McAllister J. C. and Vulule J. (1997) Heme peroxidase activity measured in single mosquitoes identifies individuals expressing an elevated oxidase for insecticide resistance. *Journal of the American Mosquito Control Association* 13, 233-237.
- Butler M. J. and Lachance M. A. (1987) The use of N,N,N',N'-tetramethylphenylenediamine to detect peroxidase activity on polyacrylamide electrophoresis gels. *Analytical Biochemistry* 162, 443-445.
- Cao C.-W., Zhang J., Gao X.-W., Liang P. and Guo H.-L. (2008) Differential mRNA expression levels and gene sequences of carboxylesterase in both deltamethrin resistant and susceptible strains of the cotton aphid, *Aphis gossypii*. *Insect Science* 15, 209-216.
- Carey J. R. (2001) Insect biodemography. *Annual Review of Entomology* 46, 79-110.
- Carter P. E. and Rypstra A. I. (1995) Top down effects in soyabean agroecosystems: spider density affects herbivore damage. *Oikos* 72, 433-439.
- Casida J. E. (2009) Pest toxicology: the primary mechanisms of pesticide action. *Chemical Research in Toxicology* 22, 609-619.
- Chanda E., Thomsen E. K., Musapa M., Kamuliwo M., Brogdon W. G., Norris D. E., Masaninga F., Wirtz R., Sikaala C. H., Muleba M., Craig A., Govere J. M.,

- Ranson H., Hemingway J., Seyoum A., Macdonald M. B. and Coleman M. (2016) An operational framework for insecticide resistance management planning. *Emerging Infectious Diseases* 22, 773-779.
- Channabasavanna G. P. (1996) Sugarcane, coffee and tea pp. 631-640 In E. E. Lindquist. (Ed.) *Eriophoid Mites - Their Biology, Natural Enemies and Control* Elsevier Science.
- Chatterjee S., Isaia M. and Venturino E. (2009) Spiders as biological controllers in the agroecosystem. *Journal of Theoretical Biology* 258, 352-362.
- Chaudhury T. C. (1999) *Global Advances in Tea Science* Aravali Books, New Delhi. 378 pp.
- Chen Z. M. and Chen X. F. (1989) An analysis on the world tea pest fauna. *Journal of Tea Science* 9, 13-22.
- Collins P. J. (1998) Inheritance of resistance to pyrethroid insecticides in *Tribolium castaneum* (Herbst). *Journal of Stored Products Research* 34, 395-401.
- Cooper J. and Dobson H. (2007) The benefits of pesticides to mankind and the environment. *Crop Protection* 26, 1337-1348.
- Córdoba-Aguilar A., Pan H., Liu B., Lu Y. and Desneux N. (2014) Life table parameters of three mirid bug (*Adelphocoris*) species (Hemiptera: Miridae) under contrasted relative humidity regimes. *PLoS ONE* 9, e115878.
- Cranham J. E. (1966) Tea pests and their control. *Annual Review of Entomology* 11, 491-514.
- Crowder D. W., Horowitz A. R., Tabashnik B. E., Dennehy T. J., Denholm I., Gorman K. and Carrie Y. (2009) Analyzing haplodiploid inheritance of insecticide resistance in whitefly biotypes. *Bulletin of Entomological Research* 99, 307-315.
- Daniel W. (1987) *Biostatistics: A foundation analysis in the health sciences* John Wiley & Sons New York. 734 pp.
- Das G. M. (1957) Pests in relation to environment. *Two and a Bud* 4, 14-16.
- Das G. M. (1959) Bionomics of the tea red spider, *Oligonychus coffeae* (Nietner). *Bulletin of Entomological Research* 50, 265-274.

- Das G. M. (1965) *Pest of tea in North-East India and their control. Memorandum No. 27.* Tocklai Experimental Station, Tea Research Association, Jorhat, Assam, India. 231 pp.
- Das S. (2014) A study on some aspects of bio-ecology and variability in defense enzymes of major lepidopteran and mite pests of tea from Darjeeling Terai. *Doctor of Philosophy Thesis, Department of Zoology, University of North Bengal.*
- Das S. and Mukhopadhyay A. (2008) Rearing of *Sycanus croceovittatus* Dohrn (Heteroptera: Reduviidae) on termite food pp. 144-145 In S. Ignacimuthu and S. Jayaraj. (Eds.) *Recent trends in insect pest management.* New Delhi, Elite publishing house Pvt. Ltd.
- Das S., Sarker M. and Mukhopadhyay A. (2005) Changing diversity of hymenopteran parasitoids from organically and conventionally managed tea-ecosystem of North Bengal, India. *Journal of Environmental Biology* 26, 505-509.
- Das S., Roy S. and Mukhopadhyay A. (2010a) Diversity of arthropod natural enemies in the tea plantations of North Bengal with emphasis on their association with tea pests. *Current Science* 99, 1457-1463.
- Das S., Mukhopadhyay A., Roy S. and Biswa R. (2010b) Emerging looper pests of tea crop from subHimalayan West Bengal, India. *Resistant Pest Management Newsletter* 20, 8-13.
- Das S. C. (1984) Resurgence of tea mosquito bug *Helopeltis theivora* Waterhouse, a serious pest of tea. *Two and a Bud* 31, 36-39.
- Davidson G. (1956) Insecticide resistance in *Anopheles gambiae* Giles: a case of simple Mendelian inheritance. *Nature* 178, 863-864.
- Deng L., Dai J., Cao H. and Xu M. (2006) Effects of an organophosphorous insecticide on survival, fecundity, and development of *Hylyphantes graminicola* (Sundevall) (Araneae: Linyphiidae). *Environmental Toxicology and Chemistry* 25, 3073.
- Devonshire A. L. (1991) Role of esterases in resistance of insects to insecticides. *Biochemical Society Transactions* 19, 755-759.
- Devonshire A. L. and Sawicki R. M. (1979) Insecticide-resistant *Myzus persicae* as an example of evolution by gene duplication. *Nature* 280, 140-141.

- Devonshire A. L. and Field L. M. (1991) Gene amplification and insecticide resistance. *Annual Review of Entomology* 36, 1-21.
- Djouaka R. F., Bakare A. A., Coulibaly O. N., Akogbeto M. C., Ranson H., Hemingway J. and Strode C. (2008) Expression of the cytochrome P450s, CYP6P3 and CYP6M2 are significantly elevated in multiple pyrethroid resistant populations of *Anopheles gambiae* s.s. from Southern Benin and Nigeria. *BMC Genomics* 9, 1-10.
- Fagan W. F. and Hurd L. E. (1991) Direct and indirect effects of generalist predators on a terrestrial arthropod community. *The American Midland Naturalist* 126, 380-384.
- Feyereisen R. (1999) Insect P450 enzymes. *Annual Review of Entomology* 44, 507-533.
- French-Constant R. H., Daborn P. J. and Le Goff G. (2004) The genetics and genomics of insecticide resistance. *Trends in Genetics* 20, 163-170.
- Finney D. J. (1971) *Probit Analysis* Cambridge University Press London. 333 pp.
- Foelix R. F. (2011) *Biology of Spiders* Oxford University Press Incorporation New York. 419 pp.
- Fournier D., Bride J. M., Poirie M., Berge J. B. and Plapp F. W., Jr. (1992) Insect glutathione S-transferases. Biochemical characteristics of the major forms from houseflies susceptible and resistant to insecticides. *Journal of Biological Chemistry* 267, 1840-1845.
- Gaprindashvili N. K. (1975) Biological control of the main pests on tea plantations in the Georgian SSR. *Eight International Plant Protection Congress* 3, 29-33.
- Georghiou G. P. (1972) The evolution of resistance to pesticides. *Annual Review of Ecology and Systematics* 3, 133-168.
- Georghiou G. P. and Taylor C. E. (1977) Genetic and biological influences in the evolution of insecticide resistance. *Journal of Economic Entomology* 70, 319-323.
- Georghiou G. P. and Pasteur N. (1978) Electrophoretic esterase patterns in insecticide-resistant and susceptible mosquitoes. *Journal of Economic Entomology* 71, 201-205.

- Givens R. P. (1978) Dimorphic foraging strategies of a salticid spider (*Phidippus audax*). *Ecology* 59, 309-321.
- Gurr G. and Wratten S. (2000) *Biological Control: Measures of Success* Kluwer Academic Press Dordrecht.
- Gurr G. M., Barlow N. D., Memmot J., Wratten S. D. and Greathead D. J. (2000) A History of Methodological, Theoretical and Empirical Approaches to Biological Control pp. 3–38 In G. Gurr and S. Wratten. (Eds.) *Biological control: Measures of Success*. Dordrecht, Kluwer Academic Press.
- Gurusubramanian G. and Bora S. (2007) Relative toxicity of some commonly used insecticides against adults of *Helopeltis theivora* Waterhouse (Miridae: Hemiptera) collected from Jorhat area tea Plantations, South Assam, India. *Resistance Pest Management Newsletter* 17, 8-12.
- Gurusubramanian G., Rahman A., Sarmah M., Ray S. and Bora S. (2008) Pesticide usage pattern in tea ecosystem, their retrospects and alternative measures. *Journal of Environmental Biology* 29, 813-826.
- Gutierrez A. P., Caltagirone L. E. and Meikle W. (2005) Evaluation of results economics of biological control In T. S. Bellows and T. W. Fisher. (Eds.) *Handbook of Biological Control*. New Delhi, Elsevier, a division of Reed Elsevier India Pvt. Ltd.
- Han C. S., Kang C. K., Shin H. S., Lee J. H., Bae M. R., Lee S. I. and Jablonski P. G. (2012a) Insects perceive local sex ratio in the absence of tactile or visual sex-specific cues. *Behavioral Ecology and Sociobiology* 66, 1285-1290.
- Han Y., Wu S., Li Y., Liu J.-W., Campbell P. M., Farnsworth C., Scott C., Russell R. J., Oakeshott J. G. and Wu Y. (2012b) Proteomic and molecular analyses of esterases associated with monocrotophos resistance in *Helicoverpa armigera*. *Pesticide Biochemistry and Physiology* 104, 243-251.
- Hanna C. and Hanna C. (2013) The lethal and sublethal effects of three pesticides on the striped lynx spider (*Oxyopes salticus* Hentz). *Journal of Applied Entomology* 137, 68-76.
- Hanna C. and Hanna C. (2014) Sublethal pesticide exposure disrupts courtship in the striped lynx spider, *Oxyopes salticus* (Araneae: Oxyopidae). *Journal of Applied Entomology* 138, 141-148.



- Haydock P. (2005) Review of Book entitled 'Pest and vector control' by HF van Emden and MW Service. Cambridge University Press, UK, 362 pp, ISBN 0521010837. *Pest Management Science* 61, 102-102.
- Hazarika L. K., Bhuyan M. and Hazarika B. N. (2009) Insect pests of tea and their management. *Annual Review of Entomology* 54, 267-284.
- Hemingway and Karunaratne (1998) Mosquito carboxylesterases: a review of the molecular biology and biochemistry of a major insecticide resistance mechanism. *Medical and Veterinary Entomology* 12, 1-12.
- Hemingway J. and Ranson H. (2000) Insecticide resistance in insect vectors of human disease. *Annual Review of Entomology* 45, 371-391.
- Hemingway J., Miyamoto J. and Herath P. R. J. (1991) A possible novel link between organophosphorus and DDT insecticide resistance genes in *Anopheles*: supporting evidence from fenitrothion metabolism studies. *Pesticide Biochemistry and Physiology* 39, 49-56.
- Hemingway J., Hawkes N. J., McCarroll L. and Ranson H. (2004) The molecular basis of insecticide resistance in mosquitoes. *Insect Biochemistry and Molecular Biology* 34, 653-665.
- Herberstein M. E. (2011) *Spider Behaviour Flexibility and Versatility* Cambridge University Press Cambridge, UK.
- Hernandez R., Guerrero F. D., George J. E. and Wagner G. G. (2002) Allele frequency and gene expression of a putative carboxylesterase-encoding gene in a pyrethroid resistant strain of the tick *Boophilus microplus*. *Insect Biochemistry and Molecular Biology* 32, 1009-1016.
- Hieber C. S. (1985) The "insulation" layer in the cocoons of *Argiope aurantia* (Araneae: Araneidae). *Journal of Thermal Biology* 10, 171-175.
- Hinton H. E. (1962) The structure of the shell and respiratory system of the eggs of *Helopeltis* and related genera (Hemiptera, Miridae). *Proceedings of the Zoological Society of London* 139, 483-488.
- Hodgson E. and Levi P. E. (1998) Interactions of piperonyl butoxide with cytochrome P450 pp. 41-53 In D. G. Jones. (Ed.) *Piperonyl Butoxide: The Insecticide Synergist*. San Diego, CA, Academic.

- Holland J. M., Winder L. and Perry J. N. (2000) The impact of dimethoate on the spatial distribution of beneficial arthropods in winter wheat. *Annals of Applied Biology* 136, 93-105.
- Holling C. S. (1959) The components of predation as revealed by a study of small-mammal predation of the european pine sawfly. *The Canadian Entomologist* 91, 293-320.
- Holling C. S. (1965) The functional response of predators to prey density and its role in mimicry and population regulation. *Memoirs of the Entomological Society of Canada* 97, 5-60.
- Hostetler M. E. and Brenner R. J. (1994) Behavioral and physiological resistance to insecticides in the german cockroach (Dictyoptera: Blattellidae): an experimental reevaluation. *Journal of Economic Entomology* 87, 885-893.
- Huang H.-S., Hu N.-T., Yao Y.-E., Wu C.-Y., Chiang S.-W. and Sun C.-N. (1998) Molecular cloning and heterologous expression of a glutathione S-transferase involved in insecticide resistance from the diamondback moth, *Plutella xylostella*. *Insect Biochemistry and Molecular Biology* 28, 651-658.
- Jackson R. R. (1974) Rearing methods for spiders. *Journal of Arachnology* 2, 53-56.
- Kadous A. A., Ghiasuddin S. M., Matsu-mura F., Scott J. G. and Tanaka K. (1983) Difference in the picrotoxinin receptor between the cyclodiene-resistant and susceptible strains of the German-cockroach. *Pesticide Biochemistry and Physiology* 19, 157-166.
- Kalita H., Singh K. and Handique R. (1996) Growth of Population of *Helopeltis theivora* Waterhouse of Tea. *Two and a Bud* 43, 33-36.
- Karunaratne S. H. P. P., Damayanthi B. T., Fareena M. H. J., Imbuldeniya V. and Hemingway J. (2007) Insecticide resistance in the tropical bedbug *Cimex hemipterus*. *Pesticide Biochemistry and Physiology* 88, 102-107.
- Knowles C. O. (1991) Miscellaneous pesticides pp. 1471-1526 In W. J. Hayes and E. R. Laws. (Eds.) *Handbook of Pesticide Toxicology*. San Diego, CA, Academic Press.
- Komagata O., Kasai S. and Tomita T. (2010) Overexpression of cytochrome P450 genes in pyrethroid-resistant *Culex quinquefasciatus*. *Insect Biochemistry and Molecular Biology* 40, 146-152.

- Kostaropoulos I., Papadopoulos A. I., Metaxakis A., Boukouvala E. and Papadopoulou-Mourkidou E. (2001) Glutathione *S*-transferase in the defence against pyrethroids in insects. *Insect Biochemistry and Molecular Biology* 31, 313-319.
- Latip S. N. H., Muhamad R., Manjeri G. and Tan S. G. (2010) Development of microsatalite markers for *Helopeltis theivora* Waterhouse (Hemiptera: Miridae). *African Journal of Biotechnology* 9, 4478-4481.
- Leeuwen T. V., Vanholme B., Pottelberge S. V., Nieuwenhuysse P. V., Nauen R., Tirry L. and Denholm I. (2008) Mitochondrial heteroplasmy and the evolution of insecticide resistance : Non-Mendelian inheritance in action. *Proceedings of the National Academy of Science* 105, 5980-5985.
- Lenormand T., Bourguet D., Guillemaud T. and Raymond M. (1999) Tracking the evolution of insecticide resistance in the mosquito *Culex pipiens*. *Nature* 400, 861-864.
- Levy G. (2009) The life cycle of *Thomisus onustus* (Thomisidae: Araneae) and outlines for the classification of the life histories of spiders. *Journal of Zoology* 160, 523-536.
- Lewis C. M. (2004) *S,S,S-tributylphosphorotrithioate (Tribufos) risk characterization document (Revision No. 1)* Medical Toxicology and Worker Health and Safety Branches, Department of Pesticide Regulation, California Environmental Protection Agency California. 139 pp.
- Lopez-Soler N., Cervera A., Moores G. D., Martinez-Pardo R. and Garcera M. D. (2008) Esterase isoenzymes and insecticide resistance in *Frankliniella occidentalis* populations from the south-east region of Spain. *Pest Management Science* 64, 1258-1266.
- López-Soler N., Cervera A., Quinto V., Abellán J., Bielza P., Martínez-Pardo R. and Garcerá M. D. (2011) Esterase inhibition by synergists in the western flower thrips *Frankliniella occidentalis*. *Pest Management Science* 67, 1549-1556.
- Lowry O. H., Rosebrough N. J., Farr A. L. and Randall R. J. (1951) Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry* 193, 265-275.

- Maa C. J. W. and Liao S. (2000) Culture dependent variation in esterase isozymes and malathion susceptibility of diamondback moth, *Plutella xylostella* L. *Zoological Studies* 39, 375-386.
- Mallet J. (1989) The evolution of insecticide resistance: Have the insects won? *Trends in Ecology and Evolution* 4, 336-340.
- Mann H. H. (1907) Individual and seasonal variations in *Helopeltis theivora* Waterhouse, with description of new species of *Helopeltis*. Memoirs of the Department of Agriculture in India. *Entomological series* 1, 275-337.
- Marc P. and Canard A. (1997) Maintaining spider biodiversity in agroecosystems as a tool in pest control. *Agriculture, Ecosystems & Environment* 62, 229-235.
- Marc P., Canard A. and Ysnel F. (1999) Spiders (Araneae) useful for pest limitation and bioindication. *Agriculture, Ecosystems and Environment* 74, 229-273.
- Martin T., Chandre F., Ochoa O. G., Vaissayre M. and Fournier D. (2002) Pyrethroid resistance mechanisms in the cotton bollworm *Helicoverpa armigera* (Lepidoptera: Noctuidae) from West Africa. *Pesticide Biochemistry and Physiology* 74, 17-26.
- Miller R. J., Davey R. B. and George J. E. (1999) Characterization of pyrethroid resistance and susceptibility to coumaphos in Mexican *Boophilus microplus* (Acari: Ixodidae). *Journal of Medical Entomology* 36, 533-538.
- Misra R. K. (1989) Toxicity of various insecticides against *Heliothis armigera* Hub. Guntur strain. *Pesticide research Journal* 1, 105-109.
- Mollá O., Biondi A., Alonso-Valiente M. and Urbaneja A. (2014) A comparative life history study of two mirid bugs preying on *Tuta absoluta* and *Ephesttia kuehniella* eggs on tomato crops: implications for biological control. *BioControl* 59, 175-183.
- Muhamad R. and Way M. J. (1995) Damage and crop loss relationships of *Helopeltis theivora*, Hemiptera, Miridae and cocoa in Malaysia. *Crop Protection* 14, 117-121.
- Mukhopadhyay A. and Sannigrahi S. (1993) Rearing success of a polyphagous predator, *Geocoris ochropterus* on preserved ant pupae of *Oecophylla maragdina*. *Entomophaga* 38, 131-136.

- Mukhopadhyay A. and Sarker M. (2007) *Natural enemies of some tea pests with special reference to Darjeeling, Terai and the Doors* National Tea Research Foundation, Tea Board Kolkata. 49 pp.
- Mukhopadhyay A. and Roy S. (2009) Changing dimensions of IPM in the tea plantations of the North Eastern sub Himalayan region In V. V. Ramamurthy, G. P. Gupta and S. N. Puri. (Eds.) *National Symposium on IPM strategies to combat emerging pests in the current scenario of climate change*. Entomological Society of India, New Delhi and Central Agricultural University, Pasighat, A. P. India.
- Mukhopadhyay A., Das S., Roy S. and Saha D. (2014) Stress induced changes in the pests of tea plantations of sub Himalayan Terai-Dooars region: An appraisal. *Two and a Bud* 60, 30-42.
- Mukhopadhyay A., Roy S., Das S. and Basnet K. (2016) Pesticide resistance in insect and mite pests of Tea in sub-Himalayan Terai–Dooars plantations: status, detection and possible management pp. 346 In N. Bag, A. Bag and L. M. S. Palni. (Eds.) *Tea: Technological Initiatives*. New Delhi, India, New India Publishing Agency.
- Mullin C. A. and Scott J. G. (1992) Biomolecular basis for insecticide resistance classification and comparisons In C. A. Mullin and J. G. Scott. (Eds.) *Molecular Mechanisms of Insecticide Resistance Diversity Among Insects*. Washington, DC, American Chemical Society.
- Muraleedharan N. (1991) *Pest management in tea* The united Planters' Association of Southern India Valparai, TN, India. 130 pp.
- Muraleedharan N. (1992) Pest control in Asia In K. C. Willson and M. N. Clifford. (Eds.) *Tea: cultivation to consumption*. Dordrecht, Springer Netherlands.
- Muraleedharan N. (1993) Ecology and management of tea pests pp. 129-144 In M. J. Mulky and V. S. Sharma. (Eds.) *Tea Culture, Processing and Marketing* New Delhi, Oxford & IBH Publishing Co. Pvt. Ltd.
- Muraleedharan N. (2007) Tea insects: ecology and control pp. 672-674 In D. Pimentel. (Ed.) *Encyclopedia of pest management*. London, CRC Press.
- Muraleedharan N. and Chen Z. M. (1997) Pests and diseases of tea and their management. *Journal of Plantation Crops* 25, 15-43.

- Nyffeler M. and Sutherland K. D. (2003) Composition, abundance and pest control potential of spider communities in agroecosystems: a comparison of European and U. S. Studies. *Agriculture Ecosystem and Environment* 95, 579-612.
- Nyffeler M., Dean D. A. and Sterling W. L. (1987a) Predation by green lynx spider, *Peucetia viridans* (Araneae: Oxyopidae), inhabiting cotton and woolly croton plants in East Texas. *Environmental Entomology* 16, 355-359.
- Nyffeler M., Dean D. A. and Sterling W. L. (1987b) Evaluation of the importance of the striped lynx spider, *Oxyopes salticus* (Araneae: Oxyopidae), as a predator in Texas cotton. *Environmental Entomology* 16, 1114-1123.
- Odum E. P. and Barrett G. W. (2005) *Fundamentals of Ecology* Thomson Brooks/Cole.
- Oraze M. J. and Grigarick A. A. (1989) Biological control of aster leafhopper (Homoptera: Cicadellidae) and midges (Diptera: Chironomidae) by *Pardosa ramulosa* (Araneae: Lycosidae) in California rice fields. *Journal of Economic Entomology* 82, 745-749.
- Peng Y., Shao X.-L., Hose G. C., Liu F.-X. and Chen J. (2010) Dimethoate, fenvalerate and their mixture affects *Hylyphantes graminicola* (Araneae: Linyphiidae) adults and their unexposed offspring. *Agricultural and Forest Entomology* 12, 343-351.
- Perera M. D., Hemingway J. and Karunaratne S. P. (2008) Multiple insecticide resistance mechanisms involving metabolic changes and insensitive target sites selected in anopheline vectors of malaria in Sri Lanka. *Malaria Journal* 7, 168.
- Perry T., Batterham P. and Daborn P. J. (2011) The biology of insecticidal activity and resistance. *Insect Biochemistry and Molecular Biology* 41, 411-422.
- Pimentel D. (1997) *Techniques for Reducing Pesticide Use: Economic and Environmental Benefits* Wiley.
- Pimentel D. and Levitan L. (1986) Pesticides amounts applied and amounts reaching pests often, less than 0.1% of pesticides applied to crops reaches target pests. *Bioscience* 36, 86-91.
- Pingali P. L. (2012) Green revolution: impacts, limits, and the path ahead. *Proceedings of the National Academy of Sciences* 109, 12302-12308.

- Potter T. L., Reddy K. N., Millhollen E. P., Bednarz C. W., Bosch D. D., Truman C. C. and Strickland T. (2002) Dissipation of the defoliant tribufos in cotton-producing soils. *Journal of Agricultural and Food Chemistry* 50, 3795-3802.
- Prasad S. (1992) Infestation of *Helopeltis* Tea times. Bombay, Sandoz (India) Ltd.
- Pretty J. (2008) Agricultural sustainability: concepts, principles and evidence. *Philosophical Transactions of the Royal Society B: Biological Sciences* 363, 447-465.
- Raffa K. F. and Priester T. M. (1985) Synergists as research tools and control agents in agriculture. *Journal of Agricultural Entomology* 2, 27-45.
- Rajkumar R. (2014) *Handbook of statistics on Indian economy* Director, Data Management and Dissemination Division, Reserve Bank of India, Mumbai.
- Ranson H., Jensen B., Vulule J. M., Wang X., Hemingway J. and Collins F. H. (2000) Identification of a point mutation in the voltage-gated sodium channel gene of Kenyan *Anopheles gambiae* associated with resistance to DDT and pyrethroids. *Insect Molecular Biology* 9, 491-497.
- Ranson H., Rossiter L., Ortelli F., Jensen B., Wang X., Roth C. W., Collins F. H. and Hemingway J. (2001) Identification of a novel class of insect glutathione S-transferases involved in resistance to DDT in the malaria vector *Anopheles gambiae*. *Biochemical Journal* 359, 295-304.
- Ranson H., Claudianos C., Ortelli F., Abgrall C., Hemingway J., Sharakhova M. V., Unger M. F. and Collins F. H. (2002) Evolution of supergene families associated with insecticide resistance. *Science* 298, 179-182.
- Rao G. N. (1970) *Helopeltis*: A breakthrough in its control. *UPASI Tea Science Department Bulletin* 28, 21-24.
- Rattan P. S. (1992) Pest and disease control in Africa pp. 331-352 In K. C. Wilson and M. N. Clifford. (Eds.) *Tea: cultivation to consumption*. London, Chapman and Hall.
- Raychaudhuri D. (2009) Assessment of spiders as second order of bio-control agents in tea-ecosystem with special reference to Assam and Dooars of West Bengal pp. 21-22 Kolkata, National Tea Research Foundation.
- Raychaudhuri D., Saha S. and Roy T. K. (2016) Spiders: a proficient candidate in practising IPM for Darjeeling Tea. *World Scientific News* 38, 162.

- Riechert S. E. and Lockley T. (1984) Spiders as biological control agents. *Annual Review of Entomology* 29, 299-320.
- Riechert S. E. and Bishop L. (1990) Prey control by an assemblage of generalist predators: spiders in garden test systems. *Ecology* 71, 1441.
- Riechert S. E. and Lawrence K. (1997) Test for predation effects of single versus multiple species of generalist predators: spiders and their insect prey. *Entomologia Experimentalis et Applicata* 84, 147-155.
- Roush R. T. and McKenzie J. A. (1987) Ecological genetics of insecticide and acaricide resistance. *Annual Review of Entomology* 32, 361-380.
- Rovner J. S., Higashi G. A. and Foelix R. F. (1973) Maternal behavior in wolf spiders: the role of abdominal hairs. *Science* 182, 1153-1155.
- Roy S. (2008) Evaluation of the levels of insecticide susceptibility of *Helopeltis theivora* Waterhouse (Heteroptera: Miredae) and development of an efficacious strategy for management of the pest in Dooars tea plantation of North Bengal. *Doctor of Philosophy Thesis, Department of Zoology, University of North Bengal*.
- Roy S., Gurusubramanian G. and Mukhopadhyay A. (2009a) Variation of resistance to endosulfan in tea mosquito bug, *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) in tea plantation of the sub-Himalayan Dooars, northern West Bengal, India. *Journal of Entomology and Nematology* 1, 29-35.
- Roy S., Mukhopadhyay A. and Gurusubramanian G. (2009b) The synergists action of piperonyl butoxide on toxicity of certain insecticides applied against *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) in the Dooars Tea plantations of North Bengal, India. *Journal of Plant Protection Research* 49, 225-228.
- Roy S., Mukhopadhyay A. and Gurusubramanian G. (2010a) Development of resistance to endosulphan in populations of the tea mosquito bug *Helopeltis theivora* (Heteroptera: Miridae) from organic and conventional tea plantations in India. *International Journal of Tropical Insect Science* 30, 61-66.



- Roy S., Mukhopadhyay A. and Gurusubramanian G. (2010b) Baseline susceptibility of *Oligonychus coffeae* to acaricides in North Bengal tea plantations, India. *International Journal of Acarology* 36, 357-362.
- Roy S., Muraleedharan N., Mukhapadhyay A. and Handique G. (2015) The tea mosquito bug, *Helopeltis theivora* Waterhouse (Heteroptera: Miridae): its status, biology, ecology and management in tea plantations. *International Journal of Pest Management* 61, 179-197.
- Rypstra A. L. (1995) Spider predators reduce herbivory; both by direct consumption and by altering the foraging behaviour of insect pests. *Bulletin of the Ecological Society of America* 76, 383.
- Saha D. and Mukhopadhyay A. (2013) Insecticide resistance mechanisms in three sucking insect pests of tea with reference to North-East India: an appraisal. *International Journal of Tropical Insect Science* 33, 46-70.
- Saha D., Roy S. and Mukhopadhyay A. (2011) Seasonal incidence and enzyme-based susceptibility to synthetic insecticides in two upcoming sucking insect pests of tea. *Phytoparasitica* 40, 105-115.
- Saha D., Mukhopadhyay A. and Bahadur M. (2012) Variation in the activity of three principal detoxifying enzymes in major sucking pest of tea, *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) from sub-Himalayan tea plantations of West Bengal, India. *Proceedings of the Zoological Society (Calcutta)* 66, 92-99.
- Sahgal A., Kumar S. and Pillai M. K. K. (1994) Microplate assay of elevated esterase activity in individual pyrethroid-resistant mosquitoes. *Journal of Biosciences* 19, 193-199.
- Sannigrahi S. and Talukdar T. (2003) Pesticide use patterns in Dooars tea industry. *Two and a Bud* 50, 35-38.
- Sarker M. and Mukhopadhyay A. (2008) Enzyme based detection of pesticide resistance in two major arthropod pest, *Helopeltis theivora* and *Oligonychus coffeae* occurring on tea in the lower elevations and Terai of Darjeeling Hills. *N.B.U. Journal of Animal Sciences* 2, 71-78.
- Schmitz G. (1968) Monographie des especes africaines du genre *Helopeltis* Signoret (Heteroptera, Miridae) avec un expose des problemes relatifs aux structures

- genitales. *Annales Musee Royal de l'Afrique Centrale, Serie In-8, Sciences Zoologiques*, 1–247.
- Schmitz G. (1988) Note sur les *Helopeltis* Signoret, 1850 de la Region de Tai (Cote d'Ivoire) (Heteroptera, Miridae). *Revue Francaise d'Entomologie (Nouvelle Serie)* 10, 91–99.
- Schuh R. T. and Slater J. A. (1995) *True bugs of the World (Hemiptera: Heteroptera) Classification and Natural History* Cornell University Press.
- Sharma V. S. and Venkataramani K. S. (1974) The tea complex I. Taxonomy of tea clones. *Proceedings of the Indian Academy of Sciences* 80, 178-187.
- Shi L., Hu H., Ma K., Zhou D., Yu J., Zhong D., Fang F., Chang X., Hu S., Zou F., Wang W., Sun Y., Shen B., Zhang D., Ma L., Zhou G., Yan G. and Zhu C. (2015) Development of resistance to pyrethroid in *Culex pipiens pallens* population under different insecticide selection pressures. *PLoS Neglected Tropical Diseases* 9, 1-20.
- Silva D. B., Bueno V. H. P., Montes F. C. and van Lenteren J. C. (2016) Population growth of three mirid predatory bugs feeding on eggs and larvae of *Tuta absoluta* on tomato. *BioControl* 61, 545-553.
- Sivapalan P. (1999) Pest management in tea pp. 625-646 In N. K. Jain. (Ed.) *Global Advances in Tea Science*. New Delhi, Aravali Books.
- Sivasubramanian P., Vanitha K., Zaddakavitharaghavan, Banuchitra R. and Samiayyan K. (2009) Predatory potential of different species of spiders on cotton pests. *Karnataka Journal of Agricultural Science* 22, 544-547.
- Soderland D. M. and Bloomquist J. R. (1990) Molecular mechanism of insecticide resistance pp. 237-260 In R. T. Roush and B. E. Tabashnic. (Eds.) *Pesticide resistance in arthropods*. London, Chapman and Hall.
- Soderlund D. M. and Knipple D. C. (2003) The molecular biology of knockdown resistance to pyrethroid insecticides. *Insect Biochemistry and Molecular Biology* 33, 563-577.
- Sørensen J. G., Addison M. F. and Terblanche J. S. (2012) Mass-rearing of insects for pest management: Challenges, synergies and advances from evolutionary physiology. *Crop Protection* 38, 87-94.

- Sparks T. C., Lockwood J. A., Byford R. L., Graves J. B. and Leonard B. R. (1989) The role of behavior in insecticide resistance. *Pesticide Science* 26, 383-399.
- Srikumar K. K., Bhat P. S., Raviprasad T. N., Vanitha K., Krishna Kumar N. K., Rebijith K. B. and Asokan R. (2015) Distribution of major sucking pest, *Helopeltis* spp. (Hemiptera: Miridae) of cashew in India. *Proceedings of the Zoological Society* 68, 30-35.
- Srinivas R., Udikeri S. S., Jayalakshmi S. K. and Sreeramulu K. (2004) Identification of factors responsible for insecticide resistance in *Helicoverpa armigera*. *Comparative Biochemistry and Physiology Toxicology & Pharmacology* 137, 261-269.
- Stenersen J. (2004) *Chemical Pesticides Mode of Action and Toxicology* CRC Press Boca Raton, FL, USA.
- Sternburg J., Kearns C. W. and Moorefield H. (1954) Resistance to DDT, DDT-Dehydrochlorinase, an enzyme found in DDT-resistant flies. *Journal of Agricultural and Food Chemistry* 2, 1125-1130.
- Stiling P. and Cornelissen T. (2005) What makes a successful biocontrol agent? A meta-analysis of biological control agent performance. *Biological Control* 34, 236-246.
- Stonedahl G. M. (1991) The Oriental species of *Helopeltis* (Heteroptera: Miridae): a review of economic literature and guide to identification. *Bulletin of Entomological Research* 81, 465.
- Stonedahl G. M., Malipatil M. B. and Houston W. (1995) A new mind (Heteroptera) pest of cashew in northern Australia. *Bulletin of Entomological Research* 85, 275-278.
- Subramaniam B. (1995) *Tea in India* P.I.D. and Wiley Eastern Ltd. 38-40 pp.
- Sudhakaran R. (2000) Studies in the Tea mosquito bug, *Helopeltis theivora* Waterhouse (Hemiptera: Miridae) infesting tea in southern India. *Doctor of Philosophy thesis, Department of Zoology, Bharathiar University*.
- Sun W., Xue C.-H., He L., Lu W.-C., Li M., Cao X.-F. and Zhao Z.-M. (2010) Molecular characterization of two novel esterase genes from carmine spider mite, *Tetranychus cinnabarinus* (Acarina: Tetranychidae). *Insect Science* 17, 91-100.

- Sundararaju D. and Sundarababu P. C. (1999) *Helopeltis* spp. (Heteroptera: Miridae) and their management in plantation and horticultural crops of India. *Journal of Plantation Crops* 27, 155-174.
- Sunderland K. (1999) Mechanisms underlying the effect of spiders on pest populations. *The Journal of Arachnology* 27, 308-316.
- Symondson W. O., Sunderland K. D. and Greenstone M. H. (2002) Can generalist predators be effective biocontrol agents? *Annual Review of Entomology* 47, 561-594.
- Syvanen M., Zhou Z., Wharton J., Goldsbury C. and Clark A. (1996) Heterogeneity of the glutathione *S*-transferase genes encoding enzymes responsible for insecticide degradation in the housefly. *Journal of Molecular Evolution* 43, 236-240.
- Tang A. H. and Tu C. P. (1994) Biochemical characterization of *Drosophila* glutathione *S*-transferases D1 and D21. *Journal of Biological Chemistry* 269, 27876-27884.
- Tietjen W. J. and Cady A. B. (2007) Sublethal exposure to a neurotoxic pesticide affects activity rhythms and patterns of four spider species. *Journal of Arachnology* 35, 396-406.
- Tilman D., Cassman K. G., Matson P. A., Naylor R. and Polasky S. (2002) Agricultural sustainability and intensive production practices. *Nature* 418, 671-677.
- Tower J. and Arbeitman M. (2009) The genetics of gender and life span. *Journal of Biology* 8, 38.
- van Asperen K. (1962) A study of housefly esterases by means of a sensitive colorimetric method. *Journal of Insect Physiology* 8, 401-416.
- van Hook R. I. J. (1971) Energy and nutrient dynamics of spider and orthopteran populations in a grassland ecosystem. *Ecological Monographs* 41, 1-26.
- Vulule J. M., Beach R. F., Atieli F. K., Roberts J. M., Mount D. L. and Mwangi R. W. (1994) Reduced susceptibility of *Anopheles gambiae* to permethrin associated with the use of permethrin-impregnated bednets and curtains in Kenya. *Medical and Veterinary Entomology* 8, 71-75.

- Walgama R. S. (2012) Ecology and integrated pest management of *Xyleborus fornicates* (Coleoptera:Scolytidae) in Sri Lanka. *Journal of Integrated Pest Management* 4, 1-8.
- Walker S. E. and Rypstra A. L. (2002) Sexual dimorphism in trophic morphology and feeding behavior of wolf spiders (Araneae: Lycosidae) as a result of differences in reproductive roles. *Canadian Journal of Zoology* 80, 679-688.
- Watt G. and Mann H. H. (1903) *The Pests and Blights of the Tea Plant* The Superintendent, Government Printing Press Culcutta. 429 pp.
- Whalon M. E. and McGaughey W. H. (1998) *Bacillus thuringiensis*: use and resistance management pp. 106-137 In I. Ishaaya and D. Degheele. (Eds.) *Insecticides with Novel Modes of Action: Mechanism and Application*. Berlin, Springer.
- Whalon M. E., Mota-Sanchez D. and R.M. H. (Eds.) (2008) Global pesticide resistance in Arthropods, CAB International.
- Wheeler Jr. A. G. (2001) *Biology of the plant bugs (Hemiptera: Miridae)*. *Pests, Predators, Opportunists* Cornell University Press Ithaca and London. 507 pp.
- WHO (1990) *Public health impact of pesticide used in agriculture* World Health Organization Geneva.
- Wight W. (1962) Tea classification revised. *Current Science* 31, 298-299.
- Wilson K. and Hardy I. (2002) Statistical analysis of sex ratios: An introduction In I. Hardy. (Ed.) *Sex Ratios: Concepts and Research Methods*. Cambridge, Cambridge University Press.
- Wirth M. C., Walton W. E. and Federici B. A. (2010) Inheritance patterns, dominance, stability, and allelism of insecticide resistance and cross-resistance in two colonies of *Culex quinquefasciatus* (Diptera : Culicidae ) selected with Cry toxins from *Bacillus thuringiensis* subsp. *israelensis*. *Journal of Medical Entomology* 47, 814-822.
- Wise D. H. and Chen B. (1999) Impact of intraguild predators on survival of a forest-floor wolf spider. *Oecologia* 121, 129-137.
- Wu S., Yang Y., Yuan G., Campbell P. M., Teese M. G., Russell R. J., Oakeshott J. G. and Wu Y. (2011) Overexpressed esterases in a fenvalerate resistant strain

- of the cotton bollworm, *Helicoverpa armigera*. *Insect Biochemistry and Molecular Biology* 41, 14-21.
- Yardim E. N. and Edwards C. A. (1998) The influence of chemical management of pests, diseases and weeds on pest and predatory arthropods associated with tomatoes. *Agriculture, Ecosystems & Environment* 70, 31-48.
- Young S. J., Gunning R. V. and Moores G. D. (2005) The effect of piperonyl butoxide on pyrethroid-resistance-associated esterases in *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Pest Management Science* 61, 397-401.
- Young S. J., Gunning R. V. and Moores G. D. (2006) Effect of pretreatment with piperonyl butoxide on pyrethroid efficacy against insecticide-resistant *Helicoverpa armigera* (Lepidoptera: Noctuidae) and *Bemisia tabaci* (Sternorrhyncha: Aleyrodidae). *Pest Management Science* 62, 114-119.
- Yu S. J. (2014) *The Toxicology and Biochemistry of Insecticides* CRC Press Boca Ration, FL, USA.
- Yung-Chi C. and Prusoff W. H. (1973) Relationship between the inhibition constant (KI) and the concentration of inhibitor which causes 50 percent inhibition (I50) of an enzymatic reaction. *Biochemical Pharmacology* 22, 3099-3108.
- Zhang J.-X., Zhu M.-S. and Song D.-X. (2004) A review of the chinese nursery-web spiders (Araneae, Pisauridae). *Journal of Arachnology* 32, 353-417.
- Zhang M. and Scott J. G. (1996) Cytochrome b5 is essential for cytochrome P450 6D1-mediated cypermethrin resistance in LPR house flies. *Pesticide Biochemistry and Physiology* 55, 150 - 156.
- Zhang W., Jiang F. and Ou J. (2011) Global pesticide consumption and pollution: with China as a focus. *Proceedings of the International Academy of Ecology and Environmental Sciences* 1, 125-144.
- Zhu F., Parthasarathy R., Bai H., Woithe K., Kausmann M., Nauen R., Harrison D. A. and Palli S. R. (2010) A brain-specific cytochrome P450 responsible for the majority of deltamethrin resistance in the QTC279 strain of *Tribolium castaneum*. *Proceedings of the National Academy of Sciences USA* 107, 8557 - 8562.

Zhu Y. C. and Luttrell R. (2012) Variation of acephate susceptibility and correlation with esterase and glutathione *S*-transferase activities in field populations of the tarnished plant bug, *Lygus lineolaris*. *Pesticide Biochemistry and Physiology* 103, 202-209.