

# Chapter-6

---

---

## BIBLIOGRAPHY

- Abdul-Aziz, A. A., Khalid, M. G. and Younes, M. R. (2012) Seed-borne mycoflora of alfalfa (*Medicago sativa* L.) in the Riyadh Region of Saudi Arabia. *Ann. Microbiol.* **62**: 273–281.
- Agrios, G. N. (2005) Plant diseases caused by fungi. *Plant pathology* **4**.
- Ahmad, I., Mehmood, Z., and Mohammad, F. (1998) Screening of some Indian medicinal plants for their antimicrobial properties. *Journal of ethnopharmacology* **62**: 183-193.
- Ahmad, S., Gordon-Weeks, R., Pickett, J. and Ton, J. (2010) Natural variation in priming of basal resistance: from evolutionary origin to agricultural exploitation. *Molecular Plant Pathology* **11**: 817–827.
- AL-Quraan, N. A., Al-Smadi, M. L. and Swaleh, A. F. (2015) GABA metabolism and ROS induction in lentil (*Lens culinaris* Medik) plants by synthetic 1,2,3- Thiadiazole compounds. *Journal of Plant Interactions* **10**: 185–194.
- Altschul, S. F., Madden, T. L., Schaffer, A. A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. (1997) Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. *Nucl. Acids Res.* **25**: 3389-3402.
- Altschul, S. F., Madden, T. L., Schäffer, A. A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D. J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic acids research* **25**: 3389-3402.
- Amadi, J. E., Nwaokike, P., Olanhan, G. S. and Garuba, T. (2014) Isolation and identification of fungi involved in the post-harvest spoilage of guava (*Psidium guajava*) in Awka metropolis. *International Journal of Engineering* **4**: 8269-8269.
- Aoki, T., O'Donnell, K. and Geiser, D. M. (2014) Systematics of key phytopathogenic *Fusarium* species: current status and future challenges. *Journal of General Plant Pathology* **80**: 189-201.

- Aslam, M. and Najam, R. (2013) A review of pharmacognostical, phytochemical and pharmacological properties of *Lagenaria siceraria*: A miracle herb. *Int J Biomed Adv Res* **4**: 266-274.
- Aslam, M. and Najam, R. (2013) A review of pharmacognostical, phytochemical and pharmacological properties of *Lagenaria siceraria*: A miracle herb. *International journal of Biomedical and advance research* **4**: 266-274.
- Atkins, S. D. and Clark, I. M. (2004) Fungal molecular diagnostics: a mini review. *J Appl Genet* **45**: 3-15.
- Azami-Sardooei, Z., Seifi, H. S., Vleeschauwer, D. D. and Höfte, M. (2013) Benzothiadiazole (BTH)-induced resistance against *Botrytis cinerea* is inversely correlated with vegetative and generative growth in bean and cucumber, but not in tomato. *Australasian Plant Pathol* **42**: 485-490.
- Babu, A., Mohamed, M. S. N., Jaikumar, K., Anand, D. and Saravanan, P. (2016) *In-vitro* antifungal activity of leaf extracts of *Leucas aspera* and *Leucas zeylanica*. *IJPSR* **7**: 752-756.
- Badmanaban, R., Patel, C.N. (2010) Studies on anthelmintic and antimicrobial activity of the leaf extracts of *Lagenaria siceraria*. *Journal of global pharma technology* **4**: 66-70.
- Balakumar, S., Rajan, S. Thirunalasundari, T. and Jeeva, S. (2011) Antifungal activity of *Ocimum sanctum* Linn. (Lamiaceae) on clinically isolated dermatophytic fungi. *Asian Pacific Journal of Tropical Medicine* **4**: 654-657.
- Bansod, S., and Rai, M. (2008) Antifungal activity of essential oils from Indian medicinal plants against human pathogenic *Aspergillus fumigatus* and *Aspergillus niger*. *World Journal of Medical Sciences* **3**: 81-88.
- Bargabus, R.L., N.K. Zidack, J.W. Sherwood, and B.J. Jacobsen. (2002) Characterization of systemic resistance in sugar beet elicited by a non-pathogenic, phyllosphere-colonizing *Bacillus mycoides*, biological

- control agent. *Physiological and Molecular Plant Pathology* **61**: 289–298.
- Baviskar, R. N. and Dekate, H. M. (2016) Screening of Antifungal Activity of *Holarrhena antidysenterica* and *Maduca longifolia* against fungal pathogens in Apple fruit, *International J. of Life Sciences* **4**: 306-309.
- Baysal, Ö., Gürsoy, Y. Z., Örnek, H. and Duru, A. (2005) Induction of oxidants in tomato leaves treated with DL- $\beta$ -Amino butyric acid (BABA) and infected with *Clavibacter michiganensis* ssp. *michiganensis*. *European Journal of Plant Pathology*. **112**: 361–369.
- Beckers, G. J. and Conrath, U. (2007). Priming for stress resistance: from the lab to the field. *Current Opinion in Plant Biology* **10**: 425–431.
- Bevan, M., Shufflebottom, D., Edwards, K., Jefferson, R. and Schuch, W. (1989) Tissue-and cell-specific activity of a phenylalanine ammonia-lyase promoter in transgenic plants. *The EMBO journal* **8**: 1899-1906.
- Bevan. M., Shufflebottom, D., Edwards, K., Jefferson, R. and Schuch, W. (1989) Tissue-and cell specific activity of a phenylalanine ammonia-lyase promoter in transgenic plants. *EMBO J.* **8**: 1899–1906.
- Bruns, T. D., White, T. J., and Taylor, J. W. (1991) Fungal molecular systematics. *Annual Review of Ecology and systematic* **22**: 525-564.
- Bufe, A., Spangfort, M. D., Kahlert, H., Schlaak, M. and Becker, W. M. (1996) The major birch pollen allergen, Bet v 1, shows ribonuclease activity. *Planta* **199**: 413-415.
- Cannon, P. F., Damm, U., Johnston, P. R. and Weir, B. S.(2012) *Colletotrichum*–current status and future directions. *Studies in mycology* **73**: 181-213.
- Cao, Y., Han, Y., Meng, D., Li, D., Jin, Q., Lin, Y. and Cai, Y. (2016). Structural, evolutionary, and functional analysis of the Class III

- peroxidase gene family in chinese pear (*Pyrus bretschneideri*). *Frontiers in Plant Science* **7**: 1874.
- Cao, S., Hu, Z., Zheng, Y., Yang, Z. and Lu, B. (2011) Effect of BTH on antioxidant enzymes, radical-scavenging activity and decay in strawberry fruit. *Food Chemistry* **125**: 145-149.
- Charest, M. H., Beauchamp, C. J. and Antoun, H. (2005) Effects of the humic substances of de-inking paper sludge on the antagonism between two compost bacteria and *Pythium ultimum*, *FEMS Microbiology Ecology* **52**: 219-227.
- Chen, S. C., Zhao, H. J., Wang, M. M. Ren, J. J., Wang, Z. H., Li, J. D., Liu, A. R. and Ahammed, G. J. (2017) First Report of Root Rot Caused by *Fusarium incarnatum* on *Morus alba* in China. *Plant Disease* **101**: 1320.
- Choi, O., Choi, O., Kwak, Y. S., Kim, J. and Kwon, J. H. (2012) Spot anthracnose disease caused by *Colletotrichum gloeosporioides* on Tulip tree in Korea. *Mycobiology* **40**: 82-84.
- Choi, Y. J. and Shin, H. D. (2008) First record of downy mildew caused by *Pseudoperonospora cubensis* on bottle gourd in Korea. *Plant Pathology* **57**: 371-371.
- Chopra, B. N. and Chopra, I. C. (1992) Second glossary of Indian medicinal plants. Publication and information directorate, New Delhi, India 414-418.
- Choudhary, D. K., Prakash, A. and Johri, B. N. (2007) Induced systemic resistance (ISR) in plants: mechanism of action. *Indian Journal of Microbiology* **47**: 289-297.
- Chowdappa, P., Reddy, G. S., Kumar, A., Rao, B. M. and Rawal, R. D. (2009) Morphological and molecular characterisation of *Colletotrichum* spp. causing anthracnose disease of grapes. *The Asian and Australian Journal of Plant Sciences and Biotechnology* **3**: 71-77.

- Chowdappa, P. and Kumar, M. S. P. (2012) Existence of two genetically distinct populations of *Colletotrichum gloeosporioides* Penz in mango from India. *Pest Management in Horticultural Ecosystems* **18**: 161-170.
- Chowdappa, P., Chethana, C. S., Bharghavi, R., Sandhya, H. and Pant R. P. (2012) Morphological and molecular characterization of *Colletotrichum gloeosporioides* (Penz) Sac. isolates causing anthracnose of orchids in India. *Biotechnol. Bioinf. Bioeng.* **2**: 567-572.
- Christensen, A. B., Cho, B. H., Næsby, M., Gregersen, P. L., Brandt, J., Madriz-Ordeñana, K., Collinge, D. B. and Thordal-Christensen, H. (2002) The molecular characterization of two barley proteins establishes the novel PR-17 family of pathogenesis-related proteins. *Molecular Plant Pathology* **3**:135–144.
- Cohen, Y. (2001) The BABA story of induced resistance. *Phytoparasitica* **29**: 375-378.
- Cohen, Y. R. (2002)  $\beta$ -Aminobutyric acid-induced resistance against plant pathogens. *Plant Dis* **86**: 448-457.
- Cohen, Y., Gisi, U. and Niderman, T. (1993) Local and systemic protection against *Phytophthora infestans* induced in potato and tomato plants by jasmonic acid and jasmonic methyl ester. *Phytopathology* **83**:1054-1062.
- Cohen, Y., Niderman, T., Mösinger, E. and Fluhr, R. (1994)  $\beta$ -Aminobutyric acid induces the accumulation of pathogenesis-related proteins in tomato (*Lycopersicon esculentum* L.) plants and resistance to late blight infection caused by *Phytophthora infestans*. *Plant Physiol.* **104**: 59-66.
- Compant, S., Duffy, B., Nowak, J., Clément, C. and Barka, E. A. (2005) Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *Applied and environmental microbiology* **71**: 4951-4959.

- Conrath, U., Beckers, G. J., Langenbach, C. J. and Jaskiewicz, M. R. (2015) Priming for enhanced defense. *Annual review of phytopathology* **53**: 97-119.
- Conrath, U., Beckers, G.J. and Flors, V. (2006) Priming: getting ready for battle. *Molecular Plant Microbe Interaction* **19**: 1062-1071.
- Conrath, U., Pieterse, C.M., Mauch-Mani, B. (2002) Priming in plant pathogen interaction. *Trends in plant science* **7**: 210-216.
- Dann, E., Diers, B., Byrum, J. and Hammerschmidt, R. (1998) Effect of treating soybean with 2,6-dichloroisonicotinic acid (INA) and benzothiadiazole (BTH) on seed yields and the level of disease caused by *Sclerotinia sclerotiorum* in field and greenhouse studies. *European Journal of Plant Pathology* **104**: 271-278.
- Dann, E., Diers, B., Byrum, J. and Hammerschmidt, R. (1998) Effect of treating soybean with 2, 6-dichloroisonicotinic acid (INA) and benzothiadiazole (BTH) on seed yields and the level of disease caused by *Sclerotinia sclerotiorum* in field and glasshouse studies. *European Journal of Plant Pathology* **104**: 271-278.
- Das, S. (2012) Antimicrobial activity study of ethanolic extract of *Boerhaavia diffusa* whole plant. *Int. J. of Pharm. and Life Sci. (IJPLS)* **3**: 2006-2009.
- Davis, B. J. (1964) Disc electrophoresis-II method and application to human serum proteins. *Annals of the New York academy of sciences* **121**: 404-427.
- De Silva, D. D., Crous, P. W., Ades, P. K., Hyde, K. D. and Taylor, P. W. J. (2017) Life styles of *Colletotrichum* species and implications for plant biosecurity. *Fungal Biology Reviews* **31**: 155-168.
- Dean, R., Van Kan, J. A., Pretorius, Z. A., Hammond-Kosack, K. E., Di Pietro, A., Spanu, P. D. and Foster, G. D. (2012) The Top 10 fungal pathogens in molecular plant pathology. *Molecular plant pathology* **13**: 414-430.

- Decker-Walters, D. S. (1999) Cucurbits, sanskrit, and the Indo-Aryas  
1. *Economic Botany* **53**: 98-112.
- Decker-Walters, D., Staub, J., Lopez-Sese, A., and Nakata, E. (2001) Diversity in landraces and cultivars of bottle gourd (*Lagenaria siceraria*; Cucurbitaceae) as assessed by random amplified polymorphic DNA. *Genetic Resources and Crop Evolution* **48**: 369-380.
- Deepak, S. A., Oros, G., Sathyanarayana, S. G., Shetty, N. P., Shetty, H. S. and Sashikanth, S. (2005) Antisporulant activity of leaf extracts of Indian plants against *Sclerospora graminicola* causing downy mildew disease of pearl millet. *Archives of Phytopathology and Plant Protection* **38**: 31-39.
- Dellaporta, S. L., Wood, J. and Hicks, J. B. (1983) A plant DNA miniprep: version II. *Plant molecular biology reporter* **1**: 19-21.
- Deng, J. C., Guan, Y. M., Wu, L. J. and Zhang, Y. Y. (2017) First report of anthracnose caused by *Colletotrichum gloeosporioides* on *Actinidia arguta* in China. *Plant Disease* **101**: 1032.
- Dervis, S. I. B. E. L., Soyly, S. O. N. E. R. and Yetisir, H. (2010) Identification and incidence of seed-borne fungal disease agents on bottle gourd (*Lagenaria siceraria*) seeds. *Research on Crops* **11**: 745-748.
- Deshpande, J. R., Mishra, M. R., Meghre, V. S., Wadodkar, S. G. and Dorle, A. K. (2007) Antioxidant activity of *Lagenaria siceraria* (Mol) Standley Fruit. *Natural product research* **6**: 127-127.
- Dewen, Q., Yijie, D., Yi, Z., Shupeng, L. and Fachao, S. (2017) Plant Immunity Inducer Development and Application. *Molecular Plant-Microbe Interactions* **30**: 355-360.
- Dickens, J. S. W. and Cook, R. T. A. (1989) *Glomerella cingulata* on *Camellia*. *Plant pathology* **38**: 75-85.



- Divakara, S. T., Santosh, P., Aiyaz, M., Ramana, M. V., Hariprasad, P., Nayakaa, S. C. and Niranjanaa, S. R. (2014) Molecular identification and characterization of *Fusarium* spp. associated with sorghum seeds. *J. Sci. Food Agric.* **94**: 1132–1139.
- Dixon, R. A. and Paiva, N. (1995) L. Stress-Induced Phenylpropanoid Metabolism. *The Plant Cell* **7**: 1085-1097.
- Donnell, P. J. O., Calvert, C., Atzorn, R., and Wasternack, C. H. M. O. (1996) Ethylene as a signal mediating the wound response of tomato plants. *Science* **274**: 1914-1914.
- Endo T., El Guilli M., Farih A. and Tantaoui A. (2012) Identification of powdery mildew fungus on Moroccan cucurbitaceous plants. *Al Awamia*, **1**: 125–126.
- Epple, P., Apel, K. and Bohlmann, H. (1997) Overexpression of an endogenous thionin enhances resistance of *Arabidopsis* against *Fusarium oxysporum*. *Plant Cell* **9**: 509–520.
- Felsenstein, J. (1985) Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* **39**: 783-791.
- Fan, Z. Y., Miao, C. P., Qiao, X. G., Zheng, Y. K., Chen, H. H., Chen, Y. W., Xu, L. H., Zhao, L. X. and Guan, H. L. (2016) Diversity, distribution, and antagonistic activities of rhizobacteria of *Panax notoginseng*. *Journal of Ginseng Research* **40**: 97-104.
- Fidan, H., Denli, N., Yetisir, H., Öztürk, K. P. and Nacar, Ç. (2016) Open-Field Survey of Turkish Bottle Gourd Germplasm Reaction to Virus Diseases. *The XIth Eucarpia Meeting on Cucurbit Genetics and Breeding Warsaw, Poland* 24–28.
- Figuerola-López, A. M., Cordero-Ramírez, J. D., Martínez-Álvarez, J. C., López-Meyer, M., Lizárraga-Sánchez, G. J., Félix-Gastélum, R., and Maldonado-Mendoza, I. E. (2016) Rhizospheric bacteria of maize with potential for biocontrol of *Fusarium verticillioides*. *SpringerPlus* **5**: 330.

- Forde, B. G. and Lea, P. J. (2007) Glutamate in plants: metabolism, regulation, and signalling. *J. Exp. Bot* **58**: 2339–2358.
- Fravel, D. R. (2005) Commercialization and implementation of biocontrol. *Annual Review Phytopathology* **43**: 337-359.
- Frías, M., Brito, N. and González, C. (2013) The *Botrytis cinerea* cerato-platanin BcSpl1 is a potent inducer of systemic acquired resistance (SAR) in tobacco and generates a wave of salicylic acid expanding from the site of application. *Molecular plant pathology* **14**: 191-196.
- Friedrich, L., Lawton, K., Ruess, W., Masner, P., Specker, N., Rella, M. G., Meier, B., Dincher, S., Staub, T., Uknes, S., Mettraux, J. P., Kessmann, H. and Ryals, J. (1996) A benzothiadiazole derivative induces systemic acquired resistance in tobacco. *The Plant Journal* **10**: 61-70.
- Fu, Z. Q. and Dong, X. (2013) Systemic acquired resistance: turning local infection into global defense. *Annual review of plant biology* **64**: 839-863.
- Gaffney, T., Friedrich, L., Vernooij, B., Negrotto, D., Nye, G., Uknes, S. and Ryals, J. (1993) Requirement of salicylic acid for the induction of systemic acquired resistance. *Science-New York Then Washington* **261**: 754-754.
- Gai, X. T., Yang, R. X., Pan, X. J., Yuan, Y., Wang, S. N., Liang, B. B. and Gao, Z. G. (2016) First report of *Fusarium incarnatum* causing stalk rot on maize in China. *Plant Disease* **100**: 1010.
- Gangadevi, V. and Muthumary, J. (2008) Isolation of *Colletotrichum gloeosporioides*, a novel endophytic taxol-producing fungus from the leaves of a medicinal plant, *Justicia gendarussa*. *Mycologia Balcanica* **5**: 1-4.
- Gangwal, A., Parmar, S. K., Mardia R. B. and Sheth, N.R. (2008) Immunomodulatory activity of saponin mixture isolated from

- Lagenaria siceraria* fruits. *Nigerian Journal of Natural Products and Medicine*. **12**: 43-46.
- Gao, Q. M., Yu, K., Xia, Y., Shine, M. B., Wang, C., Navarre, D. and Kachroo, P. (2014) Mono-and digalactosyldiacylglycerol lipids function nonredundantly to regulate systemic acquired resistance in plants. *Cell reports* **9**: 1681-1691.
- Garcia-Olmedo, F., Molina, A., Segura, A. and Moreno, M. (1995) The defensive role of nonspecific lipid-transfer proteins in plants. *Trends Microbiol.* **3**: 72-74.
- Gautam, A. K., Avasthi, S. and Bhadauria, R. (2012) First report of anthracnose caused by *Colletotrichum gloeosporioides* on *Boehrvia diffusa* in India. *Arch Phytopathol Pl Prot* **45**: 2502-2506.
- Gautam, A. K., Avasthi, S. and Bhadauria, R. (2012) First report of anthracnose caused by *Colletotrichum gloeosporioides* on *Boehrvia diffusa* in India. *Archives of phytopathology and plant protection* **45**: 2502-2506.
- Gerbore, J., Benhamou, N., Vallance, J., Le Floch, G., Grizard, D., Regnault-Roger, C. and Rey, P. (2014) Biological control of plant pathogens: advantages and limitations seen through the case study of *Pythium oligandrum*. *Environmental Science and Pollution Research* **21**: 4847-4860.
- Gerhardson, B. (2002) Biological substitutes for pesticides. *Trends in biotechnology* **20**: 338-343.
- Ghawana S., Paul A., Kumar H., Kumar A., Singh H. and Bhardwaj P.K. (2011) An RNA isolation system for plant tissues rich in secondary metabolites. *BMC Res Notes* **4**: 85-89.
- Ghawana, S., Paul, A., Kumar, H., Kumar, A., Singh, H., Bhardwaj, P. K., and Kumar, S. (2011) An RNA isolation system for plant tissues rich in secondary metabolites. *BMC research notes* **4**: 85-85.

- Ghosh, R. and Purkayastha, R. P. (2003) Molecular diagnosis and induced systemic protection against rhizome rot disease of ginger caused by *Pythium aphanidermatum*. *Current Science* **85**: 1782-1787.
- Ghule, B.V., M.H. Ghante, A. N. Saoji and P.G. Yeole (2007) Diuretic activity of *Lagenaria siceraria* fruit extract in rats. *Indian Journal of Pharmaceutical sciences* **69**: 817-819.
- Ghule, B.V., M.H. Ghante, A.B. Upaganlawar and P.G. Yeole (2006a) Analgesic and anti-inflammatory activities of *Lagenaria siceraria* Stand. fruit juice extract in rats and mice. *Pharmacognosy magazine* **2**: 232-238.
- Ghule, B.V., M.H. Ghante, A.N. Saoji and P.G. Yeole (2006b) Hypolipidemic and antihyperlipidemic effects of *Lagenaria siceraria* (Mol.) fruit extracts. *Indian Journal of experimental biology* **44**: 905-909.
- Goellner, K. and Conrath, U. (2008) Priming: it's all the world to induced resistance. *European Journal of Plant Pathology* **121**: 233-242.
- Goji, M., Asres, K., Gameda, N., and Yirsaw, K. (2006) Screening of the antimicrobial activities of some plants used traditionally in ethiopia for the treatment of skin disorders. *Ethiopian Pharmaceutical Journal* **24**: 130-135.
- Görlach, J., Volrath, S., Knauf-Beiter, G., Hengy, G., Beckhove, U., Kogel, K. H., Oostendorp, M., Staub, T., Ward, E., Kessmann, H. and Ryalsai, J. (1996) Benzothiadiazole, a novel class of inducers of systemic acquired resistance, activates gene expression and disease resistance in wheat. *The Plant Cell* **8**: 629-643.
- Görlach, J., Volrath, S., Knauf-Beiter, G., Hengy, G., Beckhove, U., Kogel, K.-H., *et al.* (1996) Benzothiadiazole, a novel class of inducers of systemic acquired resistance, activates gene expression and disease resistance in wheat. *Plant Cell* **8**: 629-643.
- Görlach, J., Volrath, S., Knauf-Beiter, G., Hengy, G., Beckhove, U., Kogel, K. H. and Ryals, J. (1996) Benzothiadiazole, a novel class of inducers

- of systemic acquired resistance, activates gene expression and disease resistance in wheat. *The Plant Cell* **8**: 629-643.
- Guo, K. F., Sun, J., Zhao, S. F. and He, L. (2016) Black Spot Disease of Chinese Jujube (*Ziziphus jujuba*) Caused by *Fusarium incarnatum* in China. *Plant Disease* **100**: 529-529.
- Hall, T. A. (1999) BioEdit: a user-friendly biological sequence alignment editor and analysis programme for Windows 95/98/NT. *Nucleic Acids Symp. Ser.* **41**: 95-98.
- Hamayun, M., Khan, A., Afzal, S. and Khan, M. A. (2006). Study on traditional knowledge and utility of medicinal herbs of district Buner, *Internaional journal of botany* **5**: 407-412.
- Hammerschmidt, R., Nuckles, E. M., and Kuć, J. (1982) Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiological Plant Pathology* **20**: 73IN977-76IN1082.
- Hawa, MM., Salleh, B. and Latiffah, Z. (2010) Characterization and intraspecific variation of *Fusarium semitectum* (Berkeley and Ravenel) associated with red-fleshed dragon fruit (*Hylocereus polyrhizus* [Weber] Britton and Rose) in Malaysia. *African Journal of Biotechnology* **9**: 273-284.
- Heiser Jr, C. B. (1979) The gourd book. University of Oklahoma Press, Norman.
- Heiser CB (1989) in *Foraging and Farming: The Evolution of Plant Exploitation*, eds Harris DR, Hillman GC (Unwin Hyman, London). 471-480.
- Heiser, C. B. (1973) Variation in the bottle gourd In: Meggers, B. J., Ayensu, E. S. and Duckworth, W. D. (eds.). Tropical forest ecosystems in Africa and South America 121-128.

- Hong, J. K., Hwang, B. K. and Kim, C. H. (1999) Induction of local and systemic resistance to *Colletotrichum coccodes* in pepper plants by DL- $\beta$ -amino-*n*-butyric acid. *J. Phytopathol.* **147**:193–198.
- Huang, J., Dunthorn, M. and Song, W. (2012) Expanding character sampling for the molecular phylogeny of euplotid ciliates (Protozoa, Ciliophora) using three markers, with a focus on the family Uronychiidae. *Molecular phylogenetics and evolution* **63**: 598-605.
- Huang, J., Gu, M., Lai, Z., Fan, B., Shi, K., Zhou, Y. H., Yu, J. Q. and Chen, Z. (2010) Functional analysis of the Arabidopsis pal gene family in plant growth, development, and response to environmental stress. *Plant Physiology* **153**: 1526–1538.
- Hyde, K. D., Cai, L., McKenzie, E. H. C., Yang, Y. L., Zhang, J. Z. and Prihastuti, H. (2009) *Colletotrichum*: a catalogue of confusion. *Fungal Diversity* **39**: 1-17.
- Ignjatov, M., Milošević, D., Nikolić, Z., Gvozdanović-Varga, J., Jovičić, D. and Zdjelar, G. (2012) *Fusarium oxysporum* as Causal Agent of Tomato Wilt and Fruit Rot. *Pesticides and Phytomedicine* **27**: 25–31.
- Iskandar Vijaya, S., Anuar, M., Sakinah, I. and Zakaria, L. (2015) Characterization and Pathogenicity of *Colletotrichum truncatum* Causing Stem Anthracnose of Red-Fleshed Dragon Fruit (*Hylocereus polyrhizus*) in Malaysia. *Journal of Phytopathology* **163**: 67-71.
- Ito, T., Sharma, P., Kittipakorn, K. and Ikegami, M. (2008) Complete nucleotide sequence of a new isolate of tomato leaf curl New Delhi virus infecting cucumber, bottle gourd and muskmelon in Thailand. *Archives of Virology* **153**: 611-613.
- Ito, Y., Kaku, H., and Shibuya, N. (1997) Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension-cultured rice cells by affinity labeling. *The Plant Journal* **12**: 347-356.
- Jadhav, G. H. (2012) Studies on fusarium wilt of bottle gourd [Lagenaria siceraria (Mol.) Standal. 1-84.

- Jain, P. and Nafis, G. (2011) Antifungal activity of crude aqueous and methanolic amchur (*Mangifera indica*) extracts against *Candida* species. *International Journal of Pharmaceutical Sciences Review and Research* **9**: 85-87
- Jakab, G., Cottier, V., Toquin, V., Rigoli, G., Zimmerli, L., Métraux, J. P., Mauch-Mani, B. (2001)  $\beta$ -Aminobutyric acid-induced resistance in plants. *Eur. J. Plant. Pathol.* **107**: 29–37.
- Jarial, K., Jarial, S. R. and Gupta, K. S. (2015) Bacterial Spot (*Xanthomonas cucurbitae*) of cucurbits: A Review. *NBU Journal of Plant Sciences* **9**: 33-39.
- Jasani, N., Kapoor, M., Tripathi, N., Acharya, N., Acharya, S. and Kumar, V. (2012) Anti-asthmatic and anti-allergic activity of *Lagenaria siceraria* Mol Standley. *Journal of Natural Remedies* **12**: 72-76.
- Jayalakshmi, K. (2010) *Studies on Anthracnose of pomegranite caused by colletotrichum gloeosporides* (Penz). Penz and Sacc, PhD Thesis, UAS, Dharwad.
- Jayaprakash, A. and Ebenezer, P. (2012) Antifungal activity of curry leaf (*Murraya koenigii*) extract and an imidazole fungicide on two dermatophyte taxa. *J. Acad. Indus. Res.* **1**: 124-126.
- Jayashree, C. P., and Khairnar, P. and Chaudhari, S. (2010). Central nervous system activity of different extracts of *Lagenaria siceraria* (mol) standl. leaves parts. *International Journal of Pharma Research and Development* – Online.
- Jeewon, R., Ittoo, J., Mahadeb, D., Jaufeerally-Fakim, Yasmina., Wang, H. and Liu, A. (2013) DNA Based Identification and Phylogenetic Characterisation of Endophytic and Saprobiic Fungi from *Antidesma madagascariense*, a Medicinal Plant in Mauritius. *Journal of Mycology* 1-10.
- Jeon, C. W. and Kwak, Y. S. (2016) First report of anthracnose disease caused by *Colletotrichum gloeosporioides* in Stonecrop. *Journal of Agriculture and Life Science* **50**: 251-255.

- Johnny, L., Yusuf, U. K. and Nulit, R. (2011) Antifungal activity of selected plant leaves crude extracts against a pepper anthracnose fungus, *Colletotrichum capsici* (Sydow) butler and bisby (Ascomycota: Phyllachorales). *African Journal of Biotechnology* **10**: 4157-4165.
- Jones, J. D. G. and Dangl, J. L. (2006) The plant immune system. *Nature* **444**: 323-329.
- Jordá, L. and Vera, P. (2000) Local and systemic induction of two defense-related subtilisin-like protease promoters in transgenic Arabidopsis plants. Luciferin induction of PR gene expression. *Plant Physiology* **124**: 1049-1058.
- Hanae, K., Naoto, S., Peilin, X., Arun, P. A. and Geoffrey, B. F. (1997) N-acetylchitooligosaccharides elicit expression of a single glucanase gene in suspension-cultured cells from barley (*Hordeum vulgare*). *Physiologia Plantarum* **100**: 111-118.
- Higa, A., Hidaka, T., Minai, Y., Matsuoka, Y. and Haga, M. (2001) Active oxygen radicals induce peroxidase activity in rice blade tissues. *Biosci Biotechnol Biochem* **65**: 1852-1855.
- Kang, H. C., Park, Y. H. and Go, S. J. (2003) Growth inhibition of a phytopathogenic fungus, *Colletotrichum* species by acetic acid. *Micobial Research* **158**: 321-326.
- Kanwal, Q., Hussain, I., Latif Siddiqui, H. and Javaid, A. (2010) Antifungal activity of flavonoids isolated from mango (*Mangifera indica* L.) leaves. *Natural Product Research* **24**: 1907-1914.
- Karimi, K., Amini, J., Harighi, B., and Bahramnejad, B. (2012) Evaluation of biocontrol potential of *Pseudomonas*' and *Bacillus*' spp. against *fusarium* wilt of chickpea. *Australian Journal of Crop Science* **6**: 695.
- Karmakar, N. C., Ghosh, R. and Purkayastha, R. P. (2003) Plant defence activators inducing systemic resistance in *Zingiber officinale* Rosc. against *Pythium aphanidermatum* (Edson) Fitz. *Indian Journal of Biotechnology* **2**: 591-595.



- Kaur, A. and Kolte, S. J. (2001) Protection of mustard plants against staghead phase of white rust by Foliave treatment with benzothiadiazole. An activator of plant defense system. *J. Mycol. Pl. Pathol.* **31**: 133-138.
- Kaur, N., Dhiman, J. S. and Khurana, D. S. (2011) Physiological and biochemical traits analysis of *Capsicum annum* L. germplasm for resistance to *Colletotrichum capsici*. *Cell and Plant Science* **2**: 12-21.
- Kessmann, H., Staub, T., Hofmann, C., Maetzke, T., Herzog, J., Ward, E., Uknes, S. and Ryals, J. (1994) Induction of systemic acquired disease resistance in plants by chemicals. *Annual Reviews of Phytopathology* **32**:439-59
- Kim, D. S. and Hwang, B. K. (2014) An important role of the pepper phenylalanine ammonia-lyase gene (*PAL1*) in salicylic acid-dependent signalling of the defence response to microbial pathogens. *Journal of Experimental Botany* **65**: 2295–2306.
- Kim, Y. K., Xu, H., Park, N. I. L., Boo, H. O., Lee, S. Y. and Park, S. U. (2009) Amino acid and GABA content in different cultivars of *Momordica charantia* L. *Journal of Medicinal Plants Research* **3**: 897-900.
- Kini, K. R. (2016) Chitosan and  $\beta$ -amino butyric acid up-regulates transcripts of resistance gene analog RGPM213 in pearl millet to infection by downy mildew pathogen. *Journal of Applied Biology and Biotechnology* **4**: 1-6.
- Kloepper, J. W., Tuzun, S. and Kud, J. A. (1992) Proposed definitions related to induced disease resistance. *Biocontrol Sci Technol* **2**: 349-351.
- Kim, D. S. and Hwang, B. K. (2014) An important role of the pepper phenylalanine ammonia-lyase gene (*PAL1*) in salicylic acid-dependent signalling of the defence response to microbial pathogens. *Journal of experimental botany* **9**: 2295-2306.

- Kloepper, J. W., Wei, G. and Tuzun, S. (1992) Rhizosphere population dynamics and internal colonization of cucumber by plant growth-promoting rhizobacteria which induce systemic resistance to *Colletotrichum orbiculare*. *Biological control of plant diseases* **1992**: 185-191.
- Koffi A. M. H., Atta D. H. and Zoro B. I. A. (2013) Identification of Fungus Flora Associated with *Lagenaria siceraria* (Molina) Standl in Côte d'Ivoire. *Asian Journal of Agriculture and Rural Development* **3**: 767-779
- Koffi A. M. H., Atta D. H., Nazaire K., Fakhfakh H. and Irié A. Z. Bi. (2014) Molecular identification of fungi associated with *Lagenaria siceraria* (Molina) Standl necrosis in Côte d'Ivoire. *International Journal of Advanced Research* **2**: 503-513.
- Kousik, C. S., Levi, A., Ling, K. S. and Wechter, W. P. (2008) Potential sources of resistance to cucurbit powdery mildew in US plant introductions of bottle gourd. *HortScience* **43**: 1359-1364.
- Kuč, J. (1982) Induced immunity to plant disease. *Bioscience* **32**: 854-860.
- Kumar, S., Singh, V. and Garg, R. (2002) Cultural and Morphological Variability in *Colletotrichum capsici* Causing Anthracnose Disease. *International Journal of Current Microbiology and Applied Sciences* **4**: 243-250.
- Kumari, P., Rakesh, and Singh, R. (2017) Anthracnose of Mango Incited by *Colletotrichum gloeosporioides* : A Comprehensive Review. *Int. J. Pure App. Biosci.* **5**: 48-56.
- La Camera, S., Gouzerh, G., Dhondt, S., Hoffmann, L., Fritig, B., Legrand, M. and Heitz, T. (2004) Metabolic reprogramming in plant innate immunity: the contributions of phenylpropanoid and oxylipin pathways. *Immunological Reviews* **198**: 267-284.
- Lai, K. H., Darah, I., Wong, C. T., Afifah, S., and Lim, S. H. (2016) In vitro Antibacterial Activity and Cytotoxicity of *Lagerstroemia speciosa* Bark Extract. *Indian Journal of Pharmaceutical Sciences* **78**: 273-277.

- Lakshmi, B. V. S., and Sudhakar, M. (2009) Adaptogenic activity of *Lagenaria siceraria*: An experimental study using acute stress models on rats. *Journal of Pharmacology and Toxicology* **4**: 300-306.
- Lakshmi, B. V. S., Kumar, P. U., Neelima, N., Umarani, V., Sudhakar, M. (2011) Hepatoprotective effects of *L. Siceraria*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* **2**: 137.
- Lawton, K., Weymann, K., Friedrich, L., Vernooij, B., Uknes, S. and Ryals, J. (1995) Systemic acquired resistance in *Arabidopsis* requires salicylic acid but not ethylene. *MPMI-Molecular Plant Microbe Interactions* **8**: 863-870.
- Lawton, M. A., Dixon, R. A., Hahlbrock, K. and Lamb, C. (1983) Rapid induction of the synthesis of phenylalanine ammonia-lyase and of chalcone synthase in elicitor-treated plant cells. *Eur J Biochem* **129**: 593-601.
- Lay, F. T. and Anderson, M. A. (2005) Defensins—components of the innate immune system in plants. *Curr. Protein Pept. Sci.* **6**: 85-101.
- Lepoivre, P. and Smel, J. (1989) Biotechnology applied to plants; upstream and downstream constraints. *Annles de Gembloux* **95**: 151-161.
- Li, J., Hansen, B. G., Ober, J. A., Kliebenstein, D. J. and Halkier, B. A. (2008) Subclade of flavin-monooxygenases involved in aliphatic glucosinolate biosynthesis. *Plant Physiology* **3**:1721-1733.
- Li, J., Casteels, T., Frogne, T., Ingvorsen, C., Honoré, C., Courtney, M., Huber, K. V. M., Schmitner, N., Kimmel, R. A., Romanov, R. A., Sturtzel, C., Lardeau, C. H., Klughammer, J., Farlik, M., Sdelci, S., Vieira, A., Avolio, F., Briand, F., Baburin, I., Májek, P., Pauler, F. M., Penz, T., Stukalov, A., Gridling, M., Parapatics, K., Barbieux, C., Berishvili, E., Spittler, A., Colinge, J., Bennett, K. L., Hering, S., Sulpice, T., Bock, C., Distel, M., Harkany, T., Meyer, D., Superti-Furga, G., Collombat, P., Hecksher-Sørensen,

- J. and Kubicek, S. (2017) Artemisininins Target GABA<sub>A</sub> Receptor Signaling and Impair a Cell Identity. *Cell*. **168**: 86–100.
- Li, X., Zhang, Y., Wei, Z., Guan, Z., Cai, Y. and Liao, X. (2016) Antifungal Activity of Isolated *Bacillus amyloliquefaciens* SYBC H47 for the Biocontrol of Peach Gummosis. *Plos One* **11**: 1-22.
- Lima, W. G., Spósito, M. B., Amorim, L., Gonçalves, F. P. and de Filho, P. A. M. (2011) *Colletotrichum gloeosporioides*, a new causal agent of citrus post-bloom fruit drop. *European Journal of Plant Pathology* **131**: 157.
- Ling, K. S., Kousik, C. S. and Keinath, A. P. (2008) First report of southern blight on bottle gourd (*Lagenaria siceraria*) caused by *Sclerotium rolfsii* in South Carolina. *Plant disease* **92**: 656-656.
- Liu, F., Damm, U., Cai, L. and Crous, P. W. (2013) Species of the *Colletotrichum gloeosporioides* complex associated with anthracnose diseases of Proteaceae. *Fungal Diversity* **61**: 89-105.
- Liu, F., Weir, B. S., Damm, U., Crous, P. W., Wang, Y., Liu, B. and Cai, L. (2015) Unravelling *Colletotrichum* species associated with *Camellia*: employing ApMat and GS loci to resolve species in the *C. gloeosporioides* complex. *Persoonia: Molecular Phylogeny and Evolution of Fungi* **35**: 63.
- Mahadevan, A. and Sridhar, R. (1982) Methods in Physiological Plant Pathology(II ed). Sivakami Publication, Chennai, India: 157-159.
- Maheshwari, S. K. and Choudhary, B. R. (2015) Field Evaluation of Bottle Gourd Genotypes for Resistance against *Alternaria* Blight in Western Rajasthan. *Vegetos-An International Journal of Plant Research* **28**:103-105.
- Maheshwari, S. K., Choudhary, B. R. and Singh, D. (2013) Occurrence of fungal diseases of bottle gourd in Rajasthan. *Progressive horticulture* **45**: 206-208.

- Mandal, S., Mitra, A. and Mallick, N. (2009.) Time course study on accumulation of cell wall-bound phenolics and activities of defense enzymes in tomato roots in relation to *Fusarium* wilt. *World Journal of Microbiology and Biotechnology*. **25**: 795–802.
- Maniatis, T., Fritsch, E. F., and Sambrook, J. (1982) Large-scale isolation of plasmid DNA. *Molecular cloning: a laboratory manual*: 86-96.
- Marcenaro, D and Valkonen, J. P. T. (2016) Seedborne pathogenic fungi in common bean (*Phaseolus vulgaris* cv. INTA Rojo) in Nicaragua. *PLoS ONE* **11**: e0168662.
- Marin, S., Sanchis, V. and Magan, N. (1995) Water activity, temperature and pH effects on growth of *Fusarium moniliforme* and *Fusarium proliferatum* isolates from maize. *Canadian Journal of Microbiology* **41**: 1063–1070.
- Masyahit, M., Sijam, K., Awang, Y. and Ghazali, M. (2009) First report on bacterial soft rot disease on dragon fruit (*Hylocereus* spp.) caused by *Enterobacter cloacae* in peninsular Malaysia. *Int J Agric Biol* **11**: 659-666.
- Masyahit, M., Sijam, K., Awang, Y. and Satar, M. G. M. (2009) The first report of the occurrence of anthracnose disease caused by *Colletotrichum gloeosporioides* (Penz.) Penz. and Sacc. on dragon fruit (*Hylocereus* spp.) in Peninsular Malaysia. *American Journal of Applied Sciences* **6**: 902-912.
- Mauch-Mani, B. and Slusarenko, A. J. (1996) Production of salicylic acid precursors is a major function of phenylalanine ammonia-lyase in the resistance of *Arabidopsis* to *Peronospora parasitica*. *The Plant Cell* **8**: 203-212.
- Maurhofer, M., Keel, C., Haas, D., and Défago, G. (1994) Pyoluteorin production by *Pseudomonas fluorescens* strain CHA0 is involved in the suppression of *Pythium* damping-off of cress but not of cucumber. *European journal of plant pathology*, **100**: 221-232.

- McCartney, H. A., Foster, S. J., Fraaije, B. A. and Ward, E. (2003) Molecular diagnostics for fungal plant pathogens. *Pest management science* **59**: 129-142.
- Meena, B., Marimuthu, T. and Velazhahan, R. (2001) Salicylic acid induces systemic resistance in groundnut against late leaf spot caused by *Cercosporidium personatum*. *Journal of Mycology and Plant Pathology* **31**: 139-145.
- Metraux, J. P., Ahl-Goy, P., Staub, T., Speich, T., Steinemann, A., Ryals, J. and Ward, E. (1991) Induced resistance in cucumber in response to 2,6-dichloroisonicotinic acid and pathogens. In: Hennctcke, H. and Verma, D. P. S. (eds.) *Advances in Molecular Genetics of Plant-Microbe Interactions*, Vol 1. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp 432-439.
- Miles, T. and Schilder, A. (2008) Anthracnose Fruit Rot (Ripe Rot). Michigan blueberry facts E-3039: 1-4.
- Milind, P. and Kaur, S. (2011) Is bottle gourd a natural guard. *Int Res J Pharm* **2**: 13-17.
- Mondall, K. N., Mojumdar, A., Chatterje, K. S., Arnab, B., Datta, J. k. Gupta, S. (2009). Antifungal activities and chemical characterization of Neem leaf extracts on the growth of some selected fungal species in vitro culture medium. *Journal of Applied Sciences and Environmental Management* **13**: 1-13.
- Mou, Z., Fan, W. and Dong, X. (2003) Inducers of plant systemic acquired resistance regulate NPR1 function through redox changes. *Cell* **113**: 935-944.
- Muhammad, A. and Rahila, N. (2013) Anxiolytic and memory enhancing activity of *Lagenaria Siceraria* in rodents. *International Journal of Biomedical and Advance Research* **4**: 40-46.
- Mukhtar, I., Mushtaq, S., Khokhar, I. and Hannan, A. (2013) First record of *Cercospora citrullina* leaf spot on *Lagenaria siceraria* in pakistan. *Newsletter* **3**: 6.

- Nagendran, K., Karthika, C., Parthasarathy, S., Mohan, K. S. and Karthikeyan, G. (2016) Molecular evidence for the occurrence of Tomato leaf curl New Delhi virus on bottle gourd in Tamil Nadu, India. *Vegetable Science* **43**: 73-77.
- Nakashita, H., Yasuda, M., Nitta, T., Asami, T., Fujioka, S., Arai, Y. and Yoshida, S. (2003) Brassinosteroid functions in a broad range of disease resistance in tobacco and rice. *The Plant Journal* **33**: 887-898.
- Nasrin, F., Ahmad, S. and Kamrunnahar. (2012) Evaluation of antimicrobial, antioxidant and cytotoxic activities of methanolic extracts of *Lagerstroemia speciosa* leaves and barks. *Journal of Applied Pharmaceutical Science* **2**: 142-147.
- Nath, D., Banerjee, P., Shaw, M. and Mukhopadhyay, M.K. (2017) Bottle Gourd (*Lagenaria siceraria*). *Fruit and Vegetable Phytochemicals* **2**: 909-920.
- Nayak, A. and Babu, B. K. (2017) First report of powdery mildew on *Lagenaria siceraria* caused by *Podosphaera xanthii* in India. *Journal of Plant Pathology* **99**: 289.
- O'Donnell, P. J., Calvert, C., Atzorn, R., Wasternack, C., Leyser, H. M. O. and Bowles, D. J. (1996) Ethylene as a Signal Mediating the Wound Response of Tomato Plants. *Science (New York, N.Y.)*. **274**: 1914-1917.
- Oostendorp, M., Kunz, W., Dietrich, B., Staub, T. (2001) Induced disease resistance in plants by chemicals. *European Journal of Plant Pathology* **107**: 19-28.
- Pal, K. K. and Gardener, B. M. (2006) Biological control of plant pathogens. *The plant health instructor* **2**: 1117-1142.
- Passardi, F., Longet, D., Penel, C. and Dunand, C. (2004) The class III peroxidase multigenic family in rice and its evolution in land plants. *Phytochemistry* **65**: 1879-1893.

- Patel, S. T. and Anahosur, K. H. (2001) Potential antagonism of *Trichoderma harzianum* against *Fusarium* spp. and *Macrophomina phaseolina* and *Sclerotium rolfsii*. *Journal of Mycology and Plant Pathology* **31**: 365-366.
- Paul, P. K., Sharma, P. D. (2002) *Azadirachta indica* leaf extract induces resistance in barley against leaf stripe disease. *Physiol. Mol. Plant Pathol* **61**: 3-13.
- Pawar, R. R., Sapkal, R. T. and Pawar, K. B. (2014) Epidemiology, symptomatology and management of the fruit rot of bottle gourd (*Lagenaria siceraria* standl.) caused by *Alternaria alternata* (fr.) Keissler. *The Bioscan* **9**: 363-370.
- Peres, N. A. R., Kuramae, E. E., Dias, M. S. C. and De Souza, N. L. (2002) Identification and Characterization of *Colletotrichum* spp. affecting Fruit after Harvest in Brazil. *Journal of Phytopathology* **150**: 128–134.
- Phoulivong, S., Cai, L., Chen, H., Eric, H. C., McKenzie., Abdelsalam, K., Chukeatirote, E. and Hyde, K. D. (2010) *Colletotrichum gloeosporioides* is not a common pathogen on tropical fruits. *Fungal Diversity* **44**: 33-43.
- Pieterse, C. M., Zamioudis, C., Berendsen, R. L., Weller, D. M., Van Wees, S. C. and Bakker, P. A. (2014) Induced systemic resistance by beneficial microbes. *Annual review of phytopathology* **52**: 347-375.
- Porat, R., Vinokur, V., Weiss, B., Cohen, L., Daus, A., Goldschmidt, E. E., Droby, S. (2003) Induction of Resistance to *Penicillium digitatum* in Grapefruit by  $\beta$ -Aminobutyric Acid. *European Journal of Plant Pathology* **109**: 901–907.
- Prerona, S., Upal, K. M., Pallab K. H., Sriparna, K. S. and Sagar, N. (2011) Antihyperglycemic activity of *Lagenaria siceraria* aerial parts on streptozotocin induced diabetes in rats. *Diabetologia Croatica* **40**: 49-60.



- Prihastuti, H., Cai, L., Chen, H., McKenzie, E. H. C. and Hyde, K. D. (2009) Characterization of *Colletotrichum* species associated with coffee berries in northern Thailand. *Fungal Diversity* **39**: 89-109.
- Rahman, A. H. (2003) Bottle Gourd (*Lagenaria siceraria*)-a vegetable for good health. *Natural product radiance* **2**: 249-250.
- Ramdial, H., Hosein, F. and Rampersad, S. N. (2016) First report of *Fusarium incarnatum* associated with fruit disease of bell peppers in Trinidad. *Plant Disease* **100**: 526
- Ramesh, A. S., Tyerman, S. D., Xu, B., Bose, J., Kaur, S., Conn, V., Domingos, P., Ullah, S., Wege, S., Shabala, S., Feijo, J. A., Ryan, P. R. and Gilliam, M. (2015) GABA signalling modulates plant growth by directly regulating the activity of plant-specific anion transporters. *Nature communications* **6**: 7879
- Rampersad, S. N. (2014) ITS1, 5.8 S and ITS2 secondary structure modelling for intra-specific differentiation among species of the *Colletotrichum gloeosporioides sensu lato* species complex. *SpringerPlus* **3**: 684.
- Ranjini, P., Prasad, M., Kumar, S., Sekhar, S., Kesagodu, D., Shetty, H. S. and Kini, R. (2016) Chitosan and  $\beta$ -amino butyric acid up-regulates transcripts of resistance gene analog RGPM213 in pearl millet to infection by downy mildew pathogen. *Journal of Applied Biology and Biotechnology* **4**: 001-006,
- Rasmussen, J. B., Hammerschmidt, R. and Zook, M. N. (1991) Systemic induction of salicylic acid accumulation in cucumber after inoculation with *Pseudomonas syringae pv syringae*. *Plant Physiology* **97**: 1342-1347.
- Ratanacherdchai, K., Wang, H. K., Lin, F. C. and Soyong, K. (2007) RAPD analysis of *Colletotrichum* species causing chilli anthracnose disease in Thailand. *Journal of Agricultural Technology* **3**: 211-219.

- Ravikumar M.C. and Garampalli R. H. (2013) Antifungal activity of plants extracts against *Alternaria solani*, the causal agent of early blight of tomato. *Archives of Phytopathology and Plant Protection*. 1897-1903.
- Rinez, A., Daami-Remadi, M., Ladhari, A., Omezzine, F., Rinez, I. and Haouala, R. (2013) Antifungal activity of *Datura metel* L. organic and aqueous extracts on some pathogenic and antagonistic fungi. *Afr. J. Microbiol. Res.* **7**: 1605-1612.
- Rita, W. S., Suprpta, D. N., Sudana, I. M. and Swantara, I. M. D. (2013) First Report on *Fusarium solani*, a Pathogenic Fungus Causing Stem Rot Disease on Dragon Fruits (*Hylocereus* sp.) in Bali. *Journal of Biology, Agriculture and Healthcare* **3**: 93-99.
- Rose, J. K., Ham, K. S., Darvill, A. G., and Albersheim, P. (2002) Molecular Cloning and Characterization of Glucanase Inhibitor Proteins Coevolution of a Counterdefense Mechanism by Plant Pathogens. *The Plant Cell* **14**: 1329-1345.
- Ross, A. F. (1961) Systemic acquired resistance induced by localized virus infections in plants. *Virology* **14**: 340-358.
- Ruess, W., Mueller, K., Knauf-Beiter, G., Kunz, W., Staub, T. (1996) Plant activator CGA 245704: an innovative approach for disease control in cereals and tobacco. In: Proceedings of the Brighton Crop Protect Conference. *Pests and Diseases* **1**: 53-60.
- Ryals, J. A., Neuenschwander, U. H., Willits, M. G., Molina, A., Steiner, H. Y. (1996) Systemic acquired resistance. *Plant Cell* **8**: 1809-1819.
- Sadasivan, and Manickam, A. (1996) Biochemical Methods. New age International (P) Ltd. Pub., New Delhi.
- Saha, P., Mazumder, U. K., Haldar, P. K., Sen, S. K. and Naskar, S. (2011) Antihyperglycemic activity of *Lagenaria siceraria* aerial parts on streptozotocin induced diabetes in rats. *Diabetologia Croatica* **40**: 49-60.

- Salazar, D. I. O., Hoyos, and Sánchez, R. A., (2015) Orozco Sánchez, F., Arango Arteaga, M., Gómez Londoño, L. F. Antifungal activity of neem (*Azadirachta indica*: Meliaceae) extracts against dermatophytes. *Acta biol. Colomb.* **20**: 201-207.
- Sanabria, A., Mahuku, G., Kelemu, S., Cadavid, M., Garcia, C., Hío, J. C., Martínez, É. and Osorio, J. A. (2010) Molecular identification and characterization of *Colletotrichum* sp. isolates from Tahiti lime, tamarillo, and mango. *Agronomía Colombiana* **28**: 391-399.
- Sánchez-Rodríguez, C., Ketelaar, K., Schneider, R., Villalobos, J. A., Somerville, C. R., Persson, S. and Wallace, I. S. (2017) BRASSINOSTEROID INSENSITIVE2 negatively regulates cellulose synthesis in *Arabidopsis* by phosphorylating cellulose synthase 1. *PNAS* **114**: 3533–3538.
- Sandhya Rani, G. and Murthy, K. V. M. K. (2004) Cultural and nutritional characteristics of *Colletotrichum gloeosporioides*, the causal organism in cashew anthracnose. *Journal of Mycology and Plant Pathology* **34**: 317-318.
- Sawant, I. S., Narkar, S. P., Shetty, D. S., Upadhyay, A. and Sawant, S. D. (2012) Emergence of *Colletotrichum gloeosporioides* sensu lato as the dominant pathogen of anthracnose disease of grapes in India as evidenced by cultural, morphological and molecular data. *Australasian Plant Pathology* **41**: 493-504.
- Scholz, S. S., Reichelt, M., Mekonnen, D. W., Ludewig, F. and Mithöfer, A. (2009) Amino acid and GABA content in different cultivars of *Momordica charantia* L. *Journal of Medicinal Plants Research* **3**: 897-900.
- Scholz, S. S., Reichelt, M., Mekonnen, D. W., Ludewig, F. and Mithöfer, A. (2015) Insect Herbivory-Elicited GABA Accumulation in Plants is a Wound-Induced, Direct, Systemic, and Jasmonate-Independent Defense Response. *Frontiers in Plant Science* **6**:1128.

- Schousboe, A. and Waagepetersen, H. (2007). GABA: Homeostatic and pharmacological aspects. *Progress in brain research*. **160**: 9-19.
- Schousboe, A. and Waagepetersen, H. S. (2008) GABA neurotransmission: an overview. 3rd ed. In: Vizi ES, editor. editor. Handbook of Neurochemistry and Molecular Neurobiology, Neurotransmitter Systems. Berlin: Springer-Verlag;. p. 213–226.
- Sela-Buurlage, M. B., Ponstein, A. S., Bres-Vloemans, S. A., Melchers, L. S., van den Elzen, P. J. M. and Cornelissen' B. J. C. (1993) Only Specific Tobacco (*Nicotiana tabacum*) Chitinases and  $\beta$ -1,3-Glucanases exhibit antifungal activity. *Plant Physiol*. **101**: 857-863.
- Seta, S., Gonzalez, M. and Lori, G. (2004) First report of walnut canker caused by *Fusarium incarnatum* in Argentina. *Plant Pathology* **53**: 248.
- Shah, J. and Zeier, J. (2013) Long-distance communication and signal amplification in systemic acquired resistance. *Frontiers in Plant Science* **4**: 30.
- Shah, N. and Jiskani, M. M. (2014) Pathogenicity Test and Inoculum Level of Fusarium Wilt of Bottle gourd (*Lagenaria siceraria*). *Persian Gulf Crop Protection* **3**: 54-62.
- Shaikh, S. S., Sayyed, R. Z. and Reddy, M. S. (2016) Plant growth promoting rhizobacteria: a sustainable approach to agro-ecosystem. In: Hakeem KR et al (ed), Plant, soil and microbes—interactions and implications in crop science. Springer international publishing AG, Switzerland, 181–201.
- Sharma, M. and Kulshrestha, S. (2015) *Colletotrichum gloeosporioides*: An anthracnose causing pathogen of fruits and vegetables. *Biosciences Biotechnology Research Asia* **12**: 1233-1246.
- Sharma, R., Mahla, H. R., Mohapatra, T., Bhargava, S. C., and Sharma, M. M. (2003) Isolating plant genomic DNA without liquid nitrogen. *Plant Molecular Biology Reporter* **21**: 43-50.

- Shaw, A. K., Bhardwaj, P. K., Ghosh, S., Azahar, I., Adhikari, S., Adhikari, A., Sherpa, A., Saha, R. S. K. and Hossain, Z. (2017) Profiling of BABA-induced differentially expressed genes of *Zea mays* using suppression subtractive hybridization. *RSC Adv.* **7**: 43849-43865.
- Shibuya, N., and Minami, E. (2001). Oligosaccharide signalling for defence responses in plant. *Physiological and Molecular Plant Pathology* **59**: 223-233.
- Sohrab, S., Mandal, B., and Ali, A. and Varma, A. (2010). Chlorotic Curly Stunt: A Severe Begomovirus Disease of Bottle Gourd in Northern India. *Indian journal of virology* **21**: 56-63.
- Shoresh, M., Yedidia, I. and Chet, I. (2005) Involvement of jasmonic acid/ethylene signaling pathway in the systemic resistance induced in cucumber by *Trichoderma asperellum* T203. *Phytopathology* **95**: 76-84.
- Singburadom, N. (2015) Hydroxychavicol from Piper betel leave is an antifungal activity against plant pathogenic fungi. *J. Biopest* **8**: 82-92
- Singh, B., Kalha, C. S., Razdan, V. K. and Verma, V. S. (2011) First Report of Walnut Canker Caused by *Fusarium incarnatum* from India. *Plant Disease* **95**: 1587-1587.
- Sinha, A. K., and Das, N. C. (1972) Induced resistance in rice plants to *Helminthosporium oryzae*. *Physiological Plant Pathology* **2**: 401-410.
- Sivanantham, T., Rasaiyah, V., Satkunanathan, N. and Thavaranjit, A. C. (2013) In vitro screening of antagonistic effect of soil borne bacteria on some selected phytopathogenic fungi. *Archives of Applied Science Research* **5**: 1-4.
- Smita, T., Rashmi, T., Farooque, P. M., and Daud, P. S. (2009) In-vitro anthelmintic activity of seed extract of *Lagenaria siceraria* (Molina.) Standley Fruit. *Journal of Pharmacy Research* **2**: 1194-1195.

- Sohrab, S. S., Mandal, B., Ali, A. and Varma, A. (2010) Chlorotic curly stunt: a severe begomovirus disease of bottle gourd in Northern India. *Indian Journal of Virology* **21**: 56-63.
- Someya, N., Nakajima, M., Watanabe, K., Hibi, T. and Akutsu, K. (2005). Potential of *Serratia marcescens* strain B2 for biological control of rice sheath blight. *Biocontrol Science and Technology* **15**: 105-109.
- Somssich, I. E., and Hahlbrock, K. (1998) Pathogen defence in plants—a paradigm of biological complexity. *Trends in Plant Science* **3**: 86-90.
- Song, M., Yun, H. Y. and Kim, Y. H. (2014) Antagonistic *Bacillus* species as a biological control of ginseng root rot caused by *Fusarium* cf. *incarnatum*. *Journal of ginseng research* **38**: 136-145.
- Souza, A. D., Delphino Carboni, R. C., Wickert, E., Macedo Lemos, E. G., and Goes, A. (2013). Lack of host specificity of *Colletotrichum* spp. isolates associated with anthracnose symptoms on mango in Brazil. *Plant Pathology*, **62**: 1038-1047.
- Souza, I. G. B., Valente, S. E. S., Britto, F. B., De Souza, V. A. B. and Lima P. S. C. (2011) RAPD analysis of the genetic diversity of mango (*Mangifera indica*) germplasm in Brazil. *Genetics and Molecular Research* **10**: 3080-3089.
- Spoel, S. H. and Dong, X. (2012) How do plants achieve immunity? Defence without specialized immune cells. *Nature reviews. Immunology* **12**: 89.
- Stracieri, J., Pereira, F. D., da Silveira, A. L. I., Magalhães, H. E. M. and de Goes, A. (2016) Morphocultural and molecular characterization of papaya tree *Colletotrichum* spp. *African Journal of Agricultural Research* **11**: 1755-1764.
- Sultana, N. A. S. R. E. E. N. and A. Ghaffar. (2009). Seed-borne fungi associated with bottle gourd [*Lagenaria siceraria* (Mol.) Standl]. *Pak. J. Bot* **41**: 435-442.

- Takeshita, M., Suzuki, M. and Takanami, Y. (2001) Combination of amino acids in the 3a protein and the coat protein of Cucumber mosaic virus determines symptom expression and viral spread in bottle gourd. *Archives of virology* **146**: 697-711.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., and Kumar, S. (2013) MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. *Molecular Biology and Evolution* **30**: 2725-2729.
- Tao, G., Liu, Z. Y., Liu, F., Gao, Y. H. and Cai, Lei. (2013). Endophytic *Colletotrichum* species from *Bletilla ochracea* (Orchidaceae), with descriptions of seven new species. *Fungal Diversity*. **61**:139–164.
- Thakare, C. S. and Patil, P. Y. (1995). Studies of leaf blight of chrysanthemum caused by *Colletotrichum gloeosporioides*. *Journal of Maharashtra Agricultural University* **20**: 49-52.
- Than, P. P., Jeewon, R., Hyde, K. D., Pongsupasamit, S., Mongkolporn, O. and Taylor, P. W. J. (2008) Blackwell Publishing Ltd Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chilli (*Capsicum* spp.) in Thailand. *Plant Pathology* **57**: 562–572.
- Thiyam, B., and Sharma, G. D. (2013). Isolation and identification of fungi associated with local fruits of Barak Valley, Assam. *Current World Environment* **8**: 319-322.
- Thube, S., Tambe, R., Patel M. F., and Patel S. D. (2009). In-vitro Anthelmintic Activity of Seed Extract of *Lagenaria siceraria* (Molina.) Standley Fruit. *Journal of Pharmacy Research* **2**(7):1194-1195.
- Upaganlawar, A., Gandhi, H., and Balaraman, R. (2011). Isoproterenol induced myocardial infarction: Protective role of natural products. *Journal of Pharmacology and Toxicology* **6**: 1-17.
- van den Bosch, F. and Gilligan, C. A. (2008) Models of fungicide resistance dynamics. *Annu. Rev. Phytopathol* **46**: 123-147.

- van Loon, L. C., Rep, M. and Pieterse, C. M. (2006) Significance of inducible defense-related proteins in infected plants. *Annu. Rev. Phytopathol* **44**: 135-162
- Vernooij, B., Friedrich, L., Morse, A., Reist, R., Kolditz-Jawhar, R., Ward, E. and Ryals, J. (1994) Salicylic acid is not the translocated signal responsible for inducing systemic acquired resistance but is required in signal transduction. *The Plant Cell* **6**: 959-965.
- Vijayakumar, M., Selvi, M. and Krishnakumari, S. (2010) Cardioprotective effect of *Lagenaria siceraria* (Mol) on antioxidant tissue defense system against isoproterenol-induced myocardial infarction in rats. *Inventi Impact: Ethnopharmacology* **1**: 207-210.
- Vivek srivastava et.al (2011) Antiulcer activity of methanolic extract of *Lagenaria siceraria* (Molina) Standley. *Indian Journal of Pharmacy research and Development* **3**: 187-189.
- Vogt, T. (2010) Phenylpropanoid biosynthesis. *Molecular Plant* **3**: 2-20.
- Walters, D. R., Ratsep, J. and Havis N. D. (2013) Controlling crop diseases using induced resistance: challenges for the future. *Journal of Experimental Botany* **64**: 1263–1280
- Wang, H. X., and Ng, T. B. (2000) Lagenin, a novel ribosome-inactivating protein with ribonucleolytic activity from bottle gourd (*Lagenaria siceraria*) seeds. *Life Sciences* **67**: 2631-2638.
- Wang, Y. C., Hao, X. Y., Wang, L., Xiao, B., Wang, X. C. and Yang, Y. J. (2016) Diverse *Colletotrichum* species cause anthracnose of tea plants (*Camellia sinensis* (L.) O. Kuntze) in China. *Scientific reports* **6**: 35287.
- Weir, B. S., Johnston, P. R. and Damm, U.(2012) The *Colletotrichum gloeosporioides* species complex. *Studies in Mycology* **73**: 115–180.
- Whipps, J. M. and Lumsden, R. D. (2001) Commercial use of fungi as plant disease biological control agents: status and prospects. *Fungal biocontrol agents: progress, problems and potential* 9-22.



- White, T. J., Bruns, T., Lee, S. J. W. T., and Taylor, J. L. (1990) Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. *PCR protocols: a guide to methods and applications* **18**: 315-322.
- Windels C. E. (1992) Methods for research on soilborne phytopathogenic fungi. *American Phytopathological Society*, 115 – 128.
- Witmer, X., Nonogaki, H., Beers, E. P., Bradford, K. J., and Welbaum, G. E. (2003) Characterization of chitinase activity and gene expression in muskmelon seeds. *Seed Science Research* **13**: 167-178.
- Xie, W., Hao, L. and Goodwin, P. H. (2008) Role of a xyloglucan-specific endo- $\beta$ -1, 4-glucanase inhibitor in the interactions of *Nicotiana benthamiana* with *Colletotrichum destructivum*, *Colletotrichum orbiculare* or *Pseudomonas syringae* pv. *tabaci*. *Molecular plant pathology* **9**: 191-202.
- Yan, L. Y., Ying, Q. S., Wang, Y. E., Zhang, H. F., and Wang, Y. H. (2016) First Report of Root and Collar Rot Caused by *Plectosphaerella cucumerina* on Bottle Gourd in China. *Plant Disease* **100**: 1505-1505.
- Yoshioka, K., Nakashita, H., Klessig, D. F. and Yamaguchi, I. (2001) Probenazole induces systemic acquired resistance in *Arabidopsis* with a novel type of action. *The Plant Journal* **25**: 149-157.
- Zakaria, L., Juhari, N. Z., Vijaya, S. I. and Anuar, I. S. M. (2015) Molecular Characterization of *Colletotrichum* Isolates Associated with Anthracnose of Mango Fruit. *Sains Malaysiana* **44**: 651–656.
- Zeighaminejad, R., Sharifi-Sirchi, G. R., Mohamadi, H. and Aminai, M. M. (2016) Induction of resistance against powdery mildew by Beta aminobutyric acid in squash. *Journal of Applied Botany and Food Quality* **89**: 176-182.
- Zhang, L., Song, J., Tan, G., Han, X. and Shen, J. (2014) Characterization of *Colletotrichum gloeosporioides* responsible for anthracnose

- disease of *Trichosanthes kirilowii* Maxim in central China. *Phytoparasitica* **42**: 549–558.
- Zhu, X., Lin, H., Si, Z., Xia, Y., Chen, W., and Li, X. (2016) Benzothiadiazole-mediated induced resistance to *Colletotrichum musae* and delayed ripening of harvested banana fruit. *J. Agric. Food Chem.* **64**: 1494–1502.
- Zhu, Y. F., Yin, Y. F., Qu, W. W. and Yang, K. Q. (2014) Morphological and Molecular Identification of *Colletotrichum gloeosporioides* Causing Walnut Anthracnose in Shandong Province, China. *Acta Horticulturae* **1050**: 353-359.
- Zimmerli, L., Jakab, G., Metraux, J. P. and Mauch-Mani, B. (2000) Potentiation of pathogen-specific defense mechanisms in *Arabidopsis* by  $\beta$ -aminobutyric acid. *PNAS* **97**: 12920–12925.
- Živković, S., Stojanović, S., Ivanović, Ž., Gavrilović, V., Popović, T. and Balaž, J. (2010) Screening of antagonistic activity of microorganisms against *Colletotrichum acutatum* and *Colletotrichum gloeosporioides*. *Arch. Biol. Sci., Belgrade* **62**: 611-623.