LIST OF SCHEMES

Scheme No.	CHAPTER-I	Page No.
Scheme-I.1.	Synthesis of Arduengo carbene	5
Scheme-I.2.	Herrmann's Pd-NHC complexes	6
Scheme-I.3.	Water mediated Suzuki–Miyaura cross coupling reaction	7
Scheme-I.4.	Ligand free room temperature Suzuki reaction	7
Scheme-I.5.	Fe_3O_4@PANI–Pd(II) catalyzed carbonylative Suzuki cross-coupling reaction	8
Scheme-I.6.	$[Pd(IAd)_2]$ catalyzed Suzuki coupling reaction of aryl chlorides.	8
Scheme-I.7.	Suzuki coupling of aryl sulfonates and aryl sulfamates	9
Scheme-I.8.	Asymmetric Intermolecular Heck coupling	10
Scheme-I.9.	Pd-NHC complex **A** catalyzed Heck coupling reactions	11
Scheme-I.10.	Sonogashira coupling reaction with [TBP][IIe]	12
Scheme-I.11.	Sonogashira coupling catalyzed by Batey's Pd-NHC complex	15
Scheme-I.12.	Negishi cross–coupling reaction in presences of TMPZnCl.LiCl	13
Scheme-I.13.	Negishi cross-coupling catalyzed by Pd-PEEPSI-IPent of secondary alkyl zinc reagents.	13
Scheme-I.14.	$[Pd((\mu\text{-}Cl)Cl(SIPr)]_2$ catalyzed Kumada cross-coupling reaction	14
Scheme-I.15.	Pd-NHC catalyzed Stille reaction	14
Scheme-I.16.	First aminocarbonylation reaction using $Mo(CO)_6$ as the CO source	15
Scheme-I.17.	Carbonylative synthesis of phthalimides from with $Mo(CO)_6$	16
Scheme-I.18.	Oxidative carbonylation with $Mo(CO)_6$	17
Scheme-I.19.	Transition-metal-catalyzed carbonylations using DMF as a CO source	17
Scheme-I.20.	Pd-catalyzed esterification of aryl halidesby the use of aryl formats	18
Scheme-I.21.	Pd-NHC catalyzed monocarbonylation process	19
Scheme-I.22.	Pd-NHC catalyzed dicarbonylation technique	19
Scheme-I.23	Glaser coupling reaction	20
Scheme-I.24.	Cu- catalyzed cross coupling reaction with Grignard reagents	21
Scheme-I.25.	Cu(0) granules catalyzed synthesis of triazole	22
Scheme-I.26.	Ag-Catalyzed $C(sp^2)$−H functionalization and C−O Cyclization	23

	Reaction	
Scheme-I.27.	Ag-catalyzed protodecarboxylation of ortho-substituted benzoic acids	23
Scheme-I.28.	Ru catalyzed C-H functionalization	24
Scheme-I.29.	Rh(I)-catalyzed intramolecular cyclization reaction	25
Scheme-I.30.	Rh-catalyzed conjugate arylation with boronic acids	26
Scheme-I.31.	Synthesis of α-arylcoumarin by reductive Heck protocol.	26
Scheme-I.32.	Cyclization of 2-Phenylacetanilides	27
Scheme-I.33.	[Pd-PEPPSI-IPent] catalyzed C-S bond formation with aryl halides and aryl or alkyl sulfides	28
Scheme-I.34.	Coupling of aryl halide and aryl sulfide with [Pd(IPrOMe)(cinnamyl)Cl]	28
Scheme-I.35.	Pseudo-Domino Heck/Buchwald-Hartwig Reaction– Synthesis of 4-Aryl-2-quinolones	29
Scheme-I.36.	Synthesis of 5,7-disubstituted 5,7-dihydropyrido [2,3-*b*:6,5-*b*']diindoles	30
Scheme-I.37.	Synthesis of linear and angular fused quinazolinones with Pd-catalyzed carbonylation and nucleophilic aromatic substitution sequence	31
Scheme-I.38.	3,4-Disubstituted 2-Quinolones synthesis *via* Pd-Catalyzed Annulation of Internal Alkynes	32

CHAPTER-II

Scheme-II.1.	Plausible mechanism	43
Scheme-II.2.	Application: A modular synthesis of naphthyl Phenstatin.	43
Scheme-II.3.	Gram scale synthesis	44

CHAPTER-III

Scheme-III.1.	Synthesis of Diaryl ketones- Our approach	68
Scheme-III.2.	Scope of different aryl iodides in the carbonylative Suzuki coupling	71

Scheme-III.3.	Substrate scope of different iodoarenes and aryl(Het)boronic acids in carbonylative Suzuki coupling reaction	73
Scheme-III.4.	Synthesis of pharmaceutically important acridone scaffolds	74

CHAPTER-IV

Scheme-IV.1.	Scope of various aryl halides and thiols	95
Scheme-IV.2.	Scope of various iodoarenes towards the synthesis of carboxylic acid derivatives	99
Scheme-IV.3.	Scope of various iodoarenes towards the synthesis of amide derivatives	99
Scheme-IV.4.	Efficient and Rapid base catalyzed synthesis of *N*, *N* –dimethyl substituted amide from Thiol ester	101
Scheme-IV.5.	Plausible mechanism	101

CHAPTER-V

Scheme-V.1.	Synthesis of 4-aryl-2-quinolone via Heck coupling and cyclization	124