

**CONTENTS**

---

1. Introduction	1-5
2. Literature Review	6-44
3. Materials and Methods	45-66
3.1. Ethnobotanical survey and selection of plant materials	45
3.1.1. Survey of wetland plants	
3.1.2. Selection of plant material for experimentation	
3.2. Preparation of plant extracts	45-46
3.2.1. Preparation of dried plant powder	
3.2.2. Preparation of methanol (MEOH) extract	
3.3. Phytochemical screening	46-48
3.3.1. Test for phenol	
3.3.2. Test for flavonoid	
3.3.3. Test for tannin	
3.3.4. Test for alkaloid	
3.3.5. Test for cardiac glycosides	
3.3.6. Test for carbohydrates	
3.3.7. Test for reducing sugar	
3.3.8. Test for protein	
3.3.9. Test for saponin	
3.3.10. Test for terpenoid	
3.3.11. Test for steroid	
3.3.12. Test for anthraquinone	
3.3.13. Test for amino acid	
3.3.14. Test for resins	
3.3.15. Test for glycosides	
3.3.16. Test for triterpenoids	
3.4. Quantification of biochemical components	49-52
3.4.1. Extraction and estimation of total phenols	
3.4.1.1. Extraction	
3.4.1.2. Estimation	
3.4.2. Quantification of total soluble protein	
3.4.2.1. Extraction	
3.4.2.2. Estimation	
3.4.3. Extraction and estimation of flavonoid	
3.4.3.1. Extraction	
3.4.3.2. Estimation	
3.4.4. Extraction and quantification of Amino Acid	
3.4.5. Extraction and estimation of carbohydrates	
3.4.5.1. Extraction of total and reducing sugar	
3.4.5.2. Estimation of total soluble sugar	
3.4.5.3. Estimation of reducing sugar	
3.4.6. Extraction and estimation of chlorophylls	
3.4.6.1. Extraction of chlorophylls	
3.4.6.2. Estimation of chlorophylls	
3.4.7. Determination of Carotenoid content	
3.4.7.1. Extraction	

3.4.7.2. Estimation	
3.4.8. Quantification of Ascorbic Acid (Vit C)	
3.4.8.1. Extraction	
3.4.8.2. Estimation	
3.5. Determination of anti-oxidative activities of extracts	53-55
3.5.1. DPPH radical scavenging activity	
3.5.2. Scavenging effect of the ABTS <sup>+</sup> radical	
3.5.3. Nitric oxide (NO) scavenging activity	
3.5.4. Superoxide anion radical scavenging activity	
3.5.5. Total antioxidant activity by ferric reducing antioxidant power assay (FRAP)	
3.5.6. Metal chelating activity	
3.5.7. Hydroxyl radical scavenging activity	
3.6. Sample preparation for HPLC analysis of phenolics	55
3.7. Fingerprint analysis of total phenolics	55-56
3.8. Testing of <i>in vitro</i> hypoglycaemic activities	56
3.8.1. <i>In vitro</i> $\alpha$ -amylase inhibition activity	
3.9. Testing of antimicrobial activities	56-58
3.9.1. Sample preparation	
3.9.2. Preparation of media	
3.9.2.1. Potato Dextrose Agar (PDA).	
3.9.2.2. Nutrient Broth (NB) and nutrient agar (NA)	
3.9.3. Antibacterial activities	
3.9.3.1. Disc diffusion method	
3.9.4. Antifungal activities	
3.9.4.1. Spore germination bioassay	
3.10. Testing of hypoglycemic activities	58-64
3.10.1. Preparation of crude extract for <i>in vivo</i> experiments	
3.10.2. <i>In vivo</i> test	
3.10.2.1. Animals	
3.10.2.2. Acute toxicity test	
3.10.2.3. Induction of experimental diabetes in test animals	
3.10.2.4. Treatment of diabetic animals	
3.10.2.5. Analytical procedure	
3.10.2.5.1. Measurement of body weight	
3.10.2.5.2. Estimation of blood sugar level	
3.10.2.5.3. Collection of serum	
3.10.2.5.4. Study of serum biochemical Parameters	
3.10.2.5.4.1. Lipid profile analysis	
3.10.2.5.4.2. Liver function test	
3.10.2.5.4.3. Kidney function test	
3.11. Cell culture and Cytotoxic effect of plant extract	64
3.12. Characterization of active compounds	64-65
3.12.1. Fourier Transform Infrared Spectroscopy (FTIR)	
3.12.2. Gas Chromatography mass spectrometry (GC-MS)	
3.13. <i>In silico</i> approach of drug analysis (Molecular docking studies)	66
3.14. Statistical analysis	66

4. Results	67-164
4.1. Ethnobotanical survey of plants from the wetlands of North Bengal	67
4.2. Selection of wetland plants for further studies	68-87
4.3. Phytochemical screening of powdered plant samples	87-88
4.4. Determination of methanolic extractive values	88-89
4.5. Determination of different biochemical components in the plant samples	90-96
4.5.1. Protein and free amino acid content	
4.5.2. Total phenol and flavonoid content	
4.5.3. Total soluble and reducing sugar content	
4.5.4. Ascorbic acid and carotenoid content	
4.5.5. Total chlorophyll, Chlorophyll-a and b content	
4.6. Determination of in vitro antioxidative potential of methanolic extracts	97-109
4.6.1. DPPH free radical scavenging activity	
4.6.2. ABTS free radical scavenging activity	
4.6.3. FRAP activity	
4.6.4. Hydroxyl radical scavenging activity	
4.6.5. Nitric oxide radical scavenging activity	
4.6.6. Superoxide radical scavenging activity	
4.6.7. Metal chelating activity	
4.7. <i>In vitro</i> $\alpha$ -amylase inhibitory activity	109-110
4.8. Selection of two plants for further studies	111-112
4.9. Antimicrobial activities in the extracts	112-116
4.9.1. Effects of crude plant extracts against different bacterial strains	
4.9.2. Effect of crude plant extracts on the germination of fungal spores	
4.10. In vivo study of antidiabetic property of the plant extracts	117-124
4.10.1. Acute and subchronic oral toxicity study	
4.10.2. Effect of plant extracts on STZ induced hyperglycaemic rats	
4.10.2.1. Changes in body weight	
4.10.2.2. Changes in blood sugar level	
4.10.2.3. Changes in lipid profile	
4.10.2.4. Liver enzymes (SGPT and SGOT level)	
4.10.2.5. Kidney functions (urea and creatinine level)	
4.11. Partial characterization of the Methanolic extract	124-149
4.11.1. FTIR analysis of the plant extracts	
4.11.2. HPLC analysis of phenolic compounds of the plant extracts	
4.11.3. Gas Chromatography - Mass Spectrophotometry (GC-MS) of the plant extracts	
4.12. Molecular docking study	150-161
4.13. Cytotoxic effect	162-164
5. Discussion	165-179
6. Conclusion	180-184
7. Bibliography	185-217
Appendices	A-E