

**CHAPTER 7**

**BIBLIOGRAPHY**

## 7. Bibliography

- Abdelfadel MM, Khalaf HH, AM Sharoba and Assous MTM.** Effect of extraction methods on antioxidant and antimicrobial activities of some spices and herbs extracts. *J. Food Technol. Nut. Sci.* **1(1)**: 1-14, 2016.
- Addo AA.** Seasonal availability of dietary ascorbic acid and incidence of scurvy in northern state of Nigeria. PhD thesis, Department of Biochemistry. ABU Zaria, 2004.
- Adonizio A, Kong KF and Mathee K.** Inhibition of quorum sensing-controlled virulence factor production in *Pseudomonas aeruginosa* by South Florida plant extracts. *Antimicrob. Agents and Chemother.* **52**: 198-203, 2008.
- Adonizio AL, Downum K, Bennett BC and Mathee K.** Antiquorum sensing activity of medicinal plants in southern Florida. *J. Ethnopharmacol.* **105**: 427-435, 2006.
- Ahn J, Grun IU and Mustapha A.** Antimicrobial and antioxidant activities of natural extracts *in vitro* and in ground beef. *J. of Food Prot.* **67(1)**: 148-155, 2004.
- Akah PA, Uzodinma SU and Okolo CE.** Antidiabetic activity of aqueous and methanol extract and fractions of *Gongronema latifolium* (Asclepidaceae) leaves in Alloxan Diabetic Rats. *J. Appl. Pharma. Sc.* **1(9)**: 99-102, 2011.
- Akinnibosun FI and Ogu GI.** Antibacterial activity of aqueous and ethanolic leaf extracts of *Murraya koenigii* and *Telfairia occidentalis* synergy. *Nigerian J. of Agri. Food and Environ.* **13(1)**: 234-239, 2017.
- Alasalvar C, Al-Farsi M, Quantick PC, Shahidi F and Wiktorowicz R.** Effect of chill storage and modified atmosphere packaging (MAP) on antioxidant activity, anthocyanins, carotenoids, phenolics and sensory quality of ready-to-eat shredded orange and purple carrots. *Food Chem.* **89**: 69-76, 2005.
- Albayrak S, Aksoy A, Sagdic, O and Albayrak, S.** Antioxidant and antimicrobial activities of different extracts of some medicinal herbs consumed as tea and spices in Turkey. *J. Food Biochem.* **36**: 547-554, 2012.
- Alberto M, Rinsdahl Canavosio M and Manca de Nadra M.** Antimicrobial effect of polyphenols from apple skins on human bacterial pathogens. *Elec. J. Biotechnol.* **9**: 0-0, 2006.
- Al-Hussaini R and Mahasneh AM.** Antimicrobial and antiquorum sensing activity of different parts of *Laurus nobilis* L. extracts. *Jord. Med. J.* **43(4)**: 286-298, 2009.
- Aliakbarlu J and Tajik H.** Antioxidant and antibacterial activities of various extracts of *Borago officinalis* flowers. *J. Food Proces. Preserv.* **36**: 539-544, 2012.
- Allian CC, Poon LS, Chan CSG, Richmond W and Fu PC.** Enzymatic determination of total serum cholesterol. *Clin. Chem.* **20(4)**: 470-475, 1974.

- Amir M, Khan A, Mujeeb M, Ahmad A, Usmani S and Akhtar M.** Phytochemical analysis and *in vitro* antioxidant activity of *Zingiber officinale*. *Free Rad. Antiox.* **1(4)**:82-86, 2011.
- Aparna MS and Yadav S.** Biofilms: microbes and disease. *Braz. J. Infect. Dis.* **12(6)**: 526-530, 2008.
- Aparna Y, Kranthi SU and Sarada J.** *Syzygium aromaticum* - A common food spice with potential Quorum quenching activity on *Serratia* sps YAJ. *Int. J. Curr. Microbiol. App. Sci.* **3(7)**: 93-102, 2014.
- Aparna Y, Sailendra K and Sarada J.** Evaluation of phytochemicals in certain Indian spices for quorum sensing inactivation in a plant pathogenic bacteria. *Bioscan.* **5(4)**: 571-572, 2010.
- Arnon DI.** Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta Vulgaris*. *Plant Physiol.* **24**: 1-15, 1949.
- Arora S, Kaur K and Kaur S.** Indian medicinal plants as a reservoir of protective phytochemicals. *Teratog. Carcinog. Mutagen.* **1**: 295-300, 2003.
- Asano N.** Glycosidase inhibitors: update & perspectives on practical use. *Glycobiol.* **13(10)**: 93-104, 2003.
- Association of Official Analytical Chemists (AOAC).** No. 22018. In Official Methods of Analysis. 13th Eds., Washington: DC. 1975.
- Atoui AK, Mansouri A, Boskou G and Kefalas P.** Tea and herbal infusions: their antioxidant activity and phenolic profile. *Food Chem.* **89**: 27–36, 2005.
- Available from: [www.who.int/topics/infectious\\_diseases/en](http://www.who.int/topics/infectious_diseases/en).
- Badarinath AV, Rao KM, Chetty C, Ramkanth CMS, Rajan S and Gnanaprakash K.** A review on *in vitro* antioxidant methods: comparisons, correlations and considerations. *Int. J Pharm. Tech. Res.* **2**: 1276–1285, 2010.
- Bankova R and Popova TP.** Antimicrobial activity *in vitro* of aqueous extracts of Oregano (*Origanum vulgare* L.) and Thyme (*Thymus vulgaris* L.). *Int. J. Curr. Microbiol. App. Sci.* **6(3)**: 1-12, 2017.
- Bartel H, Bohmer M and Heierli C.** Serum creatinine determination without protein precipitation. *Clin. Chem. Acta.* **37**: 193-197, 1972.
- Basu S, Roychoudhury A, Sanyal S and Sengupta DN.** Carbohydrate content and antioxidative potential of the seed of three edible indica rice (*Oryza sativa* L.) cultivars. *Ind. J. Biochem. Biophy.* **49(2)**: 115-123, 2012.
- Bauer AW, Kirby WMM, Sherris JC and Turck M.** Antibiotic susceptibility testing by a standardized single disk method. *Am. J. Clin. Pathol.* **45 (4)**:493-496, 1966.

- Behera GM, Satish Kumar BN, Malay Baidya M, Panigrahi G.** Antihyperglycemic, antihyperlipidemic and antioxidant activity of *Glinus oppositifolius* (L.) Aug. DC. *Pharmacol.online* **3**: 915–36, 2010.
- Benzie IFF and Wachtel-Galor S.** Editors. Herbal Medicine: Biomolecular and Clinical Aspects. 2nd edition. Boca Raton (FL): CRC Press/Taylor & Francis; 2011.
- Bernard D, Asare IK, Ofosu DO, Daniel GA, Elom SA and Sandra A.** The effect of different drying methods on the phytochemicals and radical scavenging activity of ceylon cinnamon (*Cinnamomum zeylanicum*) plant parts. *Eur. J. Med. Plants.* **4(11)**: 1324, 2014.
- Bibi Y, Nisa S, Chaudhary FM and Zia M.** Antibacterial activity of some selected medicinal plants in Pakistan. *BMC Complement Altern.Med.* **11**: 52, 2011.
- Biswas M, Bera S, Kar B, Karan TK, Bhattacharya S, Ghosh AK and Haldar P.** Antitumor effects of *Dregea volubilis* fruit in ehrlich ascites carcinoma bearing mice. *Global J. Pharmacol.* **4(3)**: 102-6, 2010.
- Bligh EG and Dyer.** A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.* **37(8)**: 911-917, 1959.
- Blois MS.** Antioxidant determinations by the use of a stable free radical. *Nature.* **181**: 1199-1200, 1958.
- Bravo L.** Polyphenols: chemistry, dietary sources, metabolism and nutritional significance. *Nut. Reviews.* **56(11)**: 317- 333, 1998.
- Broadhurst CL, Polansky MM and Anderson RA.** Insulin-like biological activity of culinary and medicinal plant aqueous extracts *in vitro*. *J. Agric. Food Chem.* **48**: 849-852, 2000.
- Bupesh G, Amutha C, Nandagopal S, Ganeshkumar A, Sureshkumar P and Saravanamurali K.** Antibacterial activity of *Mentha piperita* L. (peppermint) from leaf extracts-a medicinal plant. *Acta agricul Slovenica.* **89(1)**: 73-79, 2007.
- Burstein M, Scholnick HR and Morfin R.** Rapid method for the isolation of lipoprotein from human serum by precipitation with polyamines. *J. Lipid Res.* **11(6)**: 583-595, 1970.
- Burton E, Yakandawala N, LoVetri K and Madhyastha MS.** A microplate spectrofluorometric assay for bacterial biofilms. *J. Ind. Microbiol. Biotechnol.* **34**: 1–4, 2007.
- Butnariu M and Grozea I.** Antioxidant (antiradical) compounds. *J. Bioequival. Bioavail.* **4(6)**: xvii-xix, 2012.
- Cadenas E, Boveris A, Ragan CL and Stoppani AOM.** Production of superoxide radical and hydrogen peroxide by NADH–ubiquinone-reductase and ubiquinolcytochrome c reductase from beef heart mitochondria. *Arch. Biochem. Biophys.* **180**: 248–257, 1997.

- Cai Y, Luo Q, Sun M and Corke H.** Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Sci.* **74(17)**: 2157–2184, 2004.
- Cámara M, Williams P and Hardman A.** Controlling infection by tuning in and turning down the volume of bacterial small-talk. *Lancet Infect. Dis.* **2**: 667–676, 2002.
- Caragay AB.** Cancer-preventive foods and ingredients. *Food Technol.* **46(4)**: 65-68, 1992.
- Casterton PL, Mozingo AC and Burdock GA.** Approving preservatives: not a ‘natural’ process. *Acta Hort.* **709**: 23-27, 2005.
- Centers for Disease Control and Prevention (CDCP).** National diabetes fact sheet: national estimates and general information on diabetes and prediabetes in the United States. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.
- Celik S, Baydas G, Yilmaz O.** Influence of vitamin E on the leaves of fatty acids and MDA in some tissues of diabetic rats. *Cell Biochem.Funct.* **20(1)**: 67-71, 2002.
- Cervenka L, Peskova I, Foltynova E, Pejchalova M, Vytrasova J.** Inhibitory effects of bearberry leaves extracts against *Arcobacter butzleri*, *A. cryaerophilus*, and *A. skirrowii*. *Cur.Microbiol.* **53**: 435-439, 2006.
- Ceylan E and Fung DYC.** Antimicrobial activity of spices. *J. Rapid Methods and Automation in Microbiol.* **12**: 1-55, 2004.
- Ch MM and Smitha PV.** Phytochemical composition and antimicrobial activity of three plant preparations used in folk medicine and their synergistic properties. *J. Herbs, Spices Med. Plants.* **17(4)**: 339-350, 2011.
- Chakraborty BN, Basu P, Das R., Saha A and Chakraborty U.** Detection of cross reactive antigens between *Pestalotiopsis theae* and tea leaves and their cellular location, *Ann. Appl. Biol.* **127(1)**: 11-21, 1995.
- Chakraborty U and Das H.**Antidiabetic and Antioxidant Activities of *Cinnamomum tamala* Leaf Extracts in Stz-Treated Diabetic Rats.*Global J. Biotech. Biochem.* **5(1)**: 12-18, 2010.
- Chanishvili S, Badridze G and Janukashvili.** Effect of altitude on the contents of antioxidants in leaves of some herbaceous plants. *Rus. J. Eco.* **38(5)**: 367-373, 2007.
- Cheesbrough M.** Medical Laboratory Manual for Tropical Countries. Linacre House, Jordan Hill Oxford. 260 pp. 2000.
- Chen W, Isman M and Chiu SF.** Antifeedant and growth inhibitory effects of the limonoid toosendanin and *Melia toosendan* extracts on the variegated cutworm, *Peridromasauca* (Lep., Noctuidae). *J.Applied Entomol.* **119(1-5)**: 367-370, 1995.
- Chen XY and Ahn DU.** Antioxidant activities of six natural phenolics against lipid oxidation induced by Fe<sup>2+</sup> or ultraviolet light. *J. of Am. Oil Chemists Soc.* **75**: 1717-1721, 1998.

- Chirinos R, Betalleluz-Pallardel I, Huamán A, Arbizu C, Pedreschi R and Campos D.** HPLC-DAD characterisation of phenolic compounds from Andean oca (*Oxalis tuberosa* Mol.) tubers and their contribution to the antioxidant capacity. *Food Chem.* **113(4)**: 1243–1251, 2009.
- Chong YM, Yin WF, Ho CY, Mustafa MR, Hadi AH, Awang K, Narrima P, Koh CL, Appleton DR and Chan KG.** Malabaricone C from *Myristica cinnamomea* exhibits anti-quorum sensing activity. *J. Nat. Prod.* **74(10)**: 2261-2264, 2011.
- Choo JH, Rukayadi Y and Hwang JK.** Inhibition of bacterial quorum sensing by vanilla extract. *Lett. Appl. Microbiol.* **42**: 637–41, 2006.
- Chouksey D, Sharma P and Pawar RS.** Biological activities and chemical constituents of *Ilicium verum* Hook fruits. *Der. Pharm. Sin.* **1(3)**: 1-10, 2010.
- Coates A, Hu Y, Bax R and Page C.** The future challenges facing the development of a new antimicrobial drugs. *Nat. Rev. Drug Discov.* **1**: 895-910, 2002.
- Cos P, Vlietink AJ, Berghe DV and Maes L.** Anti-infective potential of natural products: How to develop a stronger *in vitro* “proof of concept”. *J. Ethnopharmacol.* **106**: 290-302, 2006.
- Costerton JW, Stewart PS and Greenberg EP.** Bacterial biofilms: a common cause of persistent infections. *Sci.* **284**: 1318–1322, 1999.
- Cuevas-Rodríguez EO, Yousef GG, García-Saucedo PA, López-Medina J, Paredes-López O and Lila MA.** Characterization of anthocyanins and proanthocyanidins in wild and domesticated Mexican blackberries (*Rubus* spp.). *J. Agric Food Chem.* **58**:7458-7464, 2010.
- Cushnie TPT and Lamb AJ.** Antimicrobial activity of flavonoids. *Int. J. Antimicrob. Agents.* **26(5)**: 343-356, 2005.
- Daood HG, Vinkler M, Markus F, Hebshi EA and Biacs PA.** Antioxidant vitamin content of spice red pepper (paprika) as affected by technological and varietal factors. *Food Chem.* **55(4)**: 365–372, 1996.
- Dapkevicus A.** Isolation, identification and evaluation of natural antioxidants from aromatic herbs cultivated in Lithuania. Thesis: Wageningen University. 154 pp, 2002.
- Das S, Anjeza C and Mandal S.** Synergistic or additive antimicrobial activities of Indian spice and herbal extracts against pathogenic, probiotic and food-spoiler microorganisms. *Int. Food Res. J.* **19(3)**: 1185-1191, 2012.
- DeFelice SL.** Nutraceuticals: Opportunities in an emerging market. *Scrip. Mag.* **9**:14-5, 1992.
- Denyer SP and Stewart GS.** Mechanisms of action of disinfectants. *Int. Biodeter. Biodegr.* **41(3-4)**: 261-268, 1998.

- Dhiman R, Aggarwal N, Aneja KR and Kaur M.** *In vitro* antimicrobial activity of spices and medicinal herbs against selected microbes associated with juices. *Int. J. Microbiol.* **6(9)**:1-9, 2016.
- Dillard CJ and German JB.** Phytochemicals: Nutraceuticals and human health. *J. Sci. Food. Agric.* **80**:1744-56, 2000.
- Ding X, Yin B, Qian L, Zeng Z, Yang Z, Li H, Lu Y and Zhou S.** Screening for novel quorum-sensing inhibitors to interfere with the formation of *Pseudomonas aeruginosa* biofilm. *J. Med. Microbiol.* **60(12)**: 1827–1834, 2011.
- Dorman HJD and Deans SG.** Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* **88**: 308-316, 2000.
- Dorman HJD and Deans SG.** Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* **88**: 308-316, 2000.
- Dorman HJD and Deans SG.** Antimicrobial agents from plants: antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* **88**: 308-316, 2000.
- Dorman HJD, Kosar M, Kahlos K, Holm Y and Hiltunen R.** Antioxidant properties and composition of aqueous extracts from *Mentha* species, hybrids, varieties, and cultivars. *J. Agric. Food Chem.* **51**: 4563-4569, 2003.
- Dragland S, Senoo H, Wake K, Holte K and Blomhoff R.** Several culinary and medicinal herbs are important sources of dietary antioxidants. *J. Nutr.* **133**: 1286–1290, 2003.
- Drews J.** Drug discovery: a historical perspective. *Sci.* **287**:1960–1964, 2000.
- Dringen R.** Glutathione metabolism and oxidative stress in neurodegeneration. *Europ. J. Biochem.* **267**: 49–103, 2000.
- Duffy CF and Power RF.** Antioxidant and antimicrobial properties of some Chinese plant extracts. *Int. J. Antimicrob. Agents.* **17**: 527-529, 2001.
- Dunny GM and Winans SC.** (Eds.), Cell-cell signaling in bacteria, American Society for Microbiology, Washington, DC, 1999.
- Edeoga OH, Okwu DE and Mbaebie BO.** Phytochemical constituents of some Nigerian medicinal plants. *Afr. J. Biotechnol.* **4(7)**: 685-688, 2005.
- Elbein AD and Molyneux RJ.** Comprehensive Natural Products Chemistry, 3: Barton D and Nakanishi K, ed. Amsterdam, 129 pp, 1999.
- Elless MP, Blaylock MJ, Huang JW and Gussman CD.** Plants as a natural source of concentrated mineral nutritional supplements. *Food Chem.* **71**: 181-188, 2000.
- Espin JC, Garcia-Conesa MT, Tomas-Barberan FA.** Nutraceuticals: Facts and fiction. *Phytochemistry* **68**: 2986 – 3008, 2007.
- Essar DW, Eberly L, Hadero A and Crawford I.** Identification and characterization of genes for a second anthranilate synthase in *Pseudomonas aeruginosa*:

- Interchangeability of the two anthranilate synthases and evolutionary implications. *J. Bacteriol.* **172**: 884–900, 1990.
- Exarchou V, Nenadis N, Tsimidou M, Gerotheranassis IP, Troganis A and Boskou D.** Antioxidant activities and phenolic composition of extracts from Greek oregano, Greek sage, and summer savory. *J. of Agric. Food Chem.* **50**: 5294-5299, 2002.
- Fan J, Ding X and Gu W.** Radical-scavenging proanthocyanidins from sea buckthorn seed. *Food Chem.* **102**: 168-177, 2007.
- Fattouch S, Caboni P, Coroneo V, Tuberoso C, Angioni A, Dessi S, Marzouki N and Cabras P.** Antimicrobial activity of Tunisian Quince (*Cydonia oblonga* Miller) pulp and peel polyphenolic extracts. *J. Agric. Food Chem.* **55(3)**: 963-969, 2007.
- Fleming A.** On the antibacterial action of cultures of a *Penicillium*, with special reference to their use in the isolation of *B. influenzae*. *Brz. J. Exp. Pathol.* **10**:226–236, 1929.
- Fossati P and Prencipe L.** Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. *Clin. Chem.* **28(10)**:2077-2080, 1982.
- Frederich M, Jacquier MJ, Thepenier P, De Mol P, Tits M, Philippe G, Delaude C, Angenot L and Zaches Hanrot M.** Antiplasmodial activity of alkaloids from various *Strychnos* species. *J. Nat. Prod.* **65(10)**:1381-1387, 2002.
- Functional Food Center (FFC),** University of California Santa Barbara, Conference - 2012.
- Fuqua WC, Winans SC and Greenberg EP.** Quorum sensing in bacteria: the LuxR–LuxI family of cell density-responsive transcriptional regulators. *J. Bacteriol.* **176**: 269–275, 1994.
- Gao XM, Xu ZM and Li ZW.** Traditional Chinese medicines. People's Health Publishing House, Beijing, 2000.
- Gao Y, van Belkum MJ and Stiles ME.** The outer membrane of Gram-negative bacteria inhibits antibacterial activity of brochocin-C. *Appl. and Environ. Microbiol.* **65**: 4329-4333. 1999.
- Garg D, Muley A, Khare N and Marar T.** Comparative analysis of phytochemical profile and antioxidant activity of some Indian culinary herbs. *Res. J. Pharma. Biol. and Chem. Sci.* **3 (3)**: 845-854, 2012.
- Geetha S, Sai-Ram M, Mongia SS, Singh V and Ilavazhagan G.** Evaluation of antioxidant activity of leaf extract of sea buckthorn (*Hippophae rhamnoides* L.) on chromium (VI) induced oxidative stress in albino rats. *J. Ethnopharmacol.* **87**: 247–251, 2003.
- German J.** Food processing and lipid oxidation. *Adv. Exp. Med. Biol.* **459**: 23-50, 1999.
- Giancarlo S, Rosa LM, Nadjafi F and Francesco M.** Hypoglycaemic activity of two spices extracts: *Rhus coriaria* L. and *Bunium persicum* Boiss. *Nat. Prod. Res: Formerly Nat. Product Let.* **20(9)**: 882-886, 2006.



- Givskov M, de Nys R, Manefield M, Gram L, Maximilien R, Eberl L, Molin S, Steinberg PD and Kjelleberg S.** Eukaryotic interference with homoserine lactone-mediated prokaryotic signalling. *J. Bacteriol.* **178**: 6618-6622, 1996.
- Gordana SC, Jasna MC and Sonja MD.** Antioxidant potential, lipid peroxidation inhibition and antimicrobial activities of *Satureja montana* L. subsp. *kitaibelii* extracts. *Int. J. Mol. Sci.* **8**: 1013-1027, 2007.
- Govindappa M, Sadananda TS, Channabasava R, Jeevitha MK, Pooja KS and Vinay BR.** Antimicrobial, antioxidant activity and phytochemical screening of *Tecoma stans* (L.) Juss.ex Kunth. *J Phytol.* **3(3)**: 68-76, 2011.
- Gulcin I, Mshvildadze V, Gepdiremen A and Elias R.** Screening of antiradical and antioxidant activity of monodesmosides and crude extract from *Leontice smirnowii* tuber. *Phytomed.* **13**: 343–351, 2006.
- Gulcin I, Sat IG, Beydemir S, Elmastas M and Kufrevioglu OI.** Comparison of antioxidant activity of clove (*Eugenia caryophyllata* Thunb) buds and lavender (*Lavandula stoechas* L.). *Food Chem.* **87**: 393-400, 2004.
- Gulcin L, Oktay M, Kufrevioglu IO and Aslan A.** Determination of antioxidant activity of lichen *Cetraria islandica* (L.) Ach. *J. Ethnopharm.* **79(3)**: 325-329, 2004.
- Gupta A, Dubey M, Parmar M, Mahajan S and Sharma R.** Evaluation of antimicrobial activity of *Carum carvi* (Seeds) extract against *E.coli* and *Aspergillus niger*. *Drug Invent. Today.* **3(9)**: 211-213, 2011.
- Gupta VK and Sharma SK.** Plants as natural antioxidants. *Nat. Prod. Rad.* **5(4)**:326-334, 2006.
- Hajhashemi V, Vaseghi G, Pourfarzam M and Abdollahi A.** Are antioxidants helpful for disease prevention? *Res. Pharma. Sci.* **5(1)**:1-8, 2010.
- Halliwell B and Gutteridge JMC.** Free Radicals in Biology and Medicine. 4<sup>th</sup> Edn. Clarendon Press, Oxford, 2007.
- Halliwell B and Gutteridge JMC.** Oxygen toxicity, oxygen radicals, transition metals and disease. *J. Biochem.* **219**: 1–14, 1984.
- Halliwell B and Gutteridge JMC.** Free Radicals in Biology and Medicine .3<sup>rd</sup> Edn. Clarendon Press, Oxford. 200–783, 1999.
- Halliwell B and Gutteridge JMC.** The definition and measurement of antioxidants in biological systems. *Free. Radic. Biol. Med.* **18**: 125–126, 1999.
- Halliwell B.** Biochemistry of oxidative stress. *Biochem. Soc. Trans.* **35**: 1147–1150, 2007.
- Halliwell B.** The antioxidant paradox. *Lancet.* **355**: 1179-1180, 2000.
- Haraguchi H, Saito T, Okamura N and Yagi A.** Inhibition of lipid peroxidation and superoxide generation by diterpenoids from *Rosemarinus officinalis*. *Planta Medica.* **61**: 333 – 336, 1995.

- Harbone JA.** Phytochemical Methods Guide to Modern Techniques in Plant Analysis, 3<sup>rd</sup> ed. Chapman and Hall, London. 1998.
- Harborne JB and Tomasbarberan FA.** Ecological Chemistry and Biochemistry of Plant Terpenoids. Clarendon press, Oxford, 1991.
- Harborne JB.** Photochemical Methods: A Guide to Modern Techniques of Plant Analysis. 2nd Eds. Chapman A. & Hall. London, 279 pp, 1973.
- Hasler CM.** Functional foods: their role in disease prevention and health promotion. *Food Technol.* **52(11)**: 63–70, 1998.
- Haworth JE.** Natural Antioxidants Review. Proceedings of the 56<sup>th</sup> Reciprocal Meets Conference, Columbia, 95-98, 2003.
- Heinecke JW.** Oxidative stress: new approaches to diagnosis and prognosis in atherosclerosis. *Am. J. Cardiol.* **91**: 12A-16A, 2003.
- Hentzer M and Givskov M.** Pharmacological inhibition of quorum sensing for the treatment of chronic bacterial infections. *J. Clin. Invest.* **112**: 1300-1307, 2003.
- Higdon JV and Frei B.** Tea catechins and polyphenols: health effects, metabolism, and antioxidant functions. *Crit. Rev. Food Sci. Nutr.* **43(1)**:89-143, 2003.
- Hinneburg I, Dorman HJD and Hiltunen R.** Antioxidant activities of extracts from selected culinary herbs and spices. *Food Chem.* **97(1)**: 122-129, 2006.
- Hoque N, Imam MZ, Akter S, Majumder MEH, Hasan SMR, Ahmed J and Rana MS.** Antioxidant and antihyperglycemic activities of methanol extract of *Glinus oppositifolius* leaves. *J. Appl. Pharm. Sci.* **1(7)**: 50–53, 2011.
- Hossain MB, Barry-Ryan C, Martin-Diana AB and Brunton NP.** Effect of drying method on the antioxidant capacity of six Lamiaceae herbs. *Food Chem.* **123**: 85–91, 2010.
- Huang D, Boxin OU and Prior RL.** The chemistry behind antioxidant capacity assays. *J. Agri. Food Chem.* **53**: 1841–1856, 2005.
- Huang Y, Zhao J, Zhou L, Wang J, Gong Y and Chen X.** Antifungal activity of the essential oil of *Illicium verum* fruit and its main component trans-anethole. *Molecules.* **15(11)**: 7558-7569, 2010.
- Huber B, Eberl L, Feucht W and Polster J.** Influence of polyphenols on bacterial biofilm formation and quorum-sensing. *Zeitschrift fur Naturforschung Section C, Biosci.* **58**: 879-884, 2004.
- Hui H, Tang G, Liang V and Go W.** Hypoglycemic herbs and their action mechanisms. *Chin. Med.* **4**:11, 2009.
- Ibrahim HM and Abu-Salem FM.** Antibacterial Activity of Some Medicinal Plant Extracts. *Int. Schol. Sci. Res. & Innov.* **8(10)**: 1168-1173, 2014.
- Ignacimuthu S, Ayyanar M and Sivaraman SK.** Ethnobotanical investigations among tribes in Madurai district of Tamil Nadu (India). *J. Ethnobiol. Ethnomed.* **2**: 1-7, 2006.

- Infectious Disease Society of America.** The “10x’20” Initiative: Pursuing a global commitment to develop 10 new antibacterial drugs by 2020. *Clinical Infectious Diseases (CID)*, **50**:1081-1083, 2010. Available from <http://www.idsociety.org>.
- International Diabetes Federation (IDF)** 2017. Available from <https://www.idf.org/>
- International Federation of Clinical Chemistry (IFCC).** In *Clinica Chimica Acta* **05**: 145-175F, 1980.
- Ishida T, Ikeda T, Takiguchi N, Kuroda A, Ohtake H and Kato J.** Inhibition of Quorum Sensing in *Pseudomonas Aeruginosa* by N-Acyl Cyclopentylamides. *Appl. Environ. Microbiol.* **73(10)**: 3183–3188, 2017.
- Ivanov AV, Bartosch B and Isaguliants MG.** Oxidative stress in infection and consequent disease. *Oxidative Med. Cellular Longev.* Article ID 3496043, 2017.
- Jagetia GC, Rao SK, Baliga MS and Babu KS.** The evaluation of nitric oxide scavenging activity of certain herbal formulation *in vitro*: A preliminary study. *Phytother. Res.* **18(7)**: 561-565, 2004.
- Jamuna Bai A, Ravishankar Rai V and Pradeepa V.** Evaluation of the antimicrobial activity of three medicinal plants of south India. *Malaysian J. Microbiol.* **7(1)**: 14-18, 2011.
- Javanmardi J, Stushnoff C, Locke E and Vivanco JM.** Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. *Food Chem.* **83**, 547–550, 2003.
- Jayabalan M, Rajarathinam K and Veerasamy S.** Bioinduction of rubber formation in *Parthenium argentatum*. *Phytomorphol.* **44(1-2)**: 43-54, 1994.
- Jayaraman J.** In: *Laboratory Manual in Biochemistry*, Fifth Reprint, New Age International Ltd. New Delhi, 1996.
- Jimenez PN, Koch G, Thompson JA, Xavier KB, Cool RH and Quax WJ.** The multiple signaling systems regulating virulence in *Pseudomonas aeruginosa*. *Microbiol. Mol. Biol. Rev.* **76(1)**: 46-65, 2012.
- Joon KW and Shibamoto K.** Antioxidant assays for plant and food components. *J. Agri. Food Chem.* **57**: 1655–1666, 2009.
- Jung M, Park M, Lee HC, Kang YH, Kang ES and Kim SK.** Antidiabetic agents from medicinal plants. *Curr. Med. Chem.* **13**:1203–18, 2006.
- Kalemba D and Kunicka A.** Antibacterial and antifungal properties of essential oils. *Cur. Med. Chem.* **10**: 813-829, 2003.
- Kalia VC.** Quorum sensing inhibitors: an overview. *Biotechnol. Advan.* **31(2)**: 224-245, 2013.
- Karadag A, Ozelik B and Saner S.** Review of methods to determine antioxidant capacities. *Food Anal. Methods.* **2**: 41–60, 2009.
- Kariba RM, Siboe GM and Dossaji SF.** *In vitro* antifungal activity of *Schizozygia coffaeoides* Bail. (Apocynaceae) extracts. *J. Ethnopharmacol.* **74**: 41–44, 2001.

- Katalinic V, Milos M, Kulisic T and Jukic M.** Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chem.* **94**: 550–557, 2006.
- Kaufman PB, Cseke LJ, Warber S, Duke JA and Brielmann HL.** Natural products from plants. CRC Press, Boca Raton, FL, 1999.
- Keskin D, Oskay D and Oskay M.** Antimicrobial activity of selected plant spices marketed in the West Anatolia. *Int. J. Agric. Biol.* **12**: 916–920, 2010.
- Khalaf NA, Shakya AK, Al-Othman A, El-Agbar Z and Farah H.** Antioxidant activity of some common plants. *Turk. J. Biol.* **32**: 51-55, 2008.
- Khanam S, Shivprasad HN and Devi K.** *In vitro* antioxidant screening models: a review, *Indian J. Pharm. Edu.* **38(4)**: 180-183, 2004.
- Kim I, Yang M, Goo T, Jo C, Ahn D, Park J, Lee O and Kang S.** Radical scavenging-linked antioxidant activities of commonly used herbs and spices in Korea. *Int. J. Food Sci. Nut.* Dec 12. 2011.
- Kimura Y, Sumiyoshi M, Taniguchi M and Baba K.** Antitumor and antimetastatic actions of anthrone-C-glucoside, cassialoin isolated from *Cassia garrettiana* heartwood in colon 26-bearing mice. *Cancer Sci.* **99(11)**: 2336-2348, 2008.
- Klein BP and Perry AK.** Ascorbic acid and vitamin A activity in selected vegetables from different geographical areas of the United States. *J. Food Sci.* **47**: 941–945, 1982.
- Kochhar A and Nagi M.** Effect of supplementation of traditional medicinal plants on blood glucose in non–insulin-dependent diabetics: A Pilot Study. *J. Med. Food.* **8**: 545–549, 2005.
- Kokate CK, Khandelwal KR, Pawar AP and Gohale SB.** Practical Pharmacognosy. Nirali Prakashan, Pune, 3rd edn, pp.137-139, 1995.
- Kokate CK.** Practical Pharmacognosy, 4th ed., Vallabh Prakashan, New Delhi, India, pp.112-120, 1994.
- Kolodziej H and Kiderlen AF.** Antileishmanial activity and immune modulatory effects of tannins and related compounds on *Leishmania* parasitised RAW 264.7 cells. *Phytochem.* **66 (17)**: 2056-2071, 2005.
- Kong KF, Jayawardena SR, Indulkar SD, DelPuerto A, Koh CL and Hoiby N.** *Pseudomonas aeruginosa* AmpR is a global transcriptional factor that regulates expression of AmpC and PoxB beta-lactamases, proteases, quorumsensing, and other virulence factors. *Antimicrob. Agents Chemother.* **49**: 4567–4575, 2005.
- Korou L-M, Bakoyiannis I, Metaxas P, Doulamis I, Konstadopoulos P, Tzani A, Prodromidou A, Papa E, Balomenos A and Perrea DN.** Medicinal properties of Mediterranean plants against glucose and lipid disorders. *J. Med. Plants.* **4**: 94-100, 2016.

- Kouřimská L, Chrpova D, Novy P and Panek J.** The effect of concentration on the antioxidant activity of selected culinary herbs. *J. Med. Plants Res.* **7(13):** 766-770, 2013.
- Krishnan T, Yin W-F and Chan K-G.** Inhibition of quorum sensing-Controlled virulence factor production in *Pseudomonas aeruginosa* PAO1 by Ayurveda spice clove (*Syzygium aromaticum*) bud extracts. *Sensors.* **12:** 4016-4030, 2012.
- Krishnaswamy K.** Traditional Indian spices and their health significance. *Asia Pac. J. Clin. Nutr.* **17(S1):** 265-268, 2008.
- Kristova V, Liskoya S, Sotnikova S, Vojtko R and Kurtansky A.** Sulodexide improves endothelial dysfunction in streptozocin induced diabetes in rats. *Physiol. Res.* **57(3):** 491-494, 2008.
- Kumar D, Shah V, Ghosh R and Pal BC.** A new triterpenoid saponin from *Glinus oppositifolius* with  $\alpha$ -glucosidase inhibitory activity. *Nat. Prod. Res.* **27:** 624-629, 2013.
- Kumar N, Khader JMA, Rangaswami P and Irulappan I.** *Introduction to Spices, Plantation Crops, Medicinal and Aromatic Plants.* Oxford & IBH Publishing, New Delhi. pp.1.01-7.03, 1997.
- Kumar SS, Devasagayam TPA, Bhushan B and Verma NC.** Scavenging of reactive oxygen species by chlorophyllin: an ESR study. *Free Radic. Res.* **35(5):** 563-574, 2001.
- Kumaran A and Karunakaran RJ.** *In vitro* antioxidant activities of methanol extracts of *Phyllanthus* species from India. *LWT- Food Sci. Technol.* **40:** 344–352, 2007.
- Kumutha Priya, Wai-Fong Yin and Kok-Gan Chan.** Anti-Quorum Sensing Activity of the Traditional Chinese Herb, *Phyllanthus amarus*. *Sensors.* **13:** 14558-14569, 2013.
- Kusirisin W, Srichairatanakool S, Lertrakarnnon P, Lailerd N, Suttajit M, Jaikang C and Chaiyasut C.** Antioxidative activity, polyphenolic content and anti-glycation effect of some Thai medicinal plants traditionally used in diabetic patients. *Med. Chem.* **5(2):** 139-147, 2009.
- Lampe JW.** Spicing up a vegetarian diet: chemopreventive effects of phytochemicals. *Am. J. Clin.Nutr.* **78:** 579S-583S, 2003.
- Laxminarayan R and Chaudhury RR.** Antibiotic Resistance in India: Drivers and Opportunities for Action. *PLoS Med.* **13(3):** e1001974, 2016.
- Lee NJ, Choi JH, Koo BS, Ryu SY, Han YH, Lee SI and Lee DU.** Antimutagenicity and cytotoxicity of the constituents from the aerial parts of *Rumex acetosa*. *Biol. Pharm. Bull.* **28(11):** 2158-2161, 2005.
- Leena A, Ahmad MD, Jill P and Crandall MD.** Type 2 Diabetes Prevention: A Review. *Clin.Diabetes.* **28(2):** 53-59, 2010.
- Levy SB.** *The antibiotic paradox.* 2nd ed. Perus Publishing, Cambridge, MA, 2002.

- Lewis K and Ausubel FM.** Prospects of plant derived antibacterials. *Nat. Biotechnol.* **24**: 1504-1507, 2006.
- Lewis, K.** Riddle of biofilm resistance. *Antimicrob. Agents Chemother.* **45**: 999–1007, 2001.
- Li TSC.** *The range of medicinal plants influencing mental and physical performance.* In: Watson DH, editor. Performance functional foods. Boca Raton, Fla.: CRC Press LLC. 38-60, 2003.
- Li WL, Zheng HC, Bukuru J and De Kimpe N.** Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus. *J. Ethnopharmacol.* **92**:1–21, 2004.
- Lichtenthaler HK.** Chlorophylls and carotenoids: pigments of photosynthetic biomembrane. *Methods Enzymol.* **148**: 350-382, 1987.
- Liu H, Qiu N, Ding H and Yao R.** Polyphenols contents and antioxidant capacity of 68 Chinese herbals suitable for medicinal or food uses. *Food Res. Int.* **41(4)**: 363-370, 2008.
- Liu RH.** Potential synergy of phytochemicals in cancer prevention: Mechanism of action. *J. Nutr.* **134**: 3479S-3485S, 2004.
- Livermore DM.** The need for new antibiotics. *Clin. Microbiol. Infect. Suppl.* **4**: 1–9, 2004.
- Lobo V, Patil A, Phatak A and Chandra N.** Free radicals, antioxidants and functional foods: Impact on human health. *Phcog. Rev.* **4**: 118-26, 2010.
- Lopez P, Sanchez C, Batlle R and Nerin C.** Solid- and vapor-phase antimicrobial activities of six essential oils: Susceptibility of selected foodborne bacterial and fungal strains. *J. Agri. Food Chem.* **53**: 6939-6946, 2005.
- López-Varela S, Gonzalez-Gross M, Marcos A.** Functional foods and the immune system: A review. *Eur. J. Clin. Nutr.* **56**: S29, 2002.
- Lowry OH, Rosebrough NJ, Fair AL and Randall RJ.** Protein measurements with Folin Phenol reagent. *J. Biol. Chem.* **193**: 265-275, 1955.
- Luiz M, Biasutti A and Garcia NA.** Micellar effect on the scavenging of singlet molecular oxygen by hydroxybenzenes. *Redox. Report.* **7**: 23-28, 2002.
- Lynch SV and Wiener-Kronish JP.** Novel strategies to combat bacterial virulence. *Cur. Opinion in Crit. Care.* **14**: 593–599, 2008.
- Maizura M, Aminah A and Wan Aida WM.** Total phenolic content and antioxidant activity of kesum (*Polygonum minus*), ginger (*Zingiber officinale*) and turmeric (*Curcuma longa*) extract. *Int. Food Res.* **18**: 529-534, 2011.
- Mamedov NA and Craker LE.** Man and medicinal plants: a short review. *Acta Hort.* **964**: 181-190. 2012.
- Manach C, Scalbert A, Morand C, Remesy C and Jimenez L.** Polyphenols: food sources and bioavailability. *Am. J. Clin. Nutr.* **79(5)**: 727-747, 2004.

- Mandal P, Babu SSP and Mandal NC.** Antimicrobial activity of saponins from *Acacia auriculiformis*. *Fitoterapia*, **76(5)**: 462-465, 2005.
- Mandal S, Yadav S, Yadav S and Nema RK.** Antioxidants: A Review. *J. Chem. and Pharma. Res.* **1 (1)**:102-104, 2009.
- Manefield M, de Nys R, Kumar N, Read R, Givskov M, Steinberg P and Kjelleberg S.** Evidence that halogenated furanones from *Delisea pulchra* inhibit acylated homoserine lactone (AHL)-mediated gene expression by displacing the AHL signal from its receptor protein. *Microbiol.* **145**: 283-291, 1999.
- Mantena SK, Jagdish SR, Badduri SR, Siripurapu KB and Unikrishnan MK.** *In vitro* evaluation of antioxidant properties of *Cocos nucifera* Linn. water. *Nahrung.Food.* **2**: 126-131, 2003.
- Mates JM, Perez-Gomez C and De Castro IN.** Antioxidant enzymes and human diseases. *Clin.Biochem.* **32**: 595–603, 1999.
- Matill HA.** Antioxidants. *Annu Rev Biochem.* **16**:177-92, 1947.
- Maxwell SJ.** Prospects for the use of antioxidant therapies. *Drugs.* **49**: 345-361, 1995.
- McDowell LR, Wilkinson N, Madison R and Felix T.** Vitamins and minerals functioning as antioxidants with supplementation considerations. Florida Ruminant Nutrition Symposium. Best Western Gateway Grand. Gainesville, FL, 30–31 January, 2007. <http://dairy.ifas.ufl.edu/files/rns/2007/Mcdowell.pdf>.Google.
- McGowan MW, Artiss JD, Strandbergh DR and Zak BA.** A peroxidase-coupled method for colorimetric determination of serum triglycerides. *Clin. Chem.* **29(3)**: 538-542, 1983.
- Medoua GN, Egal AA and Oldewage-Theron WH.** Nutritional value and antioxidant capacity of lunch meals consumed by elderly people of Sharpeville, South Africa. *Food Chem.* **115(1)**: 260-264, 2009.
- Melo ED, Mancini J and Guerra NB.** Characterization of antioxidant compounds in aqueous coriander extract (*Coriandrum sativum* L.). *Lebensmittel-Wissenschaft Und-Technologie-Food Sci. and Technol.* **38**: 15-19, 2005.
- Milovanović V, Radulović N, Todorović Z, Stanković M and Stojanović G.** Antioxidant, antimicrobial and genotoxicity screening of hydro-alcoholic extracts of five Serbian *Equisetum* species. *Plant Foods for Human Nutr. (Formerly Qualitas Plantarum)* **62(3)**: 113-119, 2007.
- Mohanlal S, Parvathy R, Shalini V, Mohanan R, Helen A and Jayalekshmy A.** Chemical indices, Antioxidant activity and anti-inflammatory effect of extracts of the medicinal rice “njavara” and staple varieties: A comparative study. *J. Food Biochem.* **37(3)**:369-380, 2013.

- Montro P, Braca A, Pizza C and Tommasi N.** Structure-antioxidant activity relationships of flavonoids isolated from different plant species. *Food Chem.* **92(2)**: 349-355, 2005.
- Moreau, Dufraisse.** Comptes Rendus des Séances et Mémoires de la Société de Biologie, **86**: 321, 1922.
- Morens DM, Folkers GK and Fauci AS.** The challenge of emerging and re-emerging infectious diseases. *Nat.* **430**: 242–249, 2004.
- Moskovitz J, Yim MB and Chock PB.** Free radicals and disease. *Arch. Biochem. Biophys.* **397 (2)**: 354–359, 2002.
- Mostafa AA, Al-Askar AA, Almaary KS, Dawoud TM, Sholkamy EN and Bakri MM.** Antimicrobial activity of some plant extracts against bacterial strains causing food poisoning diseases. *Saudi J. of Biol. Sci.* xxx (2017) xxx–xxx, Article in press.
- Moure A, Domínguez and Parajó JC.** Antioxidant properties of ultrafiltration-recovered soy protein fractions from industrial effluents and their hydrolysates,” *Process Biochem.* **41(2)**: 447-456, 2006.
- Mowla A, Alauddin M, Rahman AM and Ahmed K.** Antihyperglycemic effect of *Trigonella foenum-graecum* (fenugreek) seed extract in alloxan induced diabetic rats and its use in diabetes mellitus: A brief qualitative phytochemical and acute toxicity test on the extract. *Afr. J. Trad. Complemen.and Altern. Med.* **6**: 255-261, 2009.
- Mukhtar S and Ghori I.** Antibacterial activity of aqueous and ethanolic extracts of garlic, cinnamon and turmeric against *Escherichia coli* ATCC 25922 and *Bacillus subtilis* DSM. *Int. J. Applied Bio. Pharm. Tech.* **3**: 132-137, 2012.
- Mutungwa W, Alluri N and Majumdar M.** Anti-quorum sensing activity of some commonly used traditional Indian spices. *Int. J. Pharm. Pharm. Sci.* **7(11)**: 80-83, 2015.
- Mwitari PG, Ayeka PA, Ondicho J, Matu EN and Bii CC.** Antimicrobial activity and probable mechanisms of action of medicinal plants of Kenya: *Withania somnifera*, *Warbugia ugandensis*, *Prunus africana* and *Plectranthus barbatus*. *PLoS ONE.* **8(6)**: e65619, 2013.
- Nahak G and Sahu RK.** Phytochemical evaluation and antioxidant activity of *Piper cubeba* and *Piper nigrum*. *J. Applied Pharma. Sci.* **01 (08)**: 153-157, 2011.
- Namasivayam SKR and Vivek JM.** Screening of quorum sensing (Qs) modulatory effect of medicinal plant extracts against quorum sensing mediated virulence factors of human pathogenic Gram negative bacteria. *Int. J. Pharmacog. Phytochem. Res.* **8(2)**: 263-271, 2016.
- Nazzaro F, Caliendo G, Arnesi G, Veronesi A, Sarzi P and Fratianni F.** Comparative content of some bioactive compounds in two varieties of *Capsicum annum* L., sweet pepper and evaluation of their antimicrobial and mutagenic activities. *J. Food Biochem.* **33(6)**: 852-868, 2009.



- Negi JS, Singh P and Rawat B.** Chemical constituents and biological importance of *Swertia*: a review. *Cur. Res. in Chem.* **3**: 1-15, 2011.
- Niki E.** Antioxidant defenses in eukaryotic cells. In: Poli G, Albano E, Dianzani MU, editors. Free radicals: From basic science to medicine. Basel, Switzerland: Birkhauser Verlag; pp.365-373, 1993.
- Ninfali P, Mea G, Giorgini S, Rocchi M and Bacchiocca M.** Antioxidant capacity of vegetables, spices and dressings relevant to nutrition. *British J. Nutri.* **93**: 257-266, 2005.
- Nishikimi M, Appaji Rao N and Yagi K.** The occurrence of superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen. *Biochem.Biophys. Res.Commun.* **46(2)**: 849-853, 1972.
- Niyonzima G and Vlientinck AJ.** Hypoglycaemic activity of *Spathodeal campanulatal* stem bark decoction in mice. *Phytother. Res.* **7(1)**: 64-67, 1993.
- OECDiLibrary.** OECD guidelines for the testing of chemicals, Section 4: Health effects. ISBN: 9789264071001(PDF). <http://dx.doi.org/10.1787/9789264071001-en>.
- Office of Technical Assessment (OTA), US Congress.** *Impacts of antibiotics-resistant bacteria*. OTA-H-629. Government Printing Office, Washington, DC, 1995.
- Ohkuwa T, Sato Y and Naoi M.** Hydroxyl radical formation in diabetic rat induced by streptozotocin. *Life Sci.* **56**: 1789-1798, 1995.
- Okwu DE and Omadamiro OD.** Effects of hexane extract and phytochemical content of *Xylopi aethiopia* and *Ocimum gartissimum* on the uterus of Guinea pig. *Bio-Res.* **3(2)**: 40-44, 2005.
- Okwu DE.** Phytochemicals and vitamin content of indigenous spices of southeastern Nigeria. *J. Sustain. Agric. Environ.* **6**: 30-34, 2004.
- Ordon-ez AAL, Gomez JD, Vattuone, MA and Isla MI.** Antioxidant activities of *Sechium edule* (Jacq.) Swart extracts. *Food Chem.* **97**:452-458. 2006.
- Otunola GA and Afolayan AJ.** Antidiabetic effect of combined spices of *Allium sativum*, *Zingiber officinale* and *Capsicum frutescens* in alloxan-induced diabetic rats. *Frontiers in Life Sci.* **8(4)**: 314-323, 2015.
- Ozkan G, Sagdic O, Bayder NG and Kurumahmutoglu Z.** Antibacterial activities and total phenolic contents of grape pomace extracts. *J. Sci. Food Agric.* **84**:1807-1811, 2004.
- Packer L and Ong ASH.** *Biological oxidants and antioxidants: molecular mechanisms and health effects*. Champaign, Illinios USA, AOCS Press, 1998.
- Packiavathy IASV, Agilandeswari P, Musthafa KS, Pandian SK and Ravi AV.** Antibiofilm and quorum sensing inhibitory potential of *Cuminum cyminum* and its secondary metabolite methyl eugenol against gram negative bacterial pathogens. *Food Res. Int.* **45**: 85-92, 2012.

- Panigrahi G, Mishra US, Mahapatra S, Panda C, Pasa G and Hati DK.** Hypoglycemic and hypolipidemic activities of methanolic extract of *Glinus oppositifolius*. *Int. J. Pharm.* **2(3)**: 491–497, 2012.
- Panpatil VV, Tattari S, Kota N, Nimgulkar C and Polasa K.** *In vitro* evaluation on antioxidant and antimicrobial activity of spice extracts of ginger, turmeric and garlic. *J. Pharmacog. Phytochem.* **2(3)**: 143-148, 2013.
- Parekh J and Chanda S.** *In vitro* antimicrobial activity of *Trapa natans* L. fruit rind extracted in different solvents. *Afr. J. Biotechnol.* **6**: 766-770, 2007.
- Parekh JT.** Potency of some medicinal flora: Phytochemical and Pharmacological Evaluation. PhD thesis. Saurashtra University, 2007.
- Partha G and Chowdhury HR.** Pharmacognostic, phytochemical and antioxidant studies of *Adenanthera pavonina* L. *Int. J. Pharm. Phytochem. Res.* **7(1)**: 30-37, 2015.
- Parveen M, Ghalib RM, Khanam Z, Mehdi SH and Ali M.** A novel antimicrobial agent from the leaves of *Peltophorum vogelianum* (Benth.). *Nat. Prod. Res.* **24(13)**: 1268-1273, 2010.
- Patel RM and Jasrai YT.** Antioxidant activity of medicinal spices and aromatic herbs. *Annals of Phytomed.* **1**: 75-80, 2012.
- Patil A, Nirmal S, Pattan S, Tambe V and Tare M.** Antidiabetic effect of polyherbal combinations in STZ induced diabetes involve inhibition of  $\alpha$ -amylase and  $\alpha$ -glucosidase with amelioration of lipid profile. *Phytopharmacol.* **2(1)**: 46-57, 2012.
- Persson T, Hansen TH, Rasmussen TB, Skindersoe ME, Givskov M and Neilsen J.** Rational design and synthesis of new quorum-sensing inhibitors derived from acylated homoserine lactones and natural products from garlic. *Org. Biomol. Chem.* **3**:253-262, 2005.
- Peter AM.** *Structure and function of the water soluble vitamins*. Reader in biochemistry Royal in Veterinary College, University of London. pp.54, 1990.
- Pizzale L, Bortolomeazzi R, Vichi S, Uberegger E and Conte LS.** Antioxidant activity of sage (*Salvia officinalis* and *S. fruticosa*) and oregano (*Origanum onites* and *O. indarcedens*) extracts related to their phenolic compound content. *J. Sci. Food Agri.* **82**: 1645-1651, 2002.
- Pliego MPC.** Effect of natural antimicrobials against *Salmonella*, *Escherichia coli* O157:H7 and *Listeria monocytogenes*. Thesis, Graduate Studies of Texas A&M University, 2007.
- Plummer DT.** *Introduction to practical biochemistry*. Tata McGraw-Hill Education, 1978.
- Poitout V and Robertson RP.** Minireview: Secondary  $\beta$ -cell failure in type 2 diabetes-a convergence of glucotoxicity and lipotoxicity. *Endocrinol.* **143**:339-342, 2002.

- Popova A, Mihaylova D and Alexieva I.** Comparative study on the antioxidant activity of selected culinary plants growing in Bulgaria. *Int. J. Curr. Microbiol. App. Sci.* **11(3)**: 436-444, 2014.
- Prakash D, Upadhyay G, Singh BN and Singh HB.** Antioxidant and free radical-scavenging activities of seeds and agri-wastes of some varieties of soybean (*Glycine max*). *Food Chem.* **104**: 783–790, 2007.
- Prentki M, Joly E, El-Assaad W and Roduit R.** Malonyl-CoA signaling, lipid partitioning, and glucolipototoxicity: Role in  $\beta$ -cell adaptation and failure in the etiology of diabetes. *Diabetes.* **51**: S405-S413, 2002.
- Pridham JB.** The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Rad. Res.* **22**: 375-383, 1995.
- Prior RL, Wu X and Schaich K.** Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J. Agri. Food Chem.* **53**: 4290-4302, 2005.
- Purohit V, Khalsa J and Serrano J.** Mechanisms of alcohol-associated cancers: introduction and summary of the symposium. *Alcohol.* **35**: 155-60, 2005.
- Puupponen-Pimia R, Nohynek L, Meier C, Kahkonen M, Heinonen M and Hopia A.** Antimicrobial properties of phenolic compounds from berries. *J. Appl. Microbiol.* **90**: 494-507, 2001.
- Quideau S, Deffieux D, Douat-Casassus C and Pouységu L.** Plant polyphenols: chemical properties, biological activities, and synthesis. *Angew. Chem. Int. Ed. Engl.* **50(3)**: 586-621, 2011.
- Radulovic NS, Blagojevic PD, Stojanovic-Radic ZZ and Stojanovic NM.** Antimicrobial plant metabolites: structural diversity and mechanism of action. *Cur. Med. Chem.* **20**: 932-952, 2013.
- Rahman S, Parvez AK, Islam R, Khan MH.** Antibacterial activity of natural spices on multiple drug resistant *Escherichia coli* isolated from drinking water, Bangladesh. *Ann. Clin. Microbiol. Antimicrob.* **10**: 10, 2011.
- Raman N.** *Phytochemical Technique*. New Indian Publishing Agencies: New Delhi, p.19, 2006.
- Ramkisson JS, Mahomoodally MF, Ahmed N and Subratty AH.** Antioxidant and anti-glycation activities correlates with phenolic composition of tropical medicinal herbs. *Asian Pac. J. Trop. Med.* **6**: 561–569, 2013.
- Ranganathan K.** Determination of antibacterial activity of some important spices. *Int. J. Res. -Granthaalayah.* **3(10)**: 57-64, 2015.

- Rashid MH and Kornberg A.** Inorganic polyphosphate is needed for swimming, swarming, and twitching motilities of *Pseudomonas aeruginosa*. *Proc. Natl. Acad. Sci., USA*, **97**: 4885–4890, 2000.
- Rasmussen TB, Skindersoe ME, Bjarnsholt T, Phipps RK, Christensen KB, Jensen PO, Andersen JB, Koch B, Larsen TO, Hentzer M, Eberl L, Hoiby N, and Givskov M.** Identity and effects of quorum-sensing inhibitors produced by *Penicillium* species. *Microbiol.* **151**: 1325-1340, 2005.
- Rathore MS and Shekhawat NS.** Incredible Spices of India: from Traditions to Cuisine. *American-Eurasian J. Bot.***1(3)**: 85-89, 2008.
- Resveratrol Reviewed,** 2011. (<http://www.resveratrolreviewed.org/history-antioxidants.html>).
- Rice-Evans CA, Miller J and Paganga G.** Antioxidant properties of phenolic compounds. *Trends in Plant Sci.***2**: 152-159, 1997.
- Rice-Evans CA, Miller NJ, Bolwell PG, Bramley PM and Pridham JB.** The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Rad. Res.* **22**: 375-383, 1995.
- Roberto G, Baratta MT, Deans SG and dan Dorman HJD.** Antioxidant and Antimicrobial Activity of *Foeniculum vulgare* and *Crithmum maritimum* Essential Oils. *Planta Medica.* **66**: 687-693, 2000.
- Roeschlau P, Bernt E and Gruber W.** Enzymatic determination of total cholesterol in serum. *Z. Klin. Chem. Klin. Biochem.* **12(5)**: 226, 1974.
- Ruch RJ, Cheng SJ and Klaunig JE.** Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis.***10(6)**: 1003-1008, 1989.
- Sahu SK, Das D, Tripathy NK, Dinda SC and Kumar HKS.** Evaluation of hypoglycemic activity of *Mollugo pentaphylla* and *Glinus oppositifolius*. *Rasayan J. Chem.* **5**:57-62, 2012.
- Salim KS.** Hypoglycemic property of ginger and green tea and their possible mechanisms in diabetes mellitus. *Open Conference Proceedings J.* **5**, 2014.
- Sani Ali Audu, Ilyas Mohammed and Haruna Abdul Kaita.** Phytochemical screening of the leaves of *Lophira lanceolata* (Ochanaceae). *Life Sci. J.* **4(4)**: 75-79, 2007.
- Satoskar RS, Bhandarkar SD and Ainapure SS.** Pharmacology and Pharmacotherapeutics, Edn.16, Popular Prakashan, Mumbai. pp.874, 1999.
- Sauer K.** The genomics and proteomics of biofilm formation. *Genome Biol.* **4**:219, 2003.
- Scalbert A and Willimson G.** Dietary intake and bioavailability of polyphenols. *J.Nutr.* **130**: 20735-20855, 2000.

- Schulz JB, Lindnau J, Seyfried J and Dichgans J.** Glutathione oxidative stress and neurodegeneration. *Eur. J. Biochem.* **267**: 4904–4911, 2000.
- Sepici-Dincel A, Acikgoz S, Cevik C, Sengelen M and Yesilada E.** Effects of *in vivo* antioxidant enzyme activities of myrtle oil in normoglycemic and alloxan diabetic rabbits. *J. Ethnopharmacol.* **110**: 498-50, 2007.
- Sethi S, Dutta A, Gupta BL and Gupta S.** Antimicrobial activity of spices against isolated food borne pathogens. *Int. J Pharm. Pharm. Sci.* **5**: 260-262, 2013.
- Shalini Kapoor Mehta and Sivakumar Joghi Thatha Gowder.** Members of Antioxidant Machinery and Their Functions, Chapter 4. In: *Biochemistry, Genetics and Molecular Biology - "Basic Principles and Clinical Significance of Oxidative Stress"*, book edited by Sivakumar Joghi Thatha Gowder, ISBN 978-953-51-2200-5, 2015.
- Shan B, Cai YZ, Brooks JD and Corke H.** The *in vitro* antimicrobial activity of dietary spice and medicinal herb extracts. *Int. J. Food Microbiol.* **117(1)**: 112-119, 2007.
- Shapiro JA.** Thinking about bacterial populations as multicellular organisms. *Annu. Rev. Microbiol.* **52**: 81-104, 1998.
- Sheldon AT Jr.** Antibiotic resistance: a survival strategy. *Clin. Lab. Sci.* **18**: 170-180, 2005.
- Shete HG and Chitanand MP.** Antimicrobial activity of some commonly used Indian Spices. *Int. J. Curr. Microbiol. App. Sci.* **3(8)**: 765-770, 2014.
- Shobana S and Naidu KA.** Antioxidant activity of selected Indian spices. *Prostaglandins Leukotrienes, Essent. Fatty Acids.* **62**: 107-110, 2000.
- Siddhuraju P and Becker K.** The antioxidant and free radical scavenging activities of processed cowpea (*Vigna unguiculata* L.) seed extracts. *Food Chem.* **101**: 10-19, 2007.
- Siddique O, Sun Y, Lin JC and Chien YW.** Facilitated transdermal transport of insulin. *J. Pharm. Sci.* **76(4)**: 341-345, 1987.
- Singh R, Shushni MAM and Belkheir A.** Antibacterial and antioxidant activities of *Mentha piperita* L. *Arab. J. Chem.* **8(3)**: 322-328, 2015.
- Singleton VL and Rossi JA Jr.** Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *Am. J. Enol. Vitic.* **16(3)**: 144-158, 1965.
- Singleton VL, Orthofer R and Lamuela-Raventos RM.** Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods Enzymol.* **299**: 152-178, 1999.
- Skorokhod I and Kurdysh I.** The low-molecular weight antioxidants of microorganisms. *Mikrobiol. Z.* **76**: 48–59, 2014.
- Slot C.** Plasma creatinine determination: A new and specific Jaffe reaction method. *J. Clin. Lab. Invest.* **17(4)**: 381-387, 1965.
- Sofowora A.** *Medicinal plants and Traditional Medicine in Africa.* Spectrum books, Ibadan. pp.150, 1993.

- Sohail SF, Mohd. Shakir M and Khan NJ.** Phytochemical analysis of aqueous leaf extracts of some medicinal herbs, shrubs and trees from New Delhi, India. *Int. J. Innov. Res. in Sci. Engnr. and Technol.* **5**: 7869-7876, 2016.
- Sokovic M, Tzakou O, Pitarokili D and Couladis M.** Antifungal activities of selected aromatic plants growing wild in Greece. *Nahrung-Food.* **46**: 317-320, 2002.
- Soto-Vaca A, Losso JN, Xu Z and Finley JW.** Evolution of phenolic compounds from color and flavor problems to health benefits. *J. Agric. Food Chem.* **60(27)**: 6658-6677, 2012.
- Spoering AL and Lewis K.** Biofilms and planktonic cells of *Pseudomonas aeruginosa* have similar resistance to killing by antimicrobials. *J. Bacteriol.* **183**: 6746–6751, 2001.
- Srinivasan K.** Role of spices beyond food flavoring: nutraceuticals with multiple health effects. *Food Rev. Inter.* **21**: 167-188, 2005.
- Srivastava A, Singh AN and Singh M.** Antibacterial activity of spices against *Vibrio* species isolated from pond water. *Europ. J. of Exp. Biol.* **6(2)**: 21-25, 2016.
- Strack D.** Phenolic metabolism. In: *Plant Biochemistry*. Dev PM. and Harborne JB (Eds.), London, UK, Academic press, pp. 387-416, 1997.
- Sundarranjan T, Kumar TR, Udhayakumar E, Sekar M and Kumar MKS.** Antidiabetic activity of methanolic extract of *Hibiscus cannabinus* in streptozotocin induced diabetic rats. *Int. J. Pharma. Bio. Sci.* **2(1)**: 125-130, 2011.
- Szabo E, Rampalli S, Risueno RM, Schnerch A, Mitchell R, FiebigComyn A, Levadoux-Martin M and Bhatia M.** Direct conversion of human fibroblasts to multilineage blood progenitors. *Nat.* **468(7323)**: 521-526, 2010.
- Szabo M, Radu D, Gavrilas S, Chambre D and Idoiuiu C.** Antioxidant and antimicrobial properties of selected spice extracts. *Int. J. Food Prop.* **13(3)**: 535-545, 2010.
- Taga MS, Miller EE and Pratt DE.** Chia seeds as a source of natural lipid antioxidants. *J. Am. Oil Chemists' Soc.* **61**: 928–931, 1984.
- Talke H and Schubert GE.** Enzymatic urea determination in the blood and serum in the Warburg optical test. *Klin. Wochenschr.* **1(43)**: 174-175, 1965.
- Tapas AR, Sakarkar DM and Kakde RB.** Review article flavonoids as nutraceuticals: A review. *Trop. J. Pharm. Res.* **7**: 1089-99, 2008.
- Tateda K, Comte R, Pechere JC, Köhler T, Yamaguchi K and van Delden C.** Azithromycin inhibits quorum sensing in *Pseudomonas aeruginosa*. *Antimicrob. Agents and Chemother.* **45(6)**: 1930-1933, 2001.
- Tchokouaha LRY, Tchamgoue AD, Ann OM, Ogochukwu O, Daniel F, Ifeanyi O, Ifunanya O, Priscilla N and Agbor GA.** Comparative Antioxidant Capacity of the Spices of Some Traditional Soups in Nigeria. *Sch. Acad. J. Biosci.* **3(1B)**: 79-84, 2015.

- Teplitski M, Robinson JB and Bauer WD.** Plants secrete substances that mimic bacterial *N*-acyl homoserine lactone signal activities and affect population density-dependent behaviors in associated bacteria. *Mol. Plant-Microbe Interact.* **13**: 637-648, 2000.
- Thaipong K, Boonprakob U, Crosby K, Cisneros-Zevallos L and Byrne D.** Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *J. Food Comp. Anal.* **19**: 669 – 675, 2006.
- Todar K.** *The microbial world.* University of Wisconsin-Madison, 2008.
- Tolmacheva AA, Rogozhin EA and Deryabin DG.** Antibacterial and quorum sensing regulatory activities of some traditional Eastern-European medicinal plants. *Acta Pharm.* **64**: 173–186, 2014.
- Trease GE and Evans WC.** *Pharmacognosy.* 13th (ed). ELBS/Bailliere Tindall, London. pp. 345-346, 535-536, 772-773, 1989.
- Triffany TO, Jansen JM, Burtis CA, Overton JB and Scott CD.** Enzymatic kinetic rate and end-point analyses of substrate by use of a GEMSAEC fast analyzer. *Clin. Chem.* **18**: 829-834, 1972.
- Trinder P.** Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. *Ann. Clin. Biochem.* **6**: 24-27, 1969.
- Turner RA.** Screening methods on pharmacology, Vol I, 2nd Academic press Inc Ltd., London, 1187, 1965.
- Tyler VE.** Phytomedicine: back to the future. *J. Nat. Prod.* **62**: 1589-1592, 1999.
- Ugochukwu NH, Bagayoko ND and Antwi ME.** The effects of dietary caloric restriction on antioxidant status and lipid peroxidation in mild and severe streptozotocin-induced diabetic rats. *Clin. Chim. Acta.* **348**: 121-129, 2004.
- Uhl S.** *Spices: tools for alternative or complementary medicine.* *Food Technol.* **54**: 61-65, 2000.
- Usha M, Ragini S, Naqvi SMA.** Antibacterial activity of acetone and ethanol extracts of cinnamon (*Cinnamomum zeylanicum*) and ajowan (*Trachyspermum ammi*) on four food spoilage bacteria. *Int. Res. J. Biological Sci.* **1(4)**: 7-11, 2012.
- Vasavi HS, Arun AB and Rekha PD.** Anti-quorum sensing activity of *Psidium guajava* L. flavonoids against *Chromobacterium violaceum* and *Pseudomonas aeruginosa* PAO1. *Microbiol. Immunol.* **58**: 286–293, 2014.
- Vats V, Yadav SP and Grover JK.** Effect of *T. foenum-graecum* on glycogen content of tissues and the key enzymes of carbohydrate metabolism. *J Ethnopharmacol.* **85(2-3)**: 237-242, 2003.
- Vattem DA, Mihalik K, Crixell SH and McLean RJC.** Dietary phytochemicals as quorum sensing inhibitors. *Fitoterapia.* **78**: 302-310, 2007.

- Venugopal A, Dasani S, Rai S.** Antibacterial effect of herbs and spices extract on *Escherichia coli*. *Elec. J. Biol.* **5(2)**: 40-44, 2009.
- Vidya AD and Devasagayam TP.** Current status of Herbal drug in India: An overview. *J. Clin. Biochem. Nutr.* **41**: 1-11, 2007.
- Viuda-Martos M, Navajas YM, Zapata ES, Fernandez-Lopez J and Perez-Alvarez JA.** Antioxidant activity of essential oils of five spice plants widely used in a Mediterranean diet. *Flavour Fragr. J.* **25**:13–19, 2010.
- Wang SY, Kuo YH, Chang HN, Kang PL, Tsay HS, Lin KF, Yang NS and Shyur LF.** Profiling and characterization of antioxidant activities in *Anoectochilus formosanus* Hayata. *J. Agric. Food Chem.* **50(7)**: 1859-1865, 2002.
- Waters CM and Bassler BL.** Quorum sensing: cell-to-cell communication in bacteria. *Annu. Rev. Cell Dev. Biol.* **21**: 319–346, 2005.
- Whitehead NA, Barnard AM, Slater H, Simpson NJ and Salmond GP.** Quorum-sensing in Gram-negative bacteria. *FEMS Microbiol. Rev.* **25**: 365-404, 2001.
- Whiting DA.** Natural phenolic compounds 1900-2000: a bird's eye view of a century's chemistry. *Nat. Prod. Rep.* **18**: 583-606, 2001.
- Wildman REC.** Classifying nutraceuticals. In: Wildman REC, editor. *Handbook of nutraceuticals and functional foods*. Boca Raton, Fla.: CRC Press LLC.13-30, 2001.
- Williams RL and Elliott MS.** *Antioxidants in grapes and wine: chemistry and health effects*, in *Natural antioxidants. Chemistry, health effects, and applications*. F. Shahidi, Editor. AOCS Press: Champaign. 150-173, 1997.
- Willsie A and Mathee K.** Screening South Florida waters for inhibitors of acylatedhomoserine lactones.Masters' Thesis. Florida International University, 2000.
- Wink M.** Introduction Biochemistry, role and biotechnology of secondary products. In: *Biochemistry of Secondary Product Metabolism*, Wink M (ed.) CRC Press, Boca Raton, FL, pp. 1-16, 1999.
- Wolf G.** The discovery of the antioxidant function of vitamin E: The contribution of Henry A. Mattill. *J. Nutr.* **135**: 363-366, 2005.
- World Health Organization (WHO).** Infectious disease. 2010.
- World Health Organization.** Global Health Observatory Data Repository. 2014. Available from: <http://www.apps.who.int>.
- World Health Organization.** Implementation of the global action plan on antimicrobial resistance, 2017. Available from: <http://www.who.int/antimicrobial-resistance/en/>
- Xia D, Wu X, Shi J, Yang Q and Zhang Y.** Phenolic compounds from the edible seeds extract of Chinese Mei (*Prunus mume* Sieb. et Zucc) and their antimicrobial activity. *LWT - Food Sci. and Technol.* **44(1)**: 347-349, 2011.



- Yang L, Rybtke MT, Jakobsen TH, Hentzer M, Bjarnsholt T, Givskov M and Tolker-Nielsen T.** Computer-aided identification of recognized drugs as *Pseudomonas aeruginosa* quorum-sensing inhibitors. *Antimicrob. Agents Chemother.* **53**: 2432-2443, 2009.
- Yanishlieva NV and Marinova EM.** Stabilisation of edible oils with natural antioxidants. *Eur. J. Lipid Sci. and Technol.* **103**: 752-767, 2001.
- Yao Y, Cheng X, Wang L, Wang SH and Ren G.** Biological potential of sixteen legumes in China. *Int. J. Mol. Sci.* **12**: 7048-7058, 2011.
- Yazdanparast R, Amin A and Jamshidi S.** Experimental diabetes treated with *Achillea santolina*: Effect on pancreatic oxidative parameters. *J. Ethnopharmacol.* **112**: 13-18, 2007.
- Yen GC and Duh PD.** Scavenging effect of methanolic extracts of peanut hulls on free-radical and active-oxygen species. *J. Agr. Food Chem.* **42**: 629-632, 1994.
- Yen GC, Duh PD and Tsai HL.** Antioxidant and pro-oxidant properties of ascorbic acid and gallic acid. *Food Chem.* **79(3)**: 307-313, 2002.
- Yerly J, Hu Y, Jones SM and Martinuzzi RJ.** A two-step procedure for automatic and accurate segmentation of volumetric CLSM biofilm images. *J. Microbiol. Methods.* **70**: 424-433, 2007.
- Young IS and Woodside JV.** Antioxidants in health and disease. *J. Clin. Pathol.* **54**: 176-186, 2001.
- Zahin M, Hasan S, Aqil F, Khan MSA, Husain FM and Ahmad I.** Screening of Indian medicinal plants for their anti-quorum sensing activity. *Indian J. Exp. Biol.* **48**: 1219-1224, 2010.
- Zhang L, Ravipati AS, Koyyalamudi SR, Jeong S, Reddy N, Smith PT, Bartlett J, Shanmugam K, Münch G and Wu MJ.** Antioxidant and anti-inflammatory activities of selected medicinal plants containing phenolic and flavonoid compounds. *J. Agric. Food Chem.* **59(23)**: 12361-12367, 2011.
- Zheng W and Wang SY.** Antioxidant activity and phenolic compounds in selected herbs. *J. of Agric. Food Chem.* **49**: 5165-5170, 2001.