

| <b>Chapter</b>  | <b>TABLE OF CONTENTS</b>   | <b>Page no.</b> |
|-----------------|--|-----------------|
| <b>1.</b>       | <b>Introduction</b>  | 1               |
| <b>2.</b>       | <b>Review of literature</b>  | 6               |
| <b>2.1.</b>     | Dietary herbs and spices   | 8               |
| <b>2.2.</b>     | Dietary herbs and spices as rich sources of medicinal phytochemicals | 10              |
| <b>2.3.</b>     | Medicinal attributes of some dietary herbs and spices                | 11              |
| <b>2.4.</b>     | Biological activities of medicinal herbs, spices and other plants    | 12              |
| <b>2.5.</b>     | Overview of antioxidant concept                                      | 13              |
| <b>2.6.</b>     | Overview of antimicrobial activity                                   | 23              |
| <b>2.7.</b>     | Overview of anti-quorum sensing activity                             | 34              |
| <b>2.8.</b>     | Overview of antidiabetic activity of plants                          | 42              |
| <b>3.</b>       | <b>Materials and methods</b>   | 51              |
| <b>3.1.</b>     | Plant material   | 52              |
| <b>3.1.1.</b>   | Survey, collection and identification                                | 52              |
| <b>3.1.2.</b>   | Selection of plant material  | 53              |
| <b>3.2.</b>     | Processing of plant material   | 54              |
| <b>3.2.1.</b>   | Preparation of fine powder   | 54              |
| <b>3.2.2.</b>   | Preparation of lyophilised crude extract                             | 54              |
| <b>3.2.2.1.</b> | Aqueous extraction process   | 54              |
| <b>3.2.2.2.</b> | Solvent extraction process   | 56              |
| <b>3.2.2.3.</b> | Determination of extractive value                                    | 56              |
| <b>3.2.2.4.</b> | Determination of total moisture content                              | 56              |
| <b>3.3.</b>     | Analysis of nutritional components                                   | 57              |
| <b>3.3.1.</b>   | Carbohydrate content   | 57              |
| <b>3.3.1.1.</b> | Total soluble sugar content  | 57              |
| <b>3.3.1.2.</b> | Reducing sugar content   | 57              |
| <b>3.3.2.</b>   | Total soluble protein content  | 58              |
| <b>3.3.3.</b>   | Total lipid content  | 58              |
| <b>3.3.4.</b>   | Ascorbic acid content  | 58              |

| <b>Chapter</b> | <b>TABLE OF CONTENTS</b>  | <b>Page no.</b> |
|----------------|---|-----------------|
| 3.3.5.         | $\alpha$ -Tocopherol content  | 59              |
| 3.4.           | Analysis of major phytochemical constituents                                    | 59              |
| 3.4.1.         | Qualitative analysis  | 59              |
| 3.4.1.1.       | Test for reducing sugars  | 59              |
| 3.4.1.2.       | Test for phenols  | 60              |
| 3.4.1.3.       | Test for flavonoids   | 60              |
| 3.4.1.4.       | Test for resins   | 60              |
| 3.4.1.5.       | Test for free amino acids   | 60              |
| 3.4.1.6.       | Test for tannins  | 60              |
| 3.4.1.7.       | Test for alkaloids  | 60              |
| 3.4.1.8.       | Test for glycosides   | 61              |
| 3.4.1.9.       | Test for steroids   | 61              |
| 3.4.1.10.      | Test for saponins   | 61              |
| 3.4.1.11.      | Test for cardiac glycosides   | 61              |
| 3.4.1.12.      | Test for phlobatannins  | 61              |
| 3.4.1.13.      | Test for cardenolides   | 61              |
| 3.4.2.         | Quantitative analysis   | 62              |
| 3.4.2.1.       | Total polyphenol content  | 62              |
| 3.4.2.2.       | Total flavonoid content   | 62              |
| 3.4.2.3.       | Total flavonol content  | 62              |
| 3.4.2.4.       | Total chlorophyll content   | 62              |
| 3.4.2.5.       | Total carotenoid content  | 63              |
| 3.5.           | <i>In vitro</i> evaluation of antioxidant activity of herb and spice extracts   | 63              |
| 3.5.1.         | DPPH• free radical scavenging activity  | 63              |
| 3.5.2.         | Hydrogen peroxide scavenging activity   | 64              |
| 3.5.3.         | Superoxide anion scavenging activity  | 64              |
| 3.5.4.         | Nitric oxide (NO) scavenging activity   | 65              |
| 3.6.           | Evaluation of antimicrobial activity of methanolic extracts of herbs and spices | 65              |

| <b>Chapter</b> | <b>TABLE OF CONTENTS</b>   | <b>Page no.</b> |
|----------------|--|-----------------|
| 3.6.1.         | Preparation of media   | 65              |
| 3.6.2.         | Preparation of filter-sterilized methanolic extract                                | 66              |
| 3.6.3.         | Target bacterial strain  | 66              |
| 3.6.4.         | Growth conditions and maintenance  | 66              |
| 3.6.5.         | Preparation of bacterial inoculum  | 66              |
| 3.6.6.         | Preparation of paper disc  | 67              |
| 3.6.7.         | Disc-Agar diffusion assay  | 67              |
| 3.6.8.         | Determination of minimum inhibitory dose   | 67              |
| 3.7.           | Evaluation of anti-Quorum sensing activity of different herbs and spices           | 68              |
| 3.7.1.         | Preparation of media   | 68              |
| 3.7.2.         | Preparation of filter-sterilized methanolic extract                                | 69              |
| 3.7.3.         | Growth condition and maintenance   | 69              |
| 3.7.4.         | Preparation of standard inoculums  | 69              |
| 3.7.5.         | Preparation of paper disc  | 69              |
| 3.7.6.         | Preliminary screening for anti-QS potentiality against <i>C. violaceum</i> 2656    | 70              |
| 3.7.7.         | Bioassay for anti-QS activity against <i>C.violaceum</i> 2656                      | 70              |
| 3.7.7.1.       | Qualitative bioassay   | 70              |
| 3.7.7.1.1.     | Paper disc-agar diffusion assay  | 70              |
| 3.7.7.2.       | Quantitative bioassay  | 70              |
| 3.7.7.2.1.     | Violacein inhibition assay   | 70              |
| 3.7.8.         | Determination of effect on <i>Ps. aeruginosa</i> 2453 QS-mediated virulence factor | 71              |
| 3.7.8.1.       | Pyocyanin inhibition assay   | 71              |
| 3.7.8.2.       | Anti-swarming assay  | 72              |
| 3.7.8.3.       | Protease inhibitory assay  | 72              |
| 3.7.8.4.       | Biofilm inhibition assay   | 72              |
| 3.8.           | Evaluation of <i>in vivo</i> antidiabetic activity of herb and spice extracts      | 73              |

| <b>Chapter</b> | <b>TABLE OF CONTENTS</b>  | <b>Page no.</b> |
|----------------|---|-----------------|
| 3.8.1.         | Selection of plant material   | 73              |
| 3.8.2.         | Reconstitution of lyophilized methanolic extract into aqueous extract       | 73              |
| 3.8.3.         | <i>In vivo</i> test for antidiabetic activity                               | 73              |
| 3.8.3.1.       | Animal and housing condition  | 73              |
| 3.8.3.2.       | Animal ethical clearance  | 74              |
| 3.8.3.3.       | Acute TOX study   | 74              |
| 3.8.3.4.       | Induction of experimental diabetes in test animals                          | 74              |
| 3.8.3.5.       | Experimental design   | 75              |
| 3.8.3.6.       | Analytical procedure  | 76              |
| 3.8.3.6.1.     | Periodical measurement of body weight                                       | 76              |
| 3.8.3.6.2.     | Periodical estimation of blood glucose level                                | 76              |
| 3.8.3.6.3.     | Animal sacrifice  | 76              |
| 3.8.3.6.4.     | Collection of blood and preparation of serum                                | 76              |
| 3.8.3.6.5.     | Analysis of serum biochemical parameters                                    | 77              |
| 3.8.3.6.5.1.   | Analysis of serum lipid profile   | 77              |
| 3.8.3.6.5.1.1. | Estimation of total cholesterol   | 77              |
| 3.8.3.6.5.1.2. | Estimation of triglycerides   | 78              |
| 3.8.3.6.5.1.3. | Estimation of HDL-cholesterol   | 79              |
| 3.8.3.6.5.2.   | Analysis of liver function test (LFT)                                       | 79              |
| 3.8.3.6.5.2.1. | Estimation of SGPT/ALT (Alanine aminotransferase) level                     | 79              |
| 3.8.3.6.5.2.2. | Estimation of SGOT/AST (Aspartate aminotransferase) level                   | 80              |
| 3.8.3.6.5.3.   | Analysis of kidney function test (KFT)                                      | 81              |
| 3.8.3.6.5.3.1. | Estimation of urea level  | 81              |
| 3.8.3.6.5.3.2. | Estimation of creatinine level  | 82              |
| 3.9.           | Isolation, partial purification and characterization of bioactive compounds | 82              |
| 3.9.1.         | Preparation of methanolic extract by solid-liquid extraction                | 82              |
| 3.9.2.         | Solvent partitioning by liquid-liquid fractionation                         | 82              |

| <b>Chapter</b> | <b>TABLE OF CONTENTS</b>   | <b>Page no.</b> |
|----------------|--|-----------------|
| 3.9.3.         | Gas Chromatography-Mass Spectrometry analysis  | 82              |
| 3.9.4.         | Identification of chemical compounds   | 83              |
| 3.10.          | Statistical analysis   | 83              |
| 4.             | <b>Results</b>   | 84              |
| 4.1.           | Enumeration of selected herbs and spices   | 85              |
| 4.2.           | Effect of solvent on soluble extractive of different samples   | 86              |
| 4.3.           | Comparison of total moisture content of selected herbs and spices  | 85              |
| 4.4.           | Comparison of occurrences of phytochemicals in different herb and spice extracts                           | 95              |
| 4.5.           | Quantitative estimation of various biochemical components  | 100             |
| 4.5.1.         | Nutritional components   | 100             |
| 4.5.2.         | Quantification of phytochemical components   | 104             |
| 4.6.           | <i>In vitro</i> antioxidant activities of hot aqueous and methanolic extracts of different herbs andspices | 109             |
| 4.6.1.         | DPPH• free radical scavenging activity   | 109             |
| 4.6.2.         | Superoxide anion scavenging activity   | 115             |
| 4.6.3.         | Hydrogen peroxide scavenging activity  | 121             |
| 4.6.4.         | Nitric oxide scavenging activity   | 127             |
| 4.7.           | Antimicrobial activities of methanolic extracts of herbs and spices against different bacterial strains    | 134             |
| 4.8.           | Anti-quorum sensing activities of different herbs and spices   | 143             |
| 4.8.1.         | Comparison of anti-QS activity among different spice extracts  | 143             |
| 4.8.2.         | Inhibitory effect of <i>Iv</i> ME on violacein production in CV2656  | 144             |
| 4.8.3.         | Reduced secretion of <i>Ps. aeruginosa</i> MTCC 2453 virulence factors upon <i>Iv</i> ME treatment         | 148             |
| 4.8.4.         | Reduction in swarming motility after <i>Iv</i> ME treatment  | 150             |
| 4.8.5.         | Inhibitory effect of <i>Iv</i> ME on biofilm forming ability   | 151             |
| 4.9.           | Antidiabetic activities of methanolic extracts of selected herb and spice                                  | 152             |

| <b>Chapter</b>  | <b>TABLE OF CONTENTS</b>  | <b>Page no.</b> |
|-----------------|---|-----------------|
| <b>4.9.1.</b>   | Acute TOX study of <i>I. verum</i> and <i>G. oppositifolius</i> extracts                                  | 152             |
| <b>4.9.2.</b>   | Effect of different extracts on diabetic induced rats   | 152             |
| <b>4.9.2.1.</b> | Changes in body weight  | 152             |
| <b>4.9.2.2.</b> | Changes in blood sugar level  | 152             |
| <b>4.9.2.3.</b> | Changes in lipid profiles   | 154             |
| <b>4.9.2.4.</b> | Changes in liver enzyme (SGPT and SGOT) levels  | 156             |
| <b>4.9.2.5.</b> | Changes in kidney function test (urea and creatinine level)   | 156             |
| <b>4.10.</b>    | Partial characterization of active principles isolated from <i>IvME</i> and <i>GoME</i> by GC-MS analysis | 159             |
| <b>5.</b>       | <b>Discussion</b>   | 205             |
| <b>6.</b>       | <b>Conclusion</b>   | 223             |
| <b>7.</b>       | <b>Bibliography</b>   | 229             |
| <b>8.</b>       | <b>Appendices</b>   | 254             |