

List of Figures

Figure Number	Figure Caption	Page Number
1.1	The existing solution of the eight coins problem in the form of a decision tree.	5
2.1	The solution of the twelve coins problem in the form of a decision tree.	19
2.2	Solution of the two counterfeit coins problems among thirteen coins.	22
2.3	Explanation of Figure 2.2 when we get <i>greater than</i> answer.	23
2.4	Explanation of Figure 2.2 when we get <i>less than</i> answer in second symmetric.	23
2.5	Explanation of Figure 2.2 when we get three answer <i>balances, less than, greater than</i> .	24
2.6	Explanation of Figure 2.2 when we get <i>direct equal</i> answer following comparison will be considered.	24
2.7	Explanation of Figure 2.2 when we get <i>less than</i> answer following comparison will be considered.	24
3.1	The existing solution of the eight coins problem in the form of a decision tree [71].	49

3.2	A naive solution of the eight coins problem that has been solved with the help of a decision tree.	51
3.3	The first new solution of the eight coins problem in the form of a decision tree.	52
3.4	The second new solution of the eight coins problem in the form of a decision tree.	57
4.1	Decision tree for finding two equally heavier coins among n coins where $n/3$.	74
4.2	Decision tree for finding two equally heavier coins among n coins where $(n-1)/3$.	75
4.3	Decision tree for finding two equally heavier coins among n coins where $(n+1)/3$.	75
4.4	Decision tree for finding two equally heavier coins, where $n = 5$ coins.	76
4.5	Decision tree for finding two false coins given $\omega(L_1) = \omega(L_2)$ among n coins where $n/3$.	77
4.6	Decision tree for finding two false coins given $\omega(L_1) = \omega(L_2)$ among n coins where $(n-1)/3$.	78
4.7	Decision tree for finding two false coins given $\omega(L_1) = \omega(L_2)$ among n coins where $(n+1)/3$.	80
4.8	Decision tree for finding two unequally heavier coins among n coins where $n/3$.	80
4.9	Decision tree for finding two unequally heavier coins among n coins where $(n+1)/3$.	80

4.10	Decision tree for finding two unequally heavier coins among n coins where $(n-1)/3$.	81
4.11	Decision tree for finding two unequally heavier coins among five coins.	82
4.12	Decision tree for finding two false coins given $\omega(L_1) < \omega(L_2)$ among n coins where $n/3$.	83
4.13	Decision tree for finding two false coins given $\omega(L_1) < \omega(L_2)$ among n coins where $(n+1)/3$.	84
4.14	Decision tree for finding two false coins given $\omega(L_1) < \omega(L_2)$ among n coins where $(n-1)/3$.	84
4.15	This tree shows how the cardinality of the set decreases in each level of comparisons.	86
4.16	Graph with the average number of comparisons along y-axis and the total number of coins along x-axis considering (a) Case A (equally heavier or lighter), (b) Case B (unequally heavier or lighter).	88
5.1	Decision tree for finding two false coins given $\Delta(\omega(H)) > \Delta(\omega(L))$ among n coins where $n 3$.	91
5.2	Decision tree for finding two false coins given $\Delta(\omega(H)) > \Delta(\omega(L))$ among n coins where $(n+1) 3$.	92
5.3	Decision tree for finding two false coins given $\Delta(\omega(H)) > \Delta(\omega(L))$ among n coins where $(n-1) 3$.	92
5.4	Decision tree for finding two false coins given $\Delta(\omega(H)) > \Delta(\omega(L))$ among five coins.	93

5.5	Decision tree for finding two false coins given $\Delta(\omega(H)) < \Delta(\omega(L))$ among n coins where $n 3$.	95
5.6	Decision tree for finding two false coins given $\Delta(\omega(H)) < \Delta(\omega(L))$ among n coins where $(n+1) 3$.	98
5.7	Decision tree for finding two false coins given $\Delta(\omega(H)) < \Delta(\omega(L))$ among n coins where $(n-1) 3$.	98
5.8	Decision tree for finding two false coins given $\Delta(\omega(H)) < \Delta(\omega(L))$ among five coins.	99
5.9	Graph with the average number of comparisons along the y -axis and the total number of coins along x -axis considering $\Delta(\omega(H)) > \Delta(\omega(L))$.	100
6.1	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among n coins where $n 3$.	105
6.2	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among n coins where $(n+1) 3$.	106
6.3	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among n coins where $(n-1) 3$.	107
6.4	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among five coins.	109
6.5	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among six coins.	110
6.6	Decision tree for finding two false coins given $\Delta(\omega(H)) = \Delta(\omega(L))$ among four coins.	111

6.7	Graph with the average number of comparisons along y-axis and the total number of coins along x-axis considering case $\Delta\omega(H) = \Delta\omega(L)$.	113
7.1	(a) 6 coins or nodes with identical appearance form a complete graph. (b) Nodes 1 and 2 are false nodes with mutually different weight other than the standard (or correct) weight. (c) Nodes 1 and 2 are false having mutually equal weight.	115