

List of Tables

Table No.	Title	Page No.
Table 1.1	Composition of the monomers in the copolymers in terms of mole fraction determined by NMR and FT-IR spectroscopic method	39
Table 1.2	Intrinsic viscosity ($[\eta]$) values calculated by using different equations	39
Table 1.3	Viscometric constants (k) obtained for all homopolymer and copolymer samples	40
Table 1.4	Percentual differences ($\Delta \% = (100[\eta]/[\eta]_h) - 100$) obtained for intrinsic viscosity values, Huggins equation taken as a reference	41
Table 1.5	Viscometric molecular weight (M) values calculated by using different equations	41
Table 1.6	Percentual differences obtained for viscometric molecular weight values ($\Delta \% = (100[M/M_h] - 100)$), Huggins equation taken as a reference	42
Table 1.7	Base oil properties	42
Table 1.8	Dependence of Pour Point (PP) on the concentration of additives in base oil (BO1)	42
Table 1.9	Dependence of Pour Point (PP) on the concentration of additives in base oil (BO2)	43
Table 1.10	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO1)	43

Table 1.11	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO2)	44
Table 1.12	Composition of the monomers in the copolymers in terms of mole fraction determined by NMR and FT-IR spectroscopic method	68
Table 1.13	Intrinsic viscosity ($[\eta]$) values calculated by using different equations	68
Table 1.14	Viscometric constants (k) obtained for all homopolymer and copolymer samples	69
Table 1.15	Percentual difference ($\Delta \% = 100([\eta]/[\eta]_h) - 100$) obtained for intrinsic viscosity values, Huggins equation taken as reference	69
Table 1.16	Viscometric molecular weight (M) values calculated by using different equations	70
Table 1.17	Percentual difference ($\Delta \% = 100(M/M_h) - 100$) obtained for molecular weight values, Huggins equation taken as reference	70
Table 1.18	Base oil properties	71
Table 1.19	Pour Point (PP) of the additives doped in base oil (BO1)	71
Table 1.20	Pour Point (PP) of the additives doped in base oil (BO2)	72
Table 1.21	Dynamic viscosity values of the additives doped in base oil (BO1)	72
Table 1.22	Viscosity Index (VI) values of the additives doped in base oil (BO1)	73

Table 1.23	Dynamic viscosity values of the additives doped in base oil (BO2)	73
Table 1.24	Viscosity Index (VI) values of the additives doped in base oil (BO2)	74
Table 1.25	Composition of the monomers in the copolymers in terms of mole fraction determined by NMR and FT-IR spectroscopic method	96
Table 1.26	Intrinsic viscosity ($[\eta]$) values calculated by using different equations	96
Table 1.27	Viscometric constants (k) obtained for all prepared homopolymer and copolymer samples	97
Table 1.28	Viscometric molecular weight (M) values calculated by using different equations	98
Table 1.29	Base oil properties	98
Table 1.30	Dependence of Pour Point (PP) on the concentration of additives in base oil (BO1)	99
Table 1.31	Dependence of Pour Point (PP) on the concentration of additives in base oil (BO2)	99
Table 1.32	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO1)	100
Table 1.33	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO2)	100
Table 2.1	Composition of the monomers in the copolymers in terms of mole fraction determined by NMR and FT-IR spectroscopic	135

	method	
Table 2.2	Intrinsic viscosity $[\eta]$ values for all prepared polymer samples calculated by using different equations	135
Table 2.3	Viscometric constants (k) obtained for all prepared polymer samples	136
Table 2.4	Determination of viscometric molecular weight (M) by Mark Houwink equation	137
Table 2.5	Physical properties of base oils	137
Table 2.6	Pour Point (PP) of the additive doped Base oil (BO1)	138
Table 2.7	Pour Point (PP) of the additive doped Base oil (BO2)	138
Table 2.8	Viscosity Index (VI) values of the additive doped Base oil (BO1)	139
Table 2.9	Viscosity Index (VI) values of the additive doped Base oil (BO2)	139
Table 2.10	Result of biodegradability test by the disc diffusion method	140
Table 2.11	Result of biodegradability test by soil burial degradation test	140
Table 2.12	Composition of the monomers in the copolymers in terms of mass fraction determined by NMR and FT-IR spectroscopic method	163
Table 2.13	Intrinsic viscosity ($[\eta]$) values calculated by using different equations	163
Table 2.14	Viscometric constants (k) obtained for all prepared polymer samples	164
Table 2.15	Viscometric molecular weight (M) values of all prepared	164

	polymer samples	
Table 2.16	Base oil properties	165
Table 2.17	Pour Point (PP) of the additives doped in base oil (BO1)	165
Table 2.18	Pour Point (PP) of the additives doped in base oil (BO2)	165
Table 2.19	Dynamic viscosity values of the additives doped in base oil (BO1)	166
Table 2.20	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO1)	166
Table 2.21	Dynamic viscosity values of the additives doped in base oil (BO2)	167
Table 2.22	Dependence of Viscosity Index (VI) on the concentration of additives in base oil (BO2)	168
Table 2.23	Result of biodegradability test by the disc diffusion method	168
Table 2.24	Result of biodegradability test by soil burial degradation test	169