

TABLE OF CONTENTS

	Page No.
Abstract (3 pages)	i-iii
Preface (1 page)	iv
<hr/>	
List of Tables (1 page)	xii
List of Schemes (5 pages)	xiii- xvii
List of Figures (2 pages)	xviii-xix
List of Appendices (1 page)	xx
Appendix A: List of Research Publications (1 page)	xxi
Appendix B: Poster Presentations (1 page)	xxii
Abbreviation (2 pages)	xxiii-xxiv

Chapter I

A brief review on Carbon-hetero bond transformation reactions and carbon-hetero bond formation reactions

I.A. Introduction	2
I.B. Carbon-hetero bond transformation reactions	3
I.B.1 Synthesis of nitriles from aldehydes	3
I.B.2. Synthesis of nitriles from oximes	3
I.B.3. Synthesis of azobenzenes from anilines	4
I.B.4. Synthesis of nitriles from amides	4
I.B.5. Hofmann degradation reaction for conversion of amide to amine	4
I.B.6. Transamidation reaction	5
I.B.7. Conversion of acids to amides	5
I.B.8. Conversion of aldehydes to oximes	5
I.B.9. Beckmann rearrangement	6
I.B.10. Synthesis of disulphides from thiols	6
I.C. Carbon-hetero bond formation reactions	6
I.C.1. C-N bond formation reaction	6
I.C.2. C-O bond formation reaction	7
I.C.3. C-S bond formation reaction	7
I.C.4. C-P bond formation reaction	7
I.C.5. Synthesis of 5-substituted 1 <i>H</i> -tetrazoles from nitriles	8
I.C.6. Synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i>)-ones	8
I.C.7. Synthesis of 2-aminobenzoxazoles	9
I.C.8. Synthesis of 1,4-disubstituted 1,2,3-triazoles	9
I.C.9. Chan–Evans–Lam coupling reaction	9
I.C.10. Cu-catalyzed three-component synthesis of functionalized pyridines	10
I.D. Conclusion	10
I.E. References	10

Chapter II

FeCl₃-silica: A novel approach for the synthesis of nitriles from oximes

II.A. Introduction	12
II.A.1. Nitriles	12
II.A.2. Historical Background	13
II.A.3. Natural occurrence	14
II.A.4. Synthesis of nitriles using classical methods	15
II.A.4.1. Sandmeyer reaction	15
II.A.4.2. Rosenmund-von Braun reaction	15
II.A.4.3. Ammoxidation reaction	16
II.A.4.4. Friedel-Crafts-Karrer synthesis	16
II.A.4.5. Houben-Fischer synthesis	16
II.A.5. Modern methods for synthesis of nitriles	17
II.A.5.1. Synthesis of nitriles from aryl diazonium salts	18
II.A.5.2. Synthesis of nitriles using aryl halides and pseudohalides	19
II.A.5.3. Synthesis of nitriles using arylsulphonyl chlorides	20
II.A.5.4. Synthesis of nitriles using phenol derivatives	21
II.A.5.5. Synthesis of nitriles using organometallic reagents	21
II.A.5.6. Synthesis of nitriles by cyanation of aromatic C-H bonds	22
II.A.5.7. Synthesis of nitriles from methylarenes	22
II.A.5.8. Synthesis of nitriles from aryl-substituted alkynes	23
II.A.5.9. Synthesis of nitriles from aldehydes	23
II.A.5.10. Synthesis of nitriles from carboxylic acids	23
II.A.5.11. Synthesis of nitriles from benzyl alcohols	24
II.A.5.12. Synthesis of nitriles from amides	24
II.A.5.13. Synthesis of nitriles from oximes	24
II.A.6. Organic synthesis catalyzed by FeCl ₃	25
II.A.7. Silica gel supported Organic synthesis	26
II.B. Present Work	27
II.B.1. Result and discussion	27

II.C. Conclusion	31
II.D. Experimental	31
II.D.1. General Information	31
II.D.2. Procedure for the synthesis of nitrile from aldoxime	31
II.D.3. Spectroscopic data of synthesized nitriles	32
II.D.4. Scanned copies of ¹ H NMR, ¹³ C NMR and FT-IR of compounds	36
II.E. References	38

Chapter - III

L-ASCORBIC ACID MEDIATED METAL CATALYST FREE SYNTHESIS OF BIOLOGICALLY ACTIVE 5-SUBSTITUTED 1*H*-TETRAZOLE

III.A. Introduction	40
III.B. Background and Objectives	41
III.B.1. Classical method for synthesis of tetrazole	41
III.B.2. Modern methods of synthesis of 5-substituted 1 <i>H</i> -tetrazole s	41
III.B.3. Use of L-ascorbic acid in organic synthesis	45
III.C. Present Work	46
III.C.1. Result and discussion	47
III.C.2. Mechanism	51
III.C.3. Antimicrobial properties	52
III.D. Conclusion	52
III.E. Experimental	52
III.E.1. Material Apparatus	52
III.E.2. General procedure for the synthesis of tetrazole	53
III.E.3. Materials and methods for biological activity	53
III.E.3. Physical properties and spectroscopy data of synthesized 5-substituted 1 <i>H</i> -tetrazole derivatives	54
III. E.4. Scanned copies of ¹ H NMR, ¹³ C NMR and HRMS of compounds	69
III.F. References	61

Chapter-IV

Section A

PEG 300: An eco-friendly reaction medium for synthesis of 2-substituted quinazolin-4(3*H*)-one

IV.A.1. Introduction	63
IV.A.2. Background and Objectives	64
IV.A.2.1. Conventional procedure for synthesis	64
IV.A.2.2. Base catalyzed synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i>)-ones	64
IV.A.2.3. Acid catalyzed synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i>)-ones	64
IV.A.2.4. Transition metal salts catalyzed synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i>)-ones	65
IV.A.2.5. One-pot three-component synthesis of 2,3-dihydroquinazolin- 4(1 <i>H</i>)-ones	66
IV.A.2.6. Greener methods for Synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i>)-ones	67

Section B

PEG 300: An eco-friendly reaction medium for synthesis of 2-substituted quinazolin-4(3*H*)-one

IV.B.1. Introducton	69
IV.B.2. Background and Objectives	70
IV.B.2.1. Niementowski quinazolinone synthesis	70
IV.B.2.2. Synthesis of 4(3 <i>H</i>)-quinazolinones by one pot three component cyclocondensation reaction	70
IV.B.2.3. Synthesis of 4(3 <i>H</i>)-quinazolinones by oxidative heterocyclization	71
IV.B.2.4. Synthesis of 4(3 <i>H</i>)-quinazolinones from primary alcohols under hydrogen transfer strategy	71
IV.B.2.5. Synthesis of 4(3 <i>H</i>)-quinazolinones from aldehydes and ketones	72
IV.B.2.6. Synthesis of 4(3 <i>H</i>)-quinazolinones from isatin	73
IV.B.2.7. Three-component synthesis of 4(3 <i>H</i>)-quinazolines from benzyl chloride	74

IV.B.3. Peg as a mediator in organic synthesis	75
--	----

Section C

IV.C. Present Work	76
IV.C.1. Result and Discussion	76
IV.C.2. Mechanism	82
IV.C.3. Conclusion	82
IV.C.4. Experimental section	82
IV.C.4.1. General Information	82
IV.C.4.2. General procedure for the synthesis of 2,3-dihydroquinazolin -4(<i>1H</i>)-one derivatives	83
IV.C.4.3. General procedure for the synthesis of the quinazolin -4(<i>3H</i>)-ones	83
IV.C.4.4. Physical properties and spectroscopy data of synthesized 2-substituted-2,3-dihydroquinazolin-4(<i>1H</i>)-one derivatives and quinazolin-4(<i>3H</i>)-ones	83
IV.C.4.5. Scanned copies of ¹ H NMR, ¹³ C NMR	96
IV.D. References	99

CHAPTER V

Boric acid catalyzed transition metal free efficient synthesis of azobenzenes

V.A. Introduction	101
V.B. Background and objectives	102
V.B.1. Classical methods for synthesis of azobenzenes	102
V.B.1.1. Griess reaction	102
V.B.1.2. Knoevenagel synthesis	102
V.B.2. Modern methods for synthesis of diazo compounds	102
V.B.2.1. Azo coupling reaction	102
V.B.2.2. Mills reaction	103

V.B.2.3. Wallach reaction	103
V.B.2.4. Reduction of azoxybenzenes	104
V.B.2.5. Reductive coupling of aromatic nitro derivatives	105
V.B.2.6. Oxidation of anilines	105
V.B.2.7. Dehydrogenation of arylhydrazines for synthesis of azobenzenes	105
V.B.2.8. Dimerization reaction of diazonium salts	106
V.B.2.9. Thermolysis of azides	106
V.B.2.10. Reaction of arylcalcium derivatives with nitrous oxide	107
V.C. Present work	108
V.C.1. Result and discussion	108
V.C.2. Mechanism	111
V.C.3. Conclusion	111
V.D. Experimental	111
V.D.1. General Information	111
V.D.2. Procedure for the synthesis of azobenzenes from anilines	111
V.D.3. Spectroscopic data of synthesized azobenzenes	112
V.D.4. Scanned copies of ¹ H NMR, ¹³ C NMR and FT-IR of compounds	116
V.E. References	119

Bibliographic References

References for Chapter I	119
References for Chapter II	120
References for Chapter III	122
References for Chapter IV	124
References for Chapter V	126

Index