

**BIBLIOGRAPHY**  
**INDICES APPENDICES**

## Bibliography

AD Gupta, 2012. Anthropology, University of North Bengal, India.

Admetlla AF, Bosch E, Sikora M, Bonet TM, Soriano AR, Muntasell A. Balancing Selection Is the Main Force Shaping the Evolution of Innate Immunity Genes. *J Immunol*. 2008; 181: 1315-22.

Agarwal S, Srivastava SK, Borkar M, Chaudhuri TK. Genetic affinities of north and northeastern populations of India: inference from HLA-based study. *Tissue Antigens*. 2008; 72: 120- 30.

Agarwal S, Arundhati K, Bharadwaj U *et. al.* HLA antigens and haplotype frequencies in Bhargavas and Chaturvedies of UP (India). *Ind J Hum Genet*. 1999; 5: 25-30.

Ahern DJ, Brennan FM. The role of Natural Killer cells in the pathogenesis of rheumatoid arthritis: major contributors or essential homeostatic modulators? *Immunol Lett*. 2011; 136: 115-21.

Akashi S, Nagai Y, Ogata H, *et al.* Human MD-2 confers on mouse toll-like receptor 4 species-specific lipopolysaccharide recognition. *Int Immunol*. 2001; 13: 1595–9.

Akira S, Takeda K, Kaisho T. Toll-like receptors: critical proteins linking innate and acquired immunity. *Nat Immunol* 2001; 2: 675–80.

Akira S, Uematsu S, Takeuchi O. Pathogen recognition and innate immunity. *Cell*. 2006, 124: 783– 801.

Albani S, Keystone EC, Nelson JL, Ollier WE, La Cava A, Montemayor AC, Carson DA. Positive selection in autoimmunity: abnormal immune responses to a bacterial dnaJ antigenic determinant in patients with early rheumatoid arthritis. *Nat med*. 1995 ; 1: 448-52.

Aletaha D, Nell VP, Stamm T, Uffmann M, Pflugbeil S, Machold K, Smolen JS. Acute phase reactants add little to composite disease activity indices for rheumatoid arthritis: validation of a clinical activity score. *Arthritis res & ther.* 2005; 7: R796- 06.

Aletaha D, Smolen J, Ward MM. Measuring function in rheumatoid arthritis: identifying reversible and irreversible components. *Arthritis & Rheum.* 2006; 54: 2784-92.

Aletaha D, Smolen JS. The definition and measurement of disease modification in inflammatory rheumatic diseases. *Rheum Dis Clin North Am.* 2006; 32: 9-44.

Alexopoulou L, Desnues B, Demaria O. Toll-like receptor 8: the awkward TLR. *Med Sci (Paris).* 2012; 28: 96–102.

Altman DG. Practical statistics for medical research. London: Chapman and Hall. 1991.

Anderson DL. TNF Inhibitors: A New Age in Rheumatoid Arthritis Treatment: This class of biologic response modifiers inhibits the inflammatory process that underlies rheumatoid arthritis. But adverse effects may be severe. *AJN.* 2004; 104: 60-68.

Anolik JH, Looney RJ, Lund FE, Randall TD, Sanz I. Insights into the heterogeneity of human B cells: diverse functions, roles in autoimmunity, and use as therapeutic targets. *Immunol res.* 2009; 45: 144-58.

Aramaki T, Ida H, Izumi Y, Fujikawa K, Huang M, Arima K, Origuchi T. A significantly impaired natural killer cell activity due to a low activity on a per-cell basis in rheumatoid arthritis. *Mod Rheumatol.* 2009; 19: 245-52.

Arbour NC, Lorenz E, Schutte B. *et al.* TLR4 mutations are associated with endotoxin hypo responsiveness in humans. *Nat Genet.* 2000; 25: 187–91.

Hodgkinson CP, Ye S. Toll-like receptors, their ligands, and atherosclerosis. *Sci World J.* 2011; 11: 437-53.

Arch RH, Gedrich RW, Thompson CB. Tumor necrosis factor receptor-associated factors (TRAFs) - a family of adapter proteins that regulates life and death. *Genes Dev.* 1998; 12: 2821–30.

Arnett FC, Edworthy SM, Bloch DA, *et. al.* The American Rheumatism Association 1987 revised criteria for the classification of rheumatoid arthritis. *Arthritis Rheum.* 1988; 31: 315–24.

Askar E, Ramadori G, Mihm S. Toll-like receptor 7 rs179008/Gln11Leu gene variants in chronic hepatitis C virus infection. *J Med Virol.* 2010; 82: 1859-68.

B Willie, NB Hall, CM Stein, RJ Jurevic, A Weinberg, RK Mehlotra, PA Zimmerman. Association of Toll-like receptor polymorphisms with HIV status in North Americans. *Genes Immun.* 2014; 15: 569–77.

Bafica A, Scanga CA, Schito M, Chaussabel D, Sher A. Influence of Coinfecting Pathogens on HIV Expression: Evidence for a Role of Toll-Like Receptors. *J Immunol.* 2004; 172: 7229–34.

Balakrishnan K, Pitchappan RM, Suzuki K, Kumar US, Shanthakumari R, Tokunaga K. HLA affinities of Iyers: A Bhramin population of Tamil Nadu, South India. *Human Biolog.* 1996; 68: 523-37.

Balakrishnan V. A preliminary study of genetic diseases among some populations of the Indian Subcontinents. *Hum. Evol.* 1978; 7: 67-68.

Balsa A, Carmona L, González-Alvaro I, Belmonte MA, Tena X, Sanmartí R, EMECAR Study Group. Value of Disease Activity Score 28 (DAS28) and DAS28-3 compared to American College of Rheumatology-defined remission in rheumatoid arthritis. *The J Rheumatolo.* 2004; 31, 40-46.

Bamshad M, Wooding S, Benjamin A, Salisbury and J, Claiborne Stephens C. Deconstructing the relationship between genetics and race. *Nature Rev Genet.* 2004; 5: 598-009.

Barreiro LB, Ben-Ali M, Quach H, Laval G, Patin E, Pickrell JK, Bouchier C, Tichit M, Neyrolles O, Gicquel B *et. al.* Evolutionary dynamics of human Toll-like receptors and their different contributions to host defense. *PLoS Genet.* 2009; 5:e1000562.

Barrett EM, Scott DG, Wiles NJ, Symmons DP M. The impact of rheumatoid arthritis on employment status in the early years of disease: a UK community-based study. *Rheumatology.* 2000; 39: 1403-09.

Bartok B, Firestein GS. Fibroblast-like synoviocytes: key effector cells in rheumatoid arthritis.

*Immunol rev.* 2010, 233: 233-55.

Baumler AJ, Tsois RM, Ficht TA, Adams LG. Evolution of host adaptation in *Salmonella enteric.* *Infect Immun.* 1998; 66: 4579-87.

Ben-Ali M, Barbouche MR, Bousnina S, Chabbou A, Dellagi K. Toll like receptor 2 Arg677Trp polymorphism is associated with susceptibility to tuberculosis in Tunisian patients. *Clin Diagn Lab Immunol.* 2004; 11:625–6.

Bhuvanendran S , Hani M. Hussin B , Lila P. Meran B , Amy A. Anthony A , Leilei Zhang C , Lauranell H. Burch. Toll-like receptor 4 Asp299Gly and Thr399Ile polymorphisms and typhoid susceptibility in Asian Malay population in Malaysia. *Microbes and Infect.* 2011; 13: 844-51.

Blass S, Engel JM, Burmester GR. The immunologic homunculus in rheumatoid arthritis. *Arthritis & Rheum.* 1999; 42: 2499-506.

Bochud PY, Hersberger M, Taffe P, Bochud M, Stein CM, Rodrigues SD. Polymorphisms in Toll-like receptor 9 influence the clinical course of HIV-1 infection. *AIDS.* 2007; 21: 441-46.

Bochud PY, Hawn TR, Aderem A. Cutting edge: a toll-like receptor 2 polymorphism that is associated with lepromatous leprosy is unable to mediate mycobacterial signaling. *J Immunol.* 2003; 170: 3451–4.

Boers M, Tugwell P, Felson DT, Van Riel PL, Kirwan JR, Edmonds JP, Muirden KD. World Health Organization and International League of Associations for Rheumatology core endpoints for symptom modifying antirheumatic drugs in rheumatoid arthritis clinical trials. *J Rheumatol*. 1994, 21: 86-9.

Botos I, Segal DM, Davies DR. The Structural Biology of Toll-Like Receptors. *Structure*. 2011; 194: 447–59.

Brenchley JM, Price DA, Schacker TW, et al. Microbial translocation is a cause of systemic immune activation in chronic HIV infection. *Nat Med*. 2006; 12:1365-1371.

Bruynesteyn K, van der Heijde D, Boers M, Saudan A, Peloso P, Paulus H, Boonen A. Determination of the minimal clinically important difference in rheumatoid arthritis joint damage of the Sharp/van der Heijde and Larsen/Scott scoring methods by clinical experts and comparison with the smallest detectable difference. *Arthritis Rheum*. 2002; 46: 913-20.

Bruynesteyn K, van der Heijde D, Boers M, van der Linden S, Lassere M, van der Vleuten C. The Sharp/van der Heijde method out-performed the Larsen/Scott method on the individual patient level in assessing radiographs in early rheumatoid arthritis. *J clin epidemiol*. 2004; 57: 502-512.

Buchanan HM, Preston SJ, Brooks PM, Buchanan WW. Is diet important in rheumatoid arthritis? *Rheumatology*. 1991; 30: 125-34.

Bulut Y, Faure E, Thomas L, Equils O, Arditi M. Cooperation of Toll like receptor 2 and 6 for cellular activation by soluble tuberculosis factor and *Borrelia burgdorferi* outer surface protein A lipoprotein: role of Toll-interacting protein and IL-1 receptor signaling molecules in Toll-like receptor 2 signaling. *J Immunol*. 2002; 167: 987–94.

Cann RL. Genetic clues to dispersal of human populations: retracing the past from the present. *Science*. 2001; 291: 1742-48.

Carson DA. Rheumatoid factor. In Kelly WN, Harris ED, Ruddy S, Sledge CB (ed): (eds). Textbook of Rheumatology. Vol Philadelphia, Saunders, 1993.

Carty M, Bowie AG. Recent insights into the role of Toll-like receptors in viral infection. *Clin Exp Immunol* 2010; 161: 397–06.

Cascao R, Rosario HS, Souto-Carneiro MM, Fonseca JE. Neutrophils in rheumatoid arthritis: more than simple final effectors. *Autoimmun rev.* 2010; 9: 531-5.

Cavalla- Sforza LL, Feldman MW. The application of molecular genetic approaches to the study of human evolution. *Nat genet.* 2003; 33: 266-75.

Cavalla- Sforza LL, Menozzi P, Piazza A. The history and geography of human genes. Princeton University Press, Princeton. 1994.

Cavalla- Sforza LL. The DNA revolution in population genetics. *Trends Genet.* 1998; 14: 60-5.

Chakraborty R, Kamboh MI, Nwankwo M, Ferrell RE. Caucasian genes in American blacks: new data. *Am. J Hum. Genet.* 1992; 50: 145-55.

Chakravarti A, Raquil MA, Tessier P, Poubelle PE. Surface RANKL of Toll-like receptor 4–stimulated human neutrophils activates osteoclastic bone resorption. *Blood.* 2009; 114: 1633-44.

Chamberlain ND, Volin, Vila M, Arami OM, Volkov S, Shahrara SS. Expression Of TLR5 Strongly Correlates With Levels Of TNF-A And DAS28 In RA Monocytes And Ligation Of TLR5 Induces Angiogenesis In RA. *Arthritis Rheum.* 2012, 64:2454.

Chang JJ, Altfeld M. TLR-mediated immune activation in HIV. *Blood.* 2009, 113: 377.

Cheung VG, Spielman RS. The genetics of variation in gene expression. *Nat Genet.* 2002; 32: 522-25.

Chhaya SU. HLA-B27 polymorphism in Mumbai, Western India. *Tissue Antigen.* 2005; 66: 48.

Chiou- Huey Wang, Hock- Liew Eng, Kuei-Hsiang Lin, Cheng-Hsien Chang, Chi-An Hsieh, Yen-Li Lin, Tsun-Mei Lin. TLR7 and TLR8 Gene Variations and Susceptibility to Hepatitis C Virus Infection. *PLoS One*. 2011; 6:1-8.

Choy EH, Panayi GS. Cytokine pathways and joint inflammation in rheumatoid arthritis. *N Engl J Med*. 2001; 344: 907-16.

Cohen DE, Walker BD. Human immunodeficiency virus pathogenesis and prospects for immune control in patients with established infection. *Clin Infect Dis* 2001; 32:1756–68.

Cook DN, Pisetsky DS, Schwartz DA. Toll-like receptors in the pathogenesis of human disease. *Nat. Immunol*. 2004; 5: 975–79.

Cope AP. Studies of T-cell activation in chronic inflammation. *Arthritis Res Ther*. 2002; 4: S197-11.

Crump JA, Luby SP, Mintz ED. The global burden of typhoid fever. *Bull World Health Organ*. 2004; 82: 346–53.

Cua DJ, Tato CM. Innate IL-17-producing cells: the sentinels of the immune system. *Nat Rev Immunol*. 2010; 10: 479-89.

Reich D, Thangaraj K, Patterson N, Price AL, Singh L. *Nature*. 2009; 461: 489–494.

Dalbeth N, Callan MF. A subset of natural killer cells is greatly expanded within inflamed joints. *Arthritis Rheum*. 2002; 46: 17: 63-72.

Dalgic N, Tekin D, Kayaalti Z, Cakir E, Soylemezoglu T, Sancar M. Relationship between toll-like receptor 8 gene polymorphisms and pediatric pulmonary tuberculosis. *Dis Markers*. 2011; 31: 33-38.

Das A, Guha P, Chaudhuri, T.K. Environmental selection influences the diversity of TLR genes in Ethnic Rajbanshi population of North Bengal Region of India. *JGEB*. 2016; 14: 241-45.



Das H, Atsumi T, Fukushima Y, Shibuya H, Ito K, Yamada Y, Koike, T. Diagnostic value of antiagalactosyl IgG antibodies in rheumatoid arthritis. *J Clin rheumatol*. 2004; 23: 218-22.

Data highlights: The scheduled tribes Census of India Source: Office of the Registrar General, India. 2001; 1-5.

Davignon JL, Hayder M, Baron M, Boyer JF, Constantin A, Apparailly F, Cantagrel A. Targeting monocytes/macrophages in the treatment of rheumatoid arthritis. *Rheumatology*. 2012; 52: 590-8.

De Cock KM, Mbori-Ngacha D, Marum E. Shadow on the continent: public health and HIV/AIDS in Africa in the 21st century. *Lancet*, 2002; 360: 67–72.

Debnath M, Palanichamy MG, Mitra B, Jin JQ, Chaudhuri TK, Zhang YP. Y-chromosome haplogroup diversity in the sub-Himalayan Terai and Duars population of East India, *J. Hum. Genet*. 2011; 56 : 765–771.

De Jong HK, Parry CM, van der Poll T, Wiersinga WJ. Host– Pathogen Interaction in Invasive Salmonellosis. *PLoS Pathog*. 2012; 8: 1-9.

Dejaco C, Klotz W, Larcher H, Duftner C, Schirmer M, Herold M. . Diagnostic value of antibodies against a modified citrullinated vimentin in rheumatoid arthritis. *Arthritis res ther*. 2006; 8: R119.

Del Rincon I, Battafarano DF, Arroyo RA, Murphy FT, Fischbach M, Escalante A. Ethnic variation in the clinical manifestations of rheumatoid arthritis: role of HLA–DRB1 alleles. *Arthritis Care Res*. 2003; 49: 200-8.

Demirci F, Y. Manzi S, Ramsey-Goldman R, Kenney M, Shaw PS, Dunlop-Thomas. Association study of Toll-like receptor 5 (TLR5) and Toll-like receptor 9 (TLR9) Polymorphisms in systemic lupus erythematosus. *J Rheumatol*. 2007; 34: 1708-11.

Di Santo, J. P. Natural killer cell developmental pathways: a question of balance. *Annu. Rev. Immunol*. 2006; 24: 257-86.

Dissick A, Redman RS, Jones M, Rangan BV, Reimold A, Griffiths GR, Mikuls TR, Amdur RL, Richards JS, Kerr GS. Association of periodontitis with rheumatoid arthritis: a pilot study. *J Periodontol.* 2010; 81: 223-30.

Drossaers-Bakker KW, Kroon HM, Zwinderman AH, Breedveld FC, Hazes JMW. Radiographic damage of large joints in long-term rheumatoid arthritis and its relation to function. *Rheumatology.* 2000; 39: 998-03.

Drossaers-Bakker KW, Amesz E, Zwinderman AH, Breedveld FC, Hazes JM. A comparison of three radiologic scoring systems for the long-term assessment of rheumatoid arthritis: findings of an ongoing prospective inception cohort study of 132 women followed up for a median of twelve years. *Arthritis Rheum.* 2000; 43:1465-72.

Dunstan SJ, Hawn TR, Hue NT, Parry CP, Ho VA, Vinh H, Diep TS, House D, Wain J, Aderem A, Hein TT, Farrar JJ. Host susceptibility and clinical outcomes in Toll-like receptor 5-deficient patient with Typhoid fever in Vietnam. *J Infect Dis.* 2005; 191: 1068-71.

Eaaswarkhanth M, Dubey B, Meganathan PR, Ravesh Z, Khan FA, Singh L, Thangaraj K. Diverse genetic origin of Indian Muslims: evidence from autosomal STR loci. *J. Hum. Genet.* 2009; 54: 340–348.

Ebringer A, Khalafpour S, Wilson C. Rheumatoid arthritis and Proteus: a possible aetiological association. *Rheumatol int.* 1989; 9: 223-228.

Egger MJ, Huth DA, Ward JR, Reading JC, Williams HJ. Reduced joint count indices in the evaluation of rheumatoid arthritis. *Arthritis Rheumatol.* 1985; 28: 613-19.

Fan L, Wang Q, Liu R, Zong M, He D, Zhang H, Ma J. Citrullinated fibronectin inhibits apoptosis and promotes the secretion of pro-inflammatory cytokines in fibroblast-like synoviocytes in rheumatoid arthritis. *Arthritis res ther.* 2012; 14: R266.

Farhat K, Riekenberg, S. Heine, H. Debarry J, Lang, R. Mages, J. et al.. Heterodimerization of TLR2 with TLR1 or TLR6 expands the ligand spectrum but does not lead to differential signaling. *J. Leukoc. Biol.* 2008; 83: 692–701.

Feldman M. Molecular mechanisms involved in human autoimmune diseases: relevance of chronic antigen presentation. Class II expression and cytokine production. *Immunology.* 1989; 68: 66-71.

Feldmann M, Brennan FM, Maini RN. Role of cytokines in rheumatoid arthritis. *Annual review of immunology.* 1996; 14: 397-440.

Felson DT, Anderson JJ, Boers M, Bombardier C, Chernoff M, Fried B, Paulus H. The American College of Rheumatology preliminary core set of disease activity measures for rheumatoid arthritis clinical trials. *Arthritis Rheumatol.* 1993; 36: 729-40.

Forsdyke DR. Reciprocal Relationship between Stem-Loop Potential and Substitution Density in Retroviral Quasispecies under Positive Darwinian Selection. *J Mol Evol.* 1995; 41, 1022-37.

Fox DA. The role of T cells in the immunopathogenesis of rheumatoid arthritis. New perspectives. *Arthritis Rheum.* 1997; 40: 598-09.

Fransen J, Creemers MCW, Van Riel PLCM. Remission in rheumatoid arthritis: agreement of the disease activity score (DAS28) with the ARA preliminary remission criteria. *Rheumatology.* 2004; 43: 1252-55.

Fransen J, Van Riel PL. The Disease Activity Score and the EULAR response criteria. *Clin exp rheumatol.* 2005; 23: S93.

Fries JF, Bloch DA, Sharp JT, McShane DJ, Spitz P, Bluhm GB, Weissman B. Assessment of radiologic progression in rheumatoid arthritis. A randomized, controlled trial. *Arthritis Rheum.* 1986; 29: 1-9.

Fries JF, Spitz P, Kraines RG, Holman HR. Measurement of patient outcome in arthritis. *Arthritis Rheumatol.* 1980; 23: 137-45.

Gaffen SL. The role of interleukin-17 in the pathogenesis of rheumatoid arthritis. *Current rheumatology reports.* 2009; 11: 365-70.

Glazko G, Veeramachaneni V, Nei M, Makałowski W. Eighty percent of proteins are different between humans and chimpanzees. *Gene.* 2005; 14: 346: 215-9.

Goldbach-Mansky R, Lee J, McCoy A, Hoxworth J, Yarboro C, Smolen JS, Zhou ZJ. Rheumatoid arthritis associated autoantibodies in patients with synovitis of recent onset. *Arthritis Res Ther.* 2000; 2: 236-43.

Goldring SR, Gravalles EM. Pathogenesis of bone erosions in rheumatoid arthritis. *Curr opin rheumatol.* 2000; 12: 195-99.

Gonzalez-Escobedo G, Marshall JS, Gunn J.S. Chronic and acute infection of the gall bladder by *Salmonella typhi*: understanding the carrier state. *Nature.* 2010; 9: 9-14.

Gorbea, C. Makar, K. A. Pauschinger, M. Pratt, G. Bersola, J. L. Varela, J. David, R. M. Banks, L. Huang, C. H. Li, H. Schultheiss, H. P. Towbin, J. A. Vallejo, J. G. Bowles, N. E. A role for Toll-like receptor 3 variants in host susceptibility to enteroviral myocarditis and dilated cardiomyopathy. *J Biol Chem.* 2010; 285: 23208-23.

Gorman JD, Lum RF, Chen JJ, Suarez-Almazor ME, Thomson G, Criswell LA. Impact of shared epitope genotype and ethnicity on erosive disease: a meta-analysis of 3,240 rheumatoid arthritis patients. *Arthritis Rheum.* 2004; 50: 400-12.

Gravalles, EM, Goldring SR. Cellular mechanisms and the role of cytokines in bone erosions in rheumatoid arthritis. *Arthritis Rheumatol.* 2000; 43: 2143-51.

Greenblatt MB, Aliprantis A, Hu B, Glimcher LH. Calcineurin regulates innate antifungal immunity in neutrophils. *J Exp Med.* 2010; 207: 923-31.

Gregersen PK, Silver J, Winchester RJ. The shared epitope hypothesis. An approach to understanding the molecular genetics of susceptibility to rheumatoid arthritis. *Arthritis Rheum.* 1987; 30: 1205-13.

Groisman EA, Mouslim C. Sensing by bacterial regulatory systems in host and non-host environments. *Nat Rev Microbiol.* 2006; 4: 705–9.

Guha P, Das A, Dutta S, Halder B, Chaudhuri TK. Association of KIR and TLR with rheumatoid arthritis among the patients of Siliguri and adjoining areas.2018. (Communicated)

Guha P. Das A. Dutta S. Chaudhuri TK. A Rapid and Efficient DNA Extraction Protocol from Fresh and Frozen Human Blood Samples. *JCLA.* 2017; doi: 10.1002/jcla.22181.

Guillemin F, Billot L, Boini S, Gerard N, Odegaard S, Kvien TK. Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. *J rheumatol.* 2005; 32: 778-86.

Gutala R, Denise R, Silva, C, Li Jin, L, Yngvadottir B, Avadhanula V, Nanne K et al. A Shared Y-chromosomal Heritage between Muslims and Hindus in India. *Hum Genet* 2006; 120: 543– 51.

H Laayouni, M Oosting, P Luisi ,M Ioana, S Alonso, IR Ponce, *PNAS* 2014; 111: 2668–73.

Halldorsdottir HD, Jonsson T, Thorsteinsson J, Valdimarsson H. A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor. *Ann rheum dis.* 2000; 59: 149-51.

Han C, Jin J, Xu S, Liu H, Li N, Cao X. Integrin CD11b negatively regulates TLR-triggered inflammatory responses by activating Syk and promoting degradation of MyD88 and TRIF via Cbl-b. *Nat Immunol.* 2010; 11:734–42.

Hanna J, Gonen-Gross T, Fitchett J, Rowe T, Daniels M, Arnon TI, Porgador A. Novel APC-like properties of human NK cells directly regulate T cell activation. *J clin investig.* 2004; 114: 1612-23.

Haringman JJ, Gerlag DM, Zwinderman AH, Smeets TJ, Kraan MC, Baeten D, Tak PP. Synovial tissue macrophages: a sensitive biomarker for response to treatment in patients with rheumatoid arthritis. *Ann rheum dis.* 2005; 64: 834-8.

Hawn, T. R. Verbon, A. Lettinga, K. D. Zhao, L. P. Li, S. S. Laws. A common dominant TLR5 stop codon polymorphism abolishes flagellin signaling and is associated with susceptibility to legionnaires' disease. *J Exp Med.* 2003; 198: 1563-72.

Hawn, T. R. Wu, H. Grossman, J. M. Hahn, B. H. Tsao, B. P. Aderem, A. A stop codon polymorphism of Toll-like receptor 5 is associated with resistance to systemic lupus erythematosus. *Proc Natl Acad Sci U S A.* 2005; 102: 10593-597.

Hayashi F, Means TK, Luster AD. Toll-like receptors stimulate human neutrophil function. *Blood.* 2003; 102: 2660-69.

Hayer S, Tohidast-Akrad M, Haralambous S, Jahn-Schmid B, Skriner K, Trembleau S, Muller S. Aberrant expression of the autoantigen heterogeneous nuclear ribonucleoprotein-A2 (RA33) and spontaneous formation of rheumatoid arthritis-associated anti-RA33 autoantibodies in TNF- $\alpha$  transgenic mice. *J Immunol.* 2005; 175: 8327-36.

Hirohata S, Yanagida T, Itoh K, Nakamura H, Yoshino S, Tomita T, Ochi T. Accelerated generation of CD14<sup>+</sup> monocyte-lineage cells from the bone marrow of rheumatoid arthritis patients. *Arthritis Rheum.* 1996; 39: 836-43.

Hirohata S, Yanagida T, Koda M, Koiwa M, Yoshino SI, Ochi T. Selective induction of igm rheumatoid factors by CD14<sup>+</sup> monocyte-lineage cells generated from bone marrow of patients with rheumatoid arthritis. *Arthritis Rheumatol.* 1995; 38: 384-88.

HIV Transmission through breastfeeding: A Review of Available Evidence. An Update from 2001 to 2007. WHO. 2007.

Holoshitz J, Klajman A, Drucker I, Lapidot Z, Yaretzky A, Frenkel A, Cohen I. T lymphocytes of rheumatoid arthritis patients show augmented reactivity to a fraction of mycobacteria cross-reactive with cartilage. *The Lancet*. 1986; 328:305-309.

Hornig T, Barton GM, Flavell RA, Medzhitov R. The adaptor molecule TIRAP provides signaling specificity for Toll-like receptors. *Nature* 2002, 420: 329–33.

Huang QQ, Pope RM: Role of Toll like receptors in rheumatoid arthritis. *Curr Rheumatol Rep*. 2009; 11: 357–364.

Hue NT, Lanh MN, Phuong LT, Vinh H, Chinh NT, Hien TT et al. Toll-Like Receptor 4 (TLR4) and Typhoid Fever in Vietnam. *PLoS ONE*. 2009; 4: e4800. doi:10.1371/journal.pone.0004800.

Hue NT, Lanh MN, Phuong LT, Vinh H, Chinh NT, Hien TT, Hieu NT, Farrar JJ, Dunstan SJ. Toll-like receptor 4 (TLR4) and Typhoid fever in Vietnam. *PLOS ONE*. 2009; 4: e4800.

Huik K, Avi R, Pauskar M, Kallas E, Jõgeda EL, Karki T. Association between TLR3 rs3775291 and resistance to HIV among highly exposed Caucasian intravenous drug users. *Infect Genet Evol*. 2013; 20: 78-82.

Ibarra JA, Steele-Mortimer O. Salmonella—the ultimate insider. Salmonella virulence factors that modulate intracellular survival. *Cell Microbiol*. 2009; 11: 1579–86.

India HIV Estimations 2015. National AIDS Control Organisation & National Institute of Medical Statistics, ICMR. 2015. Ministry of Health & Family Welfare. Government of India.

Ingegnoli F, Castelli R, Gualtierotti R. Rheumatoid Factors: Clinical Applications. *Dis Markers*. 2013; 35: 727–34.

Irvine, KL, Hopkins, LJ, Gangloff, M, Bryant, CE. The molecular basis for recognition of bacterial ligands at equine TLR2, TLR1 and TLR6. *Vet Res.* 2013, 44: 50

Issac JD, Moreland LW. Fast facts: rheumatoid arthritis. 2<sup>nd</sup> ed. Abingdon Health press.

Itoh T, Martin W, Nei M. Acceleration of genomic evolution caused by enhanced mutation rate in endocellular symbionts. *Proc. Natl. Acad. Sci. USA.* 2002; 99: 12944-48.

Iwamoto T, Ikari K, Nakamura T, Kuwahara M, Toyama Y, Tomatsu T, Kamatani N. (2006). Association between PADI4 and rheumatoid arthritis: a meta-analysis. *Rheumatology.* 2006 ;45: 804-7.

Jacobsson LTH, Knowler WC, Pillemer S, et al. Rheumatoid arthritis and mortality. A longitudinal study in Pima Indians. *Arthritis Rheum.* 1993; 36:1045–53.

Jaen O, Teixeira EP, Kirsten H, Ahnert P, Semerano L, Pierlot C et al. No evidence of major effects in several Toll-like receptor gene polymorphisms in rheumatoid arthritis. *Arthritis Res Ther.* 2009; 11: R5.

Jaini R, Kaur G, Mehra NK. Heterogeneity of HLA- DRB1\*04 and its associated haplotypes in the North Indian population. *Hum. Immunol.* 2002; 63: 24-29.

James D, Young A, Kulinskaya E, Knight E, Thompson W, Ollier W. Early Rheumatoid Arthritis Study Group. Orthopaedic intervention in early rheumatoid arthritis. Occurrence and predictive factors in an inception cohort of 1064 patients followed for 5 years. *Rheumatology.* 2000; 43: 369-76.

James DA, Young E, Kulinskaya E, Knight W, Thompson W, Dixey OJ. Early Rheumatoid Arthritis Study Group. Orthopaedic intervention in early rheumatoid arthritis. Occurrence and predictive factors in an inception cohort of 1064 patients followed for 5 years. *Rheumatology.* 2004; 43: 369-76.

Janeway C, A, Jr. Medzhitov, R. Innate immune recognition. *Annu Rev Immunol.* 2002; 20:197–16.



- Janeway, C.A., Jr. Approaching the asymptote? Evolution and revolution in immunology. Cold Spring Harb. Symp. *Quant. Biol.* 1989, 54: 1–13.
- Jantti J, Kaarela K, Kautiainen H, Isomaki H, Aho K. Radiographic remission in seropositive rheumatoid arthritis. A 20-year follow-up study. *Clin exp rheumatol.* 2001; 19: 573-76.
- Jawaheer D, Lum RF, Amos CI, Gregersen PK, Criswell LA. Clustering of disease features within 512 multicase rheumatoid arthritis families. *Arthritis Rheumatol.* 2004; 50: 736-41.
- Joaquim F, Pujol T, Cavalla- Sforza LL. Palaeolithic populations and waves of advance. *Cambridge archaeological journal.* 2004; 15: 53-61.
- Jones E, Hanley JG, Mooney R, Rand LL, Spurway PM, Eastwood BJ, Jones JV. Strength and function in the normal and rheumatoid hand. *J Rheumatol.* 1991; 18: 1313-8.
- Jorde LB, Stephen P, Wooding P. Genetic variation, classification and 'race'. *Nat genet.* 2004; 36: S28 - S33.
- Kang, TJ. Chae, GT. Detection of toll-like receptor 2 (TLR2) mutation in the lepromatous leprosy patients. *FEMS Immunol Med Microbiol.* 2001; 31: 53–8.
- Kang, TJ. Lee, SB. Chae, GT. A polymorphism in the toll-like receptor 2 is associated with IL-12 production from monocyte in lepromatous leprosy. *Cytokine.* 2002; 20: 56–62.
- Kanungo S, Dutta S, Sur D. Epidemiology of typhoid and paratyphoid fever in India. *J Infect Developing Countries.* 2008; 2:454-460.
- Kawai T, Akira S. The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors. *Nat Immunol.* 2010; 11: 373–84.
- Kawai, T. Akira, S. The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors. *Nat Immunol.* 2010; 11: 373–84.
- Kawasaki T, Kawai T. Toll-like receptor signaling pathways. *Front Immunol.* 2014; 5: 1-8.

Kayagaki N, Phung Q, Chan S, Chaudhari R, Quan C, O'Rourke KM, et al. DUBA: a deubiquitinase that regulates type I interferon production. *Science* 2007; 318:1628–32.

Kellgren JH, Bier F. Radiological signs of rheumatoid arthritis: a study of observer differences in the reading of hand films. *Ann rheum dis.* 1956; 15: 55-61.

Kerrigan AM, Dennehy KM, Mourao-Sa D, Faro-Trindade I, Willment JA, Taylor PR, Brown GD. CLEC-2 is a phagocytic activation receptor expressed on murine peripheral blood neutrophils. *J Immunol.* 2009; 182: 4150-57.

Kesh S, Mensah NY, Peterlongo P, Jaffe D, Hsu KMVDB, O'Reilly R, Pamer E, Satagopan J, Papanicolaou GA. TLR1 and TLR6 polymorphisms are associated with susceptibility to invasive aspergillosis after allogenic stem cell transplantation. *Ann N Y Acad Sci.* 2005; 1062: 95-103.

Kiechl, S. Lorenz, E. Reindl, M. Wiedermann, C. J. Oberhollenzer, F. Bonora, E. Willeit, J. Schwartz, D. A. Toll-like receptor 4 polymorphisms and atherogenesis. *N Engl J Med.* 2002; 347: 185-192.

Kim, Bo-Mi Kim KW, Moon HW, Lee SH, Kim HR: Role of C-reactive protein in osteoclastogenesis in rheumatoid arthritis. *Arthritis Res Ther.* 2015; 17: 41.

Kinne RW, Stuhlmuller B, Burmester GR. Cells of the synovium in rheumatoid arthritis. Macrophages. *Arthritis res ther.* 2007; 9: 224.

Shrestha KK. Occasional papers in Sociology and Anthropology.2009. 11: 38- 47.

Kobe B, Kajava AV. The leucine-rich repeat as a protein recognition motif. *Curr Opin Struct Biol.* 2001; 11: 725–32.

Kondo T, Kawai T, Akira S. Dissecting negative regulation of toll-like receptor signaling. *Trends Immunol.* 2012; 33:449–58.

Kubarenko AV, Ranjan S, Rautanen A, Mills TC, Wong S, Vannberg F. A naturally occurring variant in human TLR9, P99L, is associated with loss of CpG oligonucleotide responsiveness. *J Biol Chem.* 2010; 285: 36486-94.

Lahita RG. Sex hormones and the immune system—Part 1. Human data. *Baillière's Clinical Rheumatology.* 1990; 4: 1-12.

Landsteiner K, Levine P. Further observations on individual differences of human blood. *Proc. Soc. Exp. Biol. Med.* 1927; 77: 402-5.

Lassere M, Boers M, Van der Heijde DM, Boonen A, Edmonds J, Saudan A, Verhoeven AC. Smallest detectable difference in radiological progression. *The Journal of rheumatology.* 1999; 26, 731-39.

Lawrence JS, Oration H. Rheumatoid arthritis--nature or nurture?. *Annals of the rheumatic diseases.* 1969; 29: 357.

Lazarus R, Raby BA, Lange C, Silverman EK, Kwiatkowski DJ, Vercelli D. TOLL-like receptor 10 genetic variation is associated with asthma in two independent samples. *Am J Respir Crit Care Med.* 2004; 170: 594-600.

Lebre MC, Tak PP. Dendritic cells in rheumatoid arthritis: Which subset should be used as a tool to induce tolerance? *Human immunol.* 2009; 70: 321-4.

Lee hl, Woo KM, Ryoo HM, Baek JH. Tumor necrosis factor- alpha increase alkaline phosphatase expression in vascular smooth muscle cells via MSX2 induction. *Biochem Biophys Res Commun.* 2010; 391:1087-92.

Lefevre S, Knedla A, Tennie C, Kampmann A, Wunrau C, Dinser R, Evans CH. Synovial fibroblasts spread rheumatoid arthritis to unaffected joints. *Nat med.* 2009; 15: 1414-20.

Liang L, Juarez S, Nga TVT, Dunstan SJ, Nakajima-Sasaki R, Davies DH, Mcsorley S, Baker S, Felgner PL. Immune profiling with a Salmonella typhi antigen microarray identifies new diagnostic Biomarkers of Human Typhoid. *Scientific Receptors.* 2013; 3: 1043.

Liao HX, Haynes BF. Role of adhesion molecules in the pathogenesis of rheumatoid arthritis. *Rheum Dis Clin North Am.* 1995; 21: 715-40.

Lindqvist E, Eberhardt K, Bendtzen K, Heinegård D, Saxne T. Prognostic laboratory markers of joint damage in rheumatoid arthritis. *Ann rheum dis.* 2005; 64: 196-201.

Liu F, Lu W, Qian Q, Qi W, Hu J, Feng B. Frequency of TLR 2, 4, and 9 gene polymorphisms in Chinese population and their susceptibility to type 2 diabetes and coronary artery disease. *J. Biomed. Biotechnol.* 2012; 3: 739-45.

Mackelprang RD, Bigham AW, Celum C, de Bruyn G, Beima-Sofie K, John-Stewart G, et al. Toll like receptor polymorphism associations with HIV-1 outcomes among sub-Saharan Africans. *J Infect Dis.* 2014; 209:1623–27.

Majumdar PP. ABO blood group gene frequencies in the Indian subcontinent statistical study of patterns of variation. Ph.D thesis. Indian statistical institute.Kolkata. 1980.

Makinen H, Kautiainen H, Hannonen P, Sokka T. Frequency of remissions in early rheumatoid arthritis defined by 3 sets of criteria. a 5-year followup study. *J rheumatol.* 2005; 32: 796-800.

Manon R, Nadia A, Fatemeh N, Payant Isabelle V, Philippe V, Agnes W. 2012. The Different Strategies Used by Salmonella to Invade Host Cells, Salmonella - Distribution, Adaptation, Control Measures and Molecular Technologies, Dr Bassam Annous (Ed.), InTech, DOI: 10.5772/29979. Available from: <http://www.intechopen.com/books/salmonella-distribution-adaptation-control-measures-and-molecular-technologies/the-different-strategies-used-by-salmonella-to-invade-host-cells>.

Marston B, Palanichamy A, Anolik JH. B cells in the pathogenesis and treatment of rheumatoid arthritis. *Curr opin rheumatol.* 2010; 22: 307-15.

Martinelli E, Cicala C, Van Ryk D, Goode DJ, Macleod K, Arthos J. HIV-1 gp120 inhibits TLR9-mediated activation and IFN- $\alpha$  secretion in plasmacytoid dendritic cells. 2007. HIV-1

gp120 inhibits TLR9-mediated activation and IFN- $\alpha$  secretion in plasmacytoid dendritic cells. *PNAS*. 2007; 104: 3396–401.

Masson-Bessiere C, Sebbag M, Girbal-Neuhauser E, Nogueira L, Vincent C, Senshu T, Serre G. The major synovial targets of the rheumatoid arthritis-specific antifilaggrin autoantibodies are deiminated forms of the  $\alpha$ - and  $\beta$ -chains of fibrin. *J Immunol*. 2001; 166: 4177-84.

Matsushima, N, Tachi, N, Kuroki, Y, Enkhbayar, P, Osaki, M, Kamiya, M, Kretsinger, R.H.. Structural analysis of leucine-rich-repeat variants in proteins associated with human diseases. *Cell. Mol. Life Sci*. 2005; 62: 2771–91.

McCune J M, Rabin L B, Feinberg M B, et al. Endoproteolytic cleavage of gp160 is required for the activation of human immunodeficiency virus. *Cell*. 1988; 53: 55-67.

Medzhitov R, Preston-Hurlburt P, Janeway CA Jr. A human homologue of the Drosophila Toll protein signals activation of adaptive immunity. *Nature*. 1997; 388: 394–97.

Meenan RF, Gertman PM, Mason JH. Measuring health status in arthritis. *Arthritis & Rheumatology*. 1980; 23: 146-52.

Meltzer E, Schwartz E. Enteric fever: a travel medicine oriented view. *Curr Opin Infect Dis*. 2010; 23: 432–37.

Mewa AA, Pui M, Cockshott WP, Buchanan WW. Observer differences in detecting erosions in radiographs of rheumatoid arthritis. A comparison of posteroanterior, Norgaard and Brewerton views. *J rheumatol*. 1983; 10: 216-21.

Mi Sun Jin, Jie-Oh Lee. Structures of the Toll-like Receptor Family and Its Ligand Complexes. *Immunity*. 2008; 29:182- 191.

Mimori T. Clinical significance of anti-CCP antibodies in rheumatoid arthritis. *Intern Med*. 2005; 44:1122-6

Mita Y, Dobashi K, Shimizu Y, Nakazawa T, Mori M. Toll-like receptor 2 and 4 surface expressions on human monocytes are modulated by interferon- $\gamma$  and macrophage colony-stimulating factor. *Immunol Lett.* 2001; 78: 97–101.

Mitra A. West Bengal: District Handbooks: Jalpaiguri, Govt. of West Bengal. 1953.

Moretta L, Ferlazzo G, Bottino C, Vitale M, Pende D, Mingari MC, Moretta A. Effector and regulatory events during natural killer–dendritic cell interactions. *Immunol rev.* 2006; 214: 219–28.

Nadia A, Sam-Agudu, Jennifer A, Greene Robert O, Opoka James W, Kazura Michael J, Boivin Peter A, Zimmerman Melissa A, Riedesel Tracy L, Bergemann Lisa A, Schimmenti Chandy C, John . TLR9 Polymorphisms Are Associated with Altered IFN- $\gamma$  Levels in Children with Cerebral Malaria. *Am J Trop Med Hyg.* 2010; 82: 548–55.

Nazli A, Kafka JK, Ferreira VH, Anipindi V, Mueller K, Osborne BJ. HIV-1 gp120 Induces TLR2-and TLR4-Mediated Innate Immune Activation in Human Female Genital Epithelium. *J immunol.* 2013; DOI: 10.4049/jimmunol.1301482.

Nei M. Selectionism and neutralism in molecular evolution. *Mol. Biol. Evol.* 2005; 22: 2318- 42.

Nell-Duxneuner V, Machold K, Stamm T, Eberl G, Heinzl H, Hoefler E, Smolen JS, Steiner G: Autoantibody profiling in patients with very early rheumatoid arthritis: a follow-up study. *Ann Rheum Dis.* 2010; 69:169-74.

Netea MG, Wijmenga C, O'Neill LA. Genetic variation in Toll-like receptors and disease susceptibility. *Nat Immunol.* 2012; 13: 535-42.

Newkirk MM, Goldbach-Mansky R, Lee J, Hoxworth J, McCoy A, Yarboro C, El-Gabalawy HS. Advanced glycation end-product (AGE)-damaged IgG and IgM autoantibodies to IgG-AGE in patients with early synovitis. *Arthritis Res Ther.* 2003; 5: R82-90.

Newkirk MM. Rheumatoid factors: host resistance or autoimmunity? *Clinical Immunology.* 2002; 104:1–13.

Nunez DP, Quiles NM. Genetic Factors that Influence HIV Infection: The Role of the Major Histocompatibility Complex System. 2011. ISBN: 978-953-307-442-9.

Oh, D. Y. Baumann, K. Hamouda, O. Eckert, J. K. Neumann, K. Kucherer, C. A frequent functional toll-like receptor 7 polymorphism is associated with accelerated HIV-1 disease Progression. *AIDS*. 2009; 23:297-07.

Omar, AH, Yasunami, M. Yamazaki, A. Shibata, H. Ofori, MF. Akanmori, BD. Toll-like receptor 9 (TLR9) polymorphism associated with symptomatic malaria: a cohort study. *Malaria Journal*. 2012; 11:168.

O'Neill L, Golenbock D, Bowie AG. The history of Toll-like receptors - redefining innate immunity. *Nat Rev Immunol*. 2013; 13: 453–60.

Orozco G, Morales S, González-Gay M.A, González Rugeles C.I, Ramírez Quintero G , J. Martín J. Toll-like receptor 4 Asp299Gly polymorphism and rheumatoid arthritis: a replicative study in three different populations. *Inmunologia*. 2005; 24: 205-07.

Owen JA, Punt J. Stranford SA. Kuby Immunology, seventh edition. W.H.Freeman and Company, New York. 2013, pp.153-154

Guha P , Bhattacharjee S , Nayak C , Chaudhuri TK. *Hum Immunol*. 2013; 74: 673- 80.

Padyukov L, Silva C, Stolt P, Alfredsson L, Klareskog L. A gene–environment interaction between smoking and shared epitope genes in HLA–DR provides a high risk of seropositive rheumatoid arthritis. *Arthritis Rheumatol*. 2004; 50: 3085-92.

Paimela L, Laasonen L, Helve T, Leirisalo-Repo M. Comparison of the original and the modified Larsen methods and the Sharp method in scoring radiographic progression in early rheumatoid arthritis. *J rheumatol*. 1998; 25: 1063-66.

Palosuo T, Lukka M, Alenius H, Kalkkinen N, Aho K, Kurki P, Von Essen R. Purification of filaggrin from human epidermis and measurement of antifilaggrin autoantibodies in sera from

patients with rheumatoid arthritis by an enzyme-linked immunosorbent assay. *Int arch allergy immunol.*1998; 115: 294-02.

Palsson-McDermott EM, Doyle SL, Mcgettrick AF, Hardy M, Husebye H, Banahan K, et al. TAG, a splice variant of the adaptor TRAM, negatively regulates the adaptor MyD88-independent TLR4 pathway. *Nat Immunol.* 2009; 10: 579–86.

Panayi GS, Corrigall VM, Pitzalis C. Pathogenesis of rheumatoid arthritis: the role of T cells and other beasts. *Rheum Dis Clin North Am.* 2001; 27: 317-34.

Papadopoulos A, Ferwerda B, Antoniadou A, Sakka V, Galani L, Kavatha D. Association of toll-like receptor 4 Asp299Gly and Thr399Ile polymorphisms with increased infection risk in patients with advanced HIV-1 infection. *Clin Infect Dis.* 2010; 51: 242-7.

Papiha SS. Genetic Evidence on the Origins of Indian Caste Populations. *Genome Res.*2001; 11: 994-1004.

Patel S, Farragher T, Berry J, Bunn D, Silman A, Symmons D. Association between serum vitamin D metabolite levels and disease activity in patients with early inflammatory polyarthritis. *Arthritis & Rheumatism.* 2007; 56: 2143-9.

Pattison DJ, Harrison RA, Symmons DP. The role of diet in susceptibility to rheumatoid arthritis: a systematic review. *J rheumatol.* 2004; 31: 1310-19.

Paulus HE. Defining remission in rheumatoid arthritis: what is it? Does it matter. *J Rheumatol.* 2004; 31, 1-4.

Perez L, Orte J, A Brieva, J. Terminal differentiation of spontaneous rheumatoid factor-secreting B cells from rheumatoid arthritis patients depends on endogenous interleukin-1 0. *Arthritis Rheum.* 1995; 38: 1771-6.

Peto T. Surrogate markers in HIV disease. *J Antimicrob Chemother.* 1996; 37: 161-70.



Pincus T, Larsen A, Brooks RH, Kaye J, Nance EP, Callahan LF. Comparison of 3 quantitative measures of hand radiographs in patients with rheumatoid arthritis: Steinbrocker stage, Kaye modified Sharp score, and Larsen score. *J rheumatol.*1997; 24: 2106-12.

Pincus T, Summey JA, Soraci SA, Wallston KA, Hummon NP. (1983). Assessment of patient satisfaction in activities of daily living using a modified Stanford Health Assessment Questionnaire. *Arthritis Rheumatol.* 1983; 26: 1346-53.

Pincus T, Swearingen C, Wolfe F. Toward a multidimensional health assessment questionnaire (MDHAQ). *Arthritis Rheum.* 1999; 42: 2220-30.

Pincus TH, Brooks RH, Callahan LF. Reliability of grip strength, walking time and button test performed according to a standard protocol. *J Rheumatol.* 1991; 18: 997-1000.

Pomerantz, R. J, Feinberg MB, Trono D, Baltimore D. Lipopolysaccharide is a potent monocyte/macrophage-specific stimulator of human immuno deficiency virus type 1 expression. *J. Exp. Med* 1990; 172:53.

Poubelle PE, Chakravarti A, Fernandes MJ, Doiron K, Marceau AA. Differential expression of RANK, RANK-L, and osteoprotegerin by synovial fluid neutrophils from patients with rheumatoid arthritis and by healthy human blood neutrophils. *Arthritis res ther.* 2007; 9: R25.

Prevoo MLL, Van Riel PLCM, Van't Hof MA, Van Rijswijk MH, Van Leeuwen MA, Kuper, HH, Van de Putte LB. Validity and reliability of joint indices. A longitudinal study in patients with recent onset rheumatoid arthritis. *Rheumatology.* 1993; 32: 589-94.

Prevoo MLL, Van't Hof MA, Kuper HH, Van Leeuwen MA, Van De Putte LBA, Van Riel PLCM. Modified disease activity scores that include twenty-eight-joint counts development and validation in a prospective longitudinal study of patients with rheumatoid arthritis. *Arthritis Rheumatol.* 1995; 38: 44-48.

Radstake TR, Roelofs MF, Jenniskens YM, Oppers-Walgreen B, van Riel PL, Barrera P et al. Expression of toll-like receptors 2 and 4 in rheumatoid synovial tissue and regulation by

proinflammatory cytokines interleukin-12 and interleukin-18 via interferon-gamma. *Arthritis Rheum.* 2004; 50: 3856–865.

Radstake TR, Roelofs MF, Jenniskens YM, Oppers-Walgreen B, van Riel PL, Barrera P et al. Expression of toll-like receptors 2 and 4 in rheumatoid synovial tissue and regulation by proinflammatory cytokines interleukin-12 and interleukin-18 via interferon-gamma. *Arthritis Rheum.* 2004; 50: 3856–865.

Raffatellu M, Paul-Wilson R, Winter SE, Baumler AJ. Clinical pathogenesis of Typhoid fever. *Journal of Infection in Developing Countries.* 2008; 2: 260-266.

Ramey DR, Raynauld JP, Fries JF. The health assessment questionnaire 1992. Status and review. *Arthritis Rheum.* 1992; 5: 119-29.

Rashid T, Jayakumar KS, Binder A, Ellis S, Cunningham P, Ebringer, A. Rheumatoid arthritis patients have elevated antibodies to cross-reactive and non cross-reactive antigens from *Proteus* microbes. *Clin exp rheumatol.* 2007; 25: 259-67.

Rau R. Is remission in rheumatoid arthritis associated with radiographic healing? *Clin exp rheumatol.* 2006; 24: S41-4.

Reveille JD. The genetic basis of autoantibody production. *Autoimmunity reviews*, 5(6), 389-398. PADI4 and rheumatoid arthritis: a meta-analysis. *Rheumatology.* 2006; 45: 804-7.

Rietdijk, C. D., van Wezel, R. J., Garssen, J., & Kraneveld, A. D. Neuronal toll-like receptors and neuro-immunity in parkinson's disease, Alzheimer's disease and stroke. *Neuroimmunol Neuroinflammation.* 2016; 3: 27-37.

Rifkin IR, Leadbetter EA, Busconi L, Viglianti G, Marshak-Rothstein A. Toll-like receptors, endogenous ligands, and systemic autoimmune disease. *Immunol rev.* 2005; 204: 27-42.

Rindfleisch JA, Muller D. Diagnosis and management of rheumatoid arthritis. *Am Fam Physician.* 2005; 72: 1037-47.

Risley HH. The tribes and castes of Bengal. Calcutta, The Bengal secretariat press. 1891.

Ritchie DM, Boyle JA, McInnes JM, Jasani MK, Dalakos TG, Grieveson P, Buchanan WW. Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis. *QJ med.* 1968; 37: 393-06.

Roach JC, Glusman G, Rowen L, Kaur A, Purcell MK, Smith KD, Hood LE, Aderem A. The evolution of vertebrate Toll-like receptors. *Proc Natl Acad Sci USA.* 2005; 102: 9577-82.

Rosalind M. Harding RM, Healy E, Ray AJ, Ellis NS, Flanagan N, Todd C. Evidence for Variable Selective Pressures at MC1R. *Am J Hum Genet.* 2000; 66: 1351–61.

Royce RA, Sena A, Cates W Jr, et al. Sexual transmission of HIV. *N Engl J Med.* 1997; 336: 1072-8.

Roychoudhury AK, Nei M. Human polymorphic genes: World distribution. Oxford University Press. Oxford and New York. 1988.

S Agarwal , SK Srivastava, M Borkar, TK Chaudhuri, Tissue Antigens.72 (2008) 120- 30.

Saitoh T, Tun-Kyi A, Ryo A, Yamamoto M, Finn G, Fujita T, et al. Negative regulation of interferon regulatory factor 3-dependent innate antiviral response by the prolyl isomerase Pin1. *Nat Immunol.* 2006; 7:598–05.

Sales ML, Schreiber R, Ferreira-Sae MC, Fernandes MN, Piveta CS, Cipolli JA. Toll-like receptor 6 Ser249Pro polymorphism is associated with lower left ventricular wall thickness and inflammatory response in hypertensive women. *Am J Hyperten.* 2010; 23: 649-54.

Sam-Agudu, N. A. Greene, J. A. Opoka, R. O. Kazura, J. W. Boivin, M. J. Zimmerman, P. A. Riedesel, M. A. Bergemann, T. L. Schimmenti, L. A. John, C. C. TLR9 polymorphisms are associated with altered IFN-gamma levels in children with cerebral malaria. *Am J Trop Med Hyg.* 2010; 82: 548-55.

Sarah J. Dunstan,<sup>1,4</sup> Thomas R. Hawn,<sup>7,8</sup> Nguyen Thi Hue,<sup>1,2</sup> Christopher P. Parry,<sup>1,5</sup> Vo An Ho,<sup>3</sup> Ha Vinh,<sup>2</sup>. Host Susceptibility and Clinical Outcomes in Toll-like Receptor 5–Deficient Patients with Typhoid Fever in Vietnam. *JID*. 2005; 191: 1068- 71.

Schellekens GA, de Jong BA, van den Hoogen FH, Van de Putte LB, van Venrooij WJ. (1998). Citrulline is an essential constituent of antigenic determinants recognized by rheumatoid arthritis-specific autoantibodies. *J Clin Invest*. 1998; 101: 273-81.

Schott, E. Witt, H. Neumann, K. Taube, S. Oh, D. Y. Schreier, E. A Toll-like receptor 7 single nucleotide polymorphism protects from advanced inflammation and fibrosis in male patients with chronic HCV-infection. *J Hepatol*. 2007; 47: 203-11.

Schroder, NW. Schumann, RR. Single nucleotide polymorphisms of Toll-like receptors and susceptibility to infectious disease. *Lancet Infect Dis*. 2005; 5:156-64.

Schwartz DA, Cook DN. Polymorphisms of the Toll-Like Receptors and Human Disease. *CID*. 2005; 41:S403–7.

Scott DL, Coulton BL, Popert AJ. Long term progression of joint damage in rheumatoid arthritis. *Annals of the rheumatic diseases*, 1986; 45: 373-8.

Scott DL, Pugner K, Kaarela K, Doyle DV, Woolf A, Holmes J, Hieke K. The links between joint damage and disability in rheumatoid arthritis. *Rheumatology*. 2000; 39: 122-32.

Sharp J, Wolfe F, Lassere M, MaartenBoers D. von der Heijde, A. Larsen, H. Paulus R. Rau V. Strand. Variability of precision in scoring radiographic abnormalities in rheumatoid arthritis by experienced readers. *J Rheumatol*. 2004; 31: 1062-72.

Sharp JT, Young DY, Bluhm GB, Brook A, Brower AC, Corbett M, Larsen A. How many joints in the hands and wrists should be included in a score of radiologic abnormalities used to assess rheumatoid arthritis? *Arthritis Rheumatol*.1985; 28, 1326-35.

Shi M, Deng W, Bi E, Mao K, Ji Y, Lin G, et al. TRIM30 alpha negatively regulates TLR-mediated NF-kappa B activation by targeting TAB2 and TAB3 for degradation. *Nat Immunol.* 2008, 9:369–77.

Shlomchik MJ, Zharhary D, Saunders T, Camper SA, Weigert MG. A rheumatoid factor transgenic mouse model of autoantibody regulation. *International immunology.*1993, 5: 1329-41.

Silman AJ, MacGregor AJ, Thomson W, Holligan S, Carthy D, Farhan A, Ollier WER. Twin concordance rates for rheumatoid arthritis: results from a nationwide study. *Rheumatology.* 1993; 32: 903-7.

Sivaji I, Duraisamy S, Balakrishnan S. Periasamy A. A prevalence study of typhoid fever and convalescent phase asymptomatic typhoid carriers among the schoolchildren in the northern part of Tamil Nadu. *J Public Health.* 2015; 23: 373-78.

Sivaji I, Duraisamy S. Balakrishnan S. Analysis of TLR polymorphism in typhoid patients and asymptomatic typhoid carriers among the schoolchildren. *Egyptian Journal of Medical Human Genetics.* 2016; 21: 450-56.

Skaug B, Chen J, Du F, He J, Ma A, Chen ZJ. Direct, noncatalytic mechanism of IKK inhibition by A20. *Mol Cell.* 2011; 44: 559–71.

Smirnova, I. Hamblin, M. T. McBride, C. Beutler, B. Di Rienzo, A. Excess of rare amino acid polymorphisms in the Toll-like receptor 4 in humans. *Genetics.* 2001; 158: 1657-64.

Smirnova, I. Mann, N. Dols, A. Derkx, H. H. Hibberd, M. L. Levin, M. 2003. Assay of locus-specific genetic load implicates rare Toll-like receptor 4 mutations in meningococcal susceptibility. *Proc Natl Acad Sci U S A.*2003; 100:6075-80.

Smolen JS, Breedveld FC, Schiff MH, Kalden JR, Emery P, Eberl G, Tugwell, P. A simplified disease activity index for rheumatoid arthritis for use in clinical practice. *Rheumatology.* 2003; 42: 244-57.

Smolen JS, Eberl G, Breedveld FC, Jones I, Leeming M, Wylie GL, Kirkpatrick J. Validity and reliability of the twenty-eight-joint count for the assessment of rheumatoid arthritis activity. *Arthritis Rheumatol.* 1995; 38: 38-43.

Srivastava S..MHC Class II antigen variation study in selected populations of Northern parts of India. Ph.D. Thesis. 2007; University Of North Bengal.

Steinbrocker O, Traeger CH, Batterman RC. Therapeutic criteria in rheumatoid arthritis. *JAMA.* 1949; 140, 659-62.

Steiner G1, Tohidast-Akrad M, Witzmann G, Vesely M, Studnicka-Benke A, Gal A et al. Cytokine production by synovial T cells in rheumatoid arthritis. *Rheumatology.* 1999; 38:202–213.

Sternberg RJ. International handbook of intelligence. New York: Cambridge University Press. 2004.

Strachan T, Read AP. Human molecular genetics, pp. 597. Wiley and Sons. 1996.

Symmons D. P. M, *et al.* The incidence of rheumatoid arthritis in the United Kingdom: results from the Norfolk Arthritis Register. *Rheumatology.* 1994; 33: 735-739.

Symmons DP. Epidemiology of rheumatoid arthritis: determinants of onset, persistence and outcome. Best practice & research *Clinical rheumatology.* 2002, 16: 707-722.

Szekanecz Z, Koch AE. Chemokines and angiogenesis. *Curr Opin Rheumatol.* 2001; 13: 202-8.

Tak PP, Bresnihan B. The pathogenesis and prevention of joint damage in rheumatoid arthritis. *Arthritis Rheum.* 2000; 43: 2619-33.

Takeda K, Akira S. TLR signaling pathways. *Seminars in Immunology.* 2004; 16: 3-9.

Takeda, k. and Akira, S. TLR signalling pathways. *Nat Rev Immunology.* 2004, 4: 499-511.

Takeda, k. and Akira, S. Toll-like receptors. *Innate Immunology*. 2005; 17: 1-14.

Takeda, K., Kaisho, T. and Akira, S. Toll-like receptors. *Annual Review of Immunology*. 2003; 21: 335-376.

Takeda, Y. Kaisho, T. & Akira, S..Human and Vertebrate TLR. *Ann.Rev. Immunol*. 200; 21: 335-76.

Takeuchi O, Akira S. Innate immunity to virus infection. *Immunol Rev*. 2009; 227:75–86.

Tamang R, Singh L, Thangaraj K. Complex genetic origin of Indian populations and its implications. *J. Biosci*. 2012; 37: 911-919.

Tantisira, K. Klimecki, W. T. Lazarus, R. Palmer, L. J. Raby, B. A. Kwiatkowski. Toll-like receptor 6 gene (TLR6): single nucleotide polymorphism frequencies and preliminary association with the diagnosis of asthma. *Genes Immun*. 2004; 5: 343-46.

Thomas R, Hawn. E, Ann Misch. Sarah J, Dunstan. Guy E, Thwaites. Nguyen T. N, Lan. Hoang T, Quy. Tran T. H, Chau. Stephanie, Rodrigues. Alex, Nachman. Marta, Janer. Tran T, Hien6. Jeremy J, Farrar and Alan, Aderem. A common human TLR1 polymorphism regulates the innate immune response to lipopeptides. *Eur. J. Immunol*. 2007; 37: 2280–89

Tsoukas CM, Bernard NF. Markers Predicting Progression of Human Immunodeficiency Virus-Related : Disease. *Clin Microbiol Rev*. 1994; 7: 14-28.

Tugwell P, Bombardier C. A methodologic framework for developing and selecting endpoints in clinical trials. *J Rheumatol*.1981; 9: 758-62.

Uciechowski, P. Imhoff, H. Lange, C. Meyer, CG. Browne, EN. Kirsten, DK. Schröder, AK. Schaaf, B. Al-Lahham, A. Reinert, RR. Reiling, N. Haase, H. Hatzmann, A. Fleischer, D. Heussen, N. Kleines, M. Rink, L. Susceptibility to tuberculosis is associated with TLR1 polymorphisms resulting in a lack of TLR1 cell surface expression. *J Leukoc Biol*. 2011; 90: 377-78.

Uematsu S, Akira S. Toll-like receptors (TLRs) and their ligands. *Springer*. 2008; 29: 1-20.

UNAIDS. Report on the Global HIV/AIDS epidemic. Geneva: UNAIDS, 1998.

Van Boekel MA, Vossenaar ER, Van den Hoogen FH, van Venrooij WJ. Autoantibody systems in rheumatoid arthritis: specificity, sensitivity and diagnostic value. *Arthritis Research & Therapy*. 2001; 4: 87-93.

Van der Heijde D, Boers M, Lassere M. Methodological issues in radiographic scoring methods in rheumatoid arthritis. *J rheumatol*. 1999; 26: 726-30.

Van der Heijde D, Landewe R. Imaging: do erosions heal?. *Annals of the rheumatic diseases*. 2003; 62: ii10-ii12.

Van der Heijde DM, van't Hof MA, Van Riel PL, Theunisse LA, Lubberts EW, van Leeuwen MA, Van de Putte LB. Validity of single variables and composite indices for measuring disease activity in rheumatoid arthritis. *Ann Rheum Dis*, 1992; 51:177-81.

Van der Heijde DM, van't Hof MA, Van Riel PL, Theunisse LA, Lubberts EW, van Leeuwen MA, Van de Putte LB. Judging disease activity in clinical practice in rheumatoid arthritis: first step in the development of a disease activity score. *Ann Rheum Dis*. 1990; 49: 916-20.

Van der Heijde DM. 2000. Radiographic imaging: the 'gold standard' for assessment of disease progression in rheumatoid arthritis. *Rheumatology (Oxford, England)*, 39, 9-16.

van Eden W, Tholet JE, van der Zee R, Noordzij A, van Embden JD, Hensen EJ, Cohen IR.

Cloning of the mycobacterial epitope recognized by T lymphocytes in adjuvant arthritis. *Nature*. 1988; 331: 171-3.

Van Esch WJE, Reparón-Schuijt CC, Hamstra HJ, Van Kooten C, Logtenberg T, Breedveld FC, Verweij CL. Human IgG Fc-binding phage antibodies constructed from synovial fluid CD38+ B cells of patients with rheumatoid arthritis show the imprints of an antigen-dependent process of somatic hypermutation and clonal selection. *Clinic Exp Immunol*. 2003; 131, 364-76.



Van Gestel AM, Prevoo ML, Van't Hof MA, Van Rijswijk MH, Van de Putte LBA, Van Riel PLC. Development and validation of the European League Against Rheumatism response criteria for rheumatoid arthritis: comparison with the preliminary American College of Rheumatology and the World Health Organization/International League Against Rheumatism criteria. *Arthritis Rheumatol.* 1996; 39: 34-40.

Venables, P. Epstein-Barr virus infection and autoimmunity in rheumatoid arthritis. *Ann rheum dis.* 1988; 47: 265-9.

Vossenaar ER et al. Expression and activity of citrullinating peptidylarginine deiminase enzymes in monocytes and macrophages. *Ann Rheum Dis.* 2004; 63: 373-81.

Vossenaar ER, Robinson WH. Citrullination and autoimmune disease: 8th Bertine Koperberg meeting. *Annals of the rheumatic diseases.* 2005; 64: 1513-15.

Vossenaar ER, van Venrooij WJ. Citrullinated proteins: sparks that may ignite the fire in rheumatoid arthritis. *Arthritis Res Ther.* 2004; 6:107-11.

Wagner UG, Kurtin PJ, Wahner A, Brackertz M, Berry DJ, Goronzy JJ, Weyand CM. The role of CD8+ CD40L+ T cells in the formation of germinal centers in rheumatoid synovitis. *J Immunol.* 1998; 161: 6390-7.

Waltenbaugh C, Doan T, Melvold R, Viselli S. Immunology. Lippincott's Illustrated reviews. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins. 2008, p.17. ISBN 0-7817-9543-5.

Wang C, Chen T, Zhang J, Yang M, Li N, Xu X, et al. The E3 ubiquitin ligase Nrdp1 preferentially promotes TLR-mediated production of type I interferon. *Nat Immunol* .2009;10:744–52. doi:10.1038/ni.1742.

Wassenberg S, Rau R. Reliability of scoring methods to measure radiographic change in patients with rheumatoid arthritis. *J Rheumatol.* 2005; 32: 766-8.

Wolfe AM. The epidemiology of rheumatoid arthritis: a review. I. Surveys. *Bull Rheum Dis.* 1968; 19: 518-23.

Wolfe F, Hawley D J. The long term outcomes of rheumatoid arthritis. *Work. J Rheumatol.* 1998; 25: 2108-17.

Wolfe F, Michaud K, Pincus T. Development and validation of the health assessment questionnaire II: a revised version of the health assessment questionnaire. *Arthritis Rheum.* 2004; 50: 3296-05.

Wollheim FA, Pettersson H, Saxne T, Sjöblom KG. Radiographic assessment in relation to clinical and biochemical variables in rheumatoid arthritis. *Scandinavian journal of rheumatology.*1998; 17: 445-53.

World Health Organization, Background document: The diagnosis, treatment and prevention of Typhoid fever. Geneva, Switzerland. 2003; chapter 1-4, pp.1-26.

Xu WD, Liu SS, Pan HF, Ye DQ: Lack of association of TLR4 polymorphisms with susceptibility to rheumatoid arthritis and ankylosing spondylitis: a meta-analysis. *Joint Bone Spine.* 2012; 79: 566-9.

Yamanishi Y, Firestein GS. Pathogenesis of rheumatoid arthritis: the role of synoviocytes. *Rheum Dis Clin North Am.* 2001; 27: 355-71.

Yang H, Wei C, Li Q, Shou T, Yang Y, Xiao C, Yu M, Li M, Yang Z, Zhang J, Zheng B: Association of TLR4 gene non-missense single nucleotide polymorphisms with rheumatoid arthritis in Chinese Han population. *Rheumatol Int.* 2013; 33:1283-8.

Yen JH, Moore BE, Nakajima T, Scholl D, Schaid DJ, Weyand CM, Goronzy JJ. Major histocompatibility complex class I-recognizing receptors are disease risk genes in rheumatoid arthritis. *Journal of Experimental Medicine.* 2001; 193: 1159-68.

Yi-Tzu, Lin. Amanda, Verma. Conrad P, Hodgkinson. Toll-Like Receptors and Human Disease: Lessons from Single Nucleotide Polymorphisms. *Current Genomics.*2012; 13:633-645.

Young A *et. al.* How does functional disability in early rheumatoid arthritis (RA) affect patients and their lives? Results of 5 years of follow-up in 732 patients from the Early RA Study (ERAS). *Rheumatology*. 2004; 39: 603-611.

Youngblood K, Fruchter L., Ding G, Lopez J, Bonagura V, Davidson A. (1994). Rheumatoid factors from the peripheral blood of two patients with rheumatoid arthritis are genetically heterogeneous and somatically mutated. *J Clin Invest*. 1994; 93: 852- 61.

Yuk JM, Shin DM, Lee HM, Kim JJ, Kim SW, Jin HS, et al. The orphan nuclear receptor SHP acts as a negative regulator in inflammatory signaling triggered by toll-like receptors. *Nat Immunol*. 2011; 12:742–51.

Zeng-Zhen, Lai. Ni-Zhang. Xiao-Ling Pan. Liang Song. Toll-like receptor 9 (TLR9) gene polymorphisms associated with increased Susceptibility of human papillomavirus-16 infection in patients with cervical cancer. *J Int Med Res*. 2013; 41: 1027–36

Zhang G, Ghosh S. Negative regulation of toll-like receptor-mediated signaling by Tollip. *J Biol Chem*. 2002; 77:7059–65.

Zhang Z, Bridges SL. Pathogenesis of rheumatoid arthritis: role of B lymphocytes. *Rheum Dis Clin North Am*. 2001; 27: 335-53.

Zhang, S. Y. Jouanguy, E. Ugolini, S. Smahi, A. Elain, G. Romero, P.. TLR3 deficiency in patients with herpes simplex encephalitis. *Science*. 2007,317: 1522-1527.