

6

Bibliography

- Acai, P., Valík, L. and Liptáková, D. (2014) Quantitative risk assessment of *Bacillus cereus* in pasteurised milk produced in the Slovak Republic. *Czech Journal of Food Sciences* 32, 122–131
- Adak, G.K., Long, S.M. and O'Brien, S.J. (2002) Trends in indigenous foodborne disease and deaths, England and Wales: 1992 to 2000. *Gut* 51, 832–841
- Agata, N., Ohta, M. and Mori, M. (1996) Production of an emetic toxin, cereulide, is associated with a specific class of *Bacillus cereus*. *Current Microbiology* 33, 67–69
- Agata, N., Ohta, M., Mori, M. and Isobe, M. (1995) A novel dodecadeptide, cereulide, is an emetic toxin of *Bacillus cereus*. *FEMS Microbiology Letters* 129, 17–19
- Akanbi, T.O., Kamaruzaman, A.L., Abu Bakar, F., Sheikh Abdul Hamid, N., Radu, S., Abdul Manap, M.Y. and Saari, N. (2010) Highly thermostable extracellular lipase-producing *Bacillus* strain isolated from a Malaysian hot spring and identified using 16S rRNA gene sequencing. *International Food Research Journal* 17, 45–53
- Anderson Borge, G.I., Skeie, M., Sørhaug, T., Langsrud, T. and Granum, P.E. (2001) Growth and toxin profiles of *Bacillus cereus* isolated from different food sources. *International Journal of Food Microbiology* 69, 237–246
- Andersson, A., Rønner, U. and Granum, P.E. (1995) What problems does the food industry have with the spore-forming pathogens *Bacillus cereus* and *Clostridium perfringens*? *International Journal of Food Microbiology* 28, 145–155
- Ankolekar, C. and Lebbé, R.G. (2010) Physical characteristics of spores of food-associated isolates of the *Bacillus cereus* group. *Applied and Environmental Microbiology* 76, 982–984
- Antoniou, K. and Frank, J.F. (2005) Removal of *Pseudomonas putida* biofilm and associated extracellular polymeric substances from stainless steel by alkali cleaning. *Journal of Food Protection* 68, 277–281

- ANZDAC (2011) *Pathogen Management Guidelines*. Australia-New Zealand Dairy Authorities' Committee, 33 p.
- Aronson, A.I. and Shai, Y. (2001) Why *Bacillus thuringiensis* insecticidal toxins are so effective: unique features of their mode of action. *FEMS Microbiology Letters* 195, 1–8
- Ash, C., Farrow, J.A., Dorsch, M., Stackebrandt, E. and Collins, M.D. (1991) Comparative analysis of *Bacillus anthracis*, *Bacillus cereus*, and related species on the basis of reverse transcriptase sequencing of 16S rRNA. *International Journal of Systematic Bacteriology* 41, 343–346
- Banerjee, M., Nair, G.B. and Ramamurthy, T. (2011) Phenotypic & genetic characterization of *Bacillus cereus* isolated from the acute diarrhoeal patients. *Indian Journal of Medical Research* 133, 88–95
- Banerjee, M. and Sarkar, P.K. (2004) Antibiotic resistance and susceptibility to some food preservative measures of spoilage and pathogenic micro-organisms from spices. *Food Microbiology* 21, 335–342
- Bartoszewicz, M., Hansen, B.M. and Swiecicka, I. (2008) The members of the *Bacillus cereus* group are commonly present contaminants of fresh and heat-treated milk. *Food Microbiology* 25, 588–596
- Beattie, S.H. and Williams, A.G. (2000) Detection of toxins. In: Robinson, R.K., Batt, C.A. and Patel, P.D. (Eds.), *Encyclopedia of Food Microbiology*, pp. 141–158. Academic Press, San Diego, CA, USA
- Bedi, S.K., Sharma, C.S., Gill, J.P.S., Aulakh, R.S. and Sharma, J.K. (2005) Incidence of enterotoxigenic *Bacillus cereus* in milk and milk products. *Journal of Food Science and Technology* 42, 272–275
- Beecher, D.J. and Macmillan, J.D. (1991) Characterization of the components of hemolysin BL from *Bacillus cereus*. *Infection and Immunity* 59, 1778–1784
- Beecher, D.J., Schoeni, J.L. and Wong, A.C. (1995) Enterotoxic activity of hemolysin BL from *Bacillus cereus*. *Infection and Immunity* 63, 4423–4428
- Beecher, D.J. and Wong, A.C.L. (1997) Tripartite hemolysin BL from *Bacillus cereus*: hemolytic analysis of component interactions and a model for its characteristic paradoxical zone phenomenon. *Journal of Biological Chemistry* 272, 233–239
- Bhatnagar, P., Khan, A.A., Jain, M., Kaushik, S. and Jain, S.K. (2007) Microbiological study of khoa sold in Chambal region (Madhya Pradesh): a case study. *Indian Journal of Microbiology* 47, 263–266
- Boxall, N. and Ortega, J. (2003) Annual summary of outbreaks in New Zealand in 2002. *ESR Clint Report FW0151*. Institute of Environmental Science and Research Ltd, Porirua, New Zealand
- Boyce, A., Piterina, A.V. and Walsh, G. (2010) Assessment of the potential suitability of selected commercially available enzymes for cleaning-in-place (CIP) in the dairy industry. *Biofouling* 26, 837–850
- Bremer, P.J., Fillery, S. and McQuillan, A.J. (2006) Laboratory scale clean-in-place (CIP) studies on the effectiveness of different caustic and acid wash steps on the removal of dairy biofilms. *International Journal of Food Microbiology* 106, 254–262
- Bremer, P.J., Monk, I., Butler, R., (2002) Inactivation of *Listeria monocytogenes*/*Flavobacterium* spp. biofilms using chlorine: impact of substrate, pH, time and concentration. *Letters in Applied Microbiology* 35, 321–325
- Breyers, J.D. and Ratner, B.D. (2004) Bioinspired implant materials befuddle bacteria. *ASM News* 70, 232–237
- Brooks, J.D. and Flint, S.H. (2008) Biofilms in the food industry: problems and potential solutions. *International Journal of Food Science and Technology* 43, 2163–2176
- Burgess, S.A., Lindsay, D. and Flint, S.H. (2010) Thermophilic bacilli and their importance in dairy processing. *International Journal of Food Microbiology* 144, 215–225
- Caro-Astorga, J., Pérez-García, A., de Vicente, A. and Romero, D. (2015) A genomic region involved in the formation of adhesion fibers in *Bacillus cereus* biofilms. *Frontiers in Microbiology* 5, 745
- Chaves, J.Q., Pires, E.S. and Vivoni, A.M. (2011) Genetic diversity, antimicrobial resistance and toxigenic profiles of *Bacillus cereus* isolated from food in Brazil over three decades. *International Journal of Food Microbiology* 147, 12–16
- Chen, L., Coolbear, T. and Daniel, R.M. (2004) Characteristics of proteinases and lipases produced by seven *Bacillus* sp. isolated from milk powder production lines. *International Dairy Journal* 14, 495–504
- Chen, L., Daniel, R.M. and Coolbear, T. (2003) Detection and impact of protease and lipase activities in milk and milk powders. *International Dairy Journal* 13, 255–275
- Chisti, Y. (1999) Modern systems of plant cleaning. In: Robinson, R., Batt, C. and Patel, P. (Eds.), *Encyclopedia of Food Microbiology*, pp. 1086–1815. Academic Press, London, UK
- Chitov, T., Dispan, R. and Kasinrerck, W. (2008) Incidence and diarrhegenic potential of *Bacillus cereus* in pasteurized milk and cereal products in Thailand. *Journal of Food Safety* 28, 467–481
- Chmielewski, R.A.N. and Frank, J.F. (2003) Biofilm formation and control in food processing facilities. *Comprehensive Reviews in Food Science and Food Safety* 2, 22–32
- Christiansson, A., Bertilsson, J. and Svensson, B. (1999) *Bacillus cereus* spores in raw milk: factors affecting the contamination of milk during the grazing period. *Journal of Dairy Science* 82, 305–314

- Christiansson, A., Ekelund, K. and Ogura, H. (1997) Membrane filtration method for enumeration and isolation of spores of *Bacillus cereus* from milk. *International Dairy Journal* 7, 743–748
- Claus, D. and Berkeley, R.C.W. (1986) Genus *Bacillus* Cohn (1872), 174. In: Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. (Eds), *Bergey's Manual of Systematic Bacteriology*, vol. II, pp. 1105–1139. Williams and Wilkins, Baltimore, MD, USA
- CSPI (2014) *A review of foodborne illness in America from 2002-2011*. Center for Science in the Public Interest, Washington, DC, USA
- Datta, N. and Deeth, H.C. (2003) Diagnosing the cause of proteolysis in UHT milk. *LWT – Food Science and Technology* 36, 173–182
- Davey, M.E. and O'Toole, G.A. (2000) Microbial biofilms: from ecology to molecular genetics. *Microbiology and Molecular Biology Reviews* 64, 847–867
- de Carvalho, C.C.C.R. (2007) Biofilms: recent developments on an old battle. *Recent Patents Biotechnology* 1, 49–57
- Dierick, K., van Coillie, E., Swiecicka, I., Meyfroidt, G., Devlieger, H., Meulemans, A., Hoedemaekers, G., Fourie, L., Heyndrickx, M. and Mahillon, J. (2005) Fatal family outbreak of *Bacillus cereus*-associated food poisoning. *Journal of Clinical Microbiology* 43, 4277–4279
- Dogsa, I., Kriechbaum, M., Stopar, D. and Laggner, P. (2005) Structure of bacterial extracellular polymeric substances at different pH values as determined by SAXS. *Biophysical Journal* 89, 2711–2720
- Donlan, R.M. (2002) Biofilms: microbial life on surfaces. *Emerging Infectious Diseases* 8, 881–890
- Drobniewski, F.A. (1993) *Bacillus cereus* and related species. *Clinical Microbiology Reviews* 6, 324–338
- Dufour, M., Simmonds, R.S. and Bremer, P.J. (2004) Development of a laboratory scale clean-in-place system to test the effectiveness of “natural” antimicrobials against dairy biofilms. *Journal of Food Protection* 67, 1438–1443
- EFSA (2005) Opinion of the scientific panel on biological hazards on *Bacillus cereus* and other *Bacillus* spp in foodstuffs. *EFSA Journal* 175, 1–48
- Ehling-Schulz, M., Fricker, M., Grallert, H., Rieck, P., Wagner, M. and Scherer, S. (2006) Cereulide synthetase gene cluster from emetic *Bacillus cereus*: structure and location on a mega virulence plasmid related to *Bacillus anthracis* toxin plasmid pXO1. *BMC Microbiology* 6, 20
- Ehling-Schulz, M., Fricker, M. and Scherer, S. (2004) *Bacillus cereus*, the causative agent of an emetic type of food-borne illness. *Molecular Nutrition & Food Research* 48, 479–487
- Ehling-Schulz, M., Vukov, N., Schulz, A., Shaheen, R., Andersson, M., Märtlbauer, E., Nguyen-The, C. Salkinoja-Salonen, M. and Scherer, S. (2005) Identification and partial characterization of the nonribosomal peptide synthetase gene responsible for cereulide production in emetic *Bacillus cereus*. *Applied and Environmental Microbiology* 71, 105–113
- Eneroth, Å., Svensson, B., Molin, G. and Christiansson, A. (2001) Contamination of pasteurized milk by *Bacillus cereus* in the filling machine. *Journal of Dairy Research* 68, 189–196
- EU (2005) Commission Regulation (EC) No.2076/2005 of 5 December 2005 laying down transitional arrangements for the implementation of Regulations (EC) No. 853/2004, (EC) No. 854/2004 and (EC) No.853/2004 and (EC) No.854/2004. *Official Journal of the European Commission* L338, 83-88
- Fagerlund, A., Ween, O., Lund, T., Hardy, S.P. and Granum, P.E. (2004) Genetic and functional analysis of the *cytK* family of genes in *Bacillus cereus*. *Microbiology* 150, 2689–2697
- Faille, C., Bénézéch, T., Midelet-Bourdin, G., Lequette, Y., Clarisse, M., Ronse, G., Ronse, A. and Slomianny, C. (2014) Sproulation of *Bacillus* spp. within biofilms: a potential source of contamination in food processing environments. *Food Microbiology* 40, 64–74
- Faille, C., Fontaine, F. and Bénézéch, T. (2001) Potential occurrence of adhering living *Bacillus* spores in milk product processing lines. *Journal of Applied Microbiology* 90, 892–900
- FAO/WHO (1995) Application of risk analysis to food standards issues. Report of the Joint FAO/WHO Expert Consultation, pp. 13–17. World Health Organization, Geneva, Switzerland
- Fernandes, R., Ed. (2009) *Microbiology Handbook - Dairy Products*. Leatherhead Publishing, Leatherhead, UK & Royal Society of Chemistry, Cambridge, UK
- Flint, S.H., Bremer, P.J. and Brooks, J.D. (1997) Biofilms in dairy manufacturing plant-description, current concerns and methods of control. *Biofouling* 11, 81–97
- Francis, K.P., Mayr, R., von Stetten, F., Stewart, G.S.A.B. and Scherer, S. (1998) Discrimination of psychrotrophic and mesophilic strains of the *Bacillus cereus* group by PCR targeting of major cold shock protein genes. *Applied and Environmental Microbiology* 64, 3525–3529
- Furtado, M.M. (2005) *Main problems of cheeses: causes and prevention*. Fonte Press, São Paulo, Brazil
- Ghelardi, E., Celandroni, F., Salvetti, S., Barsotti, C., Baggiani, A. and Senesi, S. (2002) Identification and characterization of toxigenic *Bacillus cereus* isolates responsible for two food-poisoning outbreaks. *FEMS Microbiology Letters* 208, 129–134

- Ghosh, S. and Setlow, P. (2009) Isolation and characterization of superdormant spores of *Bacillus* species. *Journal of Bacteriology* 191, 1787–1797
- Granum, P.E. and Baird-Parker, T.C. (2000) *Bacillus* species. In: Lund, B.M., Baird-Parker, T.C. and Gould, G.W. (Eds), *The Microbiological Safety and Quality of Food*, pp. 1029–1056. Aspen Publishers, New York, NY, USA
- Granum, P.E. and Lund, T. (1997). *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiology Letters* 157, 223–228
- Granum, P.E., Stenfors Arnesen, L. and From, C. (2014) Bacteria: *Bacillus cereus* and other pathogenic *Bacillus* species. In: Motarjemi, Y. (Ed.), *Encyclopedia of Food safety*, vol. 1. *History, Science and Methods*, pp. 356–363. Elsevier, Amsterdam, The Netherlands
- Guinebretière, M.H., Auger, S., Galleron, N., Contzen, M., de Sarrau, B., de Buyser, M.L., Lamberet, G., Fagerlund, A., Granum, P.E., Lereclus, D., de Vos, P., Nguyen-The, C. and Sorokin, A. (2013) *Bacillus cytotoxicus* sp. nov. is a novel thermotolerant species of the *Bacillus cereus* group occasionally associated with food poisoning. *International Journal of Systematic and Evolutionary Microbiology* 63, 31–40
- Guinebretière, M.H., Thompson, F.L., Sorokin, A., Normand, P., Dawyndt, P., Ehling-Schulz, M., Svensson, B., Sanchis, V., Nguyen-The, C., Heyndrickx, M. and De Vos, P. (2008) Ecological diversification in the *Bacillus cereus* group. *Environmental Microbiology* 10, 851–865
- Guinebretière, M.H., Velge, P., Couvert, O., Carlin, F., Debuyser, M. and Nguyen-The, C. (2010) The food poisoning power of *Bacillus cereus* group strains varies according to phylogenetic affiliation (groups I-VII), not to species affiliation. *Journal of Clinical Microbiology* 48, 3388–3391
- Gupta, N., Rathi, P. and Gupta, R. (2002) Simplified para-nitrophenyl palmitate assay for lipases and esterases. *Analytical Biochemistry* 31, 98–99
- Harvey, J., Keenan, K.P. and Gilmour, A. (2007) Assessing biofilm formation by *Listeria monocytogenes* strains. *Food Microbiology* 24, 380–392
- Hassan, G.M., Al-Ashmawy, M.A.M., Meshref, A.M.S. and Afify, S.I. (2010). Studies on enterotoxigenic *Bacillus cereus* in raw milk and some dairy products. *Journal of Food Safety* 30, 569–583
- Hayrapetyan, H., Abee, T. and Nierop Groot, M.N. (2016) Sporulation dynamics and spore heat resistance in wet and dry biofilms of *Bacillus cereus*. *Food Control* 60, 493–499
- Hayrapetyan, H., Muller, L., Tempelaars, M., Abee, T. and Nierop Groot, M.N. (2015) Comparative analysis of biofilm formation by *Bacillus cereus* reference strains and undomesticated food isolates and the effect of free iron. *International Journal of Food Microbiology* 200, 72–79
- Helgason, E., Caugant, D.A., Olsen, I. and Kolstø A.B. (2000). Genetic structure of population of *Bacillus cereus* and *Bacillus thuringiensis* isolates associated with periodontitis and other human infections. *Journal of Clinical Microbiology* 38, 1615–1622
- Helgason, E., Økstad, O.A., Caugant, D.A., Johansen, H.A., Fouet, A., Mock, M., Hegna, I. and Kolstø, A.B. (2000) *Bacillus anthracis*, *Bacillus cereus*, and *Bacillus thuringiensis* – one species on the basis of genetic evidence. *Applied and Environmental Microbiology* 66, 2627–2630
- Heyndrickx, M. (2011) The importance of endospore-forming bacteria originating from soil for contamination of industrial food processing. *Applied and Environmental Soil Science* 2011, Article ID 561975, 11 pages
- HiMedia (1998) *The HiMedia Manual for Microbiology Laboratory Practices*. HiMedia Laboratories Pvt Limited, Mumbai, India
- Hornstra, L.M., De Leeuw, P.L.A., Moezelaar, R., Wolbert, E.J., De Vries, Y.P., De Vos, W.M. and Abee, T. (2007) Germination of *Bacillus cereus* spores adhered to stainless steel. *International Journal of Food Microbiology* 116, 367–371
- Hsueh, Y.H., Somers, E.B., Lereclus, D. and Wong, A.C.L. (2006) Biofilm formation by *Bacillus cereus* is influenced by PlcR, a pleiotropic regulator. *Applied and Environmental Microbiology* 72, 5089–5092
- Hussain, S.A., Munshi, Z.H. and Hussain, I. (2007). Food poisoning due to *Bacillus cereus*: a case report. *Journal of Veterinary Public Health* 5, 57–59
- Janšťová, B., Draèková, M. and Vorlová, L. (2006) Effect of *Bacillus cereus* enzymes on milk quality following ultra high temperature processing. *Acta Veterinaria Brno* 75, 601–609
- Janšťová, B., Lukášová, J., Draèková, M. and Vorlová, L. (2004) Influence of *Bacillus* spp. enzymes on ultra high temperature-treated milk proteins. *Acta Veterinaria Brno* 73, 393–400
- Jensen, G.B., Hansen, B.M., Ellenberg, J. and Mahillon, J. (2003) The hidden lifestyles of *Bacillus cereus* and relatives. *Environmental Microbiology* 5, 631–640
- Kim, K.Y. and Frank, J.F. (1995) Effect of nutrients on biofilm formation by *Listeria monocytogenes* on stainless steel. *Journal of Food Protection* 58, 24–28
- Klavenes, A., Stalheim, T., Sjøvold, O., Josefsen, K. and Granum, P.E. (2002) Attachment of *Bacillus cereus* spores with and without appendages to stainless steel surfaces. *Food and Bioprocess Processing* 80, 312–318

- Kramer, J.M. and Gilbert, R.J. (1989) *Bacillus cereus* and other *Bacillus* species. Ch. 2. In: Doyle, M.P. (Ed.), *Foodborne Bacterial Pathogens*, pp. 21–70. Marcel Dekker, New York, NY, USA
- Larsen, H.D. and Jørgensen, K. (1997) The occurrence of *Bacillus cereus* in Danish pasteurized milk. *International Journal of Food Microbiology* 34, 179–186
- Laszlo, D.J., Niwano, M., Goral, W.W. and Taylor, B.L. (1984) *Bacillus cereus* electron transport and proton motive force during aerotaxis. *Journal of Bacteriology* 159, 820–824
- Lechner, S., Mayr, R., Francis, K.P., Prüss, B.M., Kaplan, T., Wießner-Gunkel, E., Stewart, G.S.A.B. and Scherer, S. (1998). *Bacillus weihenstephanensis* sp. nov. is a new psychrotolerant species of the *Bacillus cereus* group. *International Journal of Systematic Bacteriology* 48, 1373–1382
- Lee, D., Koh, Y., Kim, K., Kim, B., Choi, H., Kim, D., Suhartono, M.T. and Pyun, Y. (1999) Isolation and characterization of a thermophilic lipase from *Bacillus thermoleovorans* ID-1. *FEMS Microbiology Letters* 179, 393–400
- Lemos, M., Gomes, I., Mergulhão, F., Melo, L. and Simões, M. (2015) The effects of surface type on the removal of *Bacillus cereus* and *Pseudomonas fluorescens* single and dual species biofilms. *Food and Bioprocess Technology* 93, 234–241
- Lequette, Y., Boels, G., Clarisse, M. and Faille, C. (2010) Using enzymes to remove biofilms of bacterial isolates sampled in the food-industry. *Biofouling* 26, 421–431
- Lequette, Y., Garénaux, E., Tauveron, G., Dumez, S., Perchat, S., Slomianny, C., Lereclus, D., Guérardel, Y. and Faille, C. (2011) Role played by exosporium glycoproteins in the surface properties of *Bacillus cereus* spores and in their adhesion to stainless steel. *Applied and Environmental Microbiology* 77, 4905–4911
- Lindbäck, T., Hardy, S.P., Dietrich, R., Sødning, M., Didier, A., Morvavek, M., Fagerlund, A., Bock, S., Nielsen, C., Casteel, M., Granum, P.E. and Märklbauer E. (2010) Cytotoxicity of the *Bacillus cereus* Nhe enterotoxin requires specific binding order of its three exoprotein components. *Infection and Immunity* 78, 3813–3821
- Lindsay, D., Brözel, V.S. and von Holy, A. (2006) Biofilm-spore response in *Bacillus cereus* and *Bacillus subtilis* during nutrient limitation. *Journal of Food Protection* 69, 1168–1172
- Lücking, G., Stoeckel, M., Atamer, Z., Hinrichs, J. and Ehling-Schulz, M. (2013) Characterization of aerobic spore-forming bacteria associated with industrial dairy processing environments and product spoilage. *International Journal of Food Microbiology* 166, 270–279
- Lund, T., de Buyser, M.L. and Granum, P.E. (2000) A new cytotoxin from *Bacillus cereus* that may cause necrotic enteritis. *Molecular Microbiology* 38, 254–261
- Lund, T. and Granum, P.E. (1996) Characterisation of a nonhaemolytic enterotoxin complex from *Bacillus cereus* isolated after a foodborne outbreak. *FEMS Microbiology Letters* 141, 151–156
- Marklinder, I. and Eriksson, M.K. (2015) "Best-before date – food storage temperatures recorded by Swedish students". *British Food Journal* 117, 1764–1776
- Mead, P.S., Slutsker, L., Dietz, V., McCaig, L.F., Bresee, J.S., Shapiro, C., Griffin, P.M. and Tauxe, R.V. (1999) Food-related illness and death in the United States. *Emerging Infectious Diseases* 5, 607–625
- Merzougui, S., Lkhider, M., Grosset, N., Gautier, M. and Cohen, N. (2014) Prevalence, PFGE typing, and antibiotic resistance of *Bacillus cereus* group isolated from food in Morocco. *Foodborne Pathogens and Disease* 11, 145–149
- Meyer, B. (2003) Approaches to prevention, removal and killing of biofilms. *International Biodeterioration & Biodegradation* 51, 249–253
- Mittelman, M.W. (1998) Structure and functional characteristics of bacterial biofilms in fluid processing operations. *Journal of Dairy Science* 8, 2760–2764
- Mock, M. and Fouet, A. (2001) Anthrax. *Annual Review of Microbiology* 55, 647–671
- Molva, C., Sudagidan, M. and Okuklu, B. (2009) Extracellular enzyme production and enterotoxigenic gene profiles of *Bacillus cereus* and *Bacillus thuringiensis* strains isolated from cheese in Turkey. *Food Control* 20, 829–834
- Moravek, M., Dietrich, R., Buerk, C., Broussolle, V., Guinebretière, M.H., Granum, P.E., Nguyen-The, C. and Märklbauer, E. (2006) Determination of the toxic potential of *Bacillus cereus* isolates by quantitative enterotoxin analyses. *FEMS Microbiology Letters* 257, 293–298
- Muir, D.D. (1996) The shelf-life of dairy products: 1. Factors influencing raw milk and fresh products. *International Journal of Dairy Technology* 49, 24–32
- Murugan, B. and Villi, R.A. (2009) Lipolytic activity of *Bacillus* species isolated from milk and dairy products. *Indian Veterinary Journal* 86, 80–81
- Nabrdalik, M., Grata, K. and Latala, A. (2010). Proteolytic activity of *Bacillus cereus* strains. *Proceedings of ECO-pole 4*, 273–276
- Nakamura, L.K. (1998) *Bacillus pseudomycoloides* sp. nov. *International Journal of Systematic and Evolutionary Microbiology* 48, 1031–1035

- NDDB (2012) Presentation at the International Dairy Federation Summit, November 6, 2012 in Cape Town, South Africa. National Dairy Development Board, Anand, Gujarat, India
- NDDB (2015) Annual report 2014–2015. National Dairy Development Board, Anand, Gujarat, India
- Norris, J.R., Berkeley, R.C.W., Logan, N.A. and O'donnel, A.G. (1981) The genus *Bacillus* and *Sporolactobacillus*. In: Starr, M.P., Stolp, H., Trüper, H.G., Ballows, A. and Schlegel, H.G. (Eds), *The Prokaryotes: A Handbook on Habitats, Isolation, and Identification of Bacteria*, pp. 1711-1742. Springer-Verlag, New York, NY, USA
- Notermans, S., Dufrenne, J., Teunis, P., Beumer, R., te Giffel, M. and Weem, P.P. (1997) A risk assessment study of *Bacillus cereus* present in pasteurised milk. *Food Microbiology* 14, 143–151
- Notermans, S., Nauta, M.J., Jansen, J., Jouve, J.L. and Mead, G.C. (1998) A risk assessment approach to evaluating food safety based on product surveillance. *Food Control* 9, 217–223
- NSW Food Authority (2013) Details - Register of offences (prosecutions). <http://www.foodauthority.nsw.gov.au/news/offences/prosecutions/offences-details-tablesrestaurant/>. Accessed 25 January 2013
- Organji, R.S., Abulreesh, H.H., Elbanna, K., Osman, G.E.H. and Khider, M. (2015) Occurrence and characterization of toxigenic *Bacillus cereus* in food and infant feces. *Asian Pacific Journal of Tropical Biomedicine* 5, 515–520
- O'Toole, G., Kaplan, H.B. and Kolter, R. (2000) Biofilm formation as microbial development. *Annual Review of Microbiology* 54, 49–79
- Pagedar, A. and Singh, J. (2012) Influence of physiological cell stages on biofilm formation by *Bacillus cereus* of dairy origin. *International Dairy Journal* 23, 30-35
- Parkar, S.G., Flint, S.H. and Brooks, J.D. (2004) Evaluation of the effect of cleaning regimes on biofilms of thermophilic bacilli on stainless steel. *Journal of Applied Microbiology* 96, 110–116
- Patel, R., Dodia, M. and Singh, S.P. (2005) Extracellular alkaline protease from a newly isolated haloalkaliphilic *Bacillus* sp.: production and optimization. *Process Biochemistry* 40, 3569–3575
- Pechook, S., Sudakov, K., Polishchuk, I., Ostrov, I., Zakin, V., Pokroy, B. and Shemesh, M. (2015) Bioinspired passive anti-biofouling surfaces preventing biofilm formation. *Journal of Materials Chemistry B* 3, 1371–1378
- Peña, W.E.L., de Andrade, N.J., Soares, N.F.F., Alvarenga, V.O., Rodrigues Jr, S., Granato, D., Zuniga, A.D.G. and de Souza Sant'Ana, A. (2014) Modelling *Bacillus cereus* adhesion on stainless steel surface as affected by temperature, pH and time. *International Dairy Journal* 34, 153-158
- Peng, J.S., Tsai, W.C. and Chou, C.C. (2001) Surface characteristics of *Bacillus cereus* and its adhesion to stainless steel. *International Journal of Food Microbiology* 65, 105–111
- Peng, J.S., Tsai, W.C. and Chou, C.C. (2002) Inactivation and removal of *Bacillus cereus* by sanitizer and detergent. *International Journal of Food Microbiology* 77, 11–18
- Phillips, L.G., McGiff, M.L., Barbano, D.M. and Lawless, H.T. (1995) The influence of fat on the sensory properties, viscosity, and color of low fat milk. *Journal of Dairy Science* 78, 1258-1266
- Prüß, B.M., Dietrich, R., Nibler, B., Martlbauer, E. and Scherer, S. (1999) The hemolytic enterotoxin HBL is broadly distributed among species of the *Bacillus cereus* group. *Applied and Environmental Microbiology* 65, 5436–5442
- Rajkovic, A., Uyttendaele, M., Vermeulen, A., Andjelkovic, M., Fitz-James, I., In't Veld, P., Denon, Q., Vérhe, R. and Debevere, J. (2008) Heat resistance of *Bacillus cereus* emetic toxin, cereulide. *Letters in Applied Microbiology* 46, 536–541
- Ramarao, N. and Sanchis, V. (2013) The pore-forming haemolysins of *Bacillus cereus*: a review. *Toxins* 5, 1119-1139
- Rasko, D.A., Ravel, J., Økstad, O.A., Helgason, E., Cer, R.Z., Jiang, L., Shores, K.A., Fouts, D.E., Tourasse, N.J. Angiuoli, S.V., Kolonay, J., Nelson, W.C., Kolstø, A.B., Fraser, C.M. and Read, T.D. (2004) The genome sequence of *Bacillus cereus* ATCC 10987 reveals metabolic adaptations and a large plasmid related to *Bacillus anthracis* pXO1. *Nucleic Acids Research* 32, 977–988
- Reyes, J.E., Bastías, J.M., Gutiérrez, M.R. and de la O. Rodríguez, M. (2007) Prevalence of *Bacillus cereus* in dried milk products used by Chilean school feeding program. *Food Microbiology* 24, 1-6
- Roy, A., Moktan, B. and Sarkar, P.K. (2007) Characteristics of *Bacillus cereus* isolates from legume-based Indian fermented foods. *Food Control* 18, 1555–1564
- Ryu, J.H. and Beuchat, L.R. (2005) Biofilm formation and sporulation by *Bacillus cereus* on a stainless steel surface and subsequent resistance of vegetative cells and spores to chlorine, chlorine dioxide, and a peroxyacetic acid-based sanitizer. *Journal of Food Protection* 68, 2614–2622
- Saile, E. and Koehler, T.M. (2006) *Bacillus anthracis* multiplication, persistence, and genetic exchange in the rhizosphere of grass plants. *Applied and Environmental Microbiology* 72, 3168–3174
- Salustiano, V.C., Andrade, N.J., Soares, N.F.F., Lima, J.C., Bernardes, P.C., Luiz, L.M.P. and Fernandes, P.E. (2009) Contamination of milk with *Bacillus cereus* by post-pasteurization surface exposure as evaluated by automated ribotyping. *Food Control* 20, 439–442

- Samar•ija, D., Zamberlin, S. and Pogacic, T. (2012) Psychrotrophic bacteria and milk and dairy products quality. *Mljekarstvo* 62, 77-95
- Sauer, K., Camper, A.K., Ehrlich, G.D., Costerton, J.W. and Davies, D.G. (2002) *Pseudomonas aeruginosa* displays multiple phenotypes during development as a biofilm. *Journal of Bacteriology* 184, 1140–1154
- Schaffner, D.W., McEntire, J., Duffy, S., Montville, R. and Smith, S. (2003) Monte Carlo simulation of the shelf life of pasteurized milk as affected by temperature and initial concentration of spoilage organisms. *Food Protection Trends* 23, 1014–1021
- Sergelidis, D., Abraham, A., Sarimvei, A., Panoulis, C., Karaioannoglou, P. and Genigeorgis, C. (1997) Temperature distribution and prevalence of *Listeria* spp. in domestic, retail and industrial refrigerators in Greece. *International Journal of Food Microbiology* 34, 171-177
- Shaheen, R., Svensson, B., Andersson, M.A., Christiansson, A. and Salkinoja-Salonen, M. (2010) Persistence strategies of *Bacillus cereus* spores isolated from dairy silo tanks. *Food Microbiology* 27, 347–355
- Sharma, M. and Anand, S.K. (2002) Biofilms evaluation as an essential component of HACCP for food/dairy processing industry - a case. *Food Control* 13, 469–477
- Simmonds, P., Mossel, B.L., Intaraphan, T. and Deeth, H.C. (2003) Heat resistance of *Bacillus* spores when adhered to stainless steel and its relationship to spore hydrophobicity. *Journal of Food Protection* 66, 2070–2075
- Simões, M., Simões, L.C., Cleto, S., Pereira, M.O. and Vieira, M.J. (2008) The effects of a biocide and a surfactant on the detachment of *Pseudomonas fluorescens* from glass surfaces. *International Journal of Food Microbiology* 121, 335–341
- Simões, M., Simões, L.C., Machado, I., Pereira, M.O. and Vieira, M.J. (2006) Control of flow-generated biofilms with surfactants: evidence of resistance and recovery. *Food and Bioproducts Processing* 84, 338–345
- Simões, M., Simões, L.C. and Vieira, M.J. (2010) A review of current and emergent biofilm control strategies. *LWT - Food Science and Technology* 43, 573–583
- Simone, E., Goosen, M., Notermans, S.H.W. and Borgdorff, M.W. (1997) Investigations of foodborne diseases by Food Inspection Services in the Netherlands, 1991 to 1994. *Journal of Food Protection* 60, 442–446
- Singh, B.R., Kulshreshtha, S.B. and Kapoor, K.N. (1995) A bakery product associated *B. cereus* food poisoning outbreak. *Indian Journal of Comparative Microbiology, Immunology and Infectious Diseases* 16, 151–152
- Srey, S., Jahid, I.K. and Ha, S.D. (2013) Biofilm formation in food industries: a food safety concern. *Food Control* 31, 572–585
- Stackebrandt, E., Frederiksen, W., Garrity, G.M., Grimont, P.A.D., Kämpfer, P., Maiden, M.C.J., Nesme, X., Rosselló-Mora, R., Swings, J., Trüper, H.G., Vauterin, L., Ward, A.C. and Whitman, W.B. (2002) Report of the ad hoc committee for the re-evaluation of the species definition in bacteriology. *International Journal of Systematic and Evolutionary Microbiology* 52, 1043–1047
- Stenfors Arnesen, L.P., Fagerlund, A. and Granum, P.E. (2008) From soil to gut: *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiology Reviews* 32, 579–606
- Stenfors Arnesen, L.P., O'Sullivan, K. and Granum, P.E. (2007) Food poisoning potential of *Bacillus cereus* strains from Norwegian dairies. *International Journal of Food Microbiology* 116, 292–296
- Stoodley, P., Sauer, K., Davies, D.G. and Costerton, J.W. (2002) Biofilms as complex differentiated communities. *Annual Review of Microbiology* 56, 187–209
- Sutherland, I.W. (2001) The biofilm matrix – an immobilized but dynamic microbial environment. *Trends in Microbiology* 9, 222–227
- Svensson, B., Ekelund, K., Ogura, H. and Christiansson, A. (2004) Characterisation of *Bacillus cereus* isolated from milk silo tanks at eight different dairy plants. *International Dairy Journal* 14, 17–27
- Svensson, B., Eneroth, Å., Brendehaug, J., Molin, G. and Christiansson, A. (2000) Involvement of a pasteurizer in the contamination of milk by *Bacillus cereus* in a commercial dairy plant. *Journal of Dairy Research* 67, 455–460
- Svensson, B., Monthán, A., Guinebretière, M.H., Nguyen-The, C., Christiansson, A. (2007) Toxin production potential and the detection of toxin genes among strains of the *Bacillus cereus* group isolated along the dairy production chain. *International Dairy Journal* 17, 1201-1208
- Svensson, B., Monthán, A., Shaheen, R., Andersson, M.A., Salkinoja Salonen, M. and Christiansson, A. (2006) Occurrence of emetic toxin producing *Bacillus cereus* in the dairy production chain. *International Dairy Journal* 16, 740–749
- Tallent, S.M., Kotewicz, K.M., Strain, E.A. and Bennett, R.W. (2012) Efficient isolation and identification of *Bacillus cereus* group. *Journal of AOAC International* 95, 446–451
- Tamime, A.Y., Ed. (2009) *Milk Processing and Quality Management*. Blackwell Publishing, Oxford, UK
- Tauveron, G., Slomianny, C., Henry, C. and Faille, C. (2006) Variability among *Bacillus cereus* strains in spore surface properties and influence on their ability to contaminate food surface equipment. *International Journal of Food Microbiology* 110, 254–262
- te Giffel, M.C., Beumer, R.R., Granum, P.E. and Rombouts, F.M. (1997) Isolation and characterisation of *Bacillus cereus* from pasteurised milk in household refrigerators in the Netherlands. *International Journal of Food Microbiology* 34, 307–318

- te Giffel, M.C., Beumer, R.R., Leijendekkers, S. and Rombouts, F.M. (1996). Incidence of *Bacillus cereus* and *Bacillus subtilis* in foods in the Netherlands. *Food Microbiology* 13, 53-58
- te Giffel, M.C., Beumer, R.R., Slaghuis, B.A. and Rombouts, F.M. (1995) Occurrence and characterization of (psychrotropic) *Bacillus cereus* on farms in the Netherlands. *Netherlands Milk and Dairy Journal*, 49, 125–138
- te Giffel, M.C., Wagendorp, A., Herrewegh, A. and Driehuis F. (2002) Bacterial spores in silage and raw milk. *Antonie van Leeuwenhoek* 81, 625-630
- Teh, K.H., Flint, S., Palmer, J., Andrewes, P., Bremer, P. and Lindsay, D. (2012) Proteolysis produced within biofilms of bacterial isolates from raw milk tankers. *International Journal of Food Microbiology* 157, 28-34
- Teh, K.H., Flint, S., Palmer, J., Andrewes, P., Bremer, P. and Lindsay, D. (2014) Biofilm: an unrecognised source of spoilage enzymes in dairy products? *International Dairy Journal* 34, 32-40
- Thomas, A. and Sathian, C.T. (2014) Cleaning-in-place (CIP) system in dairy plant - review. *IOSR Journal of Environmental Science, Toxicology and Food Technology* 8, 41-44
- Thorsen, L., Hansen, B.M., Nielsen, K.F., Hendriksen, N.B., Phipps, R.K. and Budde, B.B. (2006) Characterization of emetic *Bacillus weihenstephanensis*, a new cereulide-producing bacterium. *Applied and Environmental Microbiology* 72, 5118–5121
- Thys, R.C., Lucas, F.S., Riffel, A., Heeb, P. and Brandelli, A. (2004) Characterization of a protease of a feather-degrading *Microbacterium* species. *Letters in Applied Microbiology* 39, 181–186
- Tourasse, N.J., Helgason, E., Økstad, O.A., Hegna, I.K. and Kolstø, A.B. (2006) The *Bacillus cereus* group: novel aspects of population structure and genome dynamics. *Journal of Applied Microbiology* 101, 579–593
- Vachon, V., Laprade, R. and Schwartz, J.L. (2012) Current models of the mode of action of *Bacillus thuringiensis* insecticidal crystal proteins: a critical review. *Journal of Invertebrate Pathology* 111, 1-12
- Valero, M., Hernandez-Herrero, L.A., Fernandez, P.S. and Salmeron, M.C. (2002) Characterization of *Bacillus cereus* isolates from fresh vegetables and refrigerated minimally processed foods by biochemical and physiological tests. *Food Microbiology* 19, 491–499
- van der Auwera, G.A., Timmerly, S., Hoton, F. and Mahillon, J. (2007) Plasmid exchanges among members of the *Bacillus cereus* group in foodstuffs. *International Journal of Food Microbiology* 113, 164–172
- van der Voort, M., García, D., Moezelaar, R. and Abee, T. (2010) Germinant receptor diversity and germination responses of four strains of the *Bacillus cereus* group. *International Journal of Food Microbiology* 139, 108–115
- van de Weyer, A., Devleeschouwer, M.J. and Dony, J. (1993) Bactericidal activity of disinfectants on *Listeria*. *Journal of Applied Bacteriology* 74, 480-483
- van Netten, P., van de Moosdijk, A., van Hoensel, P., Mossel, D.A.A. and Perales, I. (1990) Psychrotrophic strains of *Bacillus cereus* producing enterotoxin. *Journal of Applied Bacteriology* 69, 73–79
- Vissers, M.M.M., Driehuis, F., te Giffel, M.C., De Jong, P. and Lankveld, J.M.G. (2006) Improving farm management by modeling the contamination of farm tank milk with butyric acid bacteria. *Journal of Dairy Science* 89, 850-858
- Vissers, M.M.M., te Giffel, M.C., Driehuis, F., De Jong, P. and Lankveld, J.M.G. (2007) Minimizing the level of *Bacillus cereus* spores in farm tank milk. *Journal of Dairy Science* 90, 3286-3293
- Warke, R., Kamat, A., Kamat, M. and Thomas, P. (2000) Incidence of pathogenic psychrotrophs in ice creams sold in some retail outlets in Mumbai, India. *Food Control* 11, 77–83
- WHO (2007) Food safety and food-borne illness. Fact sheet no. 237. World Health Organization, Geneva, Switzerland
- Wijman, J.G.E., de Leeuw, P.P.L.A., Moezelaar, R., Zwietering, M.H. and Abee, T. (2007) Air-liquid interface biofilms of *Bacillus cereus*: formation, sporulation, and dispersion. *Applied and Environmental Microbiology* 73, 1481–1488
- Wong, A.C.L. (1998) Biofilms in food processing environments. *Journal of Dairy Science* 81, 2765–2770
- Zhou, G., Liu, H., He, J., Yuan, Y. and Yuan, Z. (2008) The occurrence of *Bacillus cereus*, *B. thuringiensis* and *B. mycoides* in Chinese pasteurized full fat milk. *International Journal of Food Microbiology* 121, 195–200