

Contents

1. Introduction	1
2. Review of literature	5
2.1. <i>Bacillus cereus</i> group	5
2.1.1. Taxonomy	5
2.1.2. Functional morphology of cells	7
2.1.3. Ecology	7
2.1.4. Toxigenicity	8
2.2. Role of the group in dairy production chain	9
2.2.1. The dairy production chain	9
2.2.2. Sources of contamination	9
2.2.3. Toxigenicity and spoilage	12
2.2.4. Biofilm	14
2.2.4.1. Attachment of planktonic cells to a solid surface	14
2.2.4.2. Formation of microcolony	15
2.2.4.3. Biofilm maturation	15
2.2.4.4. Biofilm dispersal	15
2.2.4.5. Biofilm hazard and control strategies	15

3. Materials and methods	18
3.1. Materials	18
3.1.1. Culture media	18
3.1.2. Reagents	19
3.1.3. Antibiotic susceptibility test discs	20
3.2. Experimental	20
3.2.1. Isolation and enumeration of <i>Bacillus cereus</i> from milk and dairy products	20
3.2.1.1. Sampling	20
3.2.1.2. Isolation	20
3.2.1.3. Maintenance of pure cultures	26
3.2.1.4. Confirmation of the presumptive isolates	26
3.2.1.4.1. Gram staining	26
3.2.1.4.2. Motility	26
3.2.1.4.3. Formation of endospore	26
3.2.1.4.4. Fermentation of glucose	26
3.2.1.4.5. Reduction of nitrate	26
3.2.1.4.6. Voges-Proskauer reaction	26
3.2.2. Characterisation of the <i>Bacillus cereus</i> isolates	26
3.2.2.1. Growth temperature requirement	26
3.2.2.2. Susceptibility to antibiotics	27
3.2.2.3. Production of extracellular enzymes	27
3.2.2.3.1. Thermostability of protease	27
3.2.2.3.2. Thermostability of lipase	27
3.2.2.4. Production of haemolysin	28
3.2.2.5. Production of enterotoxin	28
3.2.2.6. Biofilm formation assay	28
3.2.3. <i>In vitro</i> model study for biofilm formation by <i>Bacillus cereus</i> in dairy chilling tanks	28
3.2.4. Response surface optimisation for <i>Bacillus cereus</i> biofilm removal	28
3.2.4.1. Alkali-based cleaning-in-place	29
3.2.4.1.1. Influence of NaOH treatment on biofilm removal	29
3.2.4.1.2. Effectiveness of reference and optimised cleaning-in-places	29
3.2.4.2. Enzyme-based cleaning-in-place	30
3.2.4.2.1. Optimisation of biofilm removal in microtiter plate using protease	30
3.2.4.2.2. Removal of biofilm developed on stainless steel coupons using optimised protease treatment	31
3.2.4.2.3. Comparative efficiency of alkali- and optimised protease-based cleaning-in-places	31
3.2.5. Quantitative risk assessment of human exposure to <i>Bacillus cereus</i> associated with household refrigerated storage of pasteurised milk	31
3.2.5.1. Survey	31
3.2.5.2. Exposure assessment	31
3.2.6. Statistical analyses	32

4. Results	33	
4.1. Prevalence and characterisation of <i>Bacillus cereus</i> isolates from marketed dairy products		33
4.1.1. Prevalence	33	
4.1.2. Characterisation	33	
4.1.2.1. Growth temperature requirement	33	
4.1.2.2. Susceptibility to antibiotics	36	
4.1.2.3. Production of extracellular enzymes	37	
4.1.2.4. Production of enterotoxins	39	
4.1.2.5. Formation of biofilm	39	
4.1.2.6. Relationship among characteristics	39	
4.2. Prevalence of <i>Bacillus cereus</i> in dairy processing environment	39	
4.3. <i>In vitro</i> model study for biofilm formation by <i>Bacillus cereus</i> in dairy chilling tanks		41
4.4. Optimisation of <i>Bacillus cereus</i> biofilm removal by alkali-based cleaning-in-place		41
4.4.1. Influence of NaOH treatment on biofilm removal	42	
4.4.2. Effectiveness of reference and optimised cleaning-in-places	43	
4.5. Optimisation of <i>Bacillus cereus</i> biofilm removal by enzyme-based cleaning-in-place		45
4.5.1. Biofilm removal from microtiter plate using protease	45	
4.5.2. Biofilm removal from stainless steel coupons using optimised protease treatment		46
4.5.3. Comparative efficiency of alkali- and optimised protease-based cleaning-in-places		46
4.6. Quantitative risk assessment of human exposure to <i>Bacillus cereus</i>	48	
4.6.1. Survey	48	
4.6.2. Prevalence of <i>Bacillus cereus</i> in pasteurised milk stored in domestic refrigerators		48
4.6.3. Monte Carlo simulation of the data on storage conditions	48	
4.6.4. Exposure assessment	48	
4.6.5. Hazard characterisation and risk calculation	51	
5. Discussion	52	
5.1. Prevalence and characterisation of <i>Bacillus cereus</i> in dairy environment	52	
5.2. <i>In vitro</i> model study for biofilm formation by <i>Bacillus cereus</i> in dairy chilling tanks		55
5.3. Optimisation of <i>Bacillus cereus</i> biofilm removal by alkali-based cleaning-in-place		55
5.4. Optimisation of <i>Bacillus cereus</i> biofilm removal by enzyme-based cleaning-in-place		56
5.5. Quantitative risk assessment of human exposure to <i>Bacillus cereus</i>	57	
6. Bibliography	59	
Subject index	67	