

REFERENCES

- Ablove T, Binkley N, Leadley S, Shelton J, Ablove R. 2015. Body mass index continues to accurately predict percent body fat as women age despite changes in muscle mass and height. *Menopause*. 22(7):727-30.
- Abou-Hussein S, Abela M, Savona-Ventura C. 2011. Body Mass Index adjustment for sitting height for better assessment of obesity risks in Maltese women. *Int J Risk Saf Med*. 23(4):241-8.
- Ackerson LK, Kawachi I, Barbeau EM, Subramanian SV. 2008. Geography of underweight and overweight among women in India: a multilevel analysis of 3204 neighborhoods in 26 states. *Econ Hum Biol*. 6(2):264-80.
- Adak DK, Gautam RK, Bharati S, Gharami AK, Pal M, Bharati P. 2006. Body mass index and chronic energy deficiency of adult males of Central Indian populations. *Hum Biol*. 78(2):161-78.
- Adde L, Thomas N, John HB, Oommen S, Vågen RT, Fjørtoft T, Jensenius AR, Støen R. 2016. Early motor repertoire in very low birth weight infants in India is associated with motor development at one year. *Eur J Paediatr Neurol*. 20(6):918-924.
- Adediran OS, Adebayo PB, Akintunde AA. 2013. Anthropometric differences among natives of Abuja living in urban and rural communities: correlations with other cardiovascular risk factors. *BMC Research Notes*. 6:123
- Adedoyin RA, Afolabi A, Adegoke OO, Akintomide AO, Awotidebe TO. 2013. Relationship between socioeconomic status and metabolic syndrome among Nigerian adults. *Diabetes Metab Syndr*. 7(2):91-4.

- Aekplakorn W. 2011. Prevalence, treatment, and control of metabolic risk factors by BMI status in Thai adults: National Health Examination Survey III. *Asia Pac J Public Health*. 23(3):298-306.
- Agrawal S, Millett CJ, Dhillon PK, Subramanian SV, Ebrahim S. 2014. Type of vegetarian diet, obesity and diabetes in adult Indian population. *Nutr J*. 13:89.
- Ahmed SM, Adams A, Chowdhury AM, Bhuiya A. 1998. Chronic energy deficiency in women from rural Bangladesh: some socioeconomic determinants. *J Biosoc Sci*. 30(3):349-58.
- Alam N, Roy SK, Ahmed T, Ahmed AM. 2010. Nutritional status, dietary intake, and relevant knowledge of adolescent girls in rural Bangladesh. *J Health Popul Nutr*. 28(1):86-94.
- Alberti KG, Zimmet P, Shaw. 2007. Use of 80 cm and 90 cm for female and male (International Diabetes Federation: a consensus on Type 2 diabetes prevention. *J Diabet Med*. 24(5):451-63.
- Al-Lawati JA, Jousilahti P. 2008. Body mass index, waist circumference and waist-to-hip ratio cut-off points for categorisation of obesity among Omani Arabs. *Public Health Nutr*. 11(1):102-8.
- Allison DB, Zhu SK, Plankey M, Faith MS, Heo M. 2002. Differential associations of body mass index and adiposity with all-cause mortality among men in the first and second National Health and Nutrition Examination Surveys (NHANES I and NHANES II) follow-up studies. *Int J Obes Relat Metab Disord*. 26(3):410-6.

- Aluckal E, Anzil K, Baby M, George EK, Lakshmanan S, Chikkanna S. 2016. Association between Body Mass Index and Dental Caries among Anganwadi Children of Belgaum City, India. *J Contemp Dent Pract.* 1:17(10):844-848.
- Anand K, Kant S, Kapoor SK. 1999. Nutritional status of adolescent school children in rural North India. *Indian Pediatr.* 36(8):810-5
- Anbalagan VP, Venkataraman V, Pradeepa R, Deepa M, Anjana RM, Mohan V. 2013. The prevalence of presarcopenia in Asian Indian individuals with and without type 2 diabetes. *Diabetes Technol Ther.* 15(9):768-75.
- Andersen S, Mulvad G, Pedersen HS, Laurberg P. 2004. Body proportions in healthy adult Inuit in East Greenland in 1963. *Int J Circumpolar Health.* 63 Suppl 2:73-6.
- Andersen s, Mulvad G, Pedersen HS, Laurberg P. 2004. Gender diversity in developing overweight over 35 years of Westernization in an Inuit hunter cohort and ethno-specific body mass index for evaluation of body-weight. *Eur J Endocrinol.* 151 735–740.
- Andrade MD, Freitas MC, Sakumoto AM, Pappiani C, Andrade SC, Vieira VL, Damasceno NR. 2016. Association of the conicity index with diabetes and hypertension in Brazilian women. *Arch Endocrinol Metab.* 60(5):436-442.
- Anoop S, Misra A, Bhardwaj S, Gulati S. 2015. High body fat and low muscle mass are associated with increased arterial stiffness in Asian Indians in North India. 29(1):38-43.
- Antony GM, Laxmaiah A. 2008. Human development, poverty, health and nutrition situation in India. *Ind J Med Res.* 128: 198-205.

- Aoki Y, Yoon SS, Chong Y, Carroll MD. 2014. Hypertension, abnormal cholesterol, and high body mass index among non-Hispanic Asian adults: United States, 2011-2012. *NCHS Data Brief*. (140):1-8.
- Arlappa N, Balakrishna N, Brahmam GN, Vijayaraghavan K. 2005. Nutritional status of the tribal elderly in India. *J Nutr Elder*. 25(2):23-39.
- Arlappa N, Balakrishna N, Brahmam GN, Vijayaraghavan K. 2005. Nutritional status of the tribal elderly in India. *J Nutr Elder*. 25(2):23-39.
- Arlappa N, Rao KM, Venkaiah K, Brahmam GN, Vijayaraghavan K. 2009. Nutritional parameters and chronic energy deficiency in older adults of desert areas of western Rajasthan, India. *J Nutr Elder*. 28(1):61-71.
- Arlappa N, Venkaiah K, Rao KM, Reddy ChG, Kumar SS, Ravindranath M, Brahmam GN, Vijayaraghavan K. 2009. Prevalence of chronic energy deficiency in rural-dwelling older Indian adults during a period of severe drought. *J Nutr Elder*. 28(3):301-12.
- Ashwell M, Gunn P, Gibson S. 2012. Waist-to-height ratio is a better screening tool than waist circumference and BMI for adult cardiometabolic risk factors: systematic review and meta-analysis. *Obes Rev*. 13(3):275-86.
- Asiimwe SB, Muzoora C, Wilson LA, Moore CC. 2015. Bedside measures of malnutrition and association with mortality in hospitalized adults. *Clin Nutr*. 34(2):252-6.
- Assefa N, Berhane Y, Worku A. 2012. Wealth status, mid upper arm circumference (MUAC) and antenatal care (ANC) are determinants for low birth weight in Kersa, Ethiopia. *PLoS One*. 7(6):e39957.

- Assyov Y, Gateva A, Tsakova A, Kamenov Z. 2017. A comparison of the clinical usefulness of neck circumference and waist circumference in individuals with severe obesity. *Endocr Res.* 42(1):6-14.
- Aswathappa J, Garg S, Kutty K, Shankar V. 2013. Neck circumference as an anthropometric measure of obesity in diabetics. *N Am J Med Sci.* 5(1):28-31.
- Avery JC, Taylor AW, Dal Grande E. 2015. Measuring BMI in an Aboriginal population survey: who are the non-responders? *Australian Indigenous Health Bulletin.* 15(3). July 2015 – September 2015. (Accessed on).
- Bailey KV, Ferro-Luzzi A. 1995. Use of body mass index of adults in assessing individual and community nutritional status. *Bull World Health Organ.* 73(5):673-80.
- Bajaj HS, Pereira MA, Anjana RM, Deepa R, Mohan V, Mueller NT, Rao GH, Gross MD. 2014. Comparison of relative waist circumference between Asian Indian and US adults. *J Obes.* 2014:461956.
- Baker P, Friel S. 2014. Processed foods and the nutrition transition: evidence from Asia. *Obes Rev.* 15(7):564-77.
- Ball K, Crawford D. 2005. Socioeconomic status and weight change in adults: a review. *Soc. Sci. Med.* 60(9):1987-2010.
- Baltrus PT, Shim RS, Ye J, Watson L, Davis SK. 2010. Socioeconomic position, stress, and cortisol in relation to waist circumference in African American and white women. *Ethn Dis.* 20(4):376-82.
- Bamji MS. 2003. Early nutrition and health: Indian perspective. *Curr Sci.* 85:1137-42.
- Bangladesh Demographic and Health Survey. 2011. National Institute of Population Research and Training (NIPORT) - Ministry of Health and Family Welfare, Government of

Bangladesh. <http://microdata.worldbank.org/index.php/catalog/dhs> accessed on 06.03.2018.

Bangladesh Demographic and Health Survey. 2014. National Institute of Population Research and Training (NIPORT) - Ministry of Health and Family Welfare, Government of Bangladesh. <http://microdata.worldbank.org/index.php/catalog/dhs> accessed on 06.03.2018.

Banik SD, Bose K, Bisai S, Bhattacharya M, Das S, Jana A, Purkait P. 2007. Undernutrition among adult Dhimals of Naxalbari, West Bengal: comparison with other tribes of eastern India. *Food Nutr Bull.* 28(3):348-52.

Banik SD, Das S. 2015. Body mass index and body adiposity index in relation to percent body fat: a study in adult men of three endogamous groups of South Bengal. *Homo* 66(1):90-9.

Banik SD, Ghosh M, Bose K. 2016. Anthropometric and body frame size characteristics in relation to body mass index and percentage body fat among adult Bengalee male brick-kiln workers from Murshidabad, West Bengal, India. *Anthropol Anz.* 73(4):313-321.

Banik SD. 2007. Age-sex and diurnal variation of blood pressure in different nutritional states among the adult Telegas of Kharagpur in West Bengal, India. *Coll Antropol.* 31(3):717-22.

Banik SD. 2011. Nutritional status adiposity and body composition of Oraon and Sarak females in Ranchi District, India--a comparison. *Ecol Food Nutr.* 50(1):43-62.

Banik SD. 2014. Body mass index and blood pressure among men of three ethnic groups of Darjeeling, West Bengal, India. *Ecol Food Nutr.* 53(3):256-72.

- Baqui AH, Arifeen SE, Amin S, Black RE. 1994. Levels and correlates of maternal nutritional status in urban Bangladesh. *Eur J Clin Nutr.* 48(5):349-57.
- Barker M, Chorghade G, Crozier S, Leary S, Fall C. 2006. Gender differences in body mass index in rural India are determined by socio-economic factors and lifestyle. *J Nutr.* 136(12):3062-8.
- Basnet LB. 1974. A Short Political History of Sikkim, S. Chand & Co. Pvt. Ltd. New Delhi.
- Bastien M, Poirier P, Lemieux I, Després JP. 2014. Overview of epidemiology and contribution of obesity to cardiovascular disease. Progress in Cardiovascular Diseases. *Prog Cardiovasc Dis.* 56:369-81.
- Batsis JA, Sahakyan KR, Rodriguez-Escudero JP, Bartels SJ, Somers VK, Lopez-Jimenez F. 2013. Normal weight obesity and mortality in United States subjects ≥ 60 years of age (from the Third National Health and Nutrition Examination Survey). *Am J Cardiol.* 112(10):1592-8.
- Bays H. 2014. Central obesity as a clinical marker of adiposopathy; increased visceral adiposity as a surrogate marker for global fat dysfunction. *Curr Opin Endocrinol Diabetes Obes.* 21:345-51.
- Benítez Brito N, Suárez Llanos JP, Fuentes Ferrer M, Oliva García JG, Delgado Brito I, Pereyra-García Castro F, Caracena Castellanos N, Acevedo Rodríguez CX, Palacio Abizanda E. 2016. Relationship between Mid-Upper Arm Circumference and Body Mass Index in Inpatients. *PLoS One.* 11(8):e0160480.
- Ben-Noun L, Sohar E, Laor A. 2001. Neck circumference as a simple screening measure for identifying overweight and obesity patients. *Obesity Res.* 9:470–474.

- Ben-Noun LL, Laor A. 2004. Relationship between changes in neck circumference and changes in blood pressure. *Am J Hypertens*. 17(5 Pt 1):409-14.
- Bergman RN, Stefanovski D, Buchanan TA, Sumner AE, Reynolds JC, Sebring NG, Xiang AH, Watanabe RM. 2011. A better index of body adiposity. *Obesity (Silver Spring)*. 19(5):1083-9.
- Bergman RN, Stefanovski D, Buchanan TA, Sumner AE, Reynolds JC, Sebring NG, Xiang AH, Watanabe RM. 2011. A better index of body adiposity. *Obesity (Silver Spring)*. 19(5):1083-9.
- Berheto TM, Mikitie WK, Argaw A. 2015. Urban-rural disparities in the nutritional status of school adolescent girls in the Mizan district, south-western Ethiopia. *Rural Remote Health*. 15(3):3012.
- Bhadra M, Mukhopadhyay A, Bose K. 2002. Adiposity, central body fat distribution and blood pressure among young Bengalee adults of Kolkata, India: Sexual dimorphism. *J Physiol Anthropol*. 21 (6): 273-276.
- Bhadra M, Mukhopadhyay A, Bose K. 2005. Differences in body composition between pre-menarcheal and menarcheal Bengalee Hindu girls of Madhyamgram, West Bengal. *Anthropol Sci*. 113:141-5.
- Bhagyalaxmi A, Atul T, Shikha J. 2013. Prevalence of risk factors of non-communicable diseases in a District of Gujarat, India. *J Health Popul Nutr*. 31(1):78-85.
- Bhansali A, Dhandania VK, Deepa M, Anjana RM, Joshi SR, Joshi PP. 2015. Prevalence of and risk factors for hypertension in urban and rural India: the ICMR-INDIAB study. *Journal of Human Hypertension*. 29(3):204-9.

- Bharali N, Mondal N, Singh Kh N. 2017. Prevalence of Undernutrition, Overweight and Obesity among Nyishi tribal women of Arunachal Pradesh, Northeast India. *Human Biology Review*. 6 (1), 63-78.
- Bharati S, Pal M, Bhattacharya BN, Bharati P. 2007. Prevalence and causes of chronic energy deficiency and obesity in Indian women. *Hum Biol*. 79(4):395-412.
- Bharati S, Pal M, Bhattacharya BN, Bharati P. 2007. Prevalence and causes of chronic energy deficiency and obesity in Indian women. *Hum Biol*. 79(4):395-412.
- Bhargava A, Benedetti A, Oxlade O, Pai M, Menzies D. 2014. Undernutrition and the incidence of tuberculosis in India: national and subnational estimates of the population-attributable fraction related to undernutrition. *Natl Med J India*. 27(3):128-33.
- Bhasin MK, Shil AP, Sharma MB. 2008. Biology of the People of Sikkim: Comparative Evaluation of Growth Patterns among Different Caste and Tribal Groups of Sikkim. *J. Hum. Ecol*. 24(4): 231-278 (2008)
- Bhattacharyya-Panda N. 2015. Culture, Heritage and Identity, the Lepcha and Mangar communities of Sikkim and Darjeeling. KW Publisher Pvt Ltd, New Delhi.
- Bhongir AV, Nemani S, Reddy PS. 2011. Rural-urban epidemiologic transition of risk factors for coronary artery disease in college students of Hyderabad and nearby rural area--a pilot study. *J Assoc Physicians India*. 59:222-6.
- Bisai S, Bose K, Ghosh A. 2008. Nutritional status of Lodha children in a village of Paschim Medinipur district, West Bengal. *Indian J Public Health*. 52(4):203-6.
- Bisai S, Bose K. 2008. Body mass index and chronic energy deficiency among adult tribal populations of West Bengal: A review. *Studies Tribes Tribals*. 2: 87-94.

- Bisai S, Bose K. 2009. Undernutrition in the Kora Mudi tribal population, West Bengal, India: a comparison of body mass index and mid-upper-arm circumference. *Food Nutr Bull.* 30(1):63-7.
- Bisai S, Ghosh T, De GK, Bose K. 2010. Very high prevalence of thinness among Kora Mudi tribal children of Paschim Medinipur District of West Bengal, India. *EJ Biol Sci.* 3 (1), 43-9.
- Bisai S, Mallick C. 2011. Prevalence of undernutrition among Kora-Mudi children aged 2-13 years in Paschim Medinipur District, West Bengal, India. *World J Pediatr.* 7(1):31-6.
- Bisai S, Manna I. 2010. Prevalence of thinness among urban poor pre-school children in West Bengal, India. *Sudanese J. Public Health.* 5: 193-198.
- Bishno P, Sehgal K, Kwatra A. 2004. Anthropometric measurements of preschool children as effected by socioeconomic factors. *Asia Pac J Clin Nutr.* 13(suppl.): S132.
- Biswas S, Bose K, Mukhopadhyay A, Bhadra M. 2009. Prevalence of undernutrition among pre-school children of Chapra, Nadia District, West Bengal, India, measured by composite index of anthropometric failure (CIAF). *Anthropol Anz.* 67(3):269-79.
- Biswas S, Bose K. 2011. Effect of number of rooms and sibs on nutritional status among rural Bengalee preschool children from eastern India. *Coll Antropol.* 35(4):1017-22.
- Bjerregaard P, Jørgensen ME. 2013. Greenland Population Study Group; Prevalence of obesity among Inuit in Greenland and temporal trend by social position. *Am J Hum Biol.* 25(3):335-40.

- Black RE, Brown KH, Becker S. 1984. Malnutrition is determining factor in diarrheal duration, but not incidence, among young children in a longitudinal study in rural Bangladesh. *Am J Clin Nutr.* 39:87-94.
- Blanquet M, Debost-Legrand A, Gerbaud L, de La Celle C, Brigand A, Mioche L, Sass C, Hazart J, Aw A. 2016. Metabolic syndrome and social deprivation: results of a French observational multicentre survey. *Fam Pract.* 33(1):17-22.
- Boëtsch G, Brus A, Ancel B. 2008. Stature, economy and migration during the 19th century: comparative analysis of Haute-Vienne and Hautes-Alpes, France. *Econ Hum Biol.* 6(1):170-80.
- Bogin B. 1999. Patterns of human growth. Cambridge University Press, Cambridge.
- Bora K, Pathak MS, Borah P, Das D. 2015. Variation in Lipid Profile Across Different Patterns of Obesity - Observations from Guwahati, Assam. *J Clin Diagn Res.* 9(11):OC17-21.
- Bose K, Bhattacharya S, Basu K, Ghosh S, Mukhopadhyay A, Bhadra M. 2005. Age trends in anthropometric characteristics among 6-9 years old Bengalee Hindu school girls of Kolkata, India. *Anthropol Anz.* 63(4):439-48.
- Bose K, Bisai S, Chakraborty F. 2006a. Age variations in anthropometric and body composition characteristics and underweight among male Bathudis--a tribal population of Keonjhar District, Orissa, India. *Coll Antropol.* 30(4):771-5.
- Bose K, Bisai S, Chakraborty J, Datta N, Banerjee P. 2008. Extreme levels of underweight and stunting among pre-adolescent children of low socioeconomic class from Madhyamgram and Barasat, West Bengal, India. *Coll Antropol.* 32(1):73-7.

- Bose K, Bisai S, Sadhukhan S, Mukhopadhyay A, Bhadra M. 2009. Undernutrition among adult Bengalees of Dearah, Hooghly District, West Bengal, India: relationship with educational status and food habit. *Anthropol Anz.* 67(2):121-8.
- Bose K, Biswas S, Bisai S, Ganguli S, Khatun A, Mukhopadhyay A, Bhadra M. 2007. Stunting, underweight and wasting among Integrated Child Development Services (ICDS) scheme children aged 3-5 years of Chapra, Nadia District, West Bengal, India. *Matern Child Nutr.* 3(3):216-21.
- Bose K, Chakraborty F, and Bisai S. 2007. Age variations in anthropometric and body composition characteristics and undernutrition among female Bathudis: A tribal population of Keonjhar District, Orissa, India. *Anthrop Anz.* 65 (3):285-291.
- Bose K, Chakraborty F, Bisai S, Khatun A, Bauri H. 2006b. Body mass index and nutritional status of adult Savar tribals of Keonjhar District, Orissa, India. *Asia Pac J Public Health.* 18(3):3-7.
- Bose K, Chakraborty F, Bisai S. 2006c. Nutritional status of adult Santal men in Keonjhar District, Orissa, India. *Food Nutr Bull.* 27(4):353-6.
- Bose K, Chakraborty F. 2005. Anthropometric characteristics and nutritional status based on body mass index of adult Bathudis: a tribal population of Keonjhar District, Orissa, India. *Asia Pac J Clin Nutr.* 14(1):80-2.
- Bose K, Chaudhuri AB. 2003. Age variations in adiposity and body fat composition among older Bengalee Hindu women of Calcutta, India. *Anthropol Anz.* 61(3):311-21.
- Bose K, Debsharma B, Das S. 2011. Is body adiposity index a good measure of nutritional status? A study among two adult tribal populations of Paschim Medinipur, West Bengal, India. *Sci J Sociol Anthropol.* www.sjpub.org/sjsa/Bose-et-al.pdf.

- Bose K, Ganguly S, Mamtaz H, Mukhopadhyay A, Bhadra M. 2006d. High prevalence of undernutrition among adult Kora Mudi tribals of Bankura District, West Bengal, India. *Anthropological Science*. 114 (1): 65-68.
- Bose K. 2002. Age trends in adiposity and central body fat distribution among adult white men resident in Peterborough, East Anglia, England. *Coll Antropol*. 26(1):179-86.
- Bouguerra R, Alberti H, Smida H, Salem LB, Rayana CB, El Atti J, Achour A, Gaigi S, Slama CB, Zouari B. 2007. Waist circumference cut-off points for identification of abdominal obesity among the tunisian adult population. *Diabetes Obes Metab*. 9(6):859-68.
- Boylan SM, Gill TP, Hare-Bruun H, Andersen LB, Heitmann BL. 2014. Associations between adolescent and adult socioeconomic status and risk of obesity and overweight in Danish adults. *Obes Res Clin Pract*. 8(2):e163-71.
- Bradbury KE, Guo W, Cairns BJ, Armstrong ME, Key TJ. 2017. Association between physical activity and body fat percentage, with adjustment for BMI: a large cross-sectional analysis of UK Biobank. *BMJ Open*. 7(3):e011843.
- Bradshaw M, Kent BV, Henderson WM, Setar AC. 2017. Subjective social status, life course SES, and BMI in young adulthood. *Health Psychol*. 36(7):682-694.
- Broadwin J, Goodman-Gruen D, Slymen D. 2001. Ability of fat and fat-free mass percentages to predict functional disability in older men and women. *J Am Geriatr Soc*. 49: 1641–1645.
- Browning LM, Hsieh SD, Ashwell M. 2010. A systematic review of waist-to-height ratio as a screening tool for the prediction of cardiovascular disease and diabetes: 0.5 could be a suitable global boundary value. *Nutr Res Rev*. 23(2):247-69.

- Brozek J, Prokopec M. 2001. Historical note: Early history of the anthropometry of body composition. *Am J Hum Biol.* 13(2):157-8.
- Brozek J. 1961. Body Composition: The relative amounts of fat, tissue, and water vary with age, sex, exercise, and nutritional state. *Science.* 134(3483):920-30.
- Cai W. 2014. Nutritional challenges for children in societies in transition. *Curr Opin Clin Nutr Metab Care.* 17(3):278-84.
- Caitano FP, Winkelmann ER, Nazario Viecili PR. 2017. Study of conicity index, body mass index and waist circumference as predictors of coronary artery disease. *Rev Port Cardiol.* Pii : S0870-2551(17)30018-5.
- Campbell P, Ulijaszek SJ. 1994. Relationships between anthropometry and retrospective morbidity in poor men in Calcutta, India. *Eur J Clin Nutr.* 48(7):507-12.
- Casale D, C Desmond, L Richter. 2014. The association between stunting and psychosocial development among preschool children: a study using the South African Birth to Twenty cohort data. *Child Care Health Dev.* 40, 900–910.
- Cavelaars AE, Kunst AE, Geurts JJ, Crialesi R, Grötvedt L, Helmert U, Lahelma E, Lundberg O, Mielck A, Rasmussen NK, Regidor E, Spuhler T, Mackenbach JP. 2000. Persistent variations in average height between countries and between socio-economic groups: an overview of 10 European countries. *Ann Hum Biol.* 27(4):407-21.
- Census of India. 2011. Government of India. <http://www.censusindia.gov.in/>
- Cerhan JR, Moore SC, Jacobs EJ, Kitahara CM, Rosenberg PS, Adami HO, Ebbert JO, English DR, Gapstur SM, Giles GG, et al. 2014. A pooled analysis of waist circumference and mortality in 650,000 adults. *Mayo Clin Proc.* 89(3):335-45.

- Chakrabarty S, Bharati P. 2010. Adult body dimension and determinants of chronic energy deficiency among the Shabar tribe living in urban, rural and forest habitats in Orissa, India. *Ann Hum Biol.* 37(2):149-67.
- Chakraborty R, Bose K, Bisai S. 2009a. Relationship of family income and house type to body mass index and chronic energy deficiency among urban Bengalee male slum dwellers of Kolkata, India. *Homo.* 60(1):45-57.
- Chakraborty R, Bose K, Bisai S. 2009b. Mid-upper arm circumference as a measure of nutritional status among adult Bengalee male slum dwellers of Kolkata, India: relationship with self-reported morbidity. *Anthropol Anz.* 67(2):129-37.
- Chakraborty R, Bose K, Khongsdier R, Bisai S. 2009c. Body mass index and body fat among adult Bengalee male slum dwellers in West Bengal, India. *Obes Res Clin Pract.* 3(3):I-IV.
- Chakraborty R, Bose K, Koziel S. 2011 .Use of mid-upper arm circumference in determining undernutrition and illness in rural adult Oraon men of Gumla District, Jharkhand, India. *Rural Remote Health.* 11(3):1754.
- Chakraborty R, Bose K, Koziel S. 2011. Waist circumference in determining obesity and hypertension among 18-60 years old Bengalee Hindu male slum dwellers in Eastern India. *Ann Hum Biol.* 38(6):669-75.
- Chakraborty R, Bose K. 2012. Comparison of body adiposity indices in predicting blood pressure and hypertension among slum-dwelling men in Kolkata, India. *Malays J Nutr.* 18(3):319-28.

- Chanak M, Bose K. 2018. Sexual dimorphism in central obesity among rural adults of Ghatal Block, Paschim Medinipur, West Bengal, India. *Human Biology Review*. 7 (2), 183-204.
- Chang HY, Keyes KM, Lee KS, Choi IA, Kim SJ, Kim KW, Shin YH, Ahn KM, Hong SJ, Shin YJ. 2014. Prenatal maternal depression is associated with low birth weight through shorter gestational age in term infants in Korea. *Early Hum Dev*. 90(1):15-20
- Chantler S, Dickie K, Micklesfield LK, Goedecke JH. 2016. Determinants of change in body weight and body fat distribution over 5.5 years in a sample of free-living black South African women. *Cardiovasc J Afr*. 27(6):367-374.
- Charbonneau-Roberts G, Saudny-Unterberger H, Kuhnlein HV, Egeland GM. 2005. Body mass index may overestimate the prevalence of overweight and obesity among the Inuit. *Int J Circumpolar Health*. 64(2):163-9.
- Chatterjee S, Chatterjee P, Bandyopadhyay A. 2006. Skinfold thickness, body fat percentage and body mass index in obese and non-obese Indian boys. *Asia Pac J Clin Nutr*. 15(2):231-5.
- Chattopadhyay T. 1990. Lepchas and their heritage. B.R. Publishing Corporation, Delhi.
- Chen Y, Ge W, Parvez F, Bangalore S, Eunus M, Ahmed A, Islam T, Rakibuz-Zaman M, Hasan R, Argos M, Levy D, Sarwar G, Ahsan H. 2014. A prospective study of arm circumference and risk of death in Bangladesh. *Int J Epidemiol*. 43(4):1187-96.
- Chhabra P, Chhabra SK. 2007. Distribution and determinants of body mass index of non-smoking adults in Delhi, India. *J Health Popul Nutr*. 25(3):294-301.

- Chhabra SK. 2008. Using arm span to derive height: Impact of three estimates of height on interpretation of spirometry. *Ann Thorac Med.* 3:94-99.
- Chiang Mai Low Birth Weight Study Group, Mangklabruks A, Rerkasem A, Wongthanee A, Rerkasem K, Chiowanich P, Sritara P, Pruenglampoo S, Yipintsoi T, Tongsong T, Marshall T, Tantiprabha W. 2012 The risk factors of low birth weight infants in the northern part of Thailand. *J Med Assoc Thai.* 95(3):358-65.
- Chimeddamba O, Gearon E, Stevenson C, Liviya Ng W, Baasai B, Peeters A. 2016. Trends in adult overweight and obesity prevalence in Mongolia, 2005-2013. *Obesity (Silver Spring).* 24(10):2194-201.
- Chirande L, Charwe D, Mbwana H, Victor R, Kimboka S, Issaka AI, Baines SK, Dibley MJ, Agho KE. 2015. Determinants of stunting and severe stunting among under-fives in Tanzania: evidence from the 2010 cross-sectional household survey. *BMC Pediatr.* 15:165.
- Cho NH, Oh TJ, Kim KM, Choi SH, Lee JH, Park KS, Jang HC, Kim JY, Lee HK, Lim S. 2015. Neck Circumference and Incidence of Diabetes Mellitus over 10 Years in the Korean Genome and Epidemiology Study (KoGES). *Sci Rep.* 5:18565.
- Choudhary S, Khichar S, Dabi D, Parakh M, Dara PK, Parakh P, Vyas S, Deopa B. 2016. Urban Rural Comparison of Anthropometry and Menarcheal Status of Adolescent School Going Girls of Jodhpur, Rajasthan, India. *J Clin Diagn Res.* 10(10):SC08-SC12.
- Chowdhury SD, Chakraborty T, Ghosh T. 2008. Prevalence of undernutrition in Santal children of Puruliya district, West Bengal. *Indian Pediatr.* 45(1):43-6.

- Chowdhury SD, Ghosh T. 2013. Prediction of nutritional status from skinfold thickness in undernourished Santal children of Purulia district, India. *Anthropol Anz.* 70(2):165-78.
- Chowdhury TK, Roy SK. 2016; Blood pressure and body composition of rural Oraons of North 24 Parganas, West Bengal, India. *Anthropol Anz.* 73(2).
- Christian P, Kim J, Mehra S, Shaikh S, Ali H, Shamim AA, Wu L, Klemm R, Labrique AB, West KP Jr. 2016. Effects of prenatal multiple micronutrient supplementation on growth and cognition through 2 y of age in rural Bangladesh: the JiVitA-3 Trial. *Am J Clin Nutr.* 104(4):1175-1182.
- Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. *Br Med J.* 320: 1240-3.
- Cole TJ, Flegal KM, Nicholls D, Jackson AA. 2007. Body mass index cut-offs to define thinness in children and adolescents: International survey. *Br Med J.* 335: 194-2002.
- Collins Jr JW, David RJ, Prachand NG, Pierce ML 2003. Low birth weight across generations. *Matern Child Health J.* 7(4):229-37.
- Compernelle S, Oppert JM, Mackenbach JD, Lakerveld J, Charreire H, Glonti K, Bardos H, Rutter H, De Cocker K, Cardon G, De Bourdeaudhuij I; WP3 SPOTLIGHT group. 2016. Mediating role of energy-balance related behaviors in the association of neighborhood socio-economic status and residential area density with BMI: The SPOTLIGHT study. *Prev Med.* 86:84-91.
- Coutinho T, Goel K, Corrêa de Sá D, Carter RE, Hodge DO, Kragelund C, Kanaya AM, Zeller M, Park JS, Kober L, Torp-Pedersen C, Cottin Y, Lorgis L, Lee SH, Kim YJ,

- Thomas R, Roger VL, Somers VK, Lopez-Jimenez F. 2013. Combining body mass index with measures of central obesity in the assessment of mortality in subjects with coronary disease: role of "normal weight central obesity". *J Am Coll Cardiol.* 61(5):553-60.
- Crookston BT, Dearden KA, Alder SC, Porucznik CA, Stanford JB, Merrill RM, Dickerson TT, Penny ME. 2011a. Impact of early and concurrent stunting on cognition. *Matern Child Nutr.* 7(4):397-409.
- Dai Y, Wan X, Li X, Jin E, Li X. 2016. Neck circumference and future cardiovascular events in a high-risk population--A prospective cohort study. *Lipids Health Dis.* 15:46.
- Das BM, Roy SK. 2010. Age changes in the anthropometric and body composition characteristics of the Bishnupriya Manipuris of Cachar district, Assam. *Advances in Bioscience and Biotechnology.* 1 (2). 122-130.
- Das DK, Biswas R. 2005. Nutritional status of adolescent girls in a rural area of North 24 Parganas district, West Bengal. *Indian J Public Health.* 49(1):18-21.
- Das M, Bose K. 2006. Presence of high rates of overweight and obesity among adult Marwaris of Howrah, West Bengal, India. *Coll Antropol.* 30(1):81-6.
- Das P, Ray SK, Joardar GK, Dasgupta S. 2007. Nutritional profiles of adolescents in a rural community of Hooghly district in West Bengal. *Indian J Public Health.* 51(2):120-1.
- Das S, Bose K. 2010. Body Mass Index and Chronic Energy Deficiency among Adult Santals of Purulia District, West Bengal, India. *Journal of Human Sciences.* 7 (2), 488-503
- Das S, Bose K. 2012. Nutritional assessment by mid-upper arm circumference of santal adults of Purulia, West Bengal, India. *Coll Antropol.* 36(2):581-4.

- Das S, Bose K. 2015. Adult tribal malnutrition in India: an anthropometric and socio-demographic review. *Anthropological Review*. 78(1), 47-65.
- Das S, Ghosh M, Mitra S, Chatterjee R, Bhattacharyya S, De AK, Chakraborty S. 2012. Developing nomogram to estimate birth weight from head circumference and mid-upper arm circumference. *J Trop Pediatr*. 58(4):307-10.
- Dasgupta P, Saha R, Nubé M. 2008. Changes in body size, shape and nutritional status of middle-class Bengali boys of Kolkata, India, 1982--2002. *Econ Hum Biol*. 6(1):75-94.
- Dasgupta P. 2015. Academic report of the project "Physical Growth, Body Composition and Nutritional status of the Bengali school aged children, adolescents and young adults of Calcutta : Effects of socioeconomic factors on secular trends" (ID 158). Neys Van hoogstraten Foundation, The Netherlands. Indian statistical institute Kolkata, India.
- Datta S, Chattopadhyay S, Das AS, Mitra C. 2015. Health and Nutritional status of College students of different ethnic backgrounds of Tripura, a North-east State of India. *Advances in Research*. 3(3): 319-333.
- de Hollander EL, Bemelmans WJ, de Groot LC. 2013. Associations between changes in anthropometric measures and mortality in old age: a role for mid-upper arm circumference? *J Am Med Dir Assoc*. 14(3):187-93.
- de Kieviet JF, Piek JP, Aarnoudse-Moens CS, Oosterlaan J. 2009. Motor development in very preterm and very low-birth-weight children from birth to adolescence: a meta-analysis. *JAMA*. 302(20):2235-42.
- de Lima JG, Nóbrega LH, de Souza AB. 2012. Body adiposity index indicates only total adiposity, not risk. *Obesity (Silver Spring)*. 20(6):1140.

- De Lorenzo A, Soldati L, Sarlo F, Calvani M, Di Lorenzo N, Laura D. 2016. New obesity classification criteria as a tool for bariatric surgery indication. *World J Gastroenterol.* 14:681-703.
- de Mutsert R, Sun Q, Willett WC, Hu FB, van Dam RM. 2014. Overweight in early adulthood, adult weight change, and risk of type 2 diabetes, cardiovascular diseases, and certain cancers in men: a cohort study. *Am J Epidemiol.* 179(11):1353-65.
- de Onis M, Dasgupta P, Saha S, Sengupta D, Bloessner M. 2001. NCHS reference and the growth of Indian adolescent boys. *Am J Clin Nutr.* 72:248-253.
- de Onis M. 2000. Measuring nutritional status in relation to mortality. *Bull World Health Organ.* 78 (10):1271-4.
- Delpuech F, Cornu A, Massamba JP, Traissac P, Maire B. 1994. Is body mass index sensitively related to socio-economic status and to economic adjustment? A case study from the Congo. *Eur J Clin Nutr.* 48 Suppl 3:S141-7.
- Demirchyan A, Petrosyan V, Sargsyan V, Hekimian K. 2016. Predictors of Stunting Among Children Ages 0 to 59 Months in a Rural Region of Armenia. *J Pediatr Gastroenterol Nutr.* 62(1):150-6.
- Deshmukh PR, Gupta SS, Bharambe MS, Dongre AR, Maliye C, Kaur S, Garg BS. 2006. Nutritional status of adolescents in rural Wardha. *Indian J Pediatr.* 73(2):139-41.
- Després JP. 2014. Waist circumference as a vital sign in cardiology 20 years after its initial publication in the American Journal of Cardiology. *Am J Cardiol.* 114(2): 320-3.
- Deurenberg P, Deurenberg-Yap M. 2001. Differences in body-composition assumptions across ethnic groups: practical consequences. *Curr Opin Clin Nutr Metab Care.* 4(5):377-83.

- Deurenberg P, Deurenberg-Yap M. 2003. Validity of body composition methods across ethnic population groups. *Forum Nutr.* 56:299-301.
- Deurenberg P, Weststrate JA, Seidell JC. 1991. Body mass index as a measure of body fatness: age and sex specific prediction formulas. *British Journal of Nutrition.* 65:105-114.
- Deurenberg-Yap M, Schmidt G, van Staveren WA, Deurenberg P. 2000. The paradox of low body mass index and high body fat percentage among Chinese, Malays and Indians in Singapore. *Int J Obes Relat Metab Disord.* 24(8):1011-7.
- Devara R, Deshmukh D. 2017. Impact of nutritious meals on the nutritional status of the tribal students: A comparison between centralized kitchens (Annapurna) and regular kitchens in government tribal residential schools from two Districts of Maharashtra, India. *Indian J Public Health.* 61(4):233-238.
- Dewey DG, Crawford SG, Creighton DE, Sauve RS. 1999. Long-term neuropsychological outcomes in very low birth weight children free of sensorineural impairments. *J Clin Exp Neuropsychol.* 21(6):851-65.
- Dewey KG, K Begum. 2011. Long-term consequences of stunting in early life. *Matern Child Nutr.* 2011; 7, 5–18.
- Dolla CK, Meshram P, Srivastava P, Karforma C, Das S, Uike M. 2005. Nutritional status of Kodaku pre-school children in central India. *J Hum Eco.* 17:229-231.
- Dorjee B, Das S, Mondal N, Sen J. 2015. Dermatoglyphic variation among the Limboo of Sikkim, India. *HOMO.* 66:455-470.
- Dorjee B, Sen J. 2016. Trace Elements, Nutritional Anthropology and Zinc. *South Asian Anthropologist.* 16(2):167-177.

- Dorjee B. 2015. Thinness and Overweight among Children belonging to Bengalee Population Aged 3-10 years. *South Asian Anthropologist*. 15(2):135-144.
- Du H, Bennett D, Li L, Whitlock G, Guo Y, Collins R, Chen J, Bian Z, Hong LS, Feng S, Chen X, Chen L, Zhou R, Mao E, Peto R, Chen Z. 2013. China Kadoorie Biobank Collaborative Group. Physical activity and sedentary leisure time and their associations with BMI, waist circumference, and percentage body fat in 0.5 million adults: the China Kadoorie Biobank study. *Am J Clin Nutr*. 97(3):487-96.
- Ducimetiere P, Richard J, Cambien F. 1986. The pattern of subcutaneous fat distribution in middle-aged men and the risk of coronary heart disease: the Paris Prospective Study. *Int J Obes*. 10(3):229-40.
- Dudeja V, Misra A, Pandey RM, Devina G, Kumar G, Vikram NK. 2001. BMI does not accurately predict overweight in Asian Indians in northern India. *Br J Nutr*. 86(1):105-12.
- Dufour DL, Piperata BA. 2018. Reflections on nutrition in Biological anthropology. *Am J Phys Anthropol*. 165:855-864.
- Dugee O, Khor GL, Lye MS, Luvsannyam L, Janchiv O, Jamyan B, Esa N. 2009. Association of major dietary patterns with obesity risk among Mongolian men and women. *Asia Pac J Clin Nutr*. 18(3):433-440.
- Duki Y, Naidoo DP. 2016. Relationship of Body Anthropometry with Cardiovascular Risk Factors in a Random Community Sample: The Phoenix Lifestyle Project. *Metab Syndr Relat Disord*. 14(2):102-7.

- Durnin JV, GA, Womersley J. 1974. Body fat assessed from total body density and its estimation from skinfold thickness: measurements on 481 men and women aged from 16 to 72 Years. *Br J Nutr.* 32: 77-97.
- Eckhardt CL, Adair LS, Caballero B. 2003. Estimating body fat from anthropometry and isotopic dilution: a four country comparison. *Obes Res.* 11: 1553-62.
- El Aarbaoui T, Samouda H, Zitouni D, di Pompeo C, de Beaufort C, Trincaretto F, Mormentyn A, Hubert H, Lemdani M, Guinhouya BC. 2013. Does the body adiposity index (BAI) apply to paediatric populations? *Ann Hum Biol.* 40(5):451-8.
- El Kishawi RR, Soo KL, Abed YA, Wan Muda WA. 2016. Prevalence and Associated Factors for Dual Form of Malnutrition in Mother-Child Pairs at the Same Household in the Gaza Strip-Palestine. *PLoS One.* 11(3):e0151494.
- Elia M, Ward LC. 1990. New techniques in nutritional assessment: body composition methods. *Proc Nutr Soc.* 58(1):33-8.
- Elisha B, Rabasa-Lhoret R, Messier V, Abdalnour J, Karelis AD. 2013. Relationship between the body adiposity index and cardiometabolic risk factors in obese postmenopausal women. *Eur J Nutr.* 52: 145–151.
- Engelbrechtsen IM, Jackson D, Fadnes LT, Nankabirwa V, Diallo AH, Doherty T, Lombard C, Swanvelder S, Nankunda J, Ramokolo V, Sanders D, Wamani H, Meda N, Tumwine JK, Ekström EC, Van de Perre P, Kankasa C, Sommerfelt H, Tylleskär T. 2014. PROMISE EBF-study group. Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. *BMC Public Health.* 14:633.

- Esimai OA, Ojofeitimi E. 2014. Pattern and determinants of gestational weight gain an important predictor of infant birth weight in a developing country. *Glob J Health Sci.* 6(4):148-54.
- Faizi N, Khan Z, Khan IM, Amir A, Azmi SA, Khalique N. 2017. A study on nutritional status of school-going adolescents in Aligarh, India. *Trop Doct.* 47(3):212-216.
- Faruque AS, Khan AI, Roy CN, Malek MA, Salam MA, Khaled MA. 2006. Anthropometric characteristics of elderly people: observations at a large diarrheal hospital in Dhaka, Bangladesh. *Southeast Asian J Trop Med Public Health.* 37(4):784-92.
- Fatmah. 2009. Predictive equations for estimation of stature from knee height, arm span and sitting height in Indonesian Javanese elderly people. *Int J Med Medical Sci.* 1:456-461.
- Fatmah. 2010. Validation of predicted height model based on arm span, knee height and sitting height in Indonesian elderly people. *J Clin Med Res.* 2:67-73.
- Feldstein CA, Akopian M, Olivieri AO, Kramer AP, Nasi M, Garrido D. 2005. A comparison of body mass index and waist-to-hip ratio as indicators of hypertension risk in an urban Argentine population: a hospital-based study. *Nutr Metab Cardiovasc Dis.* 15(4):310-5.
- Ferro-Luzzi A, James WP. 1996. Adult malnutrition: Simple assessment techniques for use in emergencies. *Br. J. Nutr.* 75: 3-10.
- Ferro-Luzzi A, Sette S, Franklin M, James WP. 1992. A simplified approach of assessing adult chronic energy deficiency. *Eur J Clin Nutr.* 46(3):173-86.
- Fiorentino M, Bastard G, Sembène M, Fortin S, Traissac P, Landais E, Icard-Vernière C, Wieringa FT, Berger J. 2013. Anthropometric and micronutrient status of school-

children in an urban West Africa setting: a cross-sectional study in Dakar (Senegal). *PLoS One*. 8(12):e84328.

Flegal KM, Shepherd JA, Looker AC, Graubard BI, Borrud LG, Ogden CL, Harris TB, Everhart JE, Schenker N. 2009. Comparisons of percentage body fat, body mass index, waist circumference, and waist-stature ratio in adults. *Am J Clin Nutr*. 89(2):500-8.

Fredriks AM, van Buuren S, Burgmeijer RJ, Meulmeester JF, Beuker RJ, Brugman E, Roede MJ, Verloove-Vanhorick SP, Wit JM. 2000. Continuing positive secular growth change in The Netherlands 1955-1997. *Pediatr Res*. 47(3):316-23.

Freedman DS, Katzmarzyk PT, Dietz WH, Srinivasan SR, Berenson GS. 2010. The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: the Bogalusa Heart Study. *Ann Hum Biol*. 37(6):726-37.

Freedman DS, Thornton JC, Pi-Sunyer FX, Heymsfield SB, Wang J, Pierson RN Jr, Blanck HM, Gallagher D. 2012. The body adiposity index (hip circumference ÷ height(1.5)) is not a more accurate measure of adiposity than is BMI, waist circumference, or hip circumference. *Obesity (Silver Spring)*. 20(12):2438-44.

Freedman RL. 1976. Nutritional Anthropology in Action: An Overview. In: T.K.Fitzgerald (ed.), *Nutrition and Anthropology in Action*, pp. 1-23. Van Gorcum: Amsterdam.

Frisancho AR. 1974. Triceps skin fold and upper arm muscle size norms for assessment of nutrition status. *Am J Clin Nutr*. 27:1052-1058.

Frisancho AR. 1981. New norm of upper limb fat and muscle areas for assessment of nutritional status. *Am J Clin Nutr*. 34: 2540-5.

- Frisancho AR. 1989. Anthropometric standard for the assessment of growth and nutrition status. Ann Arbor. USA: University of Michigan Press.
- Frongillo EA Jr, de Onis M, Hanson KM. 1997. Socioeconomic and demographic factors are associated with worldwide patterns of stunting and wasting of children. *J Nutr.* 127(12):2302-9.
- Fu X, Zhu F, Zhao X, Ma X, Zhu S. 2014. Central fat accumulation associated with metabolic risks beyond total fat in normal BMI Chinese adults. *Ann Nutr Metab.* 64(2):93-100.
- Galloway T, Chateau-Degat ML, Egeland GM, Young TK. 2011. Does sitting height ratio affect estimates of obesity prevalence among Canadian Inuit? Results from the 2007-2008 Inuit Health Survey. *Am J Hum Biol.* 23(5):655-63.
- Galvin KA, Beeton TA, Boone RB, BurnSilver SB. 2015. Nutritional Status of Maasai Pastoralists under Change. *Hum Ecol.* 43:411–424
- Gamble A, Waddell D, Ford MA, Bentley JP, Woodyard CD, Hallam JS. 2012. Obesity and health risk of children in the Mississippi Delta. *J Sch Health.* 82(10):478-83.
- Ganie MA, Bhat GA, Wani IA, Rashid A, Zargar SA, Charoo BA, Shah ZA, Mudassar S. 2017. Prevalence, risk factors and consequences of overweight and obesity among schoolchildren: a cross-sectional study in Kashmir, India. *J Pediatr Endocrinol Metab.* 30(2):203-209.
- Garg MK, Marwaha RK, Mahalle N, Tandon N. 2016. Relationship of lean mass and obesity in Indian urban children and adolescents. *Indian J Endocrinol Metab.* 20(6):779-783.

- Garg P, Kaur S, Gupta D, Osmond C, Lakshmy R, Sinha S, Kapil U, Sachdev HP. 2013. Variability of thinness and its relation to cardio-metabolic risk factors using four body mass index references in school-children from Delhi, India. *Indian Pediatr.* 50(11):1025-32.
- Garrido-Chamorro RP, Sirvent-Belando JE, Gonzalez-Lorenzo M, Martin-Carratala ML, Roche E. 2009. Correlation between body mass index and body composition in elite athletes. *J Sports Med Phys Fitness.* 49:278–284.
- Gaurav K, Poudel IS, Bhattarai S, Pradhan PM, Pokharel PK. 2014. Malnutrition Status Among Under-5 Children in a Hill Community of Nepal. *Kathmandu Univ Med J (KUMJ).* 12(48):264-8.
- Gautam RK, Thakur R. 2009. Biosocial Correlates of Nutrition and Chronic Energy Deficiency among Adult Females of two Ecological Zones in Madhya Pradesh and Uttarakhand, India. *Malays J Nutr.* 15(2):137-53.
- Gazetteer of Sikkim. 2013. Home Department Government of Sikkim, Gangtok.
- Gewa CA, Oguttu M, Yandell NS. 2012. Replacefor Manson T Maternal nutrition in rural Kenya: health and socio-demographic determinants and its association with child nutrition. *Matern Child Nutr.* 8(3):275-86.
- Ghosh A, Bala SK. 2011. Anthropometric, body composition, and blood pressure measures among rural elderly adults of Asian Indian origin: the Santiniketan aging study. *J Nutr Gerontol Geriatr.* 30(3):305-13.
- Ghosh A, Bhagat M. 2014. Association of television viewing time with central obesity status in rural Asian Indian women: Santiniketan women study. *Am J Hum Biol.* 26(3):427-30.

- Ghosh A, Bose K, Chaudhuri AB. 2001. Age and sex variations in adiposity and central fat distribution among elderly Bengalee Hindus of Calcutta, India. *Ann Hum Biol.* 28(6):616-23.
- Ghosh A, Bose K, Das Chaudhuri AB. 2000. Comparison of anthropometric characteristics between normotensive and hypertensive individuals among a population of Bengalee Hindu elderly men in Calcutta, India. *J R Soc Promot Health.* 120(2):100-6.
- Ghosh A, Das Chaudhuri AB. 2005. Explaining body composition by some covariate factors among the elderly Bengalee Hindu women of Calcutta, India. *J Nutr Health Aging.* 9(6):403-6.
- Ghosh A. 2004. Age and sex variation in measures of body composition among the elderly Bengalee Hindus of Calcutta, India. *Coll Antropol.* 28(2):553-61.
- Ghosh A. 2006. Anthropometric, metabolic and dietary fatty acids profiles in lean and obese diabetic Asian Indian subjects. *Asia Pac J Clin Nutr.* 15(2):189-95.
- Ghosh A. 2007. Comparison of anthropometric, metabolic and dietary fatty acids profiles in lean and obese dyslipidaemic Asian Indian male subjects. *Eur J Clin Nutr.* 61(3):412-9.
- Ghosh A. 2009. Obesity measures, metabolic profiles and dietary fatty acids in lean and obese postmenopausal diabetic Asian Indian women. *Anthropol Anz.* 67(1):83-93.
- Ghosh A. 2014. Explaining overweight and obesity in children and adolescents of Asian Indian origin: the Calcutta childhood obesity study. *Indian J Public Health.* 58(2):125-8.
- Ghosh JR, Bandyopadhyay AR. 2007. Comparative evaluation of obesity measures: relationship with blood pressures and hypertension. *Singapore Med J.* 48(3):232-5.

- Ghosh JR, Bandyopadhyay AR. 2013. Central adiposity and the risk of hypertension in Asian Indian girls. *World J Pediatr.* 9(3):256-60.
- Ghosh JR, Basak S, Bandyopadhyay AR. 2009. A study on nutritional status among young adult Bengalee females of Kolkata: effect of menarcheal age and per capita income. *Anthropol Anz.* 67(1):13-20.
- Ghosh M and Bose K. 2018. Relationship between Anthropometric Measures and Body Composition Parameters in Adult Brick Kiln Workers of Murshidabad District, West Bengal. *J Life Science*, 10(2): 107-115.
- Ghosh M, Bhandari S, Bose K. 2018. Anthropometric Characteristics and Nutritional Status of Adult Sabars of Bankura District, West Bengal. *Human Biology Review.* 7 (1), 71-83.
- Ghosh M, Bose K. 2015. Assessment of Nutritional Status among male Bhumij of West Bengal, India: A comparison of body mass index and mid-upper arm circumference. *Human Biology Review.* 4(2): 140-149.
- Giay T, Khoi HH. 1994. Use of body mass index in the assessment of adult nutritional status in Vietnam. *Eur J Clin Nutr.* 48 Suppl 3:S124-30.
- Gibson RS. 1990. Nutritional assessment: a laboratory manual. New York: Oxford University Press.
- Gigante DP, Victora CG, Matijasevich A, Horta BL, Barros FC. 2013. Association of family income with BMI from childhood to adult life: a birth cohort study. *Public Health Nutr.* 16(2):233-9.

- Gigante DP, Victora CG, Matijasevich A, Horta BL, Barros FC. 2013. Association of family income with BMI from childhood to adult life: a birth cohort study. *Public Health Nutr.* 16(2):233-9.
- Gittelsohn J. 1991. Opening the box: intrahousehold food allocation in rural Nepal. *Soc Sci Med.* 33(10):1141-54.
- Goel M, Pal P, Agrawal A, Ashok C. 2016. Relationship of body mass index and other life style factors with hypertension in adolescents. *Ann Pediatr Cardiol.* 9(1):29-34.
- Gong YH, Ji CY, Shan JP. 2015. A longitudinal study on the catch-up growth of preterm and term infants of low, appropriate, and high birth weight. *Asia Pac J Public Health.* 27(2):NP1421-31.
- González-Ruíz K, Correa-Bautista JE, Ramírez-Vélez R. 2015a. Evaluation of the body adiposity index in predicting percentage body fat among Colombian adults. *Nutr Hosp.* 32(1):55-60.
- González-Ruíz K, Correa-Bautista JE, Ramírez-Vélez R. 2015b. Body Adiposity and its relationship of Metabolic Syndrome components in Colombian adults. *Nutr Hosp.* 32(4):1468-75.
- Gopinath S, Ganesh BA, Manoj K, Rubiya. 2012. Comparison between body mass index and abdominal obesity for the screening for diabetes in healthy individuals. *Indian J Endocrinol Metab.* 16(Suppl 2):S441-2.
- Gorstein J, Akre J. 1988. The use of anthropometry to assess nutritional status. *World Health Stat Q.* 41(2): 48-58.
- Goto R, Mascie-Taylor CG. 2007. Precision of measurement as a component of human variation. *J Physiol Anthropol.* 26(2):253-6.

- Gouda J, Prusty RK. 2014. Overweight and obesity among women by economic stratum in urban India. *J Health Popul Nutr.* 32(1):79-88.
- Goyal JP, Kumar N, Parmar I, Shah VB, Patel B. 2011. Determinants of Overweight and Obesity in Affluent Adolescent in Surat City, South Gujarat region, India. *Indian J Community Med.* 36(4):296-300.
- Griffiths P, Bentley M. 2005. Women of higher socio-economic status are more likely to be overweight in Karnataka, India. *Eur J Clin Nutr.* 59(10):1217-20.
- Griffiths PL, Bentley ME. 2001. The nutrition transition is underway in India. *J Nutr.* 131(10):2692-700.
- Gunaid AA. 2012. Obesity, overweight and underweight among adults in an urban community in Yemen. *East Mediterr Health J.* 18(12):1187-93.
- Guo H, Liu J, Zhang J, Ma R, Ding Y, Zhang M, et al. 2016 The Prevalence of Metabolic Syndrome Using Three Different Diagnostic Criteria among Low Earning Nomadic Kazakhs in the Far Northwest of China: New Cut-Off Points of Waist Circumference to Diagnose MetS and Its Implications. *PLoS One.* 11(2):e0148976.
- Gupta N, Shah P, Goel K, Misra A, Rastogi K, Vikram NK, Kumari V, Pandey RM, Kondal D, Wasir JS, Bhardwaj S, Gulati S. 2010. Imbalanced dietary profile, anthropometry, and lipids in urban Asian Indian adolescents and young adults. *J Am Coll Nutr.* 29(2):81-91
- Gupta S, Kapoor S. 2012. Optimal cut-off values of anthropometric markers to predict hypertension in North Indian population. *J Community Health.* 37(2):441-7.
- Gupta S, Kapoor S. 2014. Body adiposity index: its relevance and validity in assessing body fatness of adults. *ISRN Obes.* 243294.

- Gyamtso PT. 2011. The history, religion, culture and tradition of Bhutia communities. Gangtok.
- Haas JD, Pelletier DL. 1989. Nutrition and Human population biology. In: Little MA, Haas JD, (eds.), Human Population Biology: A Transdisciplinary Science, pp. 152-167. Oxford University Press: New York.
- Haas V, Stark D, Kohn M, Müller MJ, Clarke S, Blumenthal C, Briody J, Madden S, Gaskin KJ. 2013. Evaluation of methods to assess reduced body fat in patients with anorexia nervosa. *J Am Coll Nutr.* 32(1):2-10.
- Hambidge KM, Krebs NF, Garcés A, Westcott JE, Figueroa L, Goudar SG, Dhaded S, Pasha O, Ali SA, Tshefu A, Lokangaka A, Thorsten VR, Das A, Stolka K, McClure EM, Lander RL, Bose CL, Derman RJ, Goldenberg RL, Bauserman M. 2013. Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. *BMC Public Health.* 18: 45.
- Hanrahan CF, Golub JE, Mohapi L, Tshabangu N, Modisenyane T, Chaisson RE, Gray GE, McIntyre JA, Martinson NA. 2010. Body mass index and risk of tuberculosis and death. *AIDS.* 24(10):1501-8
- Harada K, Saruwatari A, Kitaoka K, Aoi W, Wada S, Ohkubo T, Miura K, Watanabe Y, Kusunoki T, Higashi A. 2013. Low birth weight is associated with high waist-to-height ratio in Japanese elementary school girls. *Tohoku J Exp Med.* 231(2):85-91.
- Harada K, Torii S, Saruwatari A, Tanaka Y, Kitaoka K, Takaaki J, Aoi W, Wada S, Ohkubo T, Miura K. 2012. Association between low birth weight and high adult waist-to-height ratio in non-obese women: a cross-sectional study in a Japanese population. *Tohoku J Exp Med.* 228(3):205-14.

- Harnack L, Story M, Rock BH. 1999. Diet and physical activity patterns of Lakota Indian adults. *J Am Diet Assoc.* 99(7):829-35.
- Harries AD, Jones LA, Heatley RV. 1984. "Precision of anthropometric measurements: the value of mid-arm circumference." *Clin Nutr.* 2: 193-196.
- Hasan MT, Soares Magalhaes RJ, Williams GM, Mamun AA. 2015. Forecasting the progress towards the target of Millennium Development Goal 1C in children under 5 years of age in Bangladesh. *Public Health Nutr.* 18(10):1728-36.
- Hastuti J, Kagawa M, Byrne NM, Hills AP. 2013. Development and validation of anthropometric prediction equations for estimation of body fat in Indonesian men. *Asia Pac J Clin Nutr.* 22(4):522-9.
- Henneberg M, Ulijaszek SJ. 2010. Body frame dimensions are related to obesity and fatness: Lean trunk size, skinfolds, and body mass index. *Am J Hum Biol.* 22(1):83-9
- Heo M, Faith MS, Pietrobelli A, Heymsfield SB. 2012. Percentage of body fat cutoffs by sex, age, and race-ethnicity in the US adult population from NHANES 1999-2004. *Am J Clin Nutr.* 95(3):594-602.
- Herzog B, Lacruz ME, Haerting J, Hartwig S, Tiller D, Medenwald D, Vogt S, Thorand B, Holle R, Bachlechner U, Boeing H, Merz B, Nöthlings U, Schlesinger S, Schipf S, Ittermann T, Aumann N, Schienkiewitz A, Haftenberger M, Greiser KH, Neamat-Allah J, Katzke V, Kluttig A. 2016. Socioeconomic status and anthropometric changes-A meta-analytic approach from seven German cohorts. *Obesity (Silver Spring).* 24(3):710-8.

- Heymsfield SB, Peterson CM, Thomas DM, Heo M, Schuna Jr JM, Hong S, Choi W. 2014. Scaling of adult body weight to height across sex and race/ethnic groups: relevance to BMI. *Am J Clin Nutr.* 100:1455-61
- Heyward VH. 1996. Evaluation of body composition. Current issues. *Sports Med.* 22(3):146-56.
- Hien NN, Kam S. 2008. Nutritional status and the characteristics related to malnutrition in children under five years of age in Nghean, Vietnam. *J Prev Med Public Health.* 41(4):232-40.
- Hiermeyer M. 2009. Height and BMI values of German conscripts in 2000, 2001 and 1906. *Econ Hum Biol.* 7(3):366-75.
- Hingorjo MR, Qureshi MA, Mehdi A. 2012. Neck circumference as a useful marker of obesity: a comparison with body mass index and waist circumference. *J Pak Med Assoc.* 62(1):36-40.
- Hirve SS, Ganatra BR. 1994. Determinants of low birth weight: a community based prospective cohort study. *Indian Pediatr.* 31(10):1221-5.
- Hooker JD. 1854. Complete or Notes of a Naturalist in Bengal, the Sikkim and Nepal Himalayas, the Khasia Mountains, etc. *Himalayan Journals (2) London, J. Murray*
- Hopping BN, Erber E, Mead E, Roache C, Sharma S. 2010. High levels of physical activity and obesity co-exist amongst Inuit adults in Arctic Canada. *J Hum Nutr Diet.* 23 Suppl 1:110-4.
- Hoque ME, Long KZ, Niessen LW, Al Mamun A. 2015. Rapid shift toward overweight from double burden of underweight and overweight among Bangladeshi women: a systematic review and pooled analysis. *Nutr Rev.* 73(7):438-47.

- Hsieh SD, Muto T. 2004. A simple and practical index for assessing the risk of metabolic syndrome during routine clinical checkups. *Nippon Rinsho*. 62: 1143-9.
- Hull HR, Thornton J, Wang J, Pierson Jr RN, Kaleem Z, Pi-Sunyer X, Heymsfield S, Albu J, Fernandez JR, VanItallie TB, Gallagher D. 2011. Fat-free mass index: changes and race/ethnic differences in adulthood. *Int J Obes (Lond)*. 35(1): 121–127.
- Hung CS, Yang CY, Hsieh HJ, Wei JN, Ma WY, Li HY. 2012. BMI Correlates Better to Visceral Fat and Insulin Sensitivity Than BAI. *Obesity (Silver Spring)*. 20(6):1141.
- Hung SP, Chen CY, Guo FR, Chang CI, Jan CF. 2017. Combine body mass index and body fat percentage measures to improve the accuracy of obesity screening in young adults. *Obes Res Clin Pract*. 11(1):11-18.
- Huong PT, Lam NT, Thu NN, Quyen TC, Lien DT, Anh NQ, Henry EG, Oliver L, Apovian CM, Ziegler TR, Lenders C. 2014. Prevalence of malnutrition in patients admitted to a major urban tertiary care hospital in Hanoi, Vietnam. *Asia Pac J Clin Nutr*. 23(3):437-44.
- Hutter I. 1996. Reduction of food intake during pregnancy in rural south India. *Trop Med Int Health*. 1(3):399-405.
- Huxley R, James WP, Barzi F. 2008. Obesity in Asia Collaboration. Ethnic comparison of the cross-sectional relationships between measures of body size with diabetes and hypertension. *Obes Rev*. 1: S53-S61.
- Igiri AO, Ekong MB, Odey PA. 2008. Anthropometric measure and sexual dimorphism in young adult nigerians resident in Calabar. *The Internet Journal of Biological Anthropology*. 2 (2), 14-19

- Immink MD, Flores R, Diaz EO. 1992. Body mass index, body composition and the chronic energy deficiency classification of rural adult populations in Guatemala. *European Journal of Clinical Nutrition*. 46(6):419-427
- Irena AH, Ross DA, Salama P, Collins S. 2013. Anthropometric predictors of mortality in undernourished adults in the Ajiep Feeding Programme in Southern Sudan. *Am J Clin Nutr*. 98(2):335-9.
- Irshad Ali ANM, Das I. 2003. Tribal Situation in North East India. *Studies of Tribes and Tribals*. 1 (2): 141-148.
- Ismail MN Jr, Zawiah H, Chee S, Ng K. 1995. Prevalence of obesity and chronic energy deficiency (CED) in adult Malaysians. *Malays J Nutr*. 1(1):1-9.
- Ismail MN, Chee SS, Nawawi H, Yusoff K, Lim TO, James WP. 2002. *Obesity in Malaysia*. *Obes Rev*. 3(3):203-8.
- Jaiswal M, Bansal R, Agarwal A. 2017. Role of Mid-Upper Arm Circumference for Determining Overweight and Obesity in Children and Adolescents. *J Clin Diagn Res*. 11(8):SC05-SC08.
- James WP, Ferro-Luzzi A, Waterlow JC. 1988. Definition of chronic energy deficiency in adults. Report of a working party of the International Dietary Energy Consultative Group. *Eur J Clin Nutr*. 42(12):969-81.
- James WP, Mascie-Taylor GC, Norgan NG, Bistran BR, Shetty PS, Ferro-Luzzi A. 1994. The value of arm circumference measurements in assessing chronic energy deficiency in Third World adults. *Eur J Clin Nutr*. 48(12):883-94.

- James WP, Mascie-Taylor GC, Norgan NG. 1994. The value of arm circumference measurements in assessing chronic energy deficiency in Third World adult. *Eur J Clin Nutr.* 42: 969-81.
- James WP. 1994. Introduction: the challenge of adult chronic energy deficiency. *Eur J Clin Nutr.* 48 Suppl 3:S1-8; discussion S9.
- Janmohamed A, Karakochuk CD, McLean J, Green TJ. 2016. Improved Sanitation Facilities are Associated with Higher Body Mass Index and Higher Hemoglobin Concentration Among Rural Cambodian Women in the First Trimester of Pregnancy. *Am J Trop Med Hyg.* 95(5):1211-1215.
- Janssen I, Heymsfield SB, Wang ZM. 2000. Skeletal muscle mass and distribution in 468 men and women aged 18–88 yr. *J Appl Physiol.* 89, 81–88.
- Jayalakshmi R, Jissa VT. 2017. Nutritional status of Mid-Day Meal programme beneficiaries: A cross-sectional study among primary schoolchildren in Kottayam district, Kerala, India. *Indian J Public Health.* 61(2):86-91.
- Jelliffe DB. 1966. Assessment of the nutritional status of the community. Monograph. Series No. 53. WHO: Geneva.
- Jiang Y, Su X, Wang C, Zhang L, Zhang X, Wang L, Cui Y. 2015. Prevalence and risk factors for stunting and severe stunting among children under three years old in mid-western rural areas of China. *Child Care Health Dev.* 41(1):45-51.
- Johnston FE. 1982. Relationships between Body Composition and Anthropometry. *Hum Biol.* 54 (2), 221-245.
- Joseph L, Wasir JS, Misra A, Vikram NK, Goel K, Pandey RM, Chandra M, Poddar P, Kondal D. 2011. Appropriate values of adiposity and lean body mass indices to

detect cardiovascular risk factors in Asian Indians. *Diabetes Technol Ther.* 13(9):899-906.

Joshi BA, Joshi AV, Katti SM, Mallapur MD, Karikatti SS. 2013. A cross-sectional study of prevalence of overweight and obesity among bus drivers and conductors of North-West Karnataka Road Transport Corporation (NWKRTC) in Belgaum Division, Belgaum. *J Indian Med Assoc.* 111(3):157-9.

Joshi SR. 2012. Type 2 diabetes in Asian Indians. *Clin Lab Med.* 32(2):207-16.

Joshi K, Muñoz-Torres F, Vergara J, Palacios C, Pérez CM. 2016. Neck Circumference May Be a Better Alternative to Standard Anthropometric Measures. *J Diabetes Res.* 2016:6058916.

Judd SE, Ramirez-Zea M, Stein AD. 2008. Relation of ratio indices of anthropometric measures to obesity in a stunted population. *Am J Hum Biol.* 20(4):446-50.

Kainla B. 1992. Limboo bhasa ra sahitya ko samchipta parichaya. Royal Nepal Acedemy.

Kamiya K, Masuda T, Matsue Y, Inomata T, Hamazaki N, Matsuzawa R, Tanaka S, Nozaki K, Maekawa E, Noda C, Yamaoka-Tojo M, Matsunaga A, Izumi T, Ako J. 2016. Complementary Role of Arm Circumference to Body Mass Index in Risk Stratification in Heart Failure. *JACC Heart Fail.* 4(4):265-73.

Kaplan RC, Avilés-Santa ML, Parrinello CM, Hanna DB, Jung M, Castañeda SF, Hankinson AL, Isasi CR, Birnbaum-Weitzman O, Kim RS. 2014. Body mass index, sex, and cardiovascular disease risk factors among Hispanic/Latino adults: Hispanic community health study/study of Latinos. *J Am Heart Assoc.* 3(4). pii: e000923

- Kar S, Khandelwal B. 2015. Fast foods and physical inactivity are risk factors for obesity and hypertension among adolescent school children in east district of Sikkim, India. *J Nat Sci Biol Med.* 6(2):356-9.
- Katulanda P, Jayawardena MA, Sheriff MH, Matthews DR. 2011. Derivation of anthropometric cut-off levels to define CVD risk in Sri Lankan adults. *Br J Nutr.* 105(7):1084-90.
- Katulanda P, Jayawardena MAR, Sheriff MHR, Matthews DR. 2011. Derivation of anthropometric cut-off levels to define CVD risk in Sri Lankan adults. *British J of Nutrition.* 105, 1084–1090.
- Kaur M, Talwar I. 2011. Body composition and fat distribution among older Jat females: a rural-urban comparison. *Homo.* 62(5):374-85.
- Kaveeshwar SA, Cornwall J. 2014. The current state of diabetes mellitus in India. *Australian Medical Journal (JM).* 7 (1). 45-48.
- Kazarinoff MN, Habicht JP. 1991. Future directions for the American Institute of Nutrition. *J Nutr.* 121(9):1498-9.
- Kazi, Jigme N. 1983. Spotlight on Sikkim, Eastern Express Print Shop, Enchay Colony, Tibet Road, Gangtok.
- Khamdhak BL. 2015. <http://buddhilkhamdhak.blogspot.in/> Tribal Limboos of Sikkim and Their Culture (Accessed on 12.04.2015).
- Khan I, Ul-Haq Z, Taj AS, Iqbal AZ, Basharat S, Shah BH. 2017. Prevalence and Association of Obesity with Self-Reported Comorbidity: A Cross-Sectional Study of 1321 Adult Participants in Lasbela, Balochistan. *Biomed Res Int.* 2017:1076923.

- Khan SH, Talukder SH. 2013. Nutrition transition in Bangladesh: is the country ready for this double burden. *Obes Rev.* 14 Suppl 2:126-33.
- Kharel S, Bhutia JW. 2013. Gazetteer of Sikkim. Home Department Govt. of Sikkim.
- Khatoon Z, Tapadar JR, Chatterjee D, Chanda S, Ghosh JR, Bandyopadhyay AR. 2008. Relationship between anthropometric measures and body composition among Muslim females of West Bengal, India. *Anthropol Anz.* 66(3):349-53.
- Khongsdier R, Mukherjee N. 2003a. Effects of heterosis on growth in height and its segments: a cross-sectional study of the Khasi girls in Northeast India. *Ann Hum Biol.* 30(5):605-21.
- Khongsdier R, Mukherjee N. 2003b. Growth and nutritional status of Khasi boys in Northeast India relating to exogamous marriages and socioeconomic classes. *Am J Phys Anthropol.* 122(2):162-70.
- Khongsdier R, Varte R, Mukherjee N. 2005. Excess male chronic energy deficiency among adolescents: a cross-sectional study in the context of patrilineal and matrilineal societies in Northeast India. *Eur J Clin Nutr.* 59(9):1007-14.
- Khongsdier R. 2001. Body mass index of adult males in 12 populations of northeast India. *Ann Hum Biol.* 28(4):374-83.
- Khongsdier R. 2002. Body mass index and morbidity in adult males of the War Khasi in Northeast India. *Eur J Clin Nutr.* 56(6):484-9.
- Khongsdier R. 2005. BMI and morbidity in relation to body composition: a cross-sectional study of a rural community in North-East India. *Br J Nutr.* 93(1):101-7.
- Kim CH, Chung S, Kim H, Park JH, Park SH, Ji JW, Han SW, Lee JC, Kim JH, Park YB, Nam HS, Kim C. 2011. Norm references of fat-free mass index and fat mass index

and subtypes of obesity based on the combined FFMI-%BF indices in the Korean adults aged 18-89 yr. *Obes Res Clin Pract.* 5(3):e169-266.

Kim J, Sharma SV, Park SK. 2014. Association between socioeconomic status and obesity in adults: evidence from the 2001 to 2009 Korea national health and nutrition examination survey. *J Prev Med Public Health.* 47(2):94-103.

Kimani-Murage EW, Kahn K, Pettifor JM, Tollman SM, Dunger DB, Gómez-Olivé XF, Norris SA. 2010. The prevalence of stunting, overweight and obesity, and metabolic disease risk in rural South African children. *BMC Public Health.* 10:158.

Kinyoki DK, Kandala NB, Manda SO, Krainski ET, Fuglstad GA, Moloney GM, Berkley JA, Noor AM. 2016. Assessing comorbidity and correlates of wasting and stunting among children in Somalia using cross-sectional household surveys: 2007 to 2010. *BMJ.* 6(3):e009854.

Kirchengast S. 2010. Gender difference in body composition from childhood to old age: An evolutionary point of view. *J Life Sci.* 2(1): 1-10.

Kjaer IG, Kolle E, Hansen BH, Anderssen SA, Torstveit MK. 2015. Obesity prevalence in Norwegian adults assessed by body mass index, waist circumference and fat mass percentage. *Clin Obes.* 5(4):211-8.

Kolt GS, Schofield GM, Rush EC, Oliver M, Chadha NK. 2007. Body fatness, physical activity, and nutritional behaviours in Asian Indian immigrants to New Zealand. *Asia Pac J Clin Nutr.* 16(4):663-70.

Komlos J, Baur M. 2004. From the tallest to (one of) the fattest: the enigmatic fate of the American population in the 20th century. *Economics and Human Biology.* 2:57-74.

- Komlos J, Kriwy P .2002. Social status and adult heights in the two Germanies. *Ann Hum Biol.* 29(6):641-8.
- Komlos J, Snowdon B. 2005, Measures of Progress and Other Tall Stories. *World Economics.* 6(2) 87-135.
- Komlos J. 1989. The age at menarche and age at first birth in an undernourished population. *Ann Hum Biol.* 16(5):463-6.
- Kottayi S, Bhat SS, Hegde KS, Peedikayil FC, Chandru TP, Anil S. 2016. A Cross-sectional Study of the Prevalence of Dental Caries among 12- to 15-year-old Overweight School children. *J Contemp Dent Pract.* 17(9):750-754.
- Krishnan PV, Vadivu AS, Alappatt A, Kameswaran M. 2012. Prevalence of sleep abnormalities and their association among hypothyroid patients in an Indian population. *Sleep Med.* 13(10):1232-7.
- Kshatriya GK, Acharya SK. 2016. Gender Disparities in the Prevalence of Undernutrition and the Higher Risk among the Young Women of Indian Tribes. *PLoS One.* 11(7):e0158308.
- Kshatriya GK, Acharya SK. 2016. Triple Burden of Obesity, Undernutrition, and Cardiovascular Disease Risk among Indian Tribes. *PLoS One.* 11(1):e0147934.
- Kues AB. 2010. Taller - Healthier - more equal? The biological standard of living in Switzerland in the second half of the 20th century. *Econ Hum Biol.* 8(1):67-79.
- Kuhn PC, Vieira Filho JP, Franco L, Dal Fabbro A, Franco LJ, Moises RS. 2014. Evaluation of body adiposity index (BAI) to estimate percent body fat in an indigenous population. *Clin Nutr.* 33(2):287-90.

- Kuk JL, Ardern CI. 2009. Influence of age on the association between various measures of obesity and all-cause mortality. *J Am Geriatr Soc.* 57(11):2077-84.
- Kulkarni P, Nagendra, Ashok NC, Kumar DS, Siddalingappa H, Madhu B. 2014. World health organization-body mass index for age criteria as a tool for prediction of childhood and adolescent morbidity: a novel approach in southern karnataka, India. *Int J Prev Med.* 5(6):695-702.
- Kumar A, Kumari D, Singh A. 2015. Increasing socioeconomic inequality in childhood undernutrition in urban India: trends between 1992-93, 1998-99 and 2005-06. *Health Policy Plan.* 30(8):1003-16.
- Kumar N, Shekhar C, Kumar P, Kundu AS. 2007. Kuppuswamy's socioeconomic status scale - Updating for 2007. *Indian J Pediatr.* 74:1131-2.
- Kumar S, Gupta A, Jain S. 2012. Neck circumference as a predictor of obesity and overweight in rural central India. *Int. J. Med. Public health.* 2 (1): 62-66.
- Kumar S, Kroon J, Laloo R, Kulkarni S, Johnson NW. 2017. Relationship between body mass index and dental caries in children, and the influence of socio-economic status. *Int Dent J.* 67(2):91-97.
- Kupusinac A, Stokić E, Doroslovački R. 2014. Predicting body fat percentage based on gender, age and BMI by using artificial neural networks. *Comput Methods Programs Biomed.* 113(2):610-9.
- Kuriyan R, Petracchi C, Ferro-Luzzi A, Shetty PS, Kurpad AV. 1998. Validation of expedient methods for measuring body composition in Indian adults. *Indian J Med Res.* 107:37-45.

- Kuriyan R, Thomas T, Ashok S, Jayakumar J, Kurpad AV. 2014. A 4-compartment model based validation of air displacement plethysmography, dual energy X-ray absorptiometry, skinfold technique & bio-electrical impedance for measuring body fat in Indian adults. *Indian J Med Res.* 139(5):700-7.
- Kurpad AV, Muthayya S, Vaz M. 2005. Consequences of inadequate food energy and negative energy balance in humans. *Public Health Nutr.* 8(7A):1053-76.
- Kurpad SS, Tandon H, Srinivasan K. 2003. Waist circumference correlates better with body mass index than waist-to-hip ratio in Asian Indians. *Natl Med J India.* 16(4):189-92.
- Kurz KM. 1996. Adolescent nutritional status in developing countries. *Proc Nutr Soc.* 55(1B):321-31.
- Kusuma YS, Babu BV, Naidu JM. 2008 .Chronic energy deficiency in some low socio-economic populations from South India: relationships between body mass index, waist-hip ratio and conicity index. *Homo.* 59(1):67-79.
- Kyle UG, Schutz Y, Dupertuis YM, Pichard C. 2003. Body composition interpretation. Contributions of the fat-free mass index and the body fat mass index. *Nutrition.* 19(7-8):597-604.
- Lachungpa, U. 2009. Indigenous lifestyles and biodiversity conservation issues in north Sikkim. *Indian Journal of Traditional Knowledge.* 8(1):51-55.
- Lalnuneng A, Khongsdier R. 2017. Rural-Urban Differences in Hypertension among the Hmars of Manipur in Northeast India. *The Anthropologist.* 28(3):173-183.
- Lam BC, Koh GC, Chen C, Wong MT, Fallows SJ. 2015. Comparison of Body Mass Index (BMI), Body Adiposity Index (BAI), Waist Circumference (WC), Waist-To-Hip Ratio (WHR) and Waist-To-Height Ratio (WHtR) as predictors of cardiovascular

- disease risk factors in an adult population in Singapore. *PLoS One*. 16:10(4):e0122985.
- Lam BC, Lim SC, Wong MT, Shum E, Ho CY, Bosco JI, Chen C, Koh GC. 2013. A method comparison study to validate a novel parameter of obesity, the body adiposity index, in Chinese subjects. *Obesity (Silver Spring)*. 21(12):E634-9.
- Lao XQ, Ma W, Chung RY, Zhang Y, Xu Y, Xu X, Nie S, Cai Q, Xia L, Su X, Jin L, Tam T, Zee BC. 2015. The diminishing socioeconomic disparity in obesity in a Chinese population with rapid economic development: analysis of serial cross-sectional health survey data 2002-2010. *BMC Public Health*. 15:1282.
- Lavie CJ, Milani RV, Artham SM, Dharmendrakumar PA, Ventura HO. 2009. The obesity paradox, weight loss, and coronary disease. *Am J Med*. 122:1106-14.
- Lavie CJ, Milani RV, Ventura HO, De Schutter A, Romero-Corral A. 2010. Use of body fatness cut-off points. *Mayo Clin Proc*. 85(11):1057; author reply 1057-8.
- Lavie CJ, Milani RV. 2003. Obesity and cardiovascular disease: the Hippocrates paradox? *J Am Coll Cardiol*. 42:677-9.
- Lavie CJ, Milani RV. 2005. Cardiac rehabilitation and exercise training programs in metabolic syndrome and diabetes. *J Cardiopulm Rehabil*. 25:59-66.
- Leal C, Bean K, Thomas F, Chaix B. 2011. Are associations between neighborhood socioeconomic characteristics and body mass index or waist circumference based on model extrapolations? *Epidemiology*. 22(5):694-703.
- Limpawattana P, Kengkijkosol T, Assantachai P, Krairit O, Pimporm J. 2014. The performance of obesity screening tools among young Thai adults. *J Community Health*. 39(6):1216-21.

- Lindarto D, Shierly, Syafril S. 2016. Neck Circumference in Overweight/Obese Subjects who Visited the Binjai Supermall in Indonesia. *Open Access Maced J Med Sci.* 4(3):319-323.
- Little M, Humphries S, Patel K, Dewey C. 2016. Factors associated with BMI, underweight, overweight, and obesity among adults in a population of rural south India: a cross-sectional study. *BMC Obes.* 3:12.
- Liu P, Ma F, Lou H, Liu Y. 2013. The utility of fat mass index vs. body mass index and percentage of body fat in the screening of metabolic syndrome. *BMC Public Health.* 13:629.
- Liu YF, Chang ST, Lin WS, Hsu JT, Chung CM, Chang JJ, Hung KC, Chen KH, Chang CW, Chen FC, Shih YW, Chu CM. 2015. Neck Circumference as a Predictive Indicator of CKD for High Cardiovascular Risk Patients. *Biomed Res Int.* 2015:745410.
- López LB, Calvo EB, Poy MS, del Valle Balmaceda Y, Cámara K. 2011. Changes in skinfolds and mid-upper arm circumference during pregnancy in Argentine women. *Matern Child Nutr.* 7(3):253-62.
- López-Ortega M, Arroyo P. 2016. Anthropometric characteristics and body composition in Mexican older adults: age and sex differences. *Br J Nutr.* 115(3):490-9.
- Lu Y, Shu H, Zheng Y, Li C, Liu M, Chen Z, He X. 2012. Comparison of fat-free mass index and fat mass index in Chinese adults. *Eur J Clin Nutr.* 66(9):1004-7.
- Lutoslawska G, Malara M, Tomaszewski P, Mazurek K, Czajkowska A, Kęska A, Tkaczyk J. 2014. Relationship between the percentage of body fat and surrogate indices of fatness in male and female Polish active and sedentary students. *Journal of Physiological Anthropology.* 33:10

- Mahal A, Karan AK. 2008. Adequacy of dietary intakes and poverty in India: Trends in the 1990s. *Economics & Human Biology*. 6 (1), 57-74
- Malhotra A, Passi SJ. 2007 . Diet quality and nutritional status of rural adolescent girl beneficiaries of ICDS in north India. *Asia Pac J Clin Nutr*. 16 Suppl 1:8-16.
- Mamtani MR, Kulkarni HR. 2005. Predictive performance of anthropometric indexes of central obesity for the risk of type 2 diabetes. *Arch Med Res*. 36(5):581-9.
- Markwick A, Vaughan L, Ansari Z. 2013. Opposing socioeconomic gradients in overweight and obese adults. *Aust N Z J Public Health*. 37(1):32-8.
- Marques-Vidal P, Waeber G, Vollenweider P. 2012. Another (better) index of adiposity. *Obesity (Silver Spring)*. 20(6):1137-8.
- Martin-Calvo N, Moreno-Galarraga L, Martinez-Gonzalez MA. 2016. Association between Body Mass Index, Waist-to-Height Ratio and Adiposity in Children: A Systematic Review and Meta-Analysis. *Nutrients*. 8(8).
- Marwaha RK, Garg MK, Bhadra K, Mithal A, Tandon N. 2014a. Assessment of lean (muscle) mass and its distribution by dual energy X-ray absorptiometry in healthy Indian females. *Arch Osteoporos*. 9:186.
- Marwaha RK, Tandon N, Garg MK, Narang A, Mehan N, Bhadra K. 2014b. Normative data of body fat mass and its distribution as assessed by DXA in Indian adult population. *J Clin Densitom*. 17(1):136-42.
- Measham AR, Chatterjee M. 1999. Wasting away: The crisis of malnutrition in India. Washington DC: The World Bank.

- Medeiros CA, Bruin VM, Castro-Silva Cd, Araújo SM, Chaves Junior CM, Bruin PF. 2011. Neck circumference, a bedside clinical feature related to mortality of acute ischemic stroke. *Rev Assoc Med Bras.* (1992). 57(5):559-64.
- Medhi GK, Barua A, Mahanta J. 2006. "Growth and Nutritional Status of School Age Children (6-14 Years) of Tea Garden Worker of Assam". *J Hum Ecol.* 19:83-85.
- Medhi GK, Hazarika NC, Mahanta J. 2007. Nutritional status of adolescents among tea garden workers. *Indian J Pediatr.* 74(4):343-7.
- Meshram II, Arlappa N, Balkrishna N, Rao KM, Laxmaiah A, Brahmam GN. 2012. Prevalence of hypertension, its correlates and awareness among adult tribal population of Kerala state, India. *J Postgrad Med.* 58(4):255-61.
- Meshram II, Balakrishna N, Sreeramakrishna K, Rao KM, Kumar RH, Arlappa N, Manohar G, Reddy ChG, Ravindranath M, Kumar SS, Brahmam GN, Laxmaiah A. 2016a. Trends in nutritional status and nutrient intakes and correlates of overweight/obesity among rural adult women ($\geq 18-60$ years) in India: National Nutrition Monitoring Bureau (NNMB) national surveys. *Public Health Nutr.* 19(5):767-76.
- Meshram II, Rao MVV, Rao VS, Laxmaiah A, Polasa K. 2016b. Regional Variation in the Prevalence of Overweight/obesity, hypertension and diabetes and their correlates among the adult rural population in India. *British J of Nutrition.* 115, 1265-1272.
- Midha T, Nath B, Kumari R, Krishna V, Rao YK, Pandey U. 2011. Prevalence and determinants of obesity in the adult population of Kanpur district -- a population-based study. *J Indian Med Assoc.* 109(8):538-42.
- Miki T, Hasekura H. 1961. On the palm pattern of Lepchas and Khasis. *Zinruigaku. Zassi.* 69:67-71.

- Miki T, Tanaka T, Hasekura H, Furuhashi T, 1961. Investigations on the Palm-Patterns of the Lepchas and the Khasis. *Proc Jpn Acad.* 37:57-62.
- Miki T, Tanaka T, Hasekura H, Furuhashi T. 1960. Investigations on the finger prints of the Lepchas and the Khasis II. *Proc Jpn Acad.* 36:291-94.
- Millett C, Agrawal S, Sullivan R, Vaz M, Kurpad A, Bharathi AV, Prabhakaran D, Reddy KS, Kinra S, Smith GD, Ebrahim S; Indian Migration Study group. 2013. Associations between active travel to work and overweight, hypertension, and diabetes in India: a cross-sectional study. *PLoS Med.* 10(6):e1001459.
- Mishra B, Mishra S. 2007. Nutritional anthropometry and pre-school child feeding practice in working mothers of central Orissa. *Stud. Home Comm. Sci.*, 1 (2):139-144.
- Mishra D, Singh H. P. 2003. Kuppaswamy's Socioeconomic Status Scale – A Revision. A letter to editor, *Indian J Pediatr.* 70(3):273-4.
- Mishra SK, Mukhopadhyay S. 2011. Eating and weight concerns among Sikkimese adolescent girls and their biocultural correlates: an exploratory study. *Public Health Nutr.* 14(5):853-9.
- Misra A, Bhardwaj S. 2014. Obesity and the metabolic syndrome in developing countries: focus on South Asians. *Nestle Nutr Inst Workshop Ser.* 78:133-40.
- Mittal PC, Srivastava S. 2006. Diet, nutritional status and food related traditions of Oraon tribes of New Mal (West Bengal), India. *Rural Remote Health.* 6(1):385.
- Mohan I, Gupta R, Misra A, Sharma KA, Agrawal A, Vikram NK, Sharma V, Shrivastava U, Pandey RM. 2016. Disparities in Prevalence of Cardio-metabolic Risk Factors in Rural, Urban-Poor, and Urban Middle Class Women in India. *PLoS One.* 11(2):e0149437

- Mohanty SP, Babu SS, Nair NS. 2001. The use of arm span as a predictor of height: A study of South Indian Women. *J Orthop Surg (Hong Kong)*. 9:19-23.
- Mondal N, J Sen. 2010a. Prevalence of under-nutrition among children (5–12 years) belonging to three communities residing in a similar habitat in North Bengal, India. *Ann Hum Biol*. 37: 199–217.
- Mondal N, J Sen. 2010b. Assessment of Nutritional status among rural adolescents of Darjeeling District, West Bengal, India using Anthropometry. *Italian Journal of Public Health*. 7: 54-61.
- Mondal N, Sen J, Bose K, Timungpi R, Kathar M, Hanse S. 2016. Neck circumference as a screening measure of overweight/obesity among Indian adults. *Anthropological Review*. 79 (3), 347-365.
- Mondal N, Sen J. 2010c. Thinness is a major underlying problem among Indian children. *J Trop Pediatr*. 56(6):456-8.
- Mondal N, Terangpi M. 2014. Prevalence of undernutrition among tribal adolescents of Karbi Anglong district of Assam, Northeast India. *Sri Lanka Journal of Child Health*. 43(3): 154-157
- Mondal N, Timungpi R, Kathar M, Hanse S, Teronpi S, Timung A, Bose K. 2017. Cut-off point estimation of Neck circumference to determine Overweight and Obesity among Asian Indian adults. *Epidemiology, Biostatistics and Public Health*. 14 (2).
- Monteiro CA, Conde WL, Popkin BM. 2004. The burden of disease from undernutrition and overnutrition in countries undergoing rapid nutrition transition: a view from Brazil. *Am J Public Health*. 94(3):433-4.

- Monteiro CA, Moura EC, Conde WL, Popkin BM. 2004. Socioeconomic status and obesity in adult populations of developing countries: a review. *Bull World Health Organ.* 82(12):940-6.
- Moon K, Krems C, Heuer T, Roth A, Hoffmann I. 2017. Predictors of BMI Vary along the BMI Range of German Adults - Results of the German National Nutrition Survey II. *Obes Facts.* 10(1):38-49.
- Motamed N, Perumal D, Zamani F, Ashrafi H, Haghjoo M, Saeedian FS, Maadi M, Akhavan-Niaki H, Rabiee B, Asouri M. 2015. Conicity Index and Waist-to-Hip Ratio Are Superior Obesity Indices in Predicting 10-Year Cardiovascular Risk Among Men and Women. *Clin Cardiol.* 38(9):527-34.
- Motbainor A, Worku A, Kumie A. 2015. Stunting Is Associated with Food Diversity while Wasting with Food Insecurity among Underfive Children in East and West Gojjam Zones of Amhara Region, Ethiopia. *PLoS One.* 10(8):e0133542.
- Mott JW, Wang J, Thornton JC, Allison DB, Heymsfield SB, Pierson RN Jr. 1999. Relation between body fat and age in 4 ethnic groups. *Am J Clin Nutr.* 69(5):1007-13.
- Moy KL, Sallis JF, David KJ. 2010. Health indicators of Native Hawaiian and Pacific Islanders in the United States. *J Community Health.* 35(1):81-92.
- Mukhopadhyay A, Bhadra M, Bose K. 2005. Physical exercise, body mass index, subcutaneous adiposity and body composition among Bengalee boys aged 10-17 years of Kolkata, India. *Anthropol Anz.* 63(1):93-101.
- Mukhopadhyay A, Bhadra M, Bose K. 2005. Regional adiposity, body composition and central body fat distribution of 10-16 years old Bengalee boys of Nimta, North 24 Parganas, West Bengal, India. *Coll Antropol.* 29(2):487-92.

- Mukhopadhyay A. 2010. Anthropometric characteristics and undernutrition among adult Santal tribe of Birbhum District, West Bengal, India. *Anthropological Science*. 118 (1): 57-60.
- Mukhopadhyay K, Mahajan R, Malhi P, Kumar A. 2016. Neurodevelopmental Outcome of Extremely Low Birth Weight Children at Corrected Age of Two Years. *Indian Pediatr*. 8:53(5):391-3.
- Mungreiphy NK, Dhall M, Tyagi R, Saluja K, Kumar A, Tungdim MG, Sinha R, Rongmei KS, Tandon K, Bhardwaj S, Kapoor AK, Kapoor S. 2012. Ethnicity, obesity and health pattern among Indian population. *J Nat Sci Biol Med*. 3(1):52-9.
- Mungreiphy NK, Kapoor S. 2010. Socioeconomic changes as covariates of overweight and obesity among Tangkhul Naga tribal women of Manipur, north-east India. *J Biosoc Sci*. 42(3):289-305.
- Mungreiphy NK, Kapoor S. 2014. Efficacy of obesity indices and age in predicting diabetes: study on a transitional tribe of Northeast India. *Ethn Dis*. 24(3):342-8.
- Mungreiphy NK, S Kapoor, R Sinha. 2011. Association between BMI, blood pressure, and age: study among Tangkhul Naga tribal males of Northeast India. Article ID 748147, 6 pages.
- Muth ND. 2009. What are the guidelines for percentage of body fat loss? ACE Blog on December 02. <https://www.acefitness.org/education-and-resources/lifestyle/blog/112/what-are-the-guidelines-for-percentage-of-body-fat-loss> (Accessed on 05-07-2018).
- Muthayya S. 2009. Maternal nutrition & low birth weight - what is really important? *Indian J Med Res*. 130(5):600-8.

- Nag T, Ghosh A. 2016. Cardiovascular disease risk factor clustering among rural adult population in West Bengal, India. *Obes Res Clin Pract.* 10(2):124-32.
- Nam S, Kuo YF, Markides KS, Al Snih S. 2012. Waist circumference (WC), body mass index (BMI), and disability among older adults in Latin American and the Caribbean (LAC). *Arch Gerontol Geriatr.* 55(2):e40-7.
- Nandy S, Irvin M, Gordon D, and Toseil S. 2005. Poverty, child undernutrition and morbidity: new evidence from India. *Bull World Health Organ.* 83: 210-6.
- Nassis GP, Geladas ND. 2003. Age-related pattern in body composition changes for 18-69 year old women. *J Sports Med Phys Fitness.* 43(3):327-33.
- National Family Health Survey (NFHS 3). 2005–06: International Institute for Population Sciences & Macro International (IIPS), Mumbai, India. <http://rchiips.org/nfhs/report.shtml> State level Factsheets were accessed on 00.03.2018.
- National Family Health Survey (NFHS 4). 2015–16: International Institute for Population Sciences & Macro International (IIPS), Mumbai, India. http://rchiips.org/nfhs/factsheet_NFHS-4.shtml State level Factsheets were accessed on 06.03.2018.
- National Family Health Survey (NFHS 4). 2015–16: International Institute for Population Sciences & Macro International (IIPS), Mumbai, India. http://rchiips.org/nfhs/districtfactsheet_NFHS-4.shtml District level Factsheets were accessed on 06.03.2018.
- National Nutrition Monitoring Bureau. 2009. Diet and Nutritional Status of Tribal Population and Prevalence of Hypertension among Adults - Report of Second Repeat Survey.

Technical Report no. 25. Hyderabad: National Institute of Nutrition, Indian Council of Medical Research.

National Nutrition Monitoring Bureau. 2012. Diet and Nutritional Status of Rural Population, Prevalence of Hypertension & Diabetes among Adults and Infant & Young Child Feeding Practices -Report of Third Repeat Survey. Technical Report no. 26. Hyderabad: National Institute of Nutrition, Indian Council of Medical Research.

Naval VK, Latifi Ahmad Nawid, Misra Anoop, Luthra Kalpana, Bhatt Surya Prakash, Guleria Randeep, and Pandey Ravindra M. 2016. Waist-to-Height Ratio Compared to Standard Obesity Measures as Predictor of Cardiometabolic Risk Factors in Asian Indians in North India. *Metabolic Syndrome and Related Disorders*. 14(10): 492-499.

NCD Risk Factor Collaboration (NCD-RisC). 2016. Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *Lancet* 387:1377-1396.

Neufeld LM, Osendarp SJ. 2014. Global, regional and country trends in underweight and stunting as indicators of nutrition and health of populations. *Nestle Nutr Inst Workshop Ser*. 78:11-9.

Neumark-Sztainer D, Story M, Resnick MD, Blum RW. 1996. Correlates of inadequate fruit and vegetable consumption among adolescents. *Prev Med*. 25(5):497-505.

Neumark-Sztainer D, Story M, Resnick MD, Blum RW. 1998. Lessons learned about adolescent nutrition from the Minnesota Adolescent Health Survey. *J Am Diet Assoc*. 98(12):1449-56.

- Newton S, Braithwaite D, Akinyemiju TF. 2017. Socio-economic status over the life course and obesity: Systematic review and meta-analysis. *PLoS One*. 12(5):e0177151.
- Nguyen P, Ramakrishnan U, Katz B, Gonzalez-Casanova I, Lowe AE, Nguyen H, Pham H, Truong T, Nguyen S, Martorell R. 2014. Mid-upper-arm and calf circumferences are useful predictors of underweight in women of reproductive age in northern Vietnam. *Food Nutr Bull*. 35(3):301-11.
- Nieman DC. 1995. Fitness and Sport Medicine: A Health-Related Approach. *Bull Publishing Co, Palo Alto*.
- Nigam P, Misra A, Colles SL. 2013. Comparison of DEXA-derived body fat measurement to two race-specific bioelectrical impedance equations in healthy Indians. *Diabetes Metab Syndr*. 7(2):72-7.
- Nilsson G, Hedberg P, Jonason T, Lönnberg I, Tenerz A, Forberg R, Ohrvik J. 2008. Waist circumference alone predicts insulin resistance as good as the metabolic syndrome in elderly women. *Eur J Intern Med*. 19(7):520-6.
- Norgan NG, Bogin B, Cameron ND. 2012. Nutrition and Growth. In: Cameron, ND and Bogin, B (eds.), *Human Growth and Development*, pp.123-152. Elsevier Inc.
- Norgan NG. 1994. Interpretation of low body mass indices: Australian aborigines. *Am J Phys Anthropol*. 94(2):229-37.
- Norgan NG. 1994. Interpretation of low body mass indices: Australian aborigines. *Am J Phys Anthropol*. 94(2):229-37.
- Norgan NG. 1994. Population differences in body composition in relation to the body mass index. *Eur J Clin Nutr*. 48 Suppl 3:S10-25; discussion S26-7.

- Norgan NG. 1995. Body mass index and nutritional status: the effect of adjusting body mass index for the relative sitting height on estimates of the prevalence of chronic energy deficiency, overweight and obesity. *Asia Pac J Clin Nutr.* 4(1):137-9.
- Nubé M, Asenso-Okyere WK, van den Boom GJ. 1998. Body mass index as indicator of standard of living in developing countries. *Eur J Clin Nutr.* 52(2):136-44.
- Nubé M, Van Den Boom GJ. 2003. Gender and adult undernutrition in developing countries. *Ann Hum Biol.* 30(5):520-37.
- Nubé M. 2009. The Asian enigma: predisposition for low adult BMI among people of South Asian descent. *Public Health Nutr.* 12(4):507-16.
- Nyaruhucha CN, Msuya JM, Augustino B. 2001. Health status of hospitalised elderly in Morogoro Regional Hospital. *East Afr Med J.* 78(9):489-92.
- Obirikorang C, Osakunor DN, Anto EO, Amponsah SO, Adarkwa OK. 2015. Obesity and Cardio-Metabolic Risk Factors in an Urban and Rural Population in the AshantiRegion-Ghana: A Comparative Cross-Sectional Study. *PLoS One.* 10(6):e0129494.
- Obisesan TO, Aliyu MH, Bond V, Adams RG, Akomolafe A, Rotimi CN. 2005. Ethnic and age-related fat free mass loss in older Americans: the Third National Health and Nutrition Examination Survey (NHANES III). *BMC Public Health.* 5:41.
- Ogunsina K, Dibaba DT, Akinyemiju T. 2018. Association between life-course socio-economic status and prevalence of cardio-metabolic risk ractors in five middle-income countries. *J Glob Health.* 8(2):020405.

- Oguz A, Temizhan A, Abaci A, Kozan O, Erol C, Ongen Z, Celik S. 2008. Obesity and abdominal obesity; an alarming challenge for cardio-metabolic risk in Turkish adults. *Anadolu Kardiyol Derg.* 8(6):401-6.
- Okada R, Yasuda Y, Tsushita K, Wakai K, Hamajima N, Matsuo S. 2016. Upper-normal waist circumference is a risk marker for metabolic syndrome in normal-weight subjects. *Nutr Metab Cardiovasc Dis.* 26(1):67-76.
- Oliveira GE, Magalhães LC, Salmela LF. 2011. Relationship between very low birth weight, environmental factors, and motor and cognitive development of children of 5 and 6 years old. *Rev Bras Fisioter.* 15(2):138-45.
- Oliveros E, Somers VK, Sochor O, Goel K, Lopez-Jimenez F. 2014. The concept of normal weight obesity. *Prog Cardiovasc Dis.* 56(4):426-33.
- Olofin I, McDonald CM, Ezzati M, Flaxman S, Black RE, Fawzi WW, Caulfield LE, Danaei G; Nutrition Impact Model Study (anthropometry cohort pooling). 2013. Associations of suboptimal growth with all-cause and cause-specific mortality in children under five years: a pooled analysis of ten prospective studies. *PLoS One.* 8(5):e64636.
- Olshansky SJ, Ault AB. 1986. "The fourth stage of the epidemiologic transition: The age of delayed degenerative diseases," *Milbank Quarterly.* 64 (3): 355-90.
- Onat A, Hergenç G, Yüksel H, Can G, Ayhan E, Kaya Z, Dursunoğlu D. 2009. Neck circumference as a measure of central obesity: associations with metabolic syndrome and obstructive sleep apnea syndrome beyond waist circumference. *Clin Nutr.* 28(1):46-51.

- Oreopoulos A, Ezekowitz JA, McAlister FA, Kalantar-Zadeh K, Fonarow GC, Norris CM. 2010. Association between direct measures of body composition and prognostic factors in chronic heart failure. *Mayo Clin Proc.* 85:609–617.
- Özkaya İ, Tunçkale A. 2016. Neck Circumference Positively Related with Central Obesity and Overweight in Turkish University Students: A Preliminary Study. *Cent Eur J Public Health.* 24(2):91-4.
- Padwal R, Leslie WD, Lix LM, Majumdar SR. 2016. Relationship Among Body Fat Percentage, Body Mass Index, and All-Cause Mortality: A Cohort Study. *Ann Intern Med.* 164(8):532-41.
- Pal A, De S, Sengupta P, Maity P, Dhara PC. 2014. Relationship of body compositional and nutritional parameters with blood pressure in adults. *J Hum Nutr Diet.* 27(5):489-500.
- Pande RP, Yazbeck AS. 2003. What's in a country's average? Wealth, gender, and regional inequalities in immunization in India. *Soc Sci Med.* 57:2075–2088.
- Pandey A, Sengupta PG, Mondal SK, Gupta DN, Manna B, Ghosh S. 2002. Gender differences in healthcare-seeking during common illnesses in a rural community of west Bengal, India. *J Health Popul Nutr.* 20(4):306–311.
- Park SH, Choi SJ, Lee KS, Park HY. 2009. Waist circumference and waist-to-height ratio as predictors of cardiovascular disease risk in Korean adults. *Circ J.* 73(9):1643-50.
- Patel R, Lawlor DA, Kramer MS, Smith GD, Bogdanovich N, Matush L, Martin RM. 2011. Socio-economic position and adiposity among children and their parents in the Republic of Belarus. *Eur J Public Health.* 21(2):158-65.

- Patel SA, Deepa M, Shivashankar R, Ali MK, Kapoor D, Gupta R, Lall D, Tandon N, Mohan V, Kadir MM, Fatmi Z, Prabhakaran D, Narayan KMV. 2017. Comparison of multiple obesity indices for cardiovascular disease risk classification in South Asian adults: The CARRS Study. *PLoS One*. 12(4):e0174251.
- Patil YP, Shinde RL. 2014. Undernutrition among Indian men: a study based on NFHS-3. *Am J Mens Health*. 8(6):492-502.
- Pelletier DL, Porter CM, Aarons GA, Wuehler SE, Neufeld LM. 2013. Expanding the Frontiers of Population Nutrition Research: New Questions, New Methods, and New Approaches. *Adv Nutr*. 4(1): 92–114.
- Peltz G, MD, MPH, Aguirre MT, MS, Sanderson M, Fadden MK, MPH, PA. 2010. The role of fat mass index in determining obesity. *Am J Hum Biol*. 22(5): 639–647
- Pengpid S, Peltzer K. 2014. Prevalence of overweight/obesity and central obesity and its associated factors among a sample of university students in India. *Obes Res Clin Pract*. 8(6):e558-70.
- Pereira DC, de Araújo MF, de Freitas RW, Teixeira CR, Zanetti ML, Damasceno MM. 2014. Neck circumference as a potential marker of metabolic syndrome among college students. *Rev Lat Am Enfermagem*. 22(6):973-9.
- Perkins JM, Khan KT, Smith GD, Subramanian SV. 2011 .Patterns and trends of adult height in India in 2005-2006. *Econ Hum Biol*. 9(2):184-93.
- Peter RS, Fromm E, Klenk J, Concin H, Nagel G. 2014. Change in height, weight, and body mass index: longitudinal data from Austria. *Am J Hum Biol*. 26(5):690-6.

- Piers LS, Rowley KG, Soares MJ, O'Dea K. 2003. Relation of adiposity and body fat distribution to body mass index in Australians of Aboriginal and European ancestry. *Eur J Clin Nutr.* 57(8):956-63.
- Pintér Z, Pósa A, Varga C, Horváth I, Palkó A, Just Z, Pálfi G. 2017. Anthropometric dimensions provide reliable estimates of abdominal adiposity: A validation study. *Homo.* 68(5):398-409.
- Pongchaiyakul C, Kosulwat V, Rojroongwasinkul N, Charoenkiatkul S, Thepsuthammarat K, Laopaiboon M, Nguyen TV, Rajatanavin R. 2005. Prediction of percentage body fat in rural thai population using simple anthropometric measurements. *Obes Res.* 13(4):729-38.
- Popkin BM, Adair LS, Ng SW. 2012. Global nutrition transition and the pandemic of obesity in developing countries. *Nutr Rev.* 70(1):3-21.
- Pradeepa R, Anjana RM, Joshi SR, Bhansali A, Deepa M, Joshi PP, Dhandania VK, Madhu SV, Rao PV, Geetha L, Subashini R, Unnikrishnan R, Shukla DK, Kaur T, Mohan V1, Das AK; ICMR-INDIAB Collaborative Study Group. 2015. Prevalence of generalized & abdominal obesity in urban & rural India--the ICMR-INDIAB Study (Phase-I) [ICMR- NDIAB-3]. *Indian J Med Res.* 142(2):139-50.
- Prasad DS, Kabir Z, Dash AK, Das BC. 2013. Effect of obesity on cardiometabolic risk factors in Asian Indians. *J Cardiovasc Dis Res.* 4(2):116-22.
- Prasad V, Sinha D, Chatterjee P, Gope R. 2018. Outcomes of Children with Severe Acute Malnutrition in a Tribal Day-care Setting. *Indian Pediatr.* 55(2):134-136.
- Prentice AM, KA Ward, GR Goldberg. 2013. Critical windows for nutritional interventions against stunting. *Am J Clin Nutr.* 97, 911–918.

- Prospective Studies Collaboration, Whitlock G, Lewington S, Sherliker P, Clarke R, Emberson J, Halsey J, Qizilbash N, Collins R, Peto R. 2009. Body-mass index and cause-specific mortality in 900 000 adults: collaborative analyses of 57 prospective studies. *Lancet*. 373(9669):1083-96.
- Pryer JA. 1993. Body mass index and work-disabling morbidity: results from a Bangladeshi case study. *Eur J Clin Nutr*. 47(9):653-7.
- Qi Q, Strizich G, Hanna DB, Giacinto RE, Castañeda SF, Sotres-Alvarez D, Pirzada A, Llabre MM, Schneiderman N, Avilés-Santa LM, Kaplan RC. 2015. Comparing measures of overall and central obesity in relation to cardiometabolic risk factors among US Hispanic/Latino adults. *Obesity (Silver Spring)*. 23(9):1920-8.
- Rah JH, Christian P, Shamim AA, Arju UT, Labrique AB, Rashid M. 2009. Predictors of stunting and thinness in post-menarcheal adolescent girls in rural Bangladesh. *Public Health Nutr*. 12(12):2400-9.
- Rahman H, Karuppaiyan R. 2011. Agrobiodiversity of Sikkim. In: Arrawatia ML, Tambe S (eds.), "Biodiversity of Sikkim, Exploring and Conserving a Global Hotspot", Page 403-426. Information and Public Relations Department, Government of Sikkim (Accessed on 12-09-2017 from [www. http://sikkimforest.gov.in/Biodiversity-of-Sikkim.htm](http://sikkimforest.gov.in/Biodiversity-of-Sikkim.htm)).
- Rahman M, Berenson AB. 2010. Accuracy of current body mass index obesity classification for white, black, and Hispanic reproductive-age women. *Obstet Gynecol*. 115:982–988.
- Rai RK, Fawzi WW, Bromage S, Barik A, Chowdhury A. 2018. Underweight among rural Indian adults: burden, and predictors of incidence and recovery. *Public Health Nutr*. 21(4):669-678.

- Rai RK. 2015. Factors associated with nutritional status among adult women in urban India, 1998-2006. *Asia Pac J Public Health*. 27(2):NP1241-52.
- Rajagopalan A, Balaji N. 2017. Association of Neck Circumference and Obesity with Blood Pressure among Adolescents in Urban and Rural Population in North Tamil Nadu. *J Nat Sci Biol Med*. 8(2):144-149.
- Ramachandran P. 2007. Poverty nutrition linkage. *Ind. J. Med. Res*. 126: 249-61.
- Ramlal RT, Tembo M, Soko A, Chigwenembe M, Ellington S, Kayira D, King CC, Chasela C, Jamieson D, van der Horst C, Bentley ME, Adair LS; BAN Study Team. 2012. Maternal mid-upper arm circumference is associated with birth weight among HIV-infected Malawians. *Nutr Clin Pract*. 27(3):416-21.
- Rampal L, Rampal S, Khor GL, Zain AM, Ooyub SB, Rahmat RB, Ghani SN, Krishnan J. 2007. A national study on the prevalence of obesity among 16,127 Malaysians. *Asia Pac J Clin Nutr*. 16(3):561-6.
- Ranasinghe C, Gamage P, Katulanda P, Andraweera N, Thilakarathne S, Tharanga P. 2013. Relationship between Body Mass Index (BMI) and body fat percentage, estimated by bioelectrical impedance, in a group of Sri Lankan adults: a cross sectional study. *BMC Public Health*. 13:797.
- Rao KM, Arlappa N, Radhika MS, Balakrishna N, Laxmaiah A, Brahmam GN. 2010. Correlation of Fat Mass Index and Fat-Free Mass Index with percentage body fat and their association with hypertension among urban South Indian adult men and women. *Ann Hum Biol*. 39(1):54-8.

- Rao KM, Kumar RH, Krishna KS, Bhaskar V, Laxmaiah A. 2015. Diet & nutrition profile of Chenchu population - A vulnerable tribe in Telangana & Andhra Pradesh, India. *Indian J Med Res.* 141(5):688-96.
- Rao KM, Kumar RH, Krishna KS, Bhaskar V, Laxmaiah A. 2015. Diet & nutrition profile of Chenchu population - A vulnerable tribe in Telangana & Andhra Pradesh, India. *Indian J Med Res.* 141(5):688-96.
- Rao S, Apte P. 2009. Social class-related gradient in the association of skeletal growth with blood pressure among adolescent boys in India. *Public Health Nutr.* 12(12):2256-62.
- Rao VG, Gopi PG, Bhat J, Yadav R, Selvakumar N, Wares DF. 2012. Selected risk factors associated with pulmonary tuberculosis among Saharia tribe of Madhya Pradesh, central India. *Eur J Public Health.* 22(2):271-3.
- Reddy UN, Priya V, Chacham S, Khan SS, Rao JN, Mohiuddin MN. 2014. Impact of maternal risk factors on the incidence of low birth weight neonates in southern India. *International Journal of Medical Research & Health Sciences.* 3(4):813-818.
- Reis JP, Araneta MR, Wingard DL, Macera CA, Lindsay SP, Marshall SJ. 2009. Overall obesity and abdominal adiposity as predictors of mortality in u.s. White and black adults. *Ann Epidemiol.* 19(2):134-42.
- Rengma MS, Sen J, Mondal N. 2015. Socio-Economic, Demographic and Lifestyle Determinants of Overweight and Obesity among Adults of Northeast India. *Ethiop J Health Sci.* 25(3):199-208.
- Risley HH. 1891/1981. Tribes and Castes of Bengal. Vols. I, II. Calcutta: Firma KL.
- Roba KT, O'Connor TP, Belachew T, O'Brien NM. 2016. Variations between post- and pre-harvest seasons in stunting, wasting, and Infant and Young Child Feeding (IYCF)

- practices among children 6-23 months of age in lowland and midland agro-ecological zones of rural Ethiopia. *Pan Afr Med J.* 24:163.
- Rodrigues VC, Rao RS, Lena A. 1994. Utility of arm circumference as a screening instrument to identify women at nutritional risk. *Trop Doct.* 24(4):164-6.
- Rogol AD, Hayden GF. 2014. Etiologies and early diagnosis of short stature and growth failure in children and adolescents. *J Pediatr.* 164(5 Suppl):S1-14.e6.
- Romaguera D, Samman N, Farfán N, Lobo M, Pons A, Tur JA. 2008. Nutritional status of the Andean population of Puna and Quebrada of Humahuaca, Jujuy, Argentina. *Public Health Nutr.* 11(6):606-15.
- Rosell M, Appleby P, Key T. 2005. Height, age at menarche, body weight and body mass index in life-long vegetarians. *Public Health Nutrition:* 8(7), 870–875
- Rotimi C, Okosun I, Johnson L, Owoaje E, Lawoyin T, Asuzu M, Kaufman J, Adeyemo A, Cooper R. 1999. The distribution and mortality impact of chronic energy deficiency among adult Nigerian men and women. *Eur J Clin Nutr.* 53(9):734-9.
- Roy LG, Shetty MS, Urooj A. 2013. Effect of nutritional intervention on malnutrition indicators in patients on haemodialysis. *J Ren Care.* 39(1):39-46.
- Roy S, Barman S, Mondal N, Sen J. 2016. Prevalence of Stunting and Thinness Among Adolescent Girls Belonging to the Rajbanshi Population of West Bengal, India. *Journal of Nepal Paediatric Society.* 36(2):147- 155.
- Ruperto M, Barril G, Sánchez-Muniz FJ. 2013. Conicity index as a contributor marker of inflammation in haemodialysis patients. *Nutr Hosp.* 28(5):1688-95.

- Ruperto M, Barril G, Sánchez-Muniz FJ. 2017. Usefulness of the conicity index together with the conjoint use of adipocytokines and nutritional-inflammatory markers in hemodialysis patients. *J Physiol Biochem.* 73(1):67-75.
- Rush EC, Plank LD, Mitchelson E, Lauulu MS. 2002. Central obesity and risk for type 2 diabetes in Maori, Pacific, and European young men in New Zealand. *Food Nutr Bull.* 23(3 Suppl):82-6.
- Saha S, Gupta K, Kumar S. 2013. Cardiovascular health among healthy population of Northeast region of India: a cross-sectional study comparing urban-tribal difference. *J Indian Med Assoc.* 111(12):810-4, 816.
- Sahakyan KR, Somers VK, Rodriguez-Escudero JP, Hodge DO, Carter RE, Sochor O, Coutinho T, Jensen MD, Roger VL, Singh P, Lopez-Jimenez F. 2015. Normal-Weight Central Obesity: Implications for Total and Cardiovascular Mortality. *Ann Intern Med.* 163(11):827-35.
- Sahani R, Chakrabarty S, Bharati P. 2010. Temporal trends in overweight and obesity among Nicobarese adults in Nicobar Islands, India, 1960s-1999. *Obes Res Clin Pract.* 4(2):e83-e162.
- Sahani R, Gautam RK, Golnabi AH, Vedwan N. 2018. Comparative study of chronic energy deficiency among adult males of Andaman and Nicobar Islands and their counterparts. *Anthropological Review.* 81(1), 1-17.
- Sahani R. 2004. Seasonal variation in nutritional status of the Jarwas. *J Anthropol Survey India* 53, 99-117.
- Sahn DE, Younger SD. 2009. Measuring intra-household health inequality: explorations using the body mass index. *Health Econ.* 18 Suppl 1:S13-36.

- Sahu SK, Kumar SG, Bhat BV, Premarajan KC, Sarkar S, Roy G, Joseph N. 2015. Malnutrition among under-five children in India and strategies for control. *J Nat Sci Biol Med.* 6(1):18-23
- Sarkar S, B. Mukhopadhyay. 2009. Seasonal variation in blood pressures and hypertension among the Bhutias of Sikkim, India. *Studies on Biomedical Anthropology*. INCAA Occasional Paper No. 8. Edited By A. K. Danda, Vikash Bhatt and R. K. Mutatkar. Aryan International Publishing House, New Delhi.
- Sarkar S, Das M, Mukhopadhyay B. 2005. Prevalence of Metabolic Syndrome in Two Tribal Population of the Sub-Himalayan Region of India: Ethnic and Rural-Urban Differences. *Am J Hum Biol.* 17: 814-817.
- Sarkar S, Mukhopadhyay B. 2008a. Perceived psychological stress and cardiovascular risk: observation among the Bhutias of Sikkim, India. *Stress and Health.* 24(1). 23-34.
- Sarkar S, Mukhopadhyay B. 2008b. Age Trends in Blood Pressure and Obesity among the Urban Bhutias of Sikkim. *Tribes and Tribals.* 2: 59-66.
- Sarlio-Lähteenkorva S, Silventoinen K, Lahti-Koski M, Laatikainen T, Jousilahti P. 2006. Socio-economic status and abdominal obesity among Finnish adults from 1992 to 2002. *Int J Obes (Lond).* 30(11):1653-60.
- Sarrafi Z, Goldberg D, Shahbazi M, Arbuckle K, Salehi M. 2005. Nutritional status of schoolchildren in rural Iran. *Br J Nutr.* 94(3):390-6.
- Sartorius B, Veerman LJ, Manyema M, Chola L, Hofman K. 2015. Determinants of Obesity and Associated Population Attributability, South Africa: Empirical Evidence from a National Panel Survey, 2008-2012. *PLoS One.* 10(6):e0130218.

- Satija A, Agrawal S, Bowen L, Khandpur N, Kinra S, Prabhakaran D, Reddy KS, Smith GD, Ebrahim S. 2013. Association between milk and milk product consumption and anthropometric measures in adult men and women in India: a cross-sectional study. *PLoS One*. 8(4):e60739.
- Satwanti, Singh IP, Bharadwaj H. 1980. Body fat and fat-free mass assessed by densitometric and anthropometric techniques in adult Indian women. *Z Morphol Anthropol*. 71(3):274-84.
- Savva SC, Lamnisos D, Kafatos AG. 2013. Predicting cardiometabolic risk: waist-to-height ratio or BMI. A meta-analysis. *Diabetes Metab Syndr Obes*. 6:403-19.
- Schönbeck Y, Talma H, van Dommelen P, Bakker B, Buitendijk SE, HiraSing RA, van Buuren S. 2013. The world's tallest nation has stopped growing taller: the height of Dutch children from 1955 to 2009. *Pediatr Res*. 73(3):371-7.
- Sebayang SK, Dibley MJ, Kelly PJ, Shankar AV, Shankar AH; SUMMIT Study Group. 2012. Determinants of low birthweight, small-for-gestational-age and preterm birth in Lombok, Indonesia: analyses of the birthweight cohort of the SUMMIT trial. *Trop Med Int Health*. 17(8):938-50.
- Segal KR, Dunaif A, Gutin B, Albu J, Nyman A, Pi-Sunyer FX. 1987. Body composition, not body weight, is related to cardiovascular disease risk factors and sex hormone levels in men. *J Clin Invest*. 80:1050–1055.
- Selvan C, Dutta D, Thukral A, Nargis T, Kumar M, Mukhopadhyay S, Chowdhury S. 2016. Neck height ratio is an important predictor of metabolic syndrome among Asian Indians. *Indian J Endocrinol Metab*. 20(6):831-837.

- Selvaraj K, Jayalakshmy R, Yousuf A, Singh AK, Ramaswamy G, Palanivel C. 2017. Can mid-upper arm circumference and calf circumference be the proxy measures to detect undernutrition among elderly? Findings of a community-based survey in rural Puducherry, India. *J Family Med Prim Care*. 6(2):356-359.
- Semali IA, Tengia-Kessy A, Mmbaga EJ, Leyna G. 2015. Prevalence and determinants of stunting in under-five children in central Tanzania: remaining threats to achieving Millennium Development Goal 4. *BMC Public Health*. 15:1153.
- Sen J, Mitra K, Dey S. 2010a. Study on mid-upper arm circumference with special reference to under-nutrition. *South Asian Anthropologist*. 10(2): 135-145.
- Sen J, Mondal N, Dey S. 2011. Assessment of the nutritional status of children aged 5-12 years using upper arm composition. *Ann Hum Biol*. 38(6):752-9.
- Sen J, Mondal N, Dutta S. 2013. Factors affecting overweight and obesity among urban adults: a cross-sectional study. *Epidemiology Biostatistics and Public Health* – 10 (1): e 8 7 4 1 - 1 1
- Sen J, Mondal N. 2012. Socio-economic and demographic factors affecting the Composite Index of Anthropometric Failure (CIAF). *Ann Hum Biol*. 39(2):129-36.
- Sen J, Mondal N. 2013. Fat mass and fat-free mass as indicators of body composition among Bengalee Muslim children. *Ann Hum Biol*. 40(3):286-93.
- Sen J, Roy A, Mondal N. 2010b. Association of maternal nutritional status, body composition and socio-economic variables with low birth weight in India. *J Trop Pediatr*. 56:254-259.

- Sen P, Das S, Hore S, Bhattacharjee S, Choudhuri D. 2017. Obesity and Associated Cardiometabolic Risk among Women from Tripura - A Northeastern State of India. *J Midlife Health*. 8(3):110-117.
- Sengupta A, Angeli F, Syamala TS, Dagnelie PC, van Schayck CP. 2015. Overweight and obesity prevalence among Indian women by place of residence and socio-economic status: Contrasting patterns from 'underweight states' and 'overweight states' of India. *Soc Sci Med*. 138:161-9.
- Sengupta A, Angeli F, Syamala TS, Van Schayck CP, Dagnelie P. 2014. State-wise dynamics of the double burden of malnutrition among 15-49 year-old women in India: how much does the scenario change considering Asian population-specific BMI cut-off values? *Ecol Food Nutr*. 53(6):618-38.
- Sengupta P, Sahoo S. 2014. Health-related morphological characteristics and physiological fitness in connection with nutritional, socio-economic status, occupational workload of tea garden workers. *Afr Health Sci*. 14(3):558-63.
- Sepulveda J, Willett W, Munoz A. 1998. Malnutrition and diarrhoea: a longitudinal study among urban Mexican Children. *Am J Epidemiol*. 27: 365-76.
- Shahabuddin AK, Talukder K, Talukder MK, Hassan M, Seal A, Rahman Q, Mannan A, Tomkins A, Costello A. 2000. Adolescent nutrition in a rural community in Bangladesh. *Indian J Pediatr*. 67(2):93-8.
- Shaikh S, Jones-Smith J, Schulze K, Ali H, Christian P, Shamim AA, Mehra S, Labrique A, Klemm R, Wu L, Rashid M, West KP Jr. 2016. Excessive adiposity at low BMI levels among women in rural Bangladesh. *J Nutr Sci*. 5:e11.

- Shakya KL, Shrestha N, Kisiju P, Onta SR. 2015. Association of Maternal Factors with Low Birth Weight in Selected Hospitals of Nepal. *J Nepal Health Res Counc.* 13(30):121-5.
- Shannon K, Mahmud Z, Asfia A, Ali M. 2008. The social and environmental factors underlying maternal malnutrition in rural Bangladesh: implications for reproductive health and nutrition programs. *Health Care Women Int.* 29(8):826-40.
- Sharma R. Online interactive calculator for real-time update of the Kuppaswamy's socioeconomic status scale. Available from: www.scaleupdate.weebly.com (Accessed on 2016-05-10)
- Sharma SK, Kurian S, Malik V, Mohan A, Banga A, Pandey RM, Handa KK, Mukhopadhyay S. 2004. A stepped approach for prediction of obstructive sleep apnea in overtly asymptomatic obese subjects: a hospital based study. *Sleep Med.* 5(4):351-7.
- Shetty P.S. and Shetty N. 1993. Parasitic infection and chronic energy deficiency in adults. *Parasitology*, 107, pp S159-S167.
- Shetty PS, James WP. 1994. Body mass index. A measure of chronic energy deficiency in adults. *FAO Food Nutr Pap.* 56:1-57.
- Shetty PS. 2002. Nutrition transition in India. *Public Health Nutr.* 5(1A).175-182.
- Shidfar F, Alborzi F, Salehi M, Nojomi M. 2012. Association of waist circumference, body mass index and conicity index with cardiovascular risk factors in postmenopausal women. *Cardiovasc J Afr.* 23(8):442-5.
- Shukla A, Kumar K, Singh A. 2014. Association between obesity and selected morbidities: a study of BRICS countries. *PLoS One.* 9(4):e94433.

- Shukla HC, Gupta PC, Mehta HC, Hebert JR. 2002. Descriptive epidemiology of body mass index of an urban adult population in western India. *J Epidemiol Community Health.* 56(11):876-80.
- Sikdar M. 2012. Prevalence of malnutrition among the mising children of northeast India: a comparison between four different sets of criteria. *N Am J Med Sci.* 4(7):305-9.
- Sikkim Human Development Report. 2014. Expanding Opportunities, Promoting Sustainability. Government of Sikkim. Routledge, Taylor and Francis Group. London New York New Delhi.
- Sil SK, Sarkar SR, Saha S, Roy S. 2011. Assessment of nutritional status of rural tribal children in Tripura. *Indian Pediatr.* 48(6):488-9.
- Sillanpää E, Häkkinen A, Häkkinen K. 2013. Body composition changes by DXA, BIA and skinfolds during exercise training in women. *Eur J Appl Physiol.* 113(9):2331-41.
- Singal P, Sidhu LS. 1983. Age changes in skinfolds, body fat and lean body mass in Jat-Sikh and Bania females during 20 to 80 years. *Anthropol Anz.* 41(3):179-89.
- Singh A, Kumar A, Chavali KH, Harish D. 2012. Use of arm-span and foot length for estimation of height of the person. *J Punjab Acad Forensic Med Toxicol.* 12:87-91.
- Singh J, Mondal N. 2014. Use of upper-arm anthropometry as measure of body-composition and nutritional assessment in children and adolescents (6-20 years) of Assam, Northeast India. *Ethiop J Health Sci.* 24(3):243-52.
- Singh M, Kirchengast S. 2011. Obesity prevalence and nutritional habits among Indian women: a comparison between Punjabi women living in India and Punjabi migrants in Vienna, Austria. *Anthropol Anz.* 68(3):239-51.

- Singh MB, Lakshminarayana J, Fotedar R. 2008. Chronic energy deficiency and its association with dietary factors in adults of drought affected desert areas of Western Rajasthan, India. *Asia Pac J Clin Nutr.* 17(4): 580-585.
- Singh P, Chauhan AS. 1998. An overview of the plant diversity in Sikkim state. In: Rai SC, Sundriyal RC, Sharma E, (eds.), Sikkim: Perspectives for planning and development. Pages 219–232. Sikkim Science Society, Bishan Singh Mahendra Pal Singh Pvt. Ltd., Dehradun, India.
- Singh V, Ahmed S, Dreyfuss ML, Kiran U, Chaudhery DN, Srivastava VK, Ahuja RC, Baqui AH, Darmstadt GL, Santosham M, West KP Jr. 2017. Non-governmental organization facilitation of a community-based nutrition and health program: Effect on program exposure and associated infant feeding practices in rural India. *PLoS One.* 12(9)
- Singhal N, Mathur P, Pathak R. 2011. Validity of simple, novel measures of generalized and central obesity among young Asian Indian women. *Indian J Med Sci.* 65(12):518-27.
- Siri WE. 1956. The gross composition of the body. *Adv Biol Med Phys.* 4:239-80.
- Snijder MB, Nicolaou M, van Valkengoed IG, Brewster LM, Stronks K. 2012 Newly proposed body adiposity index (bai) by Bergman et al. is not strongly related to cardiovascular health risk. *Obesity (Silver Spring).* 20(6):1138-9.
- Socio-economic and Caste Census. 2011. Government of India. <http://secc.gov.in/reportlistContent>
- Sola AO, Steven AO, Kayode JA, Olayinka AO. 2011. Underweight, overweight and obesity in adults Nigerians living in rural and urban communities of Benue State. *Ann Afr Med.* 10(2):139-43.

- Som S, Pal M, Bhattacharya B, Bharati S, Bharati P. 2006. Socio-economic differentials in nutritional status of children in the states of West Bengal and Assam. *J of Biosoc Sci.* 38: 625-42.
- Som S, Ulijaszek S, Pal M, Bharati S, Bharati P. 2014. Variation in height and BMI of adult Indians. *J Biosoc Sci.* 46(1):47-65.
- Sommerfelt AE, Stewart MK. 1994. Children's nutritional status. Demographic and Health surveys comparative studies No.12. Calverton, MD: Macro International, Inc
- Spataro JA, Dyer AR, Stamler J, Shekelle RB, Greenlund K, Garside D. 1996. Measures of adiposity and coronary heart disease mortality in the Chicago Western Electric Company Study. *J Clin Epidemiol.* 49(8):849-57.
- Steckel RH. 1995. Stature and the Standard of Living. *J. Econ. Lit.* 33:1903-40
- Stini WA. 1978. Malnutrition, body size and proportion. *Ecology of Food and Nutrition.* 1:121-126.
- Strickland SS, Tuffrey VR. 1997. Form and function: A study of nutrition, adaptation and social inequality in three Gurung village of the Nepal Himalayas. 1997, London, *Smith-Gordon ISBN.* 1-85463-201-9
- Stunkard AJ. 1996. Socioeconomic status and obesity. *Ciba found. Symp.* 201: 174-82.
- Subal Das, Kaushik Bose. 2011. Prevalence of Thinness among Santal Preschool Children Using New Body Mass Index Cut-Off Points. *Journal of Anthropology.* Article ID 602782, 4 pages,
- Subasinghe AK, Walker KZ, Evans RG, Srikanth V, Arabshahi S, Kartik K, Kalyanram K, Thrift AG. 2014. Association between farming and chronic energy deficiency in rural South India. *PLoS One.* 9(1):e87423.

- Subba JR. 2009. *Mythology of the People of Sikkim*. New Delhi: Gyan Publishing House.
- Subba JR. 2012. *Yumaism, the Limboo way of life. A philosophical analysis*. Yakthung mundhum saploppa. Gangtok.
- Subba TB. 1999. *Politics of culture*. Chennai: Orient Longman.
- Subramaniam P, Singh D. 2011. Association of age specific body mass index, dental caries and socioeconomic status of children and adolescents. *J Clin Pediatr Dent*. 36(2):175-9
- Subramanian SV, Ackerson LK, Davey Smith G, John NA. 2009. Association of maternal height with child mortality, anthropometric failure, and anemia in India. *JAMA*. 301(16):1691-701.
- Subramanian SV, Smith GD. 2006. Patterns, distribution, and determinants of under- and overnutrition: a population-based study of women in India. *Am J Clin Nutr*. 84(3):633-40.
- Subramanyam MA, Kawachi I, Berkman LF, Subramanian SV. 2011. Is economic growth associated with reduction in child undernutrition in India? *PLoS Med*. 8(3):e1000424.
- Subramanyam MA, Subramanian SV. 2011. Low socio-economic groups are not overweight in India. *Indian J Med Res*. 133:119-20.
- Sudfeld CR, McCoy DC, Danaei G, Fink G, Ezzati M, Andrews KG, Fawzi WW. 2015. Linear growth and child development in low- and middle-income countries: a meta-analysis. *Pediatrics*. 135(5):e1266-75.

- Sultana T, Karim MN, Ahmed T, Hossain MI. 2015. Assessment of under nutrition of Bangladeshi adults using anthropometry: can body mass index be replaced by mid-upper-arm-circumference? *PLoS One*. 10(4):e0121456.
- Sunder M. 2003. The making of giants in a welfare state: the Norwegian experience in the 20th century. *Econ Hum Biol*. 1(2):267-76.
- Sung YA, Oh JY, Lee H. 2014. Comparison of the body adiposity index to body mass index in Korean women. *Yonsei Med J*. 55(4):1028-35.
- Suzana S, Earland J, Suriah AR, Warnes AM. 2002. Social and health factors influencing poor nutritional status among rural elderly Malays. *J Nutr Health Aging*. 6(6):363-9.
- Swachhta Status Report. 2016. National Sample Survey Office, Ministry of Statistics and Programme Implementation. Government of India.
- Swaminathan S, Thomas T, Yusuf S, Vaz M. 2013. Clustering of diet, physical activity and overweight in parents and offspring in South India. *Eur J Clin Nutr*. 67(2):128-34.
- Takata H, Fujimoto S. 2013. Metabolic syndrome. [Article in Japanese] *Nihon Rinsho*. 71(2):266-9.
- Tanchoco CC, Cruz AJ, Duante CA, Litonjua AD. 2003. Prevalence of metabolic syndrome among Filipino adults aged 20 years and over. *Asia Pac J Clin Nutr*. 12(3):271-6.
- Tanner JM. 1981. A history of the study of human growth. New York: Cambridge University Press.
- Taylor RW, Brooking L, Williams SM, Manning PJ, Sutherland WH, Coppell KJ, Tipene-Leach D, Dale KS, McAuley KA, Mann JI. 2010. Body mass index and waist circumference cutoffs to define obesity in indigenous New Zealanders. *Am J Clin Nutr*. 92(2):390-7.

- Temple D, Denis R, Walsh MC, Dicker P, Byrne AT. 2015. Comparison of anthropometric-based equations for estimation of body fat percentage in a normal-weight and overweight female cohort: validation via air-displacement plethysmography. *Public Health Nutr.* 18(3):446-52.
- Thakur N, Chandra J, Pemde H, Singh V. 2014. Anaemia in severe acute malnutrition. *Nutrition.* 30(4): 440-442.
- Thomas R, Srinivasan R, Sudarshan H. 2013. Nutritional status of tribal children and adolescents in rural south India: the effect of an NGO delivered nutritional programme. *Indian J Pediatr.* 80(10):821-5.
- Tigga PL, Sen J, Mondal N. 2014. Association of some socio-economic and socio-demographic variables with wasting among pre-school children of North Bengal, India. *Ethiop J Health Sci.* 25; 1: 63-72.
- Tofail F, Hamadani JD, Ahmed AZ, Mehrin F, Hakim M, Huda SN. 2012. The mental development and behavior of low-birth-weight Bangladeshi infants from an urban low-income community. *Eur J Clin Nutr.* 66(2):237-43.
- Touitou Y, Portaluppi F, Smolensky MH, Rensing L. 2004. Ethical principles and standards for the conduct of human and animal biological rhythm research. *Chronobiol Int.* 21:161-70.
- Travaglino P, Meazza C, Pagani S, Biddecki G, Bozzola M. 2011. Secular trends in growth of African Pygmies and Bantu. *Hormones.* 10(2):144-148
- Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. *Lancet* 2016, 387:1377-1396.

- Trivedi T, Liu J, Probst J, Merchant A, Jhones S, Martin AB. 2015. Obesity and obesity-related behaviors among rural and urban adults in the USA. *Rural Remote Health*. 15(4):3267.
- U S National Library of Medicine (NIH) Accessed on 30-07-2016
<https://www.nlm.nih.gov/tsd/acquisitions/cdm/subjects51.html>
- Uauy R, Albala C, Kain J. 2001. Obesity trends in Latin America: transiting from under- to overweight. *J Nutr*. 131(3):893S-899S.
- Ujic-Voortman JK, Bos G, Baan CA, Verhoeff AP, Seidell JC. 2011. Obesity and body fat distribution: ethnic differences and the role of socio-economic status. *Obes Facts*. 4(1):53-60.
- Ulijaszek S, Komlos J. 2010. From a History of Anthropometry to Anthropometric History. In (eds.) Mascie-Taylor CGN, Yasukouchi A, Ulijaszek S: From the Laboratory to the field. CRC Press. Taylor and Francis Group, London.
- Ulijaszek SJ, Kerr DA. 1999. Anthropometric measurement error and the assessment of nutritional status. *British J Nutr*. 2: 165-77.
- Unger PS, Frederick EG, Teaford MF. 2006. Diet in early Homo: A review of the evidence and a new model of adaptive versatility. *Ann. Rev. Anthropol*. 35:209-228.
- Upreti B, Zaman AF, Satpathy SV. 2017. Prevalence of diabetes mellitus among ethnic adult population in urban community in East Sikkim, India. *J Evid Based Med Healthc*. 4 (83) 4900-4905.
- Vakil KP, Malhotra S, Sawada S, Campbell SR, Sayfo S, Kamalesh M. 2012. Waist circumference and metabolic syndrome: the risk for silent coronary artery disease in males. *Metab Syndr Relat Disord*. 10(3):225-31.

- Valdez R, Seidell CJ, Ahn YI. 1993. A new index of abdominal adiposity as an indicator of risk of cardiovascular disease. A cross population study. *Int J Obes*. 17:77-82.
- Van Itallie TB, Yang MU, Heymsfield SB. 1990. Height-normalized indices of the body's fat-free mass and fat mass: potentially useful indicators of nutritional status. *Am J Clin Nutr*. 52: 953-9.
- Varadharajan KS, Thomas T, Rajaraman D, Kurpad AV, Vaz M. 2013. Overweight and obesity among internal migrants in India. *Asia Pac J Clin Nutr*. 22(3):416-25.
- Varte LR, Sahani R, varte RTh. 2014. A Comparative Study of Anthropometry and Obesity of Hmars of Mizoram and Shillong and Blood Pressure Level among the Hmars of Shillong. *J of the Anthropological Survey of India*. 63(2):333-344.
- Velásquez-Meléndez G, Silveira EA, Allencastro-Souza P, Kac G. 2005. Relationship between sitting-height-to-stature ratio and adiposity in Brazilian women. *Am J Hum Biol*. 17(5):646-53.
- Vella V, Tomkins A, Borghesi A, Migliori GB, Adriko BC, Crevatin E. 1992. Determinants of child nutrition and mortality in north-west Uganda. *Bull World Health Organ*. 70(5):637-43.
- Venkaiah K, Damayanti K, Nayak MU, Vijayaraghavan K. 2002. Diet and nutritional status of rural adolescents in India. *Eur J Clin Nutr*. 56(11):1119-25.
- Venkatramana P, Reddy PC. 2002. Association of overall and abdominal obesity with coronary heart disease risk factors: comparison between urban and rural Indian men. *Asia Pac J Clin Nutr*. 11(1):66-71.

- Verma M, Rajput M, Sahoo SS, Kaur N, Rohilla R. 2016. Correlation between the percentage of body fat and surrogate indices of obesity among adult population in rural block of Haryana. *J Family Med Prim Care*. 5(1):154-9.
- Verma R. 1997. Sikkim: a guide and handbook. Gangtok.
- Verropoulou G, Basten S. 2014. Very low, low and heavy weight births in Hong Kong SAR: how important is socioeconomic and migrant status? *J Biosoc Sci*. 46(3):316-31.
- Ververs MT, Antierens A, Sackl A, Staderini N, Captier V. 2013. Which anthropometric indicators identify a pregnant woman as acutely malnourished and predict adverse birth outcomes in the humanitarian context? *PLoS Curr*. 5. pii: ecurrents.dis.54a8b618c1bc031ea140e3f2934599c8.
- Vijayaraghavan K. 2016. The Persistent Problem of Malnutrition in India. *Proc Indian Natn Sci Acad*. 82:1341-1350.
- Wang J, Deurenberg P. 1996. The validity of predicted body composition in Chinese adults from anthropometry and bioelectrical impedance in comparison with densitometry. *Br J Nutr*. 76(2):175-82.
- Wang PW, Fang LJ, Tsou KI; Taiwan Infant Developmental Collaborative Study Group. 2014. The growth of very-low-birth-weight infants at 5 years old in Taiwan. *Pediatr Neonatol*. 55(2):114-9.
- Wang Y, Chen HJ, Shaikh S, Mathur P. 2009. Is obesity becoming a public health problem in India? Examine the shift from under- to overnutrition problems over time. *Obes Rev*. 10(4):456-74.

- Warren TY, Wilcox S, Dowda M, Baruth M. 2012. Independent association of waist circumference with hypertension and diabetes in African American women, South Carolina, 2007-2009. *Prev Chronic Dis.* 9:E105.
- Web GP. 2002. Nutrition: A Health Promotion Approach, 2nd eds. London: *Arnold Publishers.*
- Weig T, Irlbeck T, Frey L, Paprottka P, Irlbeck M. 2016. Above and beyond BMI: Alternative methods of measuring body fat and muscle mass in critically ill patients and their clinical significance. *Anaesthesist.* 65:655-62.
- Weiner JS, Lourie JA. 1981. Practical human biology. London: Academic Press.
- Wells JC, Strickland SS. 1996. Measurement of nutritional status using conventional anthropometry and D2O in Sarawak, Malaysia. *Eur J Clin Nutr.* 50(10):668-71.
- Wells JC, Victora CG. 2005. Indices of whole-body and central adiposity for evaluating the metabolic load of obesity. *Int J Obes (Lond).* 29(5):483-9.
- Wells JC. 2012. Sexual dimorphism in body composition across human populations: associations with climate and proxies for short- and long-term energy supply. *Am J Hum Biol.* 24(4):411-9.
- White JC. 1909. Sikkim & Bhutan: Twenty-one years on the North East Frontier 1887-1908. London: Edward Arnold.
- WHO. 1995. Physical status: The use and interpretation of anthropometry. Technical Report series. Geneva: World Health Organization. 854: 1-452.
- WHO. 2000. International Association for the Study of Obesity & International Obesity Task Force. The Asia-Pacific Perspective: Redefining Obesity and Its Treatment. World Health Organization, Sydney: Health Communications.

- WHO. 2008. Waist circumference and waist–hip ratio: report of a WHO expert consultation, Geneva, 8–11.
- WHO. 2013. Global nutrition policy review: what does it take to scale up nutrition action? Geneva: World Health Organization.
- Wijnhoven HA, van Bokhorst-de van der Schueren MA, Heymans MW, de Vet HC, Kruizenga HM, Twisk JW, Visser M. 2010. Low mid-upper arm circumference, calf circumference, and body mass index and mortality in older persons. *J Gerontol A Biol Sci Med Sci.* 65(10):1107-14.
- Wilkinson AL, Pedersen SH, Urassa M, Michael D, Todd J, Kinung'hi S, Changalucha J, McDermid JM, 2015. Associations between gestational anthropometry, maternal HIV, and fetal and early infancy growth in a prospective rural/semi-rural Tanzanian cohort, 2012-13. *BMC Pregnancy Childbirth.* 15:277.
- Williams MH. 1999. Nutrition for Health, Fitness, & Sport, 5th edition WCB/McGraw-Hill.
- Winkvist A, Nurdiati DS, Stenlund H, Hakimi M. 2000. Predicting under- and overnutrition among women of reproductive age: a population-based study in central Java, Indonesia. *Public Health Nutr.* 3(2):193-200.
- Wright RS, Cole AP, Ali MK, Skinner J, Whitfield KE, Mwendwa DT. 2016. Examining the Influence of Measures of Adiposity on Cognitive Function in Middle Age and Older African Americans. *Archives of Clinical Neuropsychology.* 23-28
- Xiao Y, Zhao N, Wang H, Zhang J, He Q, Su D, Zhao M, Wang L, Zhang X, Gong W, Hu R, Yu M, Ding G, Cong L, Ye Z. 2013. Association between socioeconomic status and obesity in a Chinese adult population. *BMC Public Health.* 13:355.

- Yajnik CS, Fall CH, Coyaji KJ, Hirve SS, Rao S, Barker DJ, Joglekar C, Kellingray S. 2003. Neonatal anthropometry: the thin-fat Indian baby. The Pune Maternal Nutrition Study. *Int J Obes Relat Metab Disord.* 27(2):173-80
- Yan Q, Sun D, Li X, Zheng Q, Li L, Gu C, Feng B. 2014. Neck circumference is a valuable tool for identifying metabolic syndrome and obesity in Chinese elder subjects: a community-based study. *Diabetes Metab Res Rev.* 30(1):69-76.
- Yang GR, Yuan SY, Fu HJ, Wan G, Zhu LX, Bu XL, Zhang JD, Du XP, Li YL, Ji Y, Gu XN, Li Y; Beijing Community Diabetes Study Group. 2010. Neck circumference positively related with central obesity, overweight, and metabolic syndrome in Chinese subjects with type 2 diabetes: Beijing Community Diabetes Study 4. *Diabetes Care.* 33(11):2465-7.
- Yao CH, Slattery ML, Jacobs DR Jr, Folsom AR, Nelson ET. 1991. Anthropometric predictors of coronary heart disease and total mortality: findings from the US Railroad Study. *Am J Epidemiol.* 134(11):1278-89.
- Yoo EG. 2016. Waist-to-height ratio as a screening tool for obesity and cardiometabolic risk. *Korean J Pediatr.* 59(11):425-431.
- Yoon CY, Park JT, Jhee JH, Kee YK, Seo C, Lee M, Cha MU, Jung SY, Park S, Yun HR, Kwon YE, Oh HJ, Han SH, Yoo TH, Kang SW. 2016. Neck circumference predicts renal function decline in overweight women: A community-based prospective cohort study. *Medicine (Baltimore).* 95(36):e4844.
- Yousafzai AK, Filteau SM, Wirz SL, Cole TJ. 2003. Comparison of arm span, arm length and tibia length as predictors of actual height of disabled and nondisabled children Dharavi, Mumbai, India. *Eur J Clin Nutri.* 57:1230-1234.

- Yusof HM, Ching TS, Ibrahim R, Lola S. 2007. Anthropometric indices and life style practices of the indigenous Orang Asli adults in Lembah Belum, Grik of Peninsular Malaysia. *Asia Pac J Clin Nutr.* 16(1):49-55.
- Zeng Q, Dong SY, Sun XN, Xie J, Cui Y. 2012. Percent body fat is a better predictor of cardiovascular risk factors than body mass index. *Braz J Med Biol Res.* 45(7):591-600.
- Zeng Q, He Y, Dong S, Zhao X, Chen Z, Song Z, Chang G, Yang F, Wang Y. 2014. Optimal cut-off values of BMI, waist circumference and waist: height ratio for defining obesity in Chinese adults. *Br J Nutr.* 112(10):1735-44.
- Zere E, McIntyre D. 2003. Equity in self-reported adult illness and use of health service in South Africa: inter-temporal comparison. *J Health Popul Nutr.* 21(3):205-15.
- Zhao D, Li Y, Zheng L, Yu K. 2013. Brief communication: Body mass index, body adiposity index, and percent body fat in Asians. *Am J Phys Anthropol.* 152(2):294-9.
- Zhu S, Heo M, Plankey M, Faith MS, Allison DB. 2003. Associations of body mass index and anthropometric indicators of fat mass and fat free mass with all-cause mortality among women in the first and second National Health and Nutrition Examination Surveys follow-up studies. *Ann Epidemiol.* 13(4):286-93.
- Zwierzchowska A, Grabara M, Palica D, Zając A. 2013. BMI and BAI as markers of obesity in a Caucasian population. *Obes Facts.* 6(6):507-11.