

B I B L I O G R A P H Y

A

Abdullaev, A. Sh. and Frolov, A. A. (1981). 'Theory of inverse Faraday effect in an inhomogeneous plasma'. JETP Lett. **33**, 101-102.

Abdullaev, A. Sh. and Frolov, A. A. (1981). 'Inverse Faraday effect in a relativistic electron plasma'. Sov. Phys. JETP **54**, 493-495.

Aleksic, N. B., Aliev, Yu. M., Bychenkov, V. Yu. and Vukovic, S. (1992). 'Waves with nonlinear polarization due to a self-generated magnetic fields in a plasma'. J. Plasma Phys. **48**, 325-333.

Alexander, A. F., Bogdankevich, S. and Rukhadze, A. A. (1984). 'Principles of plasma Electrodynamics'. (Springer Verlag, Germany)

Ames, W. F., (1965). 'Nonlinear partial differential equations in engineering'. (Academic Press, New York).

Anisimov, S. I., Gavrischaka, V. V. and Kamenets, F. F. (1993) 'Effect of small-scale temperature modulation on magnetic field generation in laser plasmas'. Physica Scripta **47**, 82-85.

Arons, J. and Max, C. E. (1974). 'Self-precession and frequency shift for electromagnetic waves in homogeneous plasmas'. Phys. Fluids **17**, 1983-1994.

Askar'Yan, G. A., Rabinovich, M.S., Smirnova, A.D. and Studenov, V.B., (1967). 'Current produced by light pressure when a laser beam acts on matter'. JETP Lett **5**, 593-595.

B

Bellman, R. P., (1964) 'Perturbation technique in mathematics, physics and engineering'. (Holt, Rinehart and Winston, New York).

- Bera, B., Das, C., Chakraborty, B., Khan, M., Krishan, V., and Bhattacharyya, B. (1992) Magnetic field generation from Alfvén waves propagating along helical lines of force, *International J. Theo. Phys.*, **31**, 1295-1301.
- Berezhiani, V. I., Mahajan, S. M. and Shatashvili, N. L. (1997). 'Theory of magnetic field generation by relativistically strong laser radiation'. *Phys. Rev.* **E55**, 995-1001.
- Bernstein, I. B., Max, C. E. and Thomson, J. J. (1978), 'Effects of high frequency fields on plasma transport coefficients'. *Phys.Fluids* **21**, 905-914.
- Bezzerrides, B., DuBois, D. F., Forslund, D. W. and Lindman, E. L.(1977). 'Magnetic field generation in resonance absorption of light'. *Phys. Rev.Lett.*, **38**, 495-498.
- Bhattacharyya, B. (1994) ' Axial magnetic fields in a laser produced plasma'. *Phys. Lett.* **A185**, 333-337.
- Bhattacharyya, B. and Chakraborty, B. (1979) 'Nonlinear self-precession and wavenumber shift of electromagnetic waves under resonance and of Alfvén waves in plasmas' *Physica* **97C**, 257-274.
- Bhattacharyya, B., Mulser, P. and Sanyal, Urmi, (1998). 'Spontaneous Faraday rotation due to strong laser radiation in a plasma'. *Phys.Lett.* **A249**, 324-329.
- Bhattacharyya, B. and Sanyal, Urmi (1999). ' Generation of axial and lateral magnetic fields in a laser produced plasma'. *J. Plasma Phys.* **61**, 21-30.
- Bhattacharyya, B., and Sarkar, S. (1990), ' Generation of axial magnetic fields in laser produced plasmas'. *J. Appl. Phys.* **68**, 2022-2026.
- Bloembergen, N. (1963) 'Wave propagation in nonlinear electromagnetic media'. : *Proc. IEEE*, **51**, 124-131.
- Bloembergen, N. (1972) . ' *Nonlinear Optics*'. (Benjamin, New York)
- Bloembergen, N. and Shen, Y., (1966). 'Optical nonlinearities of a plasma'. *Phys.Rev.* **141**, 298-305.
- Bobin, J. L., Decroisette, M., Meyer, B. and Vitel, Y. (1973), ' Harmonic generation and parametric excitation of waves in a laser-created plasma' *Phys. Rev. Lett.* **30**, 594-597.

- Boyd, T. J. M., Humphreys-Jones, G. J. and Cooke, D, (1982) 'Structure of magnetic fields generated in laser produced plasmas' . Phys.Lett. **A88**, 140-143.
- Braginskii, S. I. (1965), 'in Reviews of Plasma Physics' (edited by M. A. Leontvich) **Vol.1** (Consultants Bureau, New York).
- Briand, J., Adrian, V., Tamer, M. El., Gomes, A., Quemener, Y., Dinguirad, J. P. and Kieffer. J. C. (1985) 'Axial magnetic fields in laser produced plasmas'. Phys. Rev. Lett. **54**, 38-41.
- Brueckner, K. A. (1973) 'Laser driver fusion'. IEEE Trans. Plasma Sc. **1**, 13-26
- Brueckner, K. A. and Jorna, S. (1974) 'Laser driven fusion' Rev. Modern Physics **46** , 325-368.
- Bychenkov, V. Y., Rozmus, W. , Tikhonchuk, V. T. and Brantov, A. V. (1995). ' Nonlocal electron transport in a plasma'. Phy. Rev. Lett. **75** , 4405-4408.
- Bychenkov, V. Y., and Tikhonchuk, V. T. (1993) 'Magnetic field generation by ultra-intense laser pulse in underdense plasma', Laser and Particle Beams **14**, 55-62.

C

- Chakraborty, B. (1997). 'Principles of Plasma Mechanics' (New Age International Pvt. Ltd., New Delhi) 3rd Edition.
- Chakraborty, B.(1977). 'Parametric rotation of principal polarization axis and other effects due to four transverse waves in a plasma'. Phys. Rev. **A16**, 1297-1308.
- Chakraborty, B., Khan, M., Sarkar, S., Krishan V. and Bhattacharyya, B. (1990). 'Induced magnetization of Alfvén waves'. Annals Phys. (USA) **201**, 1-12.
- Chakraborty, B., Paul, S. N., Khan, M. and Bhattacharyya, B. (1984) 'Wave precession and related nonlinear effects in plasmas'. Phys. Reports **114**, 181-317.
- Chakraborty, B., Khan, M., Bhattacharyya, B., Dev, S. and Pant, H. C., (1988). 'Scaling laws for a self-generated axial magnetic field in laser-produced plasma' Phys. Fluids **31** , 1303-1305.

- Chapman, S. and Cowling, T. G. (1960) 'The Mathematical Theory of Nonuniform Gases', (Cambridge University Press, Cambridge)
- Chase J. B. , LeBlanc J. M. and Wilson J. R. (1973) ' Role of spontaneous magnetic field in a laser created deuterium plasma', *Phys. Fluids* **16**, 1142-1148.
- Chen, F. F. (1984) ' Introduction to plasma physics and controlled fusion' (Plenum Press, New York).
- Chian, A. C. L., (1981). 'Influence of ion motion in the inverse Faraday effect'. *Phys. Fluids* **24**, 369-370.
- Chiao, R. Y., Garmire, E. and Townes. C. H.(1964). 'Self-trapping of optical beams'. *Phys. Rev. Lett.* **13**, 479-484.
- Chiao, R. Y. and Godine. J., (1969). 'Polarization dependence of stimulated Rayleigh-Wing scattering and the optical frequency Kerr effect'. *Phys. Rev.* **185**, 430-445.
- Colombant, D. G. and Winsor, N. K. (1977), 'Thermal-force terms and self-generated magnetic fields in laser produced plasmas', *Phys. Rev. Lett.* **38**, 697-701.
- Craxton, R. S. and Haines, M.G. (1977). 'Hot spots in laser plasmas'. *Phys.Rev.Lett.* **35**, 1336-1339.

D

- Dahmani F. and Kardja, T. (1991). 'Laser intensity and wavelength dependence of mass ablation rate, ablation pressure and heat flux inhibition in laser produced plasmas'. *Phys. Rev.* **A44**, 2649-2655.
- Das, C., Bera, B., Chakraborty, B. and Khan, M. (1993). ' Magnetic moment field generation in the reflection region in a cold magnetized plasma'. *J. Plasma Phys.*
- Davidson, R. C. (1972). 'Methods in nonlinear plasma theory'.(Academic Press, New York).
- Daido, H., Miki, F., Mima, K., Fujita, M., Sawai, K., Fujita, H., Kitagawa, Y., Naki, S. and Yamanaka., C. (1986). ' Generation of a strong magnetic field by an intense CO₂ Laser pulse'. *Phys. Rev. Lett.* **56**, 846-849.

- Decoster, A. (1978). 'Nonlinear travelling waves in a homogeneous cold collisionless plasma'. Phys. Reports **47**, 285-422.
- Di-Vergilio, W. F., Wong, A. Y., Kim, M. C. and Lee, Y. C. (1977), 'Self-generated magnetic fields in the microwave plasma resonant interaction' : Phys. Rev. Lett. **38**, 541-544.
- Dragila, R. (1987). 'Generation of axial magnetic fields in laser produced plasma by a turbulent dynamo'. Phys. Fluids **30**, 925-927.
- Dubinov, A. E., Selemir, V. D. and Sudovtsov, A. V. (1996) 'Excitation of wake-fields in an electron-positron plasma by ultrarelativistic proton beam'. Phys. Lett. **A223**, 186-188
- Dubois, D. F. and Goldman, M. V. (1965). 'Radiation induced instability of electron plasma oscillations'. Phys. Rev. Lett. **14**, 544-549.
- Duderstadt, J. J. and Moses, G. A. (1982). 'Inertial confinement fusion'. (John Wiley & Son, New York).

E

- Eliezer, S., Y. Paiss and Strauss, H. (1992). 'Generation of a poloidal magnetic field by circularly polarized laser light'. Phys. Lett. **A164**, 416-418.
- Esarey, E., Hubbard, R. F., Leemans, W. P., Ting, A. and Sprangle, P. (1997) 'Electron injection into plasma wakefields by colliding laser pulses' Phys. Rev. Lett. **79**, 2682-2685.
- Esarey, E., Krall, J. and Sprangle, P. (1994). 'Envelope analysis of intense laser pulse self-modulation in plasmas'. Phys. Rev. Lett. **72**, 2887-2890.

F

- Forslund, D. W., Kindel, J. M. and Lindman, E. L. (1975) 'Theory of stimulated scattering processes in laser-irradiated plasmas' Phys. Fluids **18**, 1002-1016.
- Forslund, D. W. and Brackbill, J. U. (1982). 'Magnetic field induced surface transport on laser irradiated foils'. Phys. Rev. Lett. **48**, 1614-1617.

G

- Ginzburg, V. L. (1970) 'The propagation of electromagnetic waves in plasma' Translated by J. B. Sykes and R. J. Tayler (Pergamon Press, Oxford)
- Giovanielli, D. V. and Godwin, R. P., (1975) 'Optics in laser-produced plasmas'. *American J. Phys.* **43**, 808-817.
- Gorbunov, L. M., P. Mora and T. M. Antonsen, Jr., (1997), 'Quasistatic magnetic field generated by a short laser pulse in an underdense plasma' *Phys. Plasmas* **4**, 4358-4368.
- Gorbunov, L. M., P. Mora and T. M. Antonsen, Jr., (1996), 'Magnetic field of a plasma wake driven by a laser pulse' *Phys. Rev Lett.* **76**, 2495-2498.
- Gradov, O. M. and L. Stenflo, (1983). 'Magnetic field generation by a finite-radius electromagnetic beam'. *Phys. Lett.* **A95**, 233-234
- Greek, B., P. Martin, T. W. Johnston, H. Pepin, G. Mitchell and F. Reheat , (1978). 'Fine scale structures in plasmas stimulated by a CO₂ laser'. *Phys. Rev. Lett.* **41**, 1811-1814.
- Grebogi, C., Tripathi, V. K. and Chen, H-H. (1983). 'Harmonic generation of radiation in a steep density profile' *Phys.Fluids* **26**, 1904-1908.

H

- Hain S. (1999) *Ausbreitung Intensiver Laserstrahlung in Materie* (Ph.D. Thesis, Technical University of Darmstadt, Darmstadt, Germany).
- Haines M. G. (1986) 'Magnetic field generation in laser fusion and hot electron transport' *Can. J. Phys.* **64**, 912-919.
- Haines M. G. (1997), 'Saturation mechanisms for the generated magnetic field in nonuniform laser-matter irradiation' *Phys. Rev. Lett.* **78**, 254-257.
- Hasegawa, A., Dajido, H., Fujita, M., Mima, K., Murakami, M., Naki, S., Nishisara, K., Terai, K. and Yamanaka, C. (1986). 'Magnetically insulated inertial fusion : A new approach to controlled thermonuclear fusion' *Phys. Rev. Lett.* **56**, 139-142.

- Hasegawa, A., Nishihara, K., Daido, H., Fujita, M., Ishizaki, A., Miki, F., Mima, K., Murakami, M., Naki, S., Terai, K., and Yamanaka (1988) *Nucle.Fusion* **28**, 369 .
- Hauer, A. and Mason, R.J. (1983). 'Return current-heating and implotion of cylindrical CO₂ - laser - driven targets' . *Phys.Rev.Lett.* **51**,459-562.
- Hirano, A. and Ogasawara, M. (1981), 'Magnetic field generating thermal instability including the nernst effect' *J. Phys. Soc. Jpn.* **50**, 668-672.
- Hora, H. (1981). ' Physics of Laser Driven Plasmas' (Wiley, New York).
- Hora, H. (1991). 'Plasmas at high temperature and densirty - Application and Implication of Laser-Plasma Interaction' (Springer-Verlag, New York).
- Horovitz, Y., etal (1998) 'The inverse Faraday effect in plasmas produced by circularly polarized laser light in the range of intensities $10^9 - 10^{14}$ watt/cm²' .*Phys.Lett.* **A246**,329-334.
- Hughes, T. P. (1975) ' Plasma and Laser Light' (Adam Hilger, Institute Physics, UK).

I

- Inogamov, N. A., Yu. V. Pefrov, S. I. Anisimov, A. M. Oparin, N. V. Shaposhnikov and J. Meyer-ter-Vehn, (1999). 'Expansion of matter heated by an ultrashort laser plasma'. *JETP* **69**, 310-316.

J

- Jackson, J. D. (1974)' *Clasical Electrodynamics*' (Wiley Estern Ltd., New Delhi)
- Jones R. D. and Mead, W. C. *Nucle. Fusion* **26**,127 (1986).

K

- Kato, S., Nishiguchi, A. and Mima, K. (1997); ' Higher order harmonic generation in dense plasmas with a high intensity laser fields' *J. Phys. Soc. Jpn.* **66**, 388-391.
- Kaw, P. K. and J. Dawson, (1970). 'Relativestic nonlinear propagation of laser beams in cold overdense plasmas' . *Phys. Fluids* **13**, 472-481.

- Key, M. H. (1991) 'Laser Fusion' (A Variety of Plasmas- edited by A. Sen and P. K. Kaw based on Proc. Int. Conf. On Plasma Phys. (1989), Indian Academy of Sciences, India)
- Key, M. H., Toner, W. T., Goldsack, T. J., Kilkenny, J. O., Veats, S. A., Cunningham, P. F. and Lewies, C. L. S. (1983) 'A study of ablation by laser irradiation of plane targets at wavelengths 1.05, 0.53, and 0.35 microns' *Phys. Fluids* **26**, 2011-2026.
- Khan, M., Das, C., Chakraborty, B., Deasi, T., Pant, H. C., Srivastava, M. and Lawande, S. V. (1998). 'Self-generated magnetic field and Faraday rotation in a laser produced plasma' *Phys. Rev.* **58E**, 925-930.
- Kolodner, P. and E. Yablonsovitch, (1979). 'Two-dimensional distribution of self generated magnetic fields near the laser-plasma resonant-interaction region'. *Phys. Rev. Lett.* **43**, 1402-1403.
- Korobkin, V. V. and R.V. Serov. (1966). 'Investigation of the magnetic field of a spark produced by focussing laser radiation'. *JETP Lett.* **4**, 70-72.
- Kull, H. J., (1981). 'Linear mode conversion in laser plasmas'. (Ph.D.Thesis, Max-Planck-Institute für Quantenoptik, Garching, Germany).
- Kull, H. J., (1983). 'Linear mode conversion in laser plasmas'. *Phys. Fluids* **26**, 1881-1887.
- Krall, N. K. and A. W. Trivelpiece, (1973). 'Principles of Plasma Physics'. (McGraw Hill, New York).
- Kroll, N., Rai, A. and Tozoker, J. U. (1964). 'Optical mixing as a plasma density probe'. *Phys. Rev. Lett.* **13**, 83-86.
- Kruer, W. L. (1988). 'The Physics of Plasma Interaction'. (Addison-Wesley, New York).
- Kruer W. L. and Estabrook, K. (1977) 'Laser light absorption due to self-generated magnetic fields' *Phys. Fluids* **20**, 1688-1691.
- Kitagawa, Y., T. Yabe, Y. Kato and C. Yamanaka, (1986). 'Enhancement of long-scale magnetic fields in spatially random-phase laser illumination of a CH foil'. *Phys. Rev. Lett.* **56**, 2804-2806.

L

Liu, C. S., Rosenbluth, M. N. and White, R. B. (1974), 'Raman and Brillouin scattering of electromagnetic waves in inhomogeneous plasmas', *Phys. Fluids* **17**, 1211-1219.

M

Maker, P. D. and Terhune, R. W. (1965). 'Study of optical effects due to an induced polarization of third order in the electric field strength'. *Phys. Rev.* **A137**, 801-818.

Mason, R. J. and M. Tabak, (1998) 'Magnetic field generation in high-intensity-laser-matter interaction'. *Phys. Rev. Lett.* **80**, 524-527

Matte, J. P., A. Bendib and J. F. Luciani, (1987). 'Amplification of magnetic modes in laser created plasmas'. *Phys. Rev. Lett.* **58**, 2067-2070.

Max, C. E. (1973) 'Steady-state solution for relativistic strong electromagnetic waves in plasma' *Phys. Fluids* **16**, 1277-1288.

Max, C. E. (1976) 'Strong self-focusing due to ponderomotive force in plasmas' *Phys. Fluids* **19**, 74-77.

Max, C. E. 'Laser-Plasma Interaction - Vol.34' edited by R.Balian and J.C.Adam (North Holland, Amsterdam, 1982).

Max, C. E., Arons, J. and Langdon, A. B. (1974)'Self-modulation self-focussing of electromagnetic waves in plasma' *Phys. Rev. Lett.* **33**, 209-212.

Max, C. E., W. M. Manheimer and J. J. Thomson. (1978). 'Enhanced transport across laser generated magnetic field'. *Phys. Fluids* **21**, 128-139.

Mead, W. C., E. M. Campbell, W. L. Kruer, R. E. Turner, C. W. Hatcher, D. S. Baileg, P. H. Y. Lee, J. Foster, K. G. Tirsell, B. Pruett, N. Holmes, J. T. Trainor, G. L. Stradling, B. F. Lasinski, C. E. Max and F. Ze, (1984). 'Characteristics of lateral and axial transport in laser irradiations of layered disk targets at 1.06 and 0.35 μm wavelengths'. *Phys. Fluids* **27**, 1301-1326.

- Medina, E., M. Kardar, Y. Shapir and X. R. Wang, (1990). 'Magnetic-field effects on strongly localized electrons'. *Phys. Rev. Lett.* **64**, 1816-1819.
- Mima, K., H. Takabe, A. Nishiguchi, K. Nishihara, T. Yabe, H. Totsuji, Y. Furutani, R. Kawakami, Y. Kihara, C. Yamanaka and S. Naki, (1989) 'Theoretical studies on non-local electron and radiation heat transport' *Proc. XIIIth Int. Conf. Plasma Phys. (1988) IAEA-CN-50/B-III-2 Vol.3*, 139-146.
- Mima, K. Baldie, H. A., Nishiguchi, A., Takabe, H. And Yamanaka, C. (1994) ' Laser Plasma Theory and Simulation' (Harwood Academic Press, Switzerland).
- Moffat, H. K., (1978). 'Magnetic field generation in electrically conducting fluids'. (Cambridge University Press, Cambridge).
- Mora, P. and R. Pellat. (1981) 'Magnetic field generation in the underdense plasma'. *Phys. Fluids* **24**, 2219-2226.
- Motz, H. (1979) ' The Physics of Laser Fusion' (Academic Press, New York)
- Mulser, P. (1980). 'Laser plasma interactions, edited by R. A. Cairns and J. J. Sanderson (Scottish Universities Summer School in Physics, Edinburgh)
- Mulser, P., Sigel, R. and Witkowski, S. (1973) ' Plasma production by laser' *Phys. Reports*' **6**, 187-239.

N

- Newell, A.C. and J.V. Moloney. (1992). ' Nonlinear optics' (Addison-Wesley, New York)
- Nishikawa, K. and Liu, C. S. (1976) ' General formalism of parametric excitation'; pages 1-81, in *Advances in Plasma Physics, Volm. 6*, edited by A. Simon and W. B. Thompson (Interscience, New York).
- Nishimura, H., H. Azechi, K. Yamada, A. Tamura, Y. Inada, F. Matsuka, M. Manada, Y. Suzuki, S. Naki and C. Yamanaka, (1981). 'Experimental study of wavelength dependences of laser plasma coupling, transport ablation processes'. *Phys. Rev.* **A23**, 2011-2019.

Nuckolls, J. H. (1974). 'Laser Interaction and Related Phenomena'. **Vol 3B** (Plenum press, New York).

O

Odagawa, T., Nakajima, K., Tanaka, K., Nobuhara, H., Inoue, T., Okazaki, N. and Wakao, K. (1993) 'Separate confinement heterostructure dependence of the effective carrier recombination co-efficient of strained InGaAs/InGaAsP multiple quantum well lasers' *Appl. Phys. Lett.* **63**, 2996-2998.

P

Parker, E. (1979) 'Cosmic Magnetic Fields' (Oxford University Press)

Persen, P.S. (1963), 'Nonlinear optical properties of solids, energy conservation', *Phys. Rev.* **130**, 919-929.

Pershan, P. S., J. P. VanDer Ziel and L. D. Malmstram. (1966). 'Theoretical discussion of the inverse Faraday effect, Raman Scattering, and related phenomena'. *Phys. Rev.* **143**, 574-583.

Pomeau, Y. and D. Quemada. (1967). 'Effect Faraday inverse dans un plasma'. *Comp. Rend. (Acad. Sci., Paris)*, **B264**, 517-518.

Pukhov, A. and Meyer-ter-Vehn. J. 'Relativistic magnetic self-chanelling of light in near-critical Plasma: Three-dimensional Particle-in-Cell Simulation'. (1996) *Phys. Rev. Lett.* **76**, 3975-3978.

G.C.Pomraning, *J. of Quantitative Spectroscopy and Radiative Transfer*, **54**, 637 (1995).

Q

Quesnel, B., P. Mora, J. C. Adam, S. Guerin, A. Heron and G. Laval. (1997). 'Electron parametric instabilities of ultraintense short laser pulses propagating in plasmas', *Phys. Rev. Lett.* **78**, 2132-2135.

R

- Raven, A., P. T. Rumsby, J. A. Stamper, O. Willi, R. Illingworth and R. Thareja, (1979). 'Dependence of spontaneous magnetic fields in laser produced plasmas on target size and structure'. *Appl. Phys. Letts.* **35**, 526-528.
- Register, A. L. (1998), ' Anomalous transport models for fusion plasmas - Review and perspective' *Tran. Fusion Tech.* **73**, 170-180.
- Rose, H. A., DuBois, D. F. and Bezzerides, B. (1987). ' Nonlinear Coupling of Stimulated Raman and Brillouin Scattering in Laser-Plasma Interactions'. *Phys. Rev. Lett.* **58**, 2547-2550.
- Ruhl, H.(1994). 'Vlasov-simulation des Absorption verhalteus ultrakurzer laser pulse in Materie' (Ph.D. Thesis, Technischen Hochschule Darmstadt;Germany).

S

- Shen, Y. R. (1976). 'Recent advancement in nonlinear optics'. *Rev. Mod. Phys.* **48**, 1-32.
- Shen, Y. R. (1991). 'The Principles of Nonlinear Optics'. (Jhon Wiley & Sons, New York).
- Sheng, Z. M. And J. Meyer-ter-Vehn, (1996). ' Inverse Faraday effect and propagation of circularly polarized intense laser beams in plasmas' *Phys. Rev.* **E54**, 1833-1842.
- Phys. Plasmas* **4**, 493(1997)
- Srivastava, M. K., Lawande, S. V., Khan, M., Das, C. and Chakraborty, B. (1992). ' Axial magnetic field generation by ponderomotive force in a laser produced plasma' *Phys. Fluids* **B4**, 4086-4093.
- Stamper, J. A. (1991). 'Review on spontaneous magnetic fields in laser produced plasmas: phenomena and measurements'. *Laser and Particle Beams* **9**, 841-862.
- Stamper, J. A., K. Papadopoulos, R. N.Sudan, S. O. Dean, E. A. Mclean and J. M. Dawson. (1971). 'Spontaneous magnetic field in laser produced plasmas'. *Phys. Rev. Lett.* **26**, 1012-1015.

- Stamper, J. A. and Ripin B. H. (1975) 'Faraday rotation measurements of megagauss magnetic fields in laser produced plasmas' Phys. Rev. Lett. **34**, 138-141.
- Steiger, A. D. and C. H. Woods. (1972). 'Intensity dependent propagation characteristics of circularly polarized high power laser radiation in a dense electron plasma'. Phys. Rev. **A5**, 1467-1474.
- Sudan, R. N. (1993). 'Mechanism for the generation of 10^9 G magnetic fields in the interaction of ultraintense short laser pulse with an overdense plasma target'. Phys. Rev. Lett. **70**, 3075-3078.
- Stenflo, L. (1977) 'Coupling coefficients for a cold plasma in a circularly polarized wave'. Plasma Phys. **19**, 1187 -1195.
- Strauss, M., Hazak, G., Shvarts, D. and Craxton, R. S. (1984) 'Magnetic field effects on electron heat transport in laser-produced plasmas' Phys. Rev. **A30**, 2627-2637.
- Shkarofsky, I. P. (1980) 'Ponderomotive laser effects in collisional plasma transport'. Phys Fluids **23**, 52-62.
- Speziale, T. and P. J. Catto, (1978). 'Magnetic field generation via resonant absorption'. Phys. Fluids **21**, 2063-2071.
- Spitzer, L. and Harm, H. (1953) 'Transport phenomena in a completely ionized gas' Phys. Rev. **89**, 977 .
- Sun G. Z., Ott, E., Lee, Y. C. and Guzdar, P. (1987). 'Self-focusing of short intense pulses in plasmas', Phys Fluids **30**, 526-532.
- Svelto, O. (1974), 'Progress in Optics' Vol. **XII**, edited by E. Wolf (North-Holland, Amsterdam).

T

- Talin, B., V. P. Kaftandjian and L. Klein. (1975). 'Inverse Faraday effect in plasmas'. Phys. Rev. **A11**, 648-657.

Thompson, J. J., C. E. Max and K. Estabrook, (1975). 'Magnetic field due to resonance absorption of laser light'. Phys. Rev. Lett. **35**, 663-667.

Tidman, D. A. (1975). 'Thermally generated magnetic fields in laser driven compressions and explosions'. Phys. Fluids **18**, 1454-1459.

Tidman, D.A. (1974). 'Strong Magnetic Fields Produced by Composition Discontinuities in Laser Produced Plasmas'. Phys. Rev. Lett. **32**, 1179-1181.

Tikhonchuk, V. T., Solodov, A.A. and Mora, P. (1999) Comments Plasma Phys. Controlled Fusion **18**, 399.

Tripathi, V. K. and Liu, C. S. (1994). 'Self generated magnetic field in an amplitude modulated laser filament in a plasma'. Phys. Plasmas **1**, 990-992.

Tsytovich, V. N. (1970). 'Nonlinear effects in plasmas'. (Plenum Press, New York).

V.K.Tripathi and C.S.Liu, (1994) 'Self-generated magnetic field in an amplitude modulated laser filament in a plasma'. Phys. Plasmas **1**, 990-992.

U

Uberoi, C. (1997) 'Introduction to Unmagnetized Plasmas' (Prentice-Hall, New Delhi)

V

Vanderziel, J. P., Pershan, P. S. and Malmstrag, L. D. (1965) 'Optically induced magnetization resulting from the inverse Faraday effect' Phys. Rev. Lett. **15**, 190-193.

Vick, M.Kado, H.Yamamoto, K. Tanaka, A.A.Offenberger, C.E.Capjack, A.Nishiguchi, K.Mima, S.Nakai, (1995) Phys. Rev. **E52**, 6692 .

W

Whitmer, R. F. and Barrett, E. B. (1962) Nonlinear interaction of an electromagnetic wave with a plasma layer in the presence of a static magnetic field : I Theory of harmonic generation - Phys. Rev. **121**, 661-669.

- Whitmer, R. F. and Barrett, E. B. (1961) Nonlinear interaction of an electromagnetic wave with a plasma layer in the presence of a static magnetic field : II Higher harmonic and a nonlinear propagation theory - Phys. Rev. **125**, 1478-1484.
- Wilks, S. C. Kruer, W.L., Tabak, M. and Langdon, A.B. (1992), 'Absorption of ultra-intense laser pulses', Phys. Rev. Lett. **69**, 1383-1386.
- Witalis, E. A. (1974), 'Laser Interaction and Related Plasma Phenomena', **Vol.3A**,
- Winsor, N.K. and Tidman, D.A. (1973) 'Laser target model' Phys. Rev. Lett. **31**, 1044-1046.
- Wong, G. K. L. And Shen, Y. R. (1974) 'Study of pretransitional Behaviour of Laser field-induced molecular alignment in Isotropic nematic substances' Phys. Rev. A **10**, 1277-1284.
- Woo, W. and DeGroot, J.S. (1978). 'Magnetic fields due to laser light absorption'. Phys. Fluids **21**, 2072-2075.
- Ibid.** 'Ponderomotive force and d.c. magnetic field generation induced by laser absorption' Phys. Fluids **21**, 124-127.
- Woo, W., Estabrook, K. and Degroot, J.S. (1978) ' Resonant absorption of laser light by a magnetized plasmas' Phys.Rev.Lett. **40**, 1094 -1097.

Y

- Yabe, T., Kitagawa, Y., Ishizaki, A., Naito, M., Nishiguchi, A. and Yamanaka, C. (1983) Generation of long-scale magnetic fields from rippled surface irregularities - Phys. Rev. Lett. **51**, 1869-1871.
- Yabe, T., Mima, K., Sugiyama, T. and Yoshikawa, K. (1982). 'Hot electron filamentation due to self induced magnetic fields'. Phys. Rev. Lett., **48**, 242-245.
- Yamanaka, C. (1989) - Emerging nuclear energy systems Advances in Interrial confinemene Fusion' (World Scientific, New York) **Vol.125**
- Yamanaka, C. (1991) ' Intriduction to laser fusion ' (Harwood Academic, Switzerland)
- Yoshida Z. (1993) ' Mathematical backgrounds for the analysis of magnetic field structures

in a plasma, ICTP Report-H4SMR692/8, Spring College on Plasma Physics.

Young, P. E., Baldis, H.A., Johnstone, T.W., Kruer, W.L. and Estabrook, K.G. (1989). 'Filamentation and second-harmonic emission in laser plasma interactions'. Phys. Rev. Lett. **26**, 2812-2815.

Z

Zeldovich Ya. B., Ruzmaikin, A. A. and Sokolof, D. D. (1983) 'Magnetic field in Astrophysics' (Gordon and Breach, New York).