

Table of Contents

List of contents	I-V
List of tables	VI
List of figures	VII-XIII
List of Appendix	XIV
Index	XIV

Chapters

Chapter 1

Introduction

1.1	<i>Liquid Crystal</i>	2
1.1.1	<i>Smectic A Phase</i>	3
1.1.2	<i>Smectic C Phase</i>	4
1.1.3	<i>Hexatic smectic phases</i>	4
1.2	<i>Chirality in liquid crystal</i>	6
1.2.1	<i>Chiral nematic phase</i>	6
1.2.2	<i>Chiral smectic phases</i>	6
1.2.2.1	<i>Ferroelectric liquid crystal (FLC)</i>	7
1.2.2.2	<i>Antiferroelectric liquid crystal (SmC^*_A)</i>	10
1.2.2.3	<i>SmC^* subphases (SmC^*_ω, SmC^*_β, SmC^*_γ)</i>	11
1.2.2.4	<i>Paraelectric liquid crystal (SmA^*)</i>	11
1.3	<i>Applications of liquid crystals</i>	12
1.4	<i>Importance of chiral systems with Biphenyl Benzoate core</i>	14
1.5	<i>List of the compounds selected for investigation</i>	16

1.6	<i>Motivations and Objectives of the dissertation</i>	20
-----	-------------------------------------------------------	----

Chapter 2

Experimental techniques and relevant theory

2.1	<i>Introduction</i>	29
2.2	<i>The theory of liquid crystals</i>	29
2.2.1	<i>The Landau-de Gennes theory of liquid crystal</i>	30
2.3	<i>Preparation of liquid crystal cells</i>	32
2.4	<i>Surface stabilized ferroelectric liquid crystal (SSFLC)</i>	33
2.5	<i>Polarized optical microscopy (POM)</i>	34
2.6	<i>Dielectric study</i>	36
2.6.1	<i>Debye Model</i>	37
2.6.2	<i>Cole- Cole model</i>	39
2.6.3	<i>Modes of dielectric relaxations in chiral liquid crystals</i>	42
2.6.3.1	<i>Non collective relaxation</i>	42
2.6.3.2	<i>Collective modes of relaxation</i>	42
2.6.3.3	<i>Maxwell Wagner relaxation</i>	45
2.7	<i>Synchrotron X-ray Diffraction Study</i>	46
2.8	<i>Electro-Optic Measurements</i>	52
2.8.1	<i>Spontaneous Polarization (P_S)</i>	52
2.8.2	<i>Response Time (τ)</i>	55
2.8.3	<i>Optical Tilt Angle (θ_{OPT})</i>	56
2.8.4	<i>Rotational Viscosity (γ_ϕ)</i>	57

Chapter 3

Structural and dielectric properties of orthogonal smectic phases in a chiral mesogen having biphenyl benzoate core

3.1	<i>Introduction</i>	66
3.2	<i>Experimental procedure</i>	67
3.3	<i>Results and discussions</i>	69

3.3.1	<i>Observed phases</i>	69
3.3.2	<i>Differential scanning calorimetry (DSC)</i>	70
3.3.3	<i>Polarized optical microscopy (POM) studies</i>	70
3.3.4	<i>Optimised geometry</i>	72
3.3.5	<i>Synchrotron X-ray diffraction study</i>	73
3.3.6	<i>Dielectric spectroscopy study</i>	82
3.4	<i>Conclusion</i>	89

Chapter 4

Structural , dielectric and electro-optic characterisation of two biphenyl benzoate cored chiral liquid crystals having tilted hexagonal phases

4.1	<i>Introduction</i>	96
4.2	<i>Experimental methods</i>	97
4.3	<i>Results and discussion</i>	98
4.3.1	<i>Observed phases</i>	98
4.3.2	<i>Optimised geometry</i>	99
4.3.3	<i>Polarized optical microscopy (POM) study</i>	100
4.3.4	<i>Synchrotron X-ray diffraction study</i>	102
4.3.5	<i>Frequency dependent dielectric relaxation study</i>	112
4.3.6	<i>Spontaneous polarization</i>	117
4.3.7	<i>Rotational viscosity</i>	118
4.3.8	<i>Electrical response time</i>	119
4.3.9	<i>Helical Pitch</i>	120
4.3.10	<i>Elastic constant</i>	121
4.4	<i>Conclusion</i>	122

Chapter 5

Dielectric and electro-optic properties of two compounds of the biphenyl benzoate cored chiral mesogenic series having only ferroelectric SmC* phase

5.1	<i>Introduction</i>	131
-----	---------------------	-----

5.2	<i>Experimental methods</i>	132
5.3	<i>Results and Discussions</i>	133
5.3.1	<i>The phase behaviour of the compounds</i>	133
5.3.2	<i>Optimised geometry</i>	134
5.3.3	<i>Polarized optical microscopy (POM) study</i>	135
5.3.4	<i>Frequency dependent dielectric study</i>	136
5.3.5	<i>Spontaneous polarization (P_S)</i>	141
5.3.6	<i>Electrical response time (τ)</i>	142
5.3.7	<i>Optical tilt angle</i>	143
5.3.8	<i>Rotational viscosity (γ_ϕ)</i>	144
5.4	<i>Conclusion</i>	146

Chapter 6

Effect of oligomethylene spacers on the dielectric and electro-optic properties of -two biphenyl benzoate cored chiral mesogens

6.1	<i>Introduction</i>	153
6.2	<i>Experimental methods</i>	154
6.3	<i>Results and discussions</i>	155
6.3.1	<i>Observed phases</i>	155
6.3.2	<i>Optimised geometry</i>	156
6.3.3	<i>Polarized optical microscopy (POM) study</i>	158
6.3.4	<i>Frequency dependent dielectric relaxation study</i>	159
6.3.5	<i>Spontaneous polarization (P_S)</i>	164
6.3.6	<i>Rotational viscosity (γ_ϕ)</i>	165
6.3.7	<i>Optical tilt angle (θ)</i>	166
6.3.8	<i>Response Time (τ)</i>	167
6.4	<i>Conclusion</i>	168

Chapter 7

Structural, dielectric and electro-optic properties of a long chain biphenyl benzoate cored chiral mesogen and formulation of a room temperature ferroelectric liquid crystal mixture.

7.1	<i>Introduction</i>	174
-----	---------------------	-----

Table of Contents

7.2	<i>Experimental procedure</i>	175
7.3	<i>Characterisation of the pure compound</i>	176
7.3.1	<i>Observed phases</i>	176
7.3.2	<i>Polarized optical microscopy (POM) study</i>	177
7.3.3	<i>Optimised geometry</i>	178
7.3.4	<i>Synchrotron diffraction study</i>	179
7.3.5	<i>Frequency dependent dielectric relaxation study</i>	183
7.3.6	<i>Spontaneous polarization (P_S)</i>	186
7.3.7	<i>Rotational viscosity (γ_ω) and Response time (τ)</i>	187
7.3.8	<i>Optical tilt angle</i>	188
7.4	<i>Formulation and characterisation of a room temperature ferroelectric liquid crystal mixture using 7F3R as dopant</i>	189
7.4.1	<i>Formulation of the mixture</i>	189
7.4.2	<i>Observed phases of the mixture</i>	190
7.4.3	<i>Polarized optical microscopy (POM) and Differential Scanning Calorimetry (DSC) study</i>	192
7.4.4	<i>Synchrotron diffraction study</i>	193
7.4.5	<i>Spontaneous and induced polarization (P_S)</i>	200
7.4.6	<i>Optical tilt angle (θ)</i>	204
7.4.7	<i>Response time (τ)</i>	205
7.5	<i>Conclusion</i>	206

Chapter 8

Summary and conclusion

213-223