BIBLIOGRAPHY–11

Acharya A (1998) Studies on the distribution, phenology, and reproductive potential of some crops field weeds of Malda District, West Bengal, India. Ph.D Thesis, North Bengal University.

Alam MK (1990) Rattans of Bangladesh. Bangladesh Forest Research Institute. Chittagong, Bangladesh, Pp. 32.

Anderson T (1869) An Enumeration of the Palms of Sikkim. Botanical Journal of the Linnean Society, 11: 13.

Anonymous (1966) Manual ROROR, India's first systematic insecticides. Tata Fison Pest Division, Bombay.

Asolkar IV, Kakkar KK and Chakre OJ (1992) Glossary of Indian Medicinal Plants with Active Principles. Part–I. (A–K). (1965–1981). Publications and Information Directorate, CSIR, New Delhi.

Ashton PS (1988) Dipterocarp biology as a window to the understanding of tropical forest structure. Annual Review of Ecology and Systematics, 19: 347–370.

Baker JW, Zona S, Heatubun CD, Lewis CE, Maturbongs RA and Norup MV (2006) *Dransfieldia* (Arecaceae) – a new palm genus from western New Guinea. Systematic Botany, 31: 61–69.

Baker JW, Zona S, Heatubun CD, Lewis CE, Rudi AM and MariaVN (2002) The Palms of New Guinea project. Flora Malesiana Bulletin, 13: 35–37.

Baker WJ and Couvreur TLP (2012) Biogeography and distribution patterns of Southeast Asian palms. In: D. Gower, K. Johnson, J. E. Richardson, B. Rosen, L. Ruber and S. Williams (eds.), Biotic evolution and environmental change in Southeast Asia, Pp. 164–190.

Baker WJ and Dransfield J (2014) New rattans from New Guinea (*Calamus*, Arecaceae). Phytotaxa, 163: 181–215.

Baker WJ (2015) A revised delimitation of the rattan genus *Calamus* (Arecaceae). Phytotaxa, 197 (2): 139–152.

Baker WJ and Dransfield J (2016) Beyond Genera Palmarum: progress and prospects in palm systematic. Botanical Journal of the Linnean Society, 182(2): 207–213.

Balakrishnan NP (1981) Flora of Jowai and vicinity, Meghalaya: a contribution towards a detailed knowledge of the flora of the Northeastern region of India, V. 1. Botanical Survey of India, Pp. 666.

Balakrishnan NP (1983) Flora of Jowai and vicinity, Meghalaya: a contribution towards a detailed knowledge of the flora of the Northeastern region of India, V. 2. Botanical Survey of India, Pp. 367.

Basu SK and Mukherji DP (1972) Studies on the germination of palm seeds. Principes, 16: 136–137.

Basu SK (1976) A note on *Asraoa triandra* (Palmae). Principes, 20: 119–120.

Basu SK and Basu S (1987) A study on *Calamus longisetus* Griff. Cultivated in the Indian Botanic Garden, Howrah RIC Bulletin Kepong, Malaysia, 6: 7–8.

Basu SK (1979) A census of Palms cultivated in the Indian Botanic Garden, Howrah. Principes, 22: 127–135.

Basu SK and Basu S (1978) Epidermal studies in eophyll (juvenile leaf) of some Arecoid palms. Bulletin of Botanical Survey of India, Howrah, 20: 32–40.

Basu SK (1985) Threatened Palms of India – some case studies. Journal of Economic and Taxonomic Botany, 7: 493–497.

Basu SK (1991) India: Palm utilization and conservation. In Palms for human needs in Asia. D. Johnson ed. A.A. Balkema, Rotterdam.

Basu SK (1992) Rattans (Canes) in India: A monographic revision. Rattan Information Centre, Kepong, Kuala Lumpur, Malaysia, Pp.141.

Basu SK and Jana B (2011) Observation on *Corypha* L. (Palmae) in India. Phytotaxonomy, 11: 37–44.

Basu SK (2012) Medicinal values of some semi wild and cultivated Palms. Horticultural Bulletin, 1: 3–6.

Basu SK and Chakraverty RK (1994) A Manual of Cultivated Palms in India. Botanical Survey of India, Calcutta, Pp. 166.

Basu SK and Mondal S (2012) Precocious flowering in *Dypsis lutescens*. Phytotaxonomy 12: 175–177.

Basu SK (2013) Palms and canes of North East India: survey taxonomic identification and monographic study. Ministry of Environment, Forest and Climate Change, Govt. of India, Pp. 314.

Basu SK and Mondal S (2013) Observation on Genus *Licuala* Thunberg (Palmae, Arecaceae) in India. Phytotaxonomy, 13: 109–116.

Basu SK and Mondal S (2014) Local, medicinal and ethnic uses of some indigenous Palms**.** Phytotaxonomy, 14: 44–54.

Bavappa KVA and Nair MK (1982) Cytogenetics and Breeding. *Arecanut* Palm. Central Plantation Crops Research Institute, Kasaragod, Pp. 51–96.

Beccari O (1892 93) Palmae–In Hooker J.D. (ed.), The Flora of British India. L. Reeve and Co. London, 6: 402–483.

Beccari O (1908) Asiatic palms–Lepidocaryeae. Part I. The species of *Calamus*. Annals of the Royal Botanic Garden, Calcutta, 11: 1–518, Pl. i–ii, 1–238.

Beccari O (1911) Asiatic palms–Lepidocaryeae. Part II. The species of *Daemonorops*. Annals of the Royal Botanic Garden, Calcutta, 12(1) 1 – 237, Pl. i–ii, 1–109.

Beccari O (1913) Asiatic palms–Lepidocaryeae. The species of *Calamus*. Supplement to Part I. Annals of the Royal Botanic Garden Calcutta, 11 (Appendix): 1–142.

Beccari O (1914) Asiatic palms–Lepidocaryeae. The species of *Calamus*. Supplement to Part I. Annals of the Royal Botanic Garden Calcutta, 11 (Appendix): Pl. 1–83.

Beccari O (1918) Asiatic palms–Lepidocaryeae. Part III. The species of the genera *Ceratolobus, Calospatha, Plectocomia, Plectocomiopsis, Myrialepis, Zalacca, Pigaffeta, Korthalsia, Metroxylon, Eugeissona*. Annals of the Royal Botanic Garden Calcutta 12(2): 1–231 Pl. i–iv, 1–120.

Bentham G and Hooker JD (1862–1883) Genera Plantarum, 3 vols. London: various publishers.

Berry EW (1905) A palm from the mid–Cretaceous. Torreya, 5: 30–33.

Berry EW (1911) Contributions to the Mesozoic flora of the Atlantic coastal plain – VII.

Bulletin of the Torrey Botanical Club, 38: 399–424.

Berry EW (1914) The Upper Cretaceous and Eocene floras of South Carolina, Georgia. US Geological Survey, Professional Paper, 84: 1–200.

Berry EW (1916) A petrified palm from the Cretaceous of New Jersey. American Journal of Science 41: 193–197.

Bhoj R and Ramakrishnan PS (1981) Phenology of trees in a subtropical evergreen montane forest in North–East India. Geo- Eco-Trop., 5(8): 189–209.

Blatter E (1926) The palms of British and Ceylon. Oxford University Press London. Pp. 203.

Borchert R (1983) Phenology and control of flowering in tropical trees. Biotropica, 15: 81–89.

Basak M, Dutta S, Chowdhury M (2018) Wild raspberry: Antioxidant fruits from Eastern Himalaya. Journal of Food Biochemistry, e12560.https://doi.org/10.1111/jfbc.1256016 of 16|BASAK ET AL

Carpio LM (1967) Pattern of plant development in the Western United State. Agricultural Experiment Station, 607:1–42.

Crabtree DR (1987) Angiosperms of the Northern Rocky Mountains: Albian to Campanian (Cretaceous) Megafossil Floras. Annals of the Missouri Botanical Garden 74: 707–747.

Ferriz SRS, Ricalde–Moreno OS (1995) Palmeras fosiles del norte de Mexico. Anales Instituto Biologia Universita Nacional. Utonoma Mexico, Series Botanica 66: 37–106.

Champion HG and Seth SK (1968) A revised Survey of the forest types of India. Govt. of India Press, New Delhi, Pp. 404

Chase MW and Reveal JL (2009) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III (Arecaceae): The Linnean Society of London, Botanical Journal of the Linnean Society, Pp. 6.

Chase MW, Christenhusz MJM, Fay MF, Byng JW, Judd WS, Soltis DE, Mabberley DJ, Sennikov AN, Soltis PS and Stevens PF (2016) An

update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. Botanical Journal of the Linnean Society, 181 (I): 1–20.

Caprio JM (1966) Pattern of plant development in the Western United States. Mantana. Agricultural Experiment Station Bulletin, Pp. 607.

Chandler MEJ (1954) Some Upper Cretaceous and Eocene fruits from Egypt. Bulletin of the British Museum, Natural History (Geology) 2: 147–187.

Chettri D and Chowdhury M (2018) Ethnomedicinal approach against bone fracture among the tea garden workers of Darjeeling Hills. Indian Journal of Traditional Knowledge, 17(3): 512–517

Chopra RN, Nayar SN and Chopra LC (1956) Glossary of Indian Medicinal Plants. CSIR, New Delhi.

Chowdhury M (2009) Plant Diversity and Vegetation Structure in the Wetlands of Malda district, West Bengal, India. Ph.D. Thesis, University of North Bengal.

Chowdhury M, Chowdhury A, Mondal S, Paul P, Biswas R, Das AP (2016) Vascular plants association in Gabgachi–Bhatia wetland complex in Maldah district of West Bengal, India. Journal of Advanced Plant Sciences, 8(1): 1–16.

Chowdhury M and Mukherjee R (2012) Wild Edible Plants Consumed by Local Communities of Maldah District of West Bengal, India. Indian Journal of Science and Research, 3(2): 163–170.

Chowdhury M and Mukherjee R (2010) Ethno–Medicinal Survey of Santal tribe of Malda District of West Bengal, India. Journal of Economic and Taxonomic Botany, 34(3): 602–606.

Chowdhury M (2012) Chokoth a traditional alcoholic drink of rabha tribe in India. Life science leaflets, 4: 54–59.

Chowdhury M (2013) Plant diversity of tilasan forest at Indo-Bangladesh boarder of West Bengal, India. Scientific Research Report, 1(1): 11–18.

Chowdhury A (2017) Studies on the diversity and ethnic uses of wetland vascular plants in Terai and Duars of West Bengal, India. Ph.D. Thesis, University of North Bengal.

Cronquist A (1981) An integrated system of classification of flowering plants. Columbia University Press, New York, NY.n Pp. 1262.

Corner EJH (1966) The Natural History of Palms. Pl. 24. Weidenfeld and Nicolson: London.

Crabtree DR (1987) Angiosperms of the northern Rocky. Mountains: Albian to Campanian (Cretaceous) Megafossil floras. Annals of the Missouri Botanical Garden, 74: 707–747.

Crie L (1892) Recherches sur les Palmiers silicifies des terrains. Cretaces de l'Anjou. Bulletin de la Societe d'Etudes Scientifiques. d'Angers 21: 97–103.

Croat CB (1975) Phenological behaviour of habit and habitat classes on Borro Colorado Island (panama and Canal Zone) Borropica. 7:270–277.

Davis TA (1949) Branching in some Indian Palms. Indian Coconut Journal, 3: 135–141.

Dolianiti E (1955) Fructos de *Nypa* no Paleoceno de Pernambuco, Brasil. Boletin Ministerio de Agricultura Rio de Janeiro, 158: 1–36.

Dransfield J (1978) Growth forms of rain forest palms. Inn: The proceedings of the fourth Cabot Symposium held at Harvard Forest, Petersham Massachusetts on April 26–30. Cambridge University Press.

Dransfield J and Jhonson D (1989) The conservation status of palms in Sabah Malayan naturalist, 43: 16–19.

Dransfield J, Uhl W, Lange N, Baker W, Harley M and Lewis C (2005) A new phylogenetic classification of the palm family, Arecaceae. Kew Bulletin, 60: 559–569.

Dransfield J, Uhl NW, Asmussen CB, Baker WJ, Harley MM and Lewis CE (2008) Genera Palmarum the- evolution and Classification of Palms. Royal Botanic Gardens, Kew, Richmond, Pp. 732.

Dutta G and Devi A (2015) Phenology and population structure of six tree species in tropical forest of Assam, northeast India. Tropical Ecology, 56: 343–399.

Essig F and Deng Y (1987) Many uses of *Trachycarpus fortunei* (Arecaceae) in China. Economic Botany, 41: 411–417.

Frankia GW, Baker HG and Opter PA (1974) Comparative phonological studies of trees in tropical and dry forest in the low lands of Costa Rica. Journal of Ecology, 62:881–919.

Gage AT (1911) Catalogue of non-herbaceous phanarogams cultivated in the Royal Botanic Garden, Calcutta. Rec. Bot. Surv. India, 5 (1–4): 31–61.

Ganorkar RP and Kshirsagar AD (2013) Floristic Study of Shirur Region Pune, Maharashtra, India. International Research Journal of Biological Sciences, 2(5): 78–82.

Govaerts R, Dransfield J, Zona S, Hodel DR and Henderson A (2013) World Checklist of Arecaceae. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet. Pp. 233. http://apps.kew.org/wcsp/ Retrieved 4 December 2013.

Granville JJ (1978) Recherches sur la Forest et la Vegetation Cuyanaises. These de Dotorat d'Etat, University de Montpellier, Pp. 272

Gregor HJ, Hagn H (1982) Fossil fructifications from the Cretaceous–Palaeocene Boundary of Egypt (Danian Bir Abu Mungar). Tertiary Research, 4: 121–147.

Griffith W (1845) The palms of British East India. Calcutta Journal of Natural History, 5: 1–103, 445–491.

Hajra PK and Chakraborty PA (1981) Survey of wild plants sold in the Lal Market of Gangtok. Indian Journal of Forestry, 4: 217–220.

Hara H (1966) Flora of Eastern Himalaya, Second report, University of Tokyo Press. Pp.744

Hara H (1971) Flora of eastern Himalaya, second report. University Museum, the University of Tokyo Bulletin. University of Tokyo Press, Tokyo, 2: Pp.393.

Handerson A (2007) A revision of *Wallichia* (Palame). Taiwania, 52: 1–11.

Handerson A and Rustiami H (2019). New species of *Calamus* (Arecaceae; Calamoideae; Calaminae) from Sumatra. Phytotaxa, 415 (3): 117–129

Haridasan K, Sarmah A, Hegde SN and Bhuyan LR (2002) Field manual for propagation and plantation of canes in Arunachal Pradesh. SFRI Information Bulletin, No. 15.

Haridasan K (1999) Meghalaya: Floristic Diversity and conservation strategies in India, edited by V. Mudgal and P.K.Hajra. Botanical Survey of India, Howrah, 3:1183–1211.

Haridasan K (1996) Need for taxonomic studies on rattans in North East India. In Proceedings of training course cun workshop, ecology and silviculture, Pp. 65–67.

Haridasan K (1998) The silviculture scenario of canes in North east India with reference to Arunachal Pradesh, Pp. 199–202.

Harper JL (1906). A phytogeographical sketch of the Altamaha Grit region of the coastal plains of Georgia, New York Academy of Sciences, 17: 1–414.

Harley M and Madeline (2006). A summary of fossil records for Arecaceae. Botanical Journal of Linnean Society, 151. 39–67.

Haines HH (1896) Savannah forests in Bengal. Indian Forester, 22: 91–92.

Ihne E (1884) Geschichte der pflanzenphanologischen Beobachturgen in Europe nebst verzeichnis der Schriften, in welchen sie niedergelegt sind. In Beitrage zur phanologie Giessen. J. Rickersche, Germany.

Isnard S (2006) Biomechanics and development of rattans: *Plectocomia himalayana* Griff. IUCN Standards and Petitions Subcommittee (2014). Guidelines for using the IUCN red list categories and criteria, ver. 11. IUCN species Survival Committee.

IUCN (2014) The IUCN red list threatened species, version 2014. IUCN Red List Unit, Cambridge U.K. Available from http://www.iucnredlist.org [accessed on date: 26.11.2019]

Janssen T and Bremer K (2004) The age of major monocot groups from 800+ rbcL Sequences. Botanical Journal of the Linnean Society, 146: 385–398.

Jain SK (Ed.) (1987) A Manual of Ethno-Botany. Scientific Publishers, Jodhpur. Pp. 228.

Jain SK and De JN (1966) Observation of ethnobotany of Purulia district. West Bengal, Bulletin of the Botanical Survey of India, 8: 237–251.

Jain SK and Rao RR (1977) A Handbook of Field and Herbarium Methods. Today and Tomorrow's Printers and Publishers, New Delhi, 1–157.

Jain SK (1991) Dictionary of Indian Folk Medicine and Ethnobotany. Deep Publications, New Delhi, Pp. 1–311.

Jain SK (1981) Glimpses of Indian Ethnobotany. Oxford and IBH Publishing Co., New Delhi, Pp. 1–365.

Janssen T and Bremer K (2004) The age of major monocot groups inferred from 800+ rbcL sequences. Botanical Journal of the Linnean Society, 146: 385–398.

Johns RJ and Hay AJM (1984) A guide to the monocotyledons of Papua New Guinea (Part 3). Forestry Dept. PNG. University, Tech., Lae.

Johns R and Taurereko (1989) A guide to the collection and field description of *Calamus* from Papuasia. Forest Dept. PNG. University, Tech., Lae. and IDRC, Singapore.

Joemon JN, Mohanan N and Kariyappa KC (2008) New Species of *Calamus* L. (Arecaceae) from Silent Valley, the Western Ghats, India, 18(1) 29–31.

Joseph J (1982) Flora of Nongpoh and its Vicinity. Forest Department, Government of Meghalaya, Pp. 376.

Kimnach M (1977) The species of *Trachycarpus*. Principes, 21: 155–168.

Kirtikar KR and Basu BD (1935) Indian Medicinal Plants, Lalit Mohan Publication, Allahabad, 2: 1347–1348.

Koch BE (1972) Coryphoid palm fruits and seeds from the Danian of Nugssuaq, West Greenland. Meddelelser Om Gronland udgivne AF Kommissionen for Videnskabelige Undersogelser Gronland, 193: 1–38.

Kong–Ong, Manokaran HKN (1986) Rattan a Bibliography. FRIM, Kepong.

Koelmeyer KB (1959) The periodicity of leaf change and flowering in the principal forest communities of Ceylon. Ceyl. For., 4: 157–189.

Lakhanpal RN and Guleria JS (1982) Plants remains the Miocene of Kachchh, Western India. Palaeobotanist, 30(3): 279–296.

Lakhanpal RN, Prakash G, Thussu JL, Guleria JS (1983) A fossil fan palm from the Hemis Formation of Ladakh, Jammu and Kashmir, India. Current science, 92(6): 1–25.

Lakshmana AC (1993) Rattan of South India. Evergreen Publisher, Bangalore, India. Pp. 180.

Leith H (1970) Phenology in production studies. In: Reichle, D. E. (Editor), Analysis of Temperate forest ecosystems, Ecological studies, 1: 29–56.

Manokaran N (1990) The state of rattan and bamboo trade. RIC. Paper no. 7, FRIM, Kepong.

Lorek M and Pradhan KC (2006) *Trachycarpus ukhrulensis* is a plant species endemic to the Manipur region in Assam, India. Bot. Jarb. Syst., 126: 419–26.

Maury CJ (1930) O Cretaceo da Parahyba do Norte. As floras do Cretaceo Superior da merica do Sul. Monografias Servicio Geologico Museu do Brasil, 8: 1–305.

Madeline M and Harley FLS (2006) A summary of fossil records for Arecaceae. Botanical journal of the Linnean Society, 151(1): 39–67.

Martius CFP (1832–1853) Historia naturalis palmerum Leipzig, 3: 1–12.

Meitram B and Sharma GJ (2005) Rattan resources of Manipur: Species diversity and reproductive biology of elite species. Journal of Bamboo and Rattan, 4: 399–419.

Menon KPV and Pandalai KM (1958) The Coconut A Monograph. ICAR. New Delhi.

Miller RH (1964) The versatile sugar palm. Principes, 8: 115–147.

Misra MK and Dash SS (2002). Ethnomedicinal plants of Koraput District, Orissa and their conservation. Pers. of plant biodiversity. In Das, A.P. (ed.), Perspectives of Plant Biodiversity. Bishen Singh Mahendra Pal Singh, Dehra Dun, Pp. 621–634.

Molla HA and Roy B (1985) Traditional uses of Medicinal Plants by the Rabha tribals in Jalpaiguri district, West Bengal. Journal of Economic and Taxonomic Botany,7: 578–580.

Mondal S, Basu SK and Chowdhury M (2016) In vivo seed germination and seedling morphology of *Phoenix dactylifera* L. and *Phoenix sylvestris* (L.) Roxb. NBU Journal of Plant Sciences, 10(1): 45–48.

Mondal S, Basu SK and Chowdhury M (2017a) Observation on *Nypa fruticans* Wurmb., the estuarine palm of Sundarbans its introduction in non–halophytic condition of North Bengal. Phytotaxonomy, 17: 39–42.

Mondal S, Chowdhury A, Basu SK and Chowdhury M (2017b) Indigenous Method of 'Sugar Cake' (Patali) Production from *Borassus flabellifer* L. In West Bengal, India. Plant Archives, 17(1): 445–448.

Mondal S, Basu SK and Chowdhury M (2018) *Areca triandra* Roxb. *ex* Buch.-Ham. (Arecaceae): a new record for West Bengal, India. Plant Archives, 18(2): 1700–1702.

Mondal S and Chowdhury M (2018) Rattans diversity in West Bengal, India. Advances in Plant Sciences, 31(2): 159–165.

Mondal S, Basu SK and Chowdhury M (2019) *Calamus pseudoerectus* (Arecaceae), a new species from the Eastern Himalaya, India. Journal of Threatened Taxa, 11(5): 13605–13610. https://doi.org/10.11609/jott.4493.11.5.13605-13610.

Mondal S and Chowdhury M (2019) *Daemonorops teraiensis* (Arecaceae) a new species from Terai of Darjeeling, India. Plant Archives, 19(2): 758–761.

Morley D (2000) Home territories: media, mobility and identity. New Media and Society, 3(4): 501–504.

Moore HE (1963) A annotated checklist of cultivated palms. Ibid. 7:119–183.

Moore HE (1973) The major groups of palms and their distribution. Gentes Herb. 11(2): 27–141.

Moupela C, Doucet JL, Kasso D, Yves B, Adeline F and Cedric V (2014) Reproductive ecology of a volnable non-timber forest prduct. Tropical Ecology, 55: 327–338.

Myers N, Mittermeier RA, Mittermeier CG, Fonseca GA, Kent J (2000) Biodiversity hotspots for conservation priorities. Nature, 403: 853–858.

Noltie HJ (2000) *Arenga micrantha*: A Little Known Eastern Himalayan Palm. International Palm Journal, 44(1): 14–18.

Noltie HJ (1994) Flora of Bhutan. Royal Botanic Garden. Edinburgh, 3(1): 408–431.

Ohashi H (1975) The Flora of Eastern Himalaya, 3rd ed., Tokyo Univ. Tokyo.

Opler A, Frankie G and Baker H (1976) Rainfall as a factor in the release, timing, and synchronization of anthesis of tropical trees and shrubs. Journal of Biogeography, 3: 231–236.

Orstom BP (1991) Life forms and growth strategy of Guianan Palms. Palms in Tropical Forests. International Symposium Iquitos, Peru, Pp. 1–26.

Paul P, Chowdhury M (2019) Diversity of members of Polygonaceae from West Bengal, India. Plant Archives.19(S–2). 157–164.

Paudel SK and Chowdhary CL (2005) Managing rattan as a common property: a case study of community rattan management in Nepal. Journal Bamboo and Rattan, 4(1): 81–91.

Pei S, Chen S and Tong S (1991) Palmae. In: Pei Shengji and Chen Sanyang, eds., Fl. Reipubl. Popularis Sin. 13(1): 1–172.

Pitman RK, Shalev A and Orr S (2000) Post-traumatic stress disorder: Emotion, conditioning, and memory. Cognitive neuroscience, 2: 1133–1147.

Pitman RK, Shin L and Rauch SL (2001) Investigating the pathogenesis of post-traumatic stress disorder with neuro-imaging. Journal of Clinical Psychiatry, 62: 47–54.

Prain D (1903) Bengal Plants. West, Newman and Co., of London, 1–2:1088–1100.

Raunkiaer C (1934) The life forms of plants and statistical plant geography. Oxford University Press, Oxford, England.

Rai SK and Bhujel RB (2002) Ethnic uses of some monocotyledonous plants in the Darjeeling Himalayan region. Pers. of plant biodiversity. In Das, A.P. (ed.), Perspectives of Plant Biodiversity. Bishen Singh Mahendra Pal Singh, Dehra Dun, Pp. 634.

Rolla RS and Joseph J (1962) *Livistona jenkinsiana*. Principes, 6: 103–106.

Rao AN, and Yusof AM (1989) Proceedings of the seminar on tissue culture of forest species FRIM, Kepong and IDRC, Singapore.

Renuka C (1987) A new species of *Calamus* (Palmae) from India. Kew Bulletin, 42: 433–435.

Renuka C (1992) Rattans of the Western Ghats. A taxonomic manual. Kerala Forest research Institute, Peechi. Pp. 1–62.

Renuka C (1992) A manual of the rattans of Andaman and Nicobar Islands. Kerala Forest Research Institute, Peechi, Pp. 1–172.

Renuka C (1999) palms of Kerala. Kerala Forest Research Institute, Peechi, Pp. 1–72.

Renuka C (2011) All India coordinated Project on the Taxonomy of Palms. Kerala forest research Institute. Pp. 1–209.

Roxburgh W (1814) Hortus Bengalensis. Mission Press, Serampore, Pp. 1–32.

Roxburgh W (1832) Flora Indica ed. 2. W. Thacker and Co., Calcutta, Pp. 1–691

Renuka C (1991) How to establish a cane plantation. Bulletin No. 10. KFRI, Peechi.

Renuka C (1992) Rattans of the Western Ghats - A taxonomic manual. KFRI, Peechi.

Sasidharan N (2002) Floristic studies in Parambikulam Wildlife Sanctuary. KFRI Research Report No. 246. Kerala Forest Research Institute, Peechi, Thrissur.

Salisbury EJ (1942) The Reproductive Capacity of Plants. G. Bell and Sons, London.

Sharma AK and Sarkar SK (1956) Cytology of different species of palms and its bearing on the solution of the problem of phylogeny and speciation. Genetica, 28: 361–488.

Singh RK. Srivastava RC and Mukherjee TK (2010) Traditional knowledge and biocultural diversity of palms. Jour. Traditional Knowledge, 9(2): 231–241.

Sen J and Naskar JN (1965) Non Harbaceous phanorogams of Indian Botanic Garden. Calcutta. Bull. Bot. Surv. India, 7 (1–4): 31–61.

Sivaraj N and Krishnamurthy KV (1989). Flowering phenology in the vegetation of shervaroys, South India. Vegetation 79: 85–88.

Sreekumar VB, Sakthivel SR and Sreejith KA (2016) Distribution mapping and conservation of Rhopaloblaste augusta (Kurz) H. E. Moore in Nicobar Islands, India. Tropical Ecology 57(2): 271–277

Stevenson CW, Marsden CA, Mason R (2008) Early life stress causes FG–7142–Induced corticolimbic dysfunction in adulthood. Brain Research. 1193: 43–50.

Sundriyal RC, Joshi AP and Dhasmana R (1990) Phenology of some temperate woody species of the Garwal Himalaya. International Journal of Ecology and Environmental Sciences, 3: 107–117.

Takhtajan A (1997) Diversity and Classification of flowering plants. Columbia University Press, New York, Pp. 278–329.

Thakur VC, Virdi NS and Lakhanpal RN (1983) Liyan Formation of Ladakh (Jammu and Kashmir). Palaeobotanist, 31: 201–207

Thomas S, Haridasan K and Borthakur SK (1998) Floristic study on rattans and its relevance in forestry of Arunachal Pradesh. Arunachal Forest News, 16(1–2):19–24.

Van Rheede HJ (1678) Hortus Malabaricus English Edition. 12:600.

Van Schaik CP, Terborgh JW, and Wright SJ (1993) The phenology of tropical forests: adaptive significance and consequences for primary consumers. Annual Review of Ecology and Systematics, 24: 353–377.

Vorontsova MS, Clark LG, Dransfield J, Govaerts R, Baker WJ (2016) World Checklist of Bamboos and Rattans. INBAR and the Board of Trustees of the Royal Botanic Gardens, Kew.

Uhl NW, Dransfield J (1987) Genera Palmarum, a classification of palms based on the work of Harold E. Moore Jr. Lawrence, KS: L. H. Bailey Hortorium and the International Palm Society, USA.

Wang JY (1967) Agricultural Meteorology. San Jose, Agricultural Weather Information Service, California, Pp.693.

Wong KM and Manokaran N (1985) Proc. of the rattan seminar. Frim, kepong, Malaysia.

WCMC, Global Biodiversity (1992) World Conservation Monitoring Centre, Gland, Switzerland.

Yadav RK and Yadav AS (2008) Phenology of selected woody species in a tropical dry deciduous forest in Rajasthan, India. Tropical Ecology, 49(1): 25–34

Web Sites:

www.barkeley/india/map.org

www.googleearth.com

www.ipni.org

www.jalpaiguri.nic.org

www.theplantlist.org

www.wikimapia.org

Index kewensis

www.tropicos.org

www. kew.org

Data Collected From:

Regional Meteorological Dept., Alipore, Kolkata

Meteorological Dept., Jalpaiguri.

Agriculture Dept., Jalpaiguri

Land Reforms Department, Jalpaiguri

Central National Herbarium, Botanical Survey of India, Howrah

Botanical Survey of India, Eastern Regional Centre, Shillong

Botanical Survey of India, Sikkim Himalayan Regional Centre, Sikkim

Botanical Survey of India, Arunachal Pradesh Regional Centre, Itanagar

Lloyd's Botanical Garden, Darjeeling

The Agri–Horticultural Society of India, Kolkata