

## LIST OF SCHEMES

Scheme No.	Title	Page No.
Scheme I.A.1	Schematic representation for the functionalization of graphene	8
Scheme I.A.2	Covalent attachment of nitrophenyls with graphene	8
Scheme I.A.3	Functionalization of graphene via 1,3-dipolar cycloaddition of azomethine ylide	9
Scheme I.A.4	Synthesis of P <sub>3</sub> HT grafted graphene	9
Scheme I.A.5	Formation of GO–C <sub>60</sub> hybrid material from graphene oxide	10
Scheme I.A.6	Schematic representation for the synthesis of graphene oxide (GO)	10
Scheme I.A.7	Graphene oxide mediated oxidation and hydration reactions	14
Scheme I.A.8	GO mediated oxidation and dehydrogenation reactions	15
Scheme I.A.9	Oxidation of thiols and sulfides in presence of GO	15
Scheme I.A.10	GO nanosheets catalyzed synthesis of heterocyclic compounds	15
Scheme I.A.11	GO catalyzed thioacetalization of aldehydes.	16
Scheme I.B.1	Cross-dehydrogenative coupling (CDC)	21
Scheme I.B.2	Cross-dehydrogenative coupling between C(sp <sup>3</sup> )–H and C(sp)–H bond	22
Scheme I.B.3	Common strategies for the synthesis of 3-sulfenylindoles	24
Scheme I.B.4	Iodine catalyzed regioselective sulfenylation of 1H-indoles	25
Scheme I.B.5	MW assisted and iodine catalyzed synthesis of 3-sulfenyl and 3-selenylindoles	25
Scheme I.B.6	Molecular iodine catalyzed sulfenylation of indoles using thiophenols	26
Scheme I.B.7	Copper catalyzed 3-sulfenylation of indoles	26
Scheme I.B.8	Palladium catalyzed regioselective sulfenylation of heteroarenes	26
Scheme I.B.9	Visible light induced photocatalytic synthesis of 3-sulfenylindoles	27
Scheme I.B.10	CeCl <sub>3</sub> catalyzed synthesis of 3-sulfenylindoles	27
Scheme I.B.11	KIO <sub>3</sub> catalyzed chalcogenation of indoles and imidazopyridines	27
Scheme I.B.12	TBAI mediated and on-water sulfenylation of indoles	28
Scheme I.B.13	TBAI mediated synthesis of diverse 3-sulfenylindoles	28
Scheme I.B.14	Graphene oxide catalyzed synthesis of 3-sulfenylindoles	28

Scheme I.B.15	Proposed mechanism for the sulfonylation of 1 <i>H</i> -indoles	37
Scheme I.C.1	Classical three-component Hantzsch synthesis of 1,4-dihydropyridine	53
Scheme I.C.2	SiO <sub>2</sub> -NaHSO <sub>4</sub> catalyzed synthesis of 1,4-dihydropyridines	55
Scheme I.C.3	PdRuNi@GO catalyzed synthesis of 1,4-DHPs and hexahydroquinolines	56
Scheme I.C.4	Zirconia sulfonic acid catalyzed synthesis of hexahydroquinolines	56
Scheme I.C.5	Three-component synthesis of 1,4-DHPs using nano-Fe <sub>2</sub> O <sub>3</sub>	57
Scheme I.C.6	Synthesis of 1,4-DHPs using sulfated polyborate catalyst	57
Scheme I.C.7	Bismuth nitrate catalyzed three-component synthesis of 1,8-dioxoacridines	57
Scheme I.C.8	Betainium lactate catalyzed synthesis of acridinediones	58
Scheme I.C.9	Silica-SO <sub>3</sub> H-[BMIM][PF <sub>6</sub> ] catalyzed one-pot synthesis of 1,4-DHPs	58
Scheme I.C.10	PW/SiO <sub>2</sub> catalyzed three-component synthesis of 1,4-DHPs	59
Scheme I.C.11	Ultrasound assisted synthesis of 1,4-DHPs and polyhydroquinolines in aqueous micelles	59
Scheme I.C.12	AFGONs catalyzed synthesis of 1,4-DHPs, PHAs and PHQs	60
Scheme I.C.13	Illustration for the preparation of AFGONs	60
Scheme I.C.14	Gram scale synthesis of 1,4-dihydropyridine ( <b>4a</b> )	70
Scheme I.C.15	Control experimental analysis	73
Scheme I.C.16	Plausible mechanism for the synthesis of 1,4-DHPs	74
Scheme I.D.1	Photocatalytic Stadler-Ziegler reaction using [Ru(bpy) <sub>3</sub> Cl <sub>2</sub> ].6H <sub>2</sub> O catalyst	98
Scheme I.D.2	Synthesis of thioethers in presence of blue LEDs	99
Scheme I.D.3	Organo-photocatalytic method for the synthesis of diaryl sulfides	99
Scheme I.D.4	Synthesis of diaryl sulfides under ball milling conditions	100
Scheme I.D.5	Stadler-Ziegler reaction from arenediazonium <i>o</i> -benzenedisulfonimides	100
Scheme I.D.6	Ascorbic acid promoted Stadler-Ziegler synthesis of aryl sulfides	100
Scheme I.D.7	NaOAc mediated of aryldiazonium tetrafluoroborates.	101
Scheme I.D.8	Copper catalyzed synthesis of thioethers	101
Scheme I.D.9	GO catalyzed continuous flow synthesis of thioethers	102
Scheme I.D.10	Control experimental analysis	108
Scheme I.D.11	Plausible mechanism for Stadler-Ziegler reaction	109

Scheme II.A.1	Ag NPs/GO catalyzed synthesis of pyranopyrazolones	119
Scheme II.A.2	Pd/rGO-IL catalyzed Heck coupling reaction	120
Scheme II.A.3	Hiyama cross-coupling reaction using Pd decorated GO nanosheets	120
Scheme II.A.4	Synthesis of tetrahydro-4 <i>H</i> -chromenes using AuNPs@rGO-SH	120
Scheme II.A.5	GO-CuCl <sub>2</sub> catalyzed synthesis of propargylamines	121
Scheme II.A.6	CuO-GO catalyzed synthesis of 1,4-disubstituted-1,2,3-triazoles	121
Scheme II.A.7	Microwave assisted synthesis of pyrazolopyridines in deep eutectic solvent	122
Scheme II.A.8	Synthesis of imidazoles using magnetic graphene oxide nanocomposite	122
Scheme II.B.1	Huisgen cycloaddition	127
Scheme II.B.2	Copper catalyzed three-component synthesis of 1,2,3-triazole	128
Scheme II.B.3	2-Pyrrolicarbaldiminato-Cu(II) complex catalyzed AAC	129
Scheme II.B.4	Synthesis of 1,2,3-triazole derivatives using amphiphilic copper catalyst	129
Scheme II.B.5	Multicomponent synthesis of triazoles using Cu(II)phen@SBA-15	130
Scheme II.B.6	Graphene based materials in the synthesis of 1,2,3-triazoles	130
Scheme II.B.7	Microwave assisted synthesis of 1,2,3-triazoles	131
Scheme II.B.8	[Bmim]OH mediated CuI catalyzed synthesis of triazoles	131
Scheme II.B.9	Synthesis of 1,2,3-triazoles using CuI in presence of eosin Y	131
Scheme II.B.10	One-pot four-component synthesis of 3-triazolyl-quinolin-2-(1 <i>H</i> )-ones	132
Scheme II.B.11	Synthesis of functionalized triazoles by Cu/Pd dual metal catalysis	132
Scheme II.B.12	Cp* <i>RuCl</i> (PPh <sub>3</sub> ) <sub>2</sub> catalyzed synthesis of 1,5-disubstituted-1,2,3-triazoles	133
Scheme II.B.13	Raney nickel catalyzed alkyne azide cycloaddition	133
Scheme II.B.14	Cp <sub>2</sub> Ni catalyzed azide alkyne cycloaddition	134
Scheme II.B.15	Ni-TLOP catalyzed AAC	134
Scheme II.B.16	Ni-rGO-zeolite catalyzed three-component click reaction	135
Scheme II.B.17	Plausible mechanism for Ni-rGO-zeolite catalyzed click reaction	146
Scheme II.C.1	Heck cross-coupling reaction using Pd supported chemically modified graphene	158
Scheme II.C.2	GO-PdCl <sub>2</sub> catalyzed C-C and C-N cross coupling reactions	159

Scheme II.C.3	Ni-rGO-40 catalyzed C–S cross-coupling reaction	159
Scheme II.C.4	Cu NPs/CNFs catalyzed C–O cross-coupling reaction	160
Scheme II.C.5	CuO NPs catalyzed synthesis of diaryl diselenides	160