

TABLE OF CONTENTS

Abstract	i-ii
Preface	iii-iv
List of Tables	x
List of Schemes	xi-xiv
List of Figures	xv-xvi
List of Appendices	xvii
Appendix A: List of Research Publications	xviii
Appendix B: Oral & Poster Presentations	xix
Abbreviation	xx-xxi
Chapter I	
A brief review on cross coupling methodologies for carbon-carbon and carbon-heteroatom bond forming reactions	1-57
I.A. Introduction	2
I.A.1 Origin of Cross Coupling Reactions	2
I.A.2. Palladium catalyzed different cross coupling reactions	9
I.A.2.1. Mizoroki-Heck reaction	9
I.A.2.2. Sonogashira Reaction	10
I.A.2.3. Negishi Reaction	10
I.A.2.4. Stille Reaction	11
I.A.2.5. Suzuki Reaction	11
I.A.2.6. Buchwald–Hartwig Amination Reaction	12
I.A.2.7. Direct C–H Arylation Reaction	13
I.A.2.8. Directing group (DG) mediated arylation	14
I.A.3. General catalytic cycle of Palladium catalysed cross-coupling reaction	14
I.A.4. Application of Pd-catalyst in cross coupling reactions towards the synthesis of important molecules	16
I.A.4.1. Application of Mizoroki-Heck reaction	16
I.A.4.2. Application of Sonogashira Reaction	19
I.A.4.3. Application of Negishi Reaction	20

I.A.4.4. Application of Stille Reaction	21
I.A.4.5. Application of Suzuki–Miyaura Reaction	22
I.A.4.6. Application of Buchwald–Hartwig reaction	26
I.A.4.7. Application of C-S bond formation	28
I.A.4.8. Application of C-H Functionalization	29
I.A.5. Ligands for Cross-Coupling reactions	30
I.A.5.1. Phosphine and dialkylbiarylphosphine	30
I.A.5.2. N-Heterocyclic carbene	31
I.A.5.2.1. Structure and general properties of NHCs	32
I.A.5.2.2. Coordination of NHCs to transition metals	34
I.A.5.2.3. NHC-Complexes in cross coupling reactions	37
I.A.5.2.3.1. Suzuki–Miyaura Cross-coupling Reaction	38
I.A.5.2.3.2. Mizoroki-Heck Reaction	44
I.A.5.2.3.3. Sonogashira Reaction	46
I.A.5.2.3.4. Direct C-H arylation	48
I.A.5.2.3.5. Directing group (DG) mediated arylation	52
I.B. Conclusion	57
I.C. References	57
Chapter II	
Synthesis of Pd-NHC catalyst and its application to C-H Arylation & cross coupling reactions towards the synthesis of diverse functional molecules	58-95
II.A. Introduction	59
II.B Benzimidazole based Pd-NHC complex	60
II.B.1 Synthesis of Benzimidazole based ionic liquids	60
II.B.2 Synthesis of Pd-NHC complex	61
II.C Pd-NHC catalyzed C-H Arylation	61
II.C.1 Present work: Result and Discussion	61
II.C.2 Conclusion	64
II.D Pd-NHC Catalyzed C-C Cross Coupling Reactions	65
II.D.1 Pd-NHC Catalyzed Carbonylative Suzuki coupling	65

II.D.1.1 Present work: Result and Discussion	65
II.D.2 Pd-NHC catalyzed Carbonylative Sonogashira coupling	68
II.D.2.1 Present work: Result and Discussion	68
II.D.3 Pd-NHC catalyzed Heck Coupling	71
II.D.3.1 Present work: Result and Discussion	71
II.D.4 Conclusion	74
II.E Experimental Section	74
II.E.1 General Information	74
II.E.2 Preparation of Benzimidazole based ionic liquid	74
II.E.3 Preparation of <i>N</i> -oxide containing Bis-benzimidazole based Pd-NHC complex	76
II.E.4 Preparation of C-2 functionalized 2-aryl substituted benzoxazole derivatives	76
II.E.5 Spectral analysis and physical properties of Pd-NHC catalyzed C-H Arylated benzoxazole	77
II.E.6 Preparation of substituted biaryl ketones	80
II.E.7 Spectral analysis and physical properties of Pd-NHC Catalyzed Carbonylative Suzuki coupling product	81
II.E.8 Preparation of Pd-NHC catalyzed substituted 4-quinolone derivatives	83
II.E.9 Spectral analysis and physical properties of Pd-NHC catalyzed Carbonylative Sonogashira coupling products	83
II.E.10. General Procedure Heck coupling	85
II.E.11 General Procedure for the synthesis of 4-aryl-2-quinolones and 4-phenyl-chromen-2-one	85
II.E.12 Spectral analysis and physical properties of Heck-Coupled product	86
II.F References	95
Chapter III	
Palladium Catalyzed 8-Aminoimidazo[1,2-<i>a</i>]pyridine (AIP) Directed Selectiveβ-C(sp²)-H Arylation	96-131
III.A Introduction	97

III.B Present work	97
III.B.1 Background & objectives	97
III.B.2 Result and Discussion	99
III.B.3 Application	105
III.B.4 Mechanistic studies	105
III.C Conclusion	107
III.D Experimental Section	108
III.D.1 General Information	108
III.D.2. Preparation of various 8-AIP substituted Amides (A) (1a-1i)	108
III.D.3. General Procedure for the Pd (II) catalyzed arylation of acrylamide in Toluene (B) (3a-3s/3aa-3ah)	108
III.D.4 Physical Characteristics and spectral data of compounds	109
III.D.5 Experimental Procedure for Synthesis of <i>N</i> -(imidazo[1,2- <i>a</i>]pyridin-8-yl)-2,3-diphenylacrylamide (3a) in gram scale	123
III.D.6 Experimental Procedure for Removal of Directing Group (8-AIP)	124
III.D.7 Experimental procedure for the preparation of <i>N</i> -(imidazo[1,2- <i>a</i>]pyridine-8-yl)- <i>N</i> -methyl-2-phenylacrylamide (6)	124
III.D.8 Experimental Procedure for Competition experiment	125
III.D.9 Experimental Procedure for Radical quenching experiment	125
III.E References	131
Chapter IV	
8-Aminoimidazo[1,2-<i>a</i>]pyridine (AIP) Directed Pd(II) Catalysis: Site-Selective β-and γ-C(sp²)-H Arylation in Aqueous Medium	132-180
IV.A Introduction	133
IV.B Present work	134
IV.B.1 Background & objectives	134
IV.B.2 Result and Discussion	135
IV.B.3 Mechanistic studies	142
IV.B.4 Application	144
IV.C Conclusion	145

TABLE OF CONTENTS

Abstract	i-ii
Preface	iii-iv
List of Tables	x
List of Schemes	xi-xiv
List of Figures	xv-xvi
List of Appendices	xvii
Appendix A: List of Research Publications	xviii
Appendix B: Oral & Poster Presentations	xix
Abbreviation	xx-xxi
Chapter I	
A brief review on cross coupling methodologies for carbon-carbon and carbon-heteroatom bond forming reactions	1-57
I.A. Introduction	2
I.A.1 Origin of Cross Coupling Reactions	2
I.A.2. Palladium catalyzed different cross coupling reactions	9
I.A.2.1. Mizoroki-Heck reaction	9
I.A.2.2. Sonogashira Reaction	10
I.A.2.3. Negishi Reaction	10
I.A.2.4. Stille Reaction	11
I.A.2.5. Suzuki Reaction	11
I.A.2.6. Buchwald–Hartwig Amination Reaction	12
I.A.2.7. Direct C–H Arylation Reaction	13
I.A.2.8. Directing group (DG) mediated arylation	14
I.A.3. General catalytic cycle of Palladium catalysed cross-coupling reaction	14
I.A.4. Application of Pd-catalyst in cross coupling reactions towards the synthesis of important molecules	16
I.A.4.1. Application of Mizoroki-Heck reaction	16
I.A.4.2. Application of Sonogashira Reaction	19
I.A.4.3. Application of Negishi Reaction	20

I.A.4.4. Application of Stille Reaction	21
I.A.4.5. Application of Suzuki–Miyaura Reaction	22
I.A.4.6. Application of Buchwald–Hartwig reaction	26
I.A.4.7. Application of C-S bond formation	28
I.A.4.8. Application of C-H Functionalization	29
I.A.5. Ligands for Cross-Coupling reactions	30
I.A.5.1. Phosphine and dialkylbiarylphosphine	30
I.A.5.2. N-Heterocyclic carbene	31
I.A.5.2.1. Structure and general properties of NHCs	32
I.A.5.2.2. Coordination of NHCs to transition metals	34
I.A.5.2.3. NHC-Complexes in cross coupling reactions	37
I.A.5.2.3.1. Suzuki–Miyaura Cross-coupling Reaction	38
I.A.5.2.3.2. Mizoroki-Heck Reaction	44
I.A.5.2.3.3. Sonogashira Reaction	46
I.A.5.2.3.4. Direct C-H arylation	48
I.A.5.2.3.5. Directing group (DG) mediated arylation	52
I.B. Conclusion	57
I.C. References	57
Chapter II	
Synthesis of Pd-NHC catalyst and its application to C-H Arylation & cross coupling reactions towards the synthesis of diverse functional molecules	58-95
II.A. Introduction	59
II.B Benzimidazole based Pd-NHC complex	60
II.B.1 Synthesis of Benzimidazole based ionic liquids	60
II.B.2 Synthesis of Pd-NHC complex	61
II.C Pd-NHC catalyzed C-H Arylation	61
II.C.1 Present work: Result and Discussion	61
II.C.2 Conclusion	64
II.D Pd-NHC Catalyzed C-C Cross Coupling Reactions	65
II.D.1 Pd-NHC Catalyzed Carbonylative Suzuki coupling	65

II.D.1.1 Present work: Result and Discussion	65
II.D.2 Pd-NHC catalyzed Carbonylative Sonogashira coupling	68
II.D.2.1 Present work: Result and Discussion	68
II.D.3 Pd-NHC catalyzed Heck Coupling	71
II.D.3.1 Present work: Result and Discussion	71
II.D.4 Conclusion	74
II.E Experimental Section	74
II.E.1 General Information	74
II.E.2 Preparation of Benzimidazole based ionic liquid	74
II.E.3 Preparation of <i>N</i> -oxide containing Bis-benzimidazole based Pd-NHC complex	76
II.E.4 Preparation of C-2 functionalized 2-aryl substituted benzoxazole derivatives	76
II.E.5 Spectral analysis and physical properties of Pd-NHC catalyzed C-H Arylated benzoxazole	77
II.E.6 Preparation of substituted biaryl ketones	80
II.E.7 Spectral analysis and physical properties of Pd-NHC Catalyzed Carbonylative Suzuki coupling product	81
II.E.8 Preparation of Pd-NHC catalyzed substituted 4-quinolone derivatives	83
II.E.9 Spectral analysis and physical properties of Pd-NHC catalyzed Carbonylative Sonogashira coupling products	83
II.E.10. General Procedure Heck coupling	85
II.E.11 General Procedure for the synthesis of 4-aryl-2-quinolones and 4-phenyl-chromen-2-one	85
II.E.12 Spectral analysis and physical properties of Heck-Coupled product	86
II.F References	95
Chapter III	
Palladium Catalyzed 8-Aminoimidazo[1,2-<i>a</i>]pyridine (AIP) Directed Selectiveβ-C(sp²)-H Arylation	96-131
III.A Introduction	97

III.B Present work	97
III.B.1 Background & objectives	97
III.B.2 Result and Discussion	99
III.B.3 Application	105
III.B.4 Mechanistic studies	105
III.C Conclusion	107
III.D Experimental Section	108
III.D.1 General Information	108
III.D.2. Preparation of various 8-AIP substituted Amides (A) (1a-1i)	108
III.D.3. General Procedure for the Pd (II) catalyzed arylation of acrylamide in Toluene (B) (3a-3s/3aa-3ah)	108
III.D.4 Physical Characteristics and spectral data of compounds	109
III.D.5 Experimental Procedure for Synthesis of <i>N</i> -(imidazo[1,2- <i>a</i>]pyridin-8-yl)-2,3-diphenylacrylamide (3a) in gram scale	123
III.D.6 Experimental Procedure for Removal of Directing Group (8-AIP)	124
III.D.7 Experimental procedure for the preparation of <i>N</i> -(imidazo[1,2- <i>a</i>]pyridine-8-yl)- <i>N</i> -methyl-2-phenylacrylamide (6)	124
III.D.8 Experimental Procedure for Competition experiment	125
III.D.9 Experimental Procedure for Radical quenching experiment	125
III.E References	131
Chapter IV	
8-Aminoimidazo[1,2-<i>a</i>]pyridine (AIP) Directed Pd(II) Catalysis: Site-Selective β-and γ-C(sp²)-H Arylation in Aqueous Medium	132-180
IV.A Introduction	133
IV.B Present work	134
IV.B.1 Background & objectives	134
IV.B.2 Result and Discussion	135
IV.B.3 Mechanistic studies	142
IV.B.4 Application	144
IV.C Conclusion	145

IV.D Experimental Section	146
IV.D.1 General Information	146
IV.D.2 General Experimental Procedure for Preparation of 8-AIP substituted Amides (1a-1i, 5a-5g) (A)	146
IV.D.3 Physical Characteristics and spectral data of Amides (1a-1i, 5a-5g)	146
IV.D.4 General Procedure for the Pd (II) Catalysed Arylation of Amide Derivatives in Water (B)	152
IV.D.5 Physical Characteristics and spectral data of arylated products (3a-3h, 3j-3l, 4a-4h, 4a'-4b' & 6a-6l)	152
IV.D.6 Experimental procedure for the preparation of 2-(2-fluorophenyl) - <i>N</i> -(imidazo-[1,2- <i>a</i>]pyridin-8-yl)- <i>N</i> -methylacetamide (7a)	166
IV.D.7 Experimental procedure for the preparation of 2-(3-fluoro-3'',4''-dimethoxy-[1,1':4',1''-terphenyl]-2-yl)- <i>N</i> - (imidazo[1,2- <i>a</i>]pyridin-8-yl)-acetamide (8d)	167
IV.D.8 Experimental procedure for the removal of 8-AIP auxiliary	168
IV.D.9 Experimental procedure for intermolecular competition experiment	168
IV.D.10 Experimental procedure for radical quenching experiments	169
IV.D.11 Experimental procedure for the preparation of 1a-d ₄	169
IV.E References	180
Bibliography	181-197
References for Chapter I	181-190
References for Chapter II	190-192
References for Chapter III	193-195
References for Chapter IV	195-197
Index	198-199