

References

General Introduction

1. 24 - Lubricants, Editor(s): W.F. Gale, T.C. Totemeier, Smithells Metals Reference Book (Eighth Edition), Butterworth-Heinemann, 2004, Pages 24-1-24-15, ISBN 9780750675093
2. I. Mangas, M.A. Sogorb, E. Vilanova, Lubricating Oils, Editor(s): Philip Wexler, Encyclopedia of Toxicology (Third Edition), Academic Press, 2014, Pages 670-676, ISBN 9780123864550
3. Vasishth, A., Kuchhal, P., & Anand, G. (2014). Study of rheological properties of industrial lubricants. In Conference papers in science (Vol. 2014). Hindawi.
4. A.M. Al-Sabagh, M.W. Sabaa, G.R. Saad, T.T. Khidr, T.M. Khalil, Synthesis of polymeric additives based on itaconic acid and their evaluation as pour point depressants for lube oil in relation to rheological flow properties, Egyptian Journal of Petroleum, Volume 21, Issue 1, 2012, Pages 19-30
5. Miller Arnold, The chemistry of lubricating oil additives, 1956, Journal of Chemical Education, 33(7), 308
6. Rudnick, L. R. Lubricant additives: Chemistry and Application, CRC press, 2003
7. Rizvi, S. Q. A. A comprehensive review of lubricant chemistry, technology, selection and design. ASTM international, West Conshohocken, PA., 2009, 100-112.
8. Soni, H. P.; Kiranbala; Bharambe, D. P. Performance- based on designing of wax crystal growth inhibitors. Energy Fuels 2008, 22, 3930-3938
9. Castro, L. V.; Vazquez, F. Copolymers as flow improvers for Mexican crude oil. Energy Fuels 2008, 22, 4006-4011

10. Denis, J. Pour point depressants in lubricating oils. *Lubr. Sci.* 1989, 1(2), 131-147.
11. Florea, M.; Catrinoiu, D.; Luca, P.; Ballius, S. The chemical composition on the pour point depressant properties of methacrylate copolymers used as additives for lubricating oils. *Lubr. Sci.* 1999, 12(1), 31-44.
12. Garcia, M. C; Carbognani, L.; Urbina, A.; Orea, M. Paraffin deposition in oil production.oil composition and paraffin inhibitors activity. *Pet. Sci. Technol.* 1998, 16, 1001-1021.
13. Al-Shafy, H. I.; Ismail, E. A. Studies on the influence of polymeric additives as flow improvers for waxy crude oil. *IOSR J. Eng.* 2014, 4, 54-61.
14. Al-Sabagh, A. M.; Sabaa, M. W.; Saad, G. R.; Khidr, T. T.; Khalil, T. M. Synthesis of polymeric additives based on itaconic acid and their evaluation as pour point depressants for lube oil in relation to rheological flow properties. *Egypt. J. Pet.* 2012, 21, 19-30.
15. El-Gamal, I. M.; Atta, A. M.; Al- Sabbagh, A. M. Polymeric structures as cold flow improvers for waxy residual fuel oil. *Fuel* 1997, 76, 1471-1478.
16. Ghosh, P.; Hoque, M. Synthesis and performance evaluation of vinyl acetate-maleic anhydride based polymeric additives for lube oil. *Pet. Sci. Technol.* 2015, 33, 1182-1189.
17. Onyeji, L. I.; Aboje, A. A. The effect of additive on the viscosity index of lubricating oil (engine oil). *Int. J. Eng. Sci. Tech.* 2011, 3(3), 1864-1869.
18. Ghosh, P.; Das, M.; Upadhyay, M.; Das, T.; Mandal, A. Synthesis and evaluation of acrylate polymers in lubricating oil. *J. Chem. Eng. Data* 2011, 56, 3752-3758.
19. Ghosh, P.; Upadhyay, M.; Das, M. K. Studies on the additive performance of liquid crystal blended polyacrylate in lubricating oil. *Liq. Cryst.* 2014, 41(1), 30-35.
20. Masabumi, M.; Hiroyasu, S.; Akihito, S.; Osamu, K. Prevention of oxidative degradation of ZnDTP by microcapsulation and verification of its antiwear performance. *Tribol. Int.* 2008, 41, 197-204.

21. Ahmed, N. S.; Nassar, A. M.; Abdel-Azim, A. A. A. Synthesis and evaluation of some detergents/dispersant additives for lube oil. *Int. J. Polym. Mater.* 2008, 57, 114-124.
22. Smalheer, C. V.; Smith, R. K. — “Lubricant Additives” Cleveland, Lensing-Hiles Co. 1967.
23. Ghosh, P.; Hoque, M. Mannich bases and phosphosulphurized Mannich bases: Synthesis characterization and performance evaluation as potential lube oil additives. *J. Sci. Ind. Res.* 2015, 74, 150-154.
24. Alema-Vazquez, L. O.; Villagomez-Ibarra, J. R. Polyisobutenylsuccinimides as detergents and dispersants in fuel: infrared spectroscopy application. *Fuel*, 2001, 80, 965-968.
25. Abdel-Azim, A.; Nasser, A. M.; Ahmed, N. S.; Kamal, R. S. Multifunctional lube oil additives based on octadecene-maleic anhydride copolymer. *Pet. Sci. Technol.* 2011, 29, 97–107.
26. Forbes, E. S.; Neustadter, E. L. The mechanism of action of polyisobutenyl succinimide lubricating oil additives. *Tribol. Int.* 1972, 5(2), 72-77.
27. Tanveer, S.; Prasad, R. Enhancement of viscosity index of mineral base oils. *Ind. J. Chem. Tech.* 2006, 13, 398-403.
28. Changqiao, Z.; Congcong, G.; Fengfeng, G.; Jian, W.; Dawei, Z.; Yan, W.; Dawei, X. Synthesis of comb bipolymers and their pour point depressing properties. *J. Pet. Sci.* 2014, 11, 155-160.
29. Latyshev, V. N.; Novikov, V. V.; Syrbu, S. A.; Kolbashov, M. A. Tribological properties of some cholesterical liquid-crystal additives. *J. Frict. Wear.* 2009, 30(6), 411–414.
30. Ahmed, N. S.; Nassar, A. M.; Nasser, R. M.; Khattab, A. F.; Abdel-Azim, A. A. Synthesis and evaluation of some polymers as lubricating oil additives. *J. Dis. Sci. Technol.* 2012, 33, 668-675.
31. Cai, G.; Zhang, L.; Ma, L.; Eli, W. Synthesis and characterization of polybutylacrylate viscosity index improver with anti-wear function. *Lubr. Sci.* 2015, 27(4), 209-216.

32. Nassar, A. M.; Ahmed, N. S.; Abdel –Aziz, K. I.; El-Kafrawy, A. F.; Abdel-Azim, A. A. A. Synthesis and evaluation of detergent/dispersant additives from polyisobutylene succinimides. *Int. J. Polym. Mater.* 2006, 55, 703–713.
33. Regueira, T.; Lugo, L.; Fandino, O.; Lopez, E. R.; Fernandez, J. Compressibilities and viscosities of reference and vegetable oils for their use as hydraulic fluids and lubricants. *Green Chem.* 2011, 13, 1293-1302.
34. Ertugrul, D.; Filiz, K. Using cotton seed oil as an environmentally accepted lubricant additive. *Energy Sources.* 2004, 26, 611-625.
35. Maleque, M. A.; Masjuki, H. H.; Sapuan, S. M. Vegetable based biodegradable Lubricating oil additive. *Ind. Lubr. Tribol.* 2003, 55(3), 137-143.
36. Gobinda Karmakar and Pranab Ghosh, Atom Transfer Radical Polymerization of Soybean Oil and Its Evaluation as a Biodegradable Multifunctional Additive in the Formulation of Eco-Friendly Lubricant, *ACS Sustainable Chemistry & Engineering* 2016 4 (3), 775-781

Part I

Chapter I

1. Pirro, D. M.; Wessol, A. A. *Lubricants Fundamentals*. New York: Marcel Dekker, 2001, 37-43.
2. Santos, J. C. O.; Santos, I. M. G.; Souza, A. G.; Sobrinho, E. V.; Fernandes V. J.; Silva, Jr. A. J. N. Thermoanalytical and rheological characterization of automotive mineral lubricants after thermal degradation. *Fuel* 2004, 83, 2393-2399.
3. Wu, C.; Zang, J.; Li, W.; Wu, N. Molecular dynamics simulation guiding the improvement of EVA-type pour point depressant. *Fuel* 2005, 84, 2039-2047.
4. Kajdas, C.; Majzner, M. Effectiveness of selected CHO compounds as antiwear additives to white mineral oils. *Tribol. Transac.* 2005, 48, 93-99.

5. Xiangqiong, Z.; Heyang, S.; Wenqi, R.; Zhongyi, H.; Tianhui, R. Tribological study of trioctylthiotriazine derivative as lubricating oil additive. *Wear* 2005, 258, 800-805.
6. Aleman-Vazquez, L. O.; Villagomez-Ibarra, J. R. Polyisobutenylsuccinimides as detergents and dispersants in fuel: infrared spectroscopy application. *Fuel* 2001, 80, 965-968.
7. Zhongyi, H.; Jinliang, L.; Xiangqiong, Z. Study of the tribological behaviours of S, P-containing triazine derivatives as additives in rapeseed oil. *Wear* 2004, 257, 389-394.
8. Barnes, A. M.; Bartel, K. D.; Thibon, V. R. A. A review of zinc dialkyldithiophosphates (ZDDPS): Characterization and role in lubricating oil. *Tribol. Int.* 2001, 34, 389-395.
9. N. S. Ahmed, A. M. Nassar, R. M. Nasser, A. F. Khattab & A.-A. A. Abdel-Azim, Synthesis and Evaluation of Some Polymeric Compounds as Pour Point Depressants and Viscosity Index Improvers for Lube Oil, *Petroleum Science and Technology*, 2008, 26(12), 1390-1402
10. Abdel-Azim, A. A.; Huglin, M. B. Proceedings of the second Egyptian conference of chemical engineering, Cairo, Egypt, 1984, March 18–20, 117–123.
11. Eckert, R. J. A.; Covey, D. F. Developments in the field of hydrogenated diene copolymers as viscosity index improvers. *Lubr. Sci.* 1988, 1, 65–80.
12. Garcia, M. C.; Carbognani, L.; Urbina, A.; Orea, M. Paraffin deposition in oil production, oil composition and paraffin inhibitors activity. *Pet. Sci. Technol.* 1998, 16, 1001-1021.
13. Huiyang, Z.; Weibang, Z.; Zhuomei, L. Synthesis of polymers with long side chain of N-alkyl esters and their effects on pour-point depression of oil. *J. Appl. Polym. Sci.* 1991, 43, 919-924.
14. Wuhua, C.; Zongchang, Z.; Caoyong, Y. The interaction of waxes with pour point depressants. *Fuel* 2010, 89, 1127-1132.
15. Ghosh, P.; Das, T.; Nandi, D. Shear stability and thickening properties of homo and copolymer of methyl methacrylate. *American J. of Polym. Sc.* 2011, 1, 1-5.

16. Florea, M.; Catrinoiu, D.; Luca, P.; Balliu, S. The influence of chemical composition on the pour-point depressant properties of methacrylate copolymers used as additives for lubricating oil. *Lubr. Sci.* 1999, 12, 31-44.
17. Ghosh, P.; Das, T.; Das, M. Evaluation of poly (acrylates) and their copolymer as viscosity modifiers. *Res. J. Chem. Sci.* 2011, 1, 18-25.
18. Ghosh, P.; Das, M. Study of the influence of some polymeric additives as viscosity index improvers and pour point depressants – synthesis and characterization. *J. Pet. Sci. Eng.* 2014, 119, 79–84.

Chapter II

1. Ghosh, P., Pantar, A.V., Rao, U. S., & Sarma, A. S. (1998). α - Olefin Copolymers as Viscosity Modifier Additives in Lubricating Oil. *Ind. J. Chem. Technol.*, 5, 309-314.
2. Mohamed, M. M., Hamdi, H. A., & Mohamed, F. E. J. (1994). Multi-functional viscosity index improvers. *Chem. Tech. Biotechnol.*, 60, 283-289.
3. Ghosh, P., Das, T., & Nandi, D. (2011). Shear Stability and Thickening Properties of Homo and Copolymer of Methyl Methacrylate. *American Journal of Polymer Science*, 1(1), 1-5.
4. Abdel-Azim, A. A. A., Nassar, A. M., Ahmed, N. S., & Kamal, R. S. (2006). Preparation and evaluation of acrylate polymers as pour point depressants for lube oil. *Pet. Sci. Technol.*, 24, 887–894.
5. Rein, S. W., Alexander, D. L., Cryvoff, S. A., & Dahlstrom, M. A. (1987). Investigation of engine oil shears stability in laboratory test and road test. SAE paper No. 872047.
6. Ghosh, P., & Karmakar, G. (2012). Synthesis and Characterization of Polymyrystyl Acrylate as a Potential Additive for Lubricating Oil. *American Journal of Polymer Science*, 2(1), 1-6.
7. Karmakar, G., & Ghosh, P. (2013). Green additives for lubricating oil. *ACS Sustainable Chem Eng.*, 1, 1364–1370.
8. Tanveer, S., & Prasad, R. (2006). Enhancement of viscosity index of mineral base oils. *Ind. J. Chem. Technol.*, 13, 398–403.

9. Al-Sabagh, A. M., Sabaa, M. W., Saad, G. R., Khidr, T. T., & Khalil, T. M. (2012). Synthesis of polymeric additives based on itaconic acid and their evaluation as pour point depressants for lube oil in relation to rheological flow properties. *Egyptian Journal of Petroleum*, 21, 19-30.
10. Chen, W. H., Zhao, Z. C., & Yin C. Y. (2010). The interaction of waxes with pour point depressants. *Fuel*, 89, 1127-1132.
11. Dodecyl Acrylate and its Copolymer with Styrene and 1-Decene: A Study of Shear Stability, Thickening and Viscosity Index Properties P. Ghosh, S. Paul and M. Hoque, *International Journal of Research and Analytical Reviews*, 2020, 7(2), 772-779.

Chapter III

1. Torimoto, T., Tsuda, T., Okazaki, K., Kuwabata, S. (2010). New frontiers in materials science opened by ionic liquids. *Adv. Mater.* 22: 1196–1221.
2. Ye, C., Liu, W., Chen, Y., Yu, L. (2001). Room-temperature ionic liquids: a novel versatile lubricant. *Chem. Commun.* 2244–2245.
3. Feng, Z., Yongmin, L., Weimin, L. (2009). Ionic liquid lubricants: designed chemistry for engineering applications. *Chemical Society Reviews*. 9(38): 2590-2599.
4. Pensado, A.S., Comunas M.J.P., Fernandez J. (2008). The pressure-viscosity coefficient of several ionic liquids. *Tribology Letters*. 31(2): 107-118.
5. Somers, A., Howlett, P., MacFarlane, D., Forsyth, M. (2013). A Review of Ionic Liquid Lubricants. *Lubricants*. 1: 3–21.
6. Viesca, J.L., García, A., Hernández-Battez, A., González, R., Monge, R., Fernández-González, A. et al. (2013). FAP- anion ionic liquids used in the lubrication of a steel-steel contact. *TribolLett.* 52: 431–437.
7. Wang, H., Lu, Q., Ye, C., Liu, W., Cui, Z. (2004). Friction and wear behaviors of ionic liquid of alkyl imidazolium hexafluorophosphates as lubricants for steel/steel contact. *Wear*. 256: 44–48.
8. Otero, I., López, E.R., Reichelt, M., Villanueva, M., Salgado, J., Fernández, J. (2014). Ionic liquids based on phosphonium cations as neat lubricants or lubricant additives for a steel/steel contact. *ACS Appl Mater Interfaces*. 6(13): 115–128.

9. Palacio, M., Bhushan, B. (2010). A review of ionic liquids for green molecular lubrication in nanotechnology. *TribolLett.* 40: 247–68.
10. Qu, J., Blau, P.J., Dai, S., Luo, H., Meyer, H.M. (2009). Ionic Liquids as Novel Lubricants and Additives for Diesel Engine Applications. *TribolLett.* 35:181–189.
11. Plechkova, N.V., Seddon, K.R. (2008). Applications of ionic liquids in the chemical industry. *Chem.Soc.Rev.*37: 123–150.
12. Ghosh, P., Das, T., Nandi, D. (2011). Synthesis Characterization and Viscosity Studies of Homopolymer of Methyl Methacrylate and Copolymer of Methyl Methacrylate and Styrene. *J Solution Chem.* 40: 67–78.
13. Upadhyay, M., Dey, K., and Ghosh, P. (2016). Biodegradable multifunctional additives for lube oil – synthesis and characterization. *Pet Sci Technol* 34: 1255–1262.
14. Tanveer, S., and Prasad, R. (2006). Enhancement of viscosity index of mineral base oils. *Ind J Chem. Technol.* 13: 398-403.

Chapter IV

1. Roy, M.; Mortier, M. R.; Fox, F. M.; Orszulik, T. S. *Chemistry and Technology of Lubricants*. 3rd ed., Springer, Heidelberg, USA, 2010. DOI: 10.1023/b105569.
2. Singh, R. K.; Kukrety, A.; Kumar, A; Chouhan, A.; Saxena, R. C.; Ray, S. S.; Jain, S. L. Synthesis, characterization and performance evaluation of N,N–Dimethylacrylamide–alkyl acrylate co–polymers as novel multi–functional additives for lube oil. *Adv. Polym. Technol.* 2018, 37, 1695–1702. DOI: 10.1002/adv.21826.
3. Al-Sabagh, M. A.; Noor El-Din, R. M.; Morsi, E. R.; Elsabee, Z. M. Styrene–maleic anhydride copolymer esters as flow improvers of waxy crude oil. *J. Petrol. Sci. Eng.*, 2009, 65, 139–146. DOI: 10.1016/j.petrol.2008.12.022.
4. Wu, Y.; Ni, G.; Yang, F.; Li, C.; Dong, G. Modified Maleic Anhydride Co–polymers as Pour–Point Depressants and Their Effects on Waxy Crude Oil Rheology. *Energy & Fuels*, 2012, 26, 995–1001. DOI: 10.1021/ef201444b.

5. Liu, T.; Fang, L.; Liu, X.; Zhang, X. Preparation of a kind of reactive pour point depressant and its action mechanism, *Fuel*, 2015, 143, 448–454. DOI: 10.1016/j.fuel.2014.11.094.
6. Cao, K.; Zhu, Q.; Wei, X.; Yao, Z. Study on the Influence of the Imidization Degree of Poly(styrene-co-octadecyl maleimide) as a Flow Improver in Waxy Crude Oils with Asphaltenes. *Energy & Fuels*, 2015, 29, 993–1000. DOI: 10.1021/ef501281u.
7. Lu, Y.; Zhang, X.; Yao, G. Exploration of the Function of Diesel Fuel Additives Influencing Flow. *Energy & Fuels*, 2011, 25, 2115–2118. DOI: 10.1021/ef200127q.
8. Mishra, M. K.; Saxton, R. G. U.S. Pat., 1998, 5,834,408.
9. Elganidi, I.; Elarbe, S. B.; Abdullah, N.; Ridzuan, N. Characterization of a novel terpolymer containing maleic anhydride-co-stearyl methacrylate-co-behenyl acrylate for wax inhibition application. *Mater. Sci. Eng.*, 2019, 702, 012027. DOI: 10.1088/1757-899X/702/1/012027.
10. Jang, J.; Kim, B. S. Studies of crosslinked styrene-alkyl acrylate copolymers for oil absorbency application. II. Effects of polymerization conditions on oil absorbency. *J. Appl. Polym. Sci.* 2000, 77, 903–913. DOI: 10.1002/(SICI)1097-4628(20000725)77.
11. Huiyang, Z.; Weibang, Z.; Zhuomei, L. Synthesis of polymers with long side chain of N-alkyl esters and their affects on pour-point depression of oil. *J. Appl. Polym. Sci.*, 1991, 43, 919 – 924. DOI: 10.1002/app.1991.070430509.
12. Baruah, D. S.; Laskar, C. N.; Subrahmanyam, B. Experimental investigation on high conversion free-radical polymerization of behenyl acrylate. *J. Appl. Polym. Sci.*, 1994, 51, 1701–1707. DOI: 10.1002/app.1994.070511002.
13. Subrahmanyam, B.; Baruah, D. S.; Rahman, M.; Laskar, C. N.; Mazumder, K. R. Studies on high conversion polymerization of n-alkyl acrylates. *Polymer*, 1994, 35, 862–865. DOI: 10.1016/0032-3861(94)90887-7.
14. Sarmah, D.; Baruah, D. S. Synthesis, characterization, and thermal properties of copolymers of behenyl acrylate and behenyl fumarate. *J. Appl. Polym. Sci.*, 2003, 90, 2721–2726. DOI: 10.1002/app.12927.
15. Machado, A. L.; Lucas, E. F.; Gonzalez, G. Poly (ethylene-co-vinyl acetate) (EVA) as wax inhibitor of a Brazilian crude oil: oil viscosity, pour point and

- phase behaviour of organic solutions. *J. Pet. Sci. Eng.*, 2001, 32, 159–165. DOI: 10.1016/S0920–4105(01)00158–9.
16. Schwahn, D.; Richter, D.; Lin, M.; Fetters, L. J. Cocrystallization of a poly (ethylene–butene) random copolymer with C24 in n–decane. *Macromolecules*, 2002, 35, 3762–3768. DOI: 10.1002/app.35268.
17. Jung, K. M.; Chun, B. H.; Park, S. H.; Lee, C. H.; Kim, S. H. Synthesis of methacrylate copolymers and their effects as pour point depressants for lubricant oil. *J. Appl. Polym. Sci.*, 2011, 120, 2579–2586. DOI: 10.1002/app.33330.
18. Chen, Z.; Wang, X.; Zhang, H.; Yang, C.; Shan, H. A study on the interaction of crude oil waxes with polyacrylate pour point depressants by Monte Carlo Simulation. *Pet. Sci. Technol.*, 2014, 32, 2151–2157. DOI: 10.1080/10916466.2013.769571.
19. Kumar, M. N. S. Review on polymeric and copolymeric pour point depressants for waxy crude oils and studies on Bombay high crude oil. *Quart J. Technol.*, 1989, 15, 47–62.
20. Castro, L. V.; Flores, E. A.; Vazquez, F. Terpolymers as flow improvers for Mexican crude oils. *Energy & Fuels*, 2011, 25, 539–544. DOI: 10.1021/ef101074m.
21. Fuchs, M. The world lubricants market, current situation and outlook. 12th International colloquim on Tribology, 2000.
22. Than, D.; Chuong, T.; Tuy, D. *AIP Conf.Proc.*, 2017, 1878, 020002.
23. Ghosh, P.; Das, M.; Upadhyay, M.; Das, T.; Mandal, A. Synthesis and evaluation of acrylate polymers in lubricating oil. *J. Chem. Eng. Data.*, 2011, 56, 3752–3758. DOI: 10.1021/je2003435.
24. Amal, N. M.; Nehal, A. S.; Rasha, K. S.; Abdel–Azim, A. A.; El–Nagdy, I. E. Preparation and evaluation of acrylate polymers as viscosity index improvers for lube oil. *Petrol. Sci. Technol.*, 2005, 23, 537. DOI: 10.1081/LFT–200031097.
25. Hipeaux, C. J.; Born, M.; Durand, P. J.; Claudy, P.; Letoffe, M. J. Physico–chemical characterization of base stocks and thermal analysis by differential scanning calorimetry and thermomicroscopy at low temperature. *Thermochim. Acta.*, 2000, 348, 147–159. PII: S 0040–6031(02)00180–6.

26. Nassar, A. M. The behaviour of polymers as viscosity index improvers. *Petrol. Sci. Technol.*, 2008, 26, 514–522. DOI: 10.1080/10916460600806101

Chapter V

1. Stephen M.H. *Tribol. Int.* 2004, 37(7):537-545.
2. Shakvorostov D., Pohlmann K., Sherge M. *Wear* 2004, 257(1/2):124-130.
3. Qin M., Chen G., Gao Y. J. *Synth. Lubr.* 2001, 2001(4):9-14 (in Chinese).
4. Cao M., Zheng S., Zhang H. J. *West. Chong. Inst.* 2003, 2 (4):15-18.
5. Zhou M., Zhu H., Jiao Y. J. *Phys. Chem. C.* 2009, 113(20):8945-8947.
6. Soares J.W., Whitten J.E., Oblas D.W. *Langmuir*, 2008, 24(2):371-374.
7. Han M., Zhao K. J. *Phys. Chem. C.* 2008, 112:9192-9202.
8. Stomenov P.K., K.R.L., Manchin G.L., Klabunde K.J. *Langmuir*, 2002, 18:6679-6686.
9. Battez A.H., Gonzdez R., Felgueroso D. *Wear*, 2007, 263:1568-1574.
10. Zhou J.F., Wu Z.S., Zhang Z.J. *Wear*, 2001, 249:333- 337.
11. Ou Z., Liu W., Xu B.: China Patent, 011244442.9 [P]. 2003 (in Chinese).
12. Tang E.J., Cheng G.X., Ma X.L. *Appl. Surf. Sci.* 2006, 252:5227-5232.
13. Chen S., Li N., Liu W. J. *Jil. Inst. Chem. Technol.* 2002, 19(3):4-6. (in Chinese)
14. Abdel A., Amal M.N., Nehal S.A., Rasha S.K., Ei Nagdy E.I. *Pet. Sci. Tech.* 2005, 23:537-546.
15. Ghosh P., Das T., Das M. *Res. J. Chem. Sci.* 2011, 1(3):18-25.
16. Bataille P., Sharifi-Sanjani N., Evin E. J. *Sol. Chem.* 1994, 23(2):325-338.
17. Florea M., Catrinoiu D., Luca P., Balliu S. *Lub. Sci.* 1999, 12(1):31-44.
18. Dey K., Karmakar G., Upadhyay M., Ghosh P. *Sci. Rep.* 2020, 10:1-10
19. Upadhyay M., Das M.K., Dabrowski R., Ghosh P. *Asian J. Nanosci. Mater.* 2019, 2:257-270
20. Jyoti M., Vijay D., Radha S. *Inter. J. Sci. Res. Pub.* 2013, 3(11):1-5.
21. Tanveer S., Prasad R. *Ind. J. Chem. Technol.* 2006, 13:398–403.
22. Kumar G.S., Balamurugan A., Vinu S., Radhakrishnan M., Senthilprabhu G. *J. Sci. Ind. Res.* 2012, 71:562–565.
23. Karmakar G., Ghosh P. *ACS Sustain. Chem. Eng.* 2015, 3:19–25.
24. Zlovar A.A., Orel Z.C., Kogej K., Zigon M. *J. Nanometer.* 2012, 9.

25. Talam S., Karumuri S.R., Gunnam N. *ISRN Nanotechnology*, 2012, doi: 10.5402/2012/372505.
26. Dumontel B., Canta M., Engelke H., Chiodoni A., Racca L., Ancona A., Limongi T., Canavese G., Cauda V. *J. Mater. Chem B*. 2017, 5:8799-8813
27. Sato M., Yamaguchi I. *Eur. Polym. J.* 2008, 44:3430-3438.
28. Battez A.H., Rodriguez R.G., Viesca J.L., Fernandez J.E. *Wear*, 2008, 265:422-428.
29. Koushik Dey, Sujan Paul, Pranab Ghosh. Multifunctional additive properties of acrylate based ZnO Nano composite for lubricating oil. *Asian Journal of Nanoscience and Materials*, 4(2) 2021, 159-170.

Part II

Chapter I

1. Zeng, X.; Li, J.; Wu, X.; Ren, T.; Liu, W. The tribological behaviors of hydroxyl containing dithiocarbamate- triazine derivatives as additives in rapeseed oil. *Tribol. Int.* 2007, 40 (3), 560–566.
2. Zeng, X.; Wu, H.; Yi, H.; Ren, T. Tribological behavior of three novel triazine derivatives as additives in rapeseed oil. *Wear* 2007, 262 (5–6), 718–726.
3. Erhan, S. Z.; Sharma, B. K.; Liu, Z.; Adhvaryu, A. Lubricant base stock potential of Chemically modified vegetable oils. *J. Agri. Food. Chem.* 2008, 56 (19), 8919–8925.
4. Erhan, S. Z.; Asadauskas, S. Lubricant base stocks from vegetable oils. *Ind. Crop. Prod.* 2000, 11 (2–3), 277–282.
5. Karmakar, G.; Ghosh, P. Soybean oil as a biocompatible multifunctional additive for lubricating oil. *ACS Sustainable Chem. Eng.* 2015, 3, 19–25.
6. Singh, A. K. Development of Biodegradable Lubricant Chemical Business (ISSN 970-3136) 22 (4) April 2008, 53-55.
7. Rizvi, S. Q. A. Additive chemistry and technology, *Tribology data hand book*. Booser, E. R. (Ed.), New York: CRC Press, 1997, 1, 117-137.
8. Ertugrul, D.; Filiz, K. Using cotton seed oil as environmentally accepted lubricant additive. *Energ. sources* 2004, 26, 611-625.

9. Guner, F. S.; Yagci, Y.; Erciyes, A. T. Polymer from triglycerides oils. *Prog. Polym. Sci.* 2006, 31, 633-670.
10. Mofijur, M.; Masjuki, H. H.; Kalam, M. A.; Shahabuddin, M.; Hazrat, M. A.; Liaquat A. M. Palm Oil methyl ester and its emulsions effect on lubricant performance and engine components wear. *Energ. Procedia* 2012, 14, 1748–1753
11. Fox, N. J.; Stachowiak, G. W. Vegetable oil-based lubricants—a review of oxidation. *Tribol. Int.* 2007, 40, 1035–1046.
12. Sharma, B. K.; Doll, K. M.; Erhan, S. Z. Oxidation, Friction reducing, and low temperature properties of epoxy fatty acid methyl esters. *Green Chem.* 2007, 9 (5), 469–474.
13. Vinci, D.; Kersbulck, J.; Greaves, M. R.; Khelidj, N. High performance renewable base fluids derived from castor oil for industrial applications, solving friction problems. *Synopsis 17th International Colloquium, Tribol.* 2010, 88.
14. Regueira, T.; Lugo, L.; Fandino, O.; Lopez, E. R.; Fernandez, J. Compressibilities and viscosities of reference and vegetable oils for their use as hydraulic fluids and lubricants. *Green Chem.* 2011, 13, 1293–1302.
15. Joseph, P. V.; Sharma, D. K., Improvement of thermo-oxidative stability of non – edible vegetable oil of Indian origin for biodegradable lubricant application. *Lubr. Sci.*, 2010, 22, 149–161.
16. Maleque, M. A.; Masjuki, H. H.; Sapuan, S. M. Vegetable based biodegradable lubricating oil additives. *Ind. Lubr. Tribol.* 2003, 55, 137-143.
17. Ghosh, P.; Das, T.; Karmakar, G.; Das, M. Evaluation of acrylate-sunflower oil copolymer as viscosity index improvers for lube oils. *J. Chem. Pharm. Res.* 2011, 3, 547–556.
18. Li, W.; Jiang, C.; Chao, M.; Wang, X. Natural garlic oil as a high performance, environmentally friendly, extreme pressure additive in lubricating oils. *ACS Sustainable Chem. Eng.* 2014, 2, 798–803.
19. Quinchia, L. A.; Delgado, M. A.; Valencia, C.; Franco, J. M.; Gallos, C. Viscosity modification of high oleic sunflower oil with polymeric additives for the design of new biolubricant formulations. *Environ. Sci. Technol.* 2009, 43, 2060-2065.

20. Nassar, A. M.; Ahmed, N. S.; Nasser, R. M. Jojoba polymers as lubricating oil additives. *Petroleum & Coal* 2015, 57, 120-129.
21. Bisht, R. P. S.; Sivasankaran, G. A.; Bhatia, V. K. Additive properties of Jojoba oil for lubricating formulations. *Wear* 1993, 161, 193-197.
22. Karmakar, G.; Ghosh, P. Green additives for lubricating oil. *ACS Sustainable Chem. Eng.* 2013, 1, 1364-1370.
23. Ghosh, P.; Das, T.; Karmakar, G.; Das, M. Evaluation of acrylate-sunflower oil copolymer as viscosity index improvers for lube oils. *J. Chem. Pharm. Res.* 2011, 3, 547-556.
24. Ghosh, P.; Karmakar, G. Evaluation of sunflower oil as a multifunctional lubricating oil additive. *Int. J. Ind. Chem.* 2014, 5, 7-17.

Chapter II

1. Shanta, S. M.; Molina, G. J.; Soloiu, V. Tribological Effects of Mineral–Oil Lubricant Contamination with Biofuels: A Pin–on–Disk Tribometry and Wear Study. *Adv. Tribol.* 2011. DOI: 10.1155/2011/820795.
2. Li, W.; Jiang, C.; Chao, M.; Wang, X. Natural Garlic Oil as a High–Performance, Environmentally Friendly, Extreme Pressure Additive in Lubricating Oils. *ACS Sustainable Chem. Eng.* 2014, 2, 798–803. DOI: 10.1021/sc400462n.
3. Saha, D. K.; Ghosh, P. Naturally derived green bio–additives. *J. Macromol. Sci. A.* 2018, 55, 384–392. DOI: 10.1080/10601325.2018.1444419.
4. Sharma, B. K.; Adhvaryu, A.; Erhan, S. Z. Friction and wear behavior of thioether hydroxy vegetable oil. *Wear* 2009, 42, 353–358. DOI: 10.1016/j.triboint.2008.07.004.
5. Karmakar, G.; Ghosh, P. Soybean Oil as a Biocompatible Multifunctional Additive for Lubricating Oil. *ACS Sustain. Chem. Eng.* 2015, 3, 19–25. DOI: 10.1021/sc500685r.
6. Ghosh, P.; Hoque, M.; Karmakar, G. Castor Oil as Potential Multifunctional Additive in the Formulation of Eco–Friendly Lubricant. *Polym. Bull.* 2018, 75, 501–514. DOI: 10.1007/s00289–017–2047–6.

7. Mutlu, H.; Meier, M. A. R. Castor oil as a renewable resource for the chemical industry. *Eur. J. Lipid Sci. Technol.* 2010, 112, 10–30. DOI: 10.1002/ejlt.200900138.
8. Singh, A. K. Castor oil–based lubricant reduces smoke emission in two–stroke engines. *Indian crops. prod.* 2011, 33, 287–295. DOI: 10.1016/j.indcrop.2010.12.014.
9. Chinchkar, D. S.; Satpute, S.T.; Kumbhar, N. R. Castor Oil as Green Lubricant–A Review. *Int. J. Eng. Res. Technol.* 2012, 1, 1–3.
10. Tanveer, S.; Sharma, U. C.; Prasad, R. Rheology of multigrade engine oils. *Indian J. Chem. Technol.* 2006, 13, 180–184.
11. Karmakar, G., and Ghosh, P. Green Additives for Lubricating Oil. *ACS Sustain. Chem. Eng.* 2013, 1, 1364–1370. DOI: 10.1021/sc400181g.
12. El–Gamal, I. M.; Atta, A. M.; Al–Sabbagh, A. M. Polymeric structures as cold flow improvers for waxy residual fuel oil. *Fuel* 1997, 76, 1471–1478. DOI: 10.1016/S0016–2361(97)00062–8.
13. Masjuki, H. H.; Maleque, M. A. Investigation of the anti–wear characteristics of palm oil methyl ester using a four–ball tribometer test. *Wear* 1997, 206, 179–186.
14. Castor oil based eco-friendly lubricating oil additives. M. Hoque, S. Paul and P. Ghosh, *Journal of Macromolecular Science, Part A, Pure and Applied Chemistry*, 2021, 58(5), 329-335.

Chapter III

1. Betton CI (2010) *Lubricants and Their Environmental Impact*. In: *Chemistry and Technology of Lubricants*, Eds. Mortier RM, Fox MF, Orszulik ST, Springer, The Netherlands, pp. 435-457.
2. Shanta, S. M., Molina, G. J., and Soloiu, V. (2011). Tribological effects of mineral-oil lubricant contamination with biofuels: A pin-on-disk tribometry and wear study. *Adv. Tribol.* doi:10.1155/2011/820795.
3. Ghosh, P., Hoque, M., and Karmakar. G. (2018). Castor oil as potential multifunctional additive in the formulation of eco-friendly lubricant. *Polym. Bull.* 75:501-514

4. Sharma, B. K., Adhvaryu, A., and Erhan, S. Z. (2009). Friction and wear behavior of thioether hydroxyl vegetable oil. *Wear* 42:353–358.
5. Karmakar, G., and Ghosh, P. (2015). Soybean oil as a biocompatible multifunctional additive for lubricating oil. *ACS Sustainable Chem. Eng.* 3: 19–25.
6. Ghosh P, Das T, Nandi D, Karmakar G, Mandal A (2010) Synthesis and characterization of biodegradable polymer: Used as a pour point depressant for lubricating oil. *Int J Polym Mater* 59: 1008–1017.
7. Liu M, Huang Z, Yang Y (2010) Analysis of biodegradability of three biodegradable mulching films. *J Polym Environ* 18: 148–154.
8. Chandure AS, Umare SS (2007) Synthesis, Characterization and Biodegradation Study of Low Molecular Weight Polyesters. *Int J Polym Mater* 56: 339–353.
9. Ghosh P, Karmakar G (2014) Evaluation of sunflower oil as a multifunctional lubricating oil additive. *Int J Ind Chem* 5: 7.
10. Tanveer, S., Sharma, U. C., and Prasad, R. (2006). Rheology of multigrade engine oils. *Indian J. Chem. Technol.* 13:180–184.
11. Karmakar, G., and Ghosh, P. (2013). Green additives for lubricating oil. *ACS Sustainable Chem. Eng.* 1:1364–1370.
12. El-Gamal, I.M., Atta, A. M., and Al-Sabbagh, A. M. (1997). Polymeric structures as cold flow improvers for waxy residual fuel oil. *Fuel* 76:1471–1478.
13. Masjuki, H. H., Maleque, M. A. (1997). Investigation of the anti-wear characteristics of palm oil methyl ester using a four-ball tribometer test. *Wear* 206: 179 –186.
14. Greener Lubricant Formulation: Rapeseed Oil Based Eco-Friendly Lube Oil Additives. P. Ghosh, S. Paul and D. Roy, *International Journal of Petroleum and Petrochemical Engineering*, 2020, 6(3), 29-37.