

Contents

	Page No.
List of Tables	i-ii
List of Schemes	iii-viii
List of Figures	ix-xvi
List of Publications	xvii-xviii
Poster Presentation	xix-xx
Abbreviation	xxi-xxiv
Chapter I	
Section A	
A brief introduction on carbonaceous nanomaterial graphene and its derivative	1-30
I.A.1. Introduction to graphene	2-3
I.A.2. Introduction to graphene oxide (GO)	3-6
I.A.2.1. Preparation of graphene oxide derivatives	7-8
I.A.2.2. Graphene oxide (GO)- catalyzed organic reactions	8-9
I.A.2. Graphene oxide as catalyst support: Formation of various metalcomposites	16-22
I.A.3. Sulphonated graphene oxide synthesis and its application	22-30
I.A.4. References	30
Chapter I	
Section B	
Graphene oxide (GO) catalyzed one-pot synthesis of 3,5-disubstituted 1,2,4-oxadiazoles	31-76
I.B.1. Introduction	32
I.B.2. Background and objectives	33
I.B.2.1. Synthesis 3,5-disubstituted 1,2,4-oxadiazoles from amidoxime	34-37
I.B.2.2. Synthesis of 3,5-disubstituted 1,2,4-oxadiazoles from nitriles	38-40
I.B.3. Present work: Result and discussion	41-52
I.B.3.1. Optimization of the reaction condition	41-51

I.B.3.2.Mechanism	51-52
I.B.4. Conclusion	53
I.B.5. Experimental section	53-54
I.B.5.1.General experimental procedure	53
I.B.5.2. General procedure for the preparation of (GO) catalyst	53-54
I.B.5.3.General procedure for the synthesis of 3,5-disubstituted 1,2,4 oxadiazoles	54
I.B.5.4. ¹ H and ¹³ C NMR data of various 3,5-disubstituted 1,2,4 oxadiazoles	55-61
I.B.5.5.Scanned copies of ¹ H and ¹³ C NMR spectra of synthesized compounds	62-74
I.B.6. References	75

Chapter I

Section C

Graphene oxide (GO): a metal-free catalyst for one-pot three-component synthesis of triarylpyridines	77-108
I.C.1. Introduction	78
I.C.2. Background and objectives	78-84
I.C.3. Present work	84-91
I.C.3.1. Result and discussion	85-89
I.C.3.2. Mechanism	89-91
I.C.4. Conclusion	91
I.C.5. Experimental section	92-107
I.C.5.1. General experimental procedure	92
I.C.5.2. General procedure for the preparation of (GO) catalyst	92-93
I.C.5.3. General procedure for the synthesis of 2,4,6- triarylpyridines	94
I.C.5.4. ¹ H and ¹³ C NMR of various synthesized compounds	94-98
I.C.5.5. Scanned copies of ¹ H and ¹³ C NMR spectra of synthesized compounds	99-107
I.C.6. References	108

Chapter II

Section A

Heterogeneous Pd composite catalyzed Suzuki and Heck coupling reaction in water

	109-130
II.A.1. Introduction	110-112
II.A.2. General overview of C-C cross-coupling reaction mechanism	112-115
II.A.2.1. Suzuki coupling	112-113
II.A.2.2. Heck reaction	114-115
II.A.3. Background of heterogeneous metal-composite catalyst for cross-coupling	115-129
II.A.3.1. Inorganic support	117-123
II.A.3.1.1. PdNPs in carbonaceous supports	117-122
II.A.3.1.2. Zeolite support (Inorganic support)	123-125
II.A.3.2. PdNPs on organic-inorganic support	123-125
II.A.3.3. Organic support	125-129
II.A.4. Conclusion	129
II.A.5. References	130

Chapter II

Section B

Poly (methyl methacrylate)-graphene oxide supported palladium catalyst:A ligand free protocol for Suzuki and Heck coupling reaction in water

medium	131-174
II.B.1. Introduction	132
II.B.2. Background and objectives	132-138
II.B.3. Present Work: Result and Discussion	138-153
II.B.3.1. General procedure for preparation of GO-PMMA supported Pd catalyst	139
II.B.3.2. Characterization of GO-PMMA-Pd catalyst	140-144

II.B.3.3. Catalytic activity of GO-PMMA-Pd catalyst in Suzuki and Heck cross coupling reaction	144-153
II.B.4. Conclusion	154
II.B.5. Experimental Section	154
II.B.5.1. General Information	154-173
II.B.5.2. Procedure for cross coupling of 4-iodo anisole and phenyl boronic acid using GO-PMMA-Pd catalyst	155
II.B.5.3. General Procedures for the Heck coupling reactions	155
II.B.5.4. Spectroscopic data of the products	156-161
II.B.5.5. Scanned copies of ¹ H and ¹³ C NMR spectra of synthesised compounds	162-173
II.B.6. References	174

Chapter III

Section A

Graphene Sulfonated graphene oxide (SGO) as metal-free efficient carbocatalyst for the synthesis of 3- methyl-4-(hetero) arylmethyleno isoxazole5(4H)-ones	175-222
III.A.1. Introduction	176-177
III.A.2. Background and objectives	177-183
III.A.3. Present work: Result and discussion	184-196
III.A.3.1. Synthesis of the catalyst	184
III.A.3.2. Optimization of the reaction conditions	185-190
III.A.3.3. Mechanism	191
III.A.3.4. HR-TEM and SEM analysis	192-193
III.A.3.5. XRD and Raman spectra analysis	193-194
III.A.3.6. Recyclability experiment	194-195
III.A.4. Conclusion	196
III.A.5. Experimental section	196-221

III.A.5.1.General Information	196
III.A.5.2. General procedure for the preparation of the catalyst	197
III.A.5.3. General procedure for the synthesis of 3-methyl-4-arylmethylene isoxazole-5(4H)-ones	197
III.A.5.4. Spectral data of compounds mentioned in Table III.A.2	198-204
III.A.5.5.Scanned copies of ¹ H, ¹³ C NMR and HRMS spectra of synthesized compounds	205-221
III.A.6. References	221
 Chapter III	
Section B	
Sulfonated graphene oxide (SGO) catalyzed one-pot synthesis of substituted pyrazole	223-252
III.B.1. Introduction	224
III.B.2. Background and objectives	224-230
III.B.3. Present work: Result and discussion	230-235
III.B.3.2.Mechanism	234
III.B.3.3.Conclusion	235
III.B.4. Experimental section	235
III.B.4.1.General Information	236
III.B.4.2.General procedure for the preparation of the catalyst	236
III.B.4.3.General procedure for the synthesis of 6-Amino-3- methyl-4-phenyl-1,4-[2,3-c] pyrazole-5-carbonitriles	236
III.B.4.4.Spectral data of various pyranopyrazole derivatives	237-242
III.B.4.5.Scanned copies of ¹ H and ¹³ C NMR spectra of synthesised compounds	243-251
III.B.5. References	251

Contents

Bibliography	253-280
Index	281-284
Reprints of Published Articles	285