

LIST OF FIGURES

FIGURE	PAGE
1. Absorption spectra of <u>all-trans</u> β -carotene at room temperature (25°C)	67
2. Absorption spectra of 15,15'- cis β -carotene at room temperature (25°C)	68
3. Absorption spectra of <u>all-trans</u> vitamin A alcohol at room temperature (25°C)	72
4. Absorption spectra of <u>all-trans</u> vitamin A acetate at room temperature (25°C)	73
5. The absorption spectra of β -apo-3' -carotenal at room temperature (25°C)	76
6. The absorption spectra of astacene at room temperature (25°C) ..	77
7. Absorption and emission spectra of all-trans β -carotene ..	81
8. Absorption and emission spectra of 15,15'-cis β -carotene ..	82

FIGURE	PAGE
<p>9. Absorption and emission spectra of <u>all-trans</u> vitamin A alcohol ..</p>	83
<p>10. Absorption and emission spectra of <u>all-trans</u> vitamin A acetate ..</p>	84
<p>11. Plot of $\bar{\nu}$ in cm^{-1}, the energy of the first intense absorption band and the highest energy emission band of vita- min A alcohol against $(n^2-1)/(n^2+2)$, the solvent polarizability ..</p>	88
<p>12. Plot of $\bar{\nu}$ in cm^{-1}, the energy of the first intense absorption band and the highest energy emission band of vitamin A acetate against $(n^2-1)/(n^2+2)$, the solvent polarizability ..</p>	89
<p>13. Plot of $\bar{\nu}$ in cm^{-1}, the energy of the first intense absorption band and the highest energy emission band of β-apo-8'- carotenal against $(n^2-1)/(n^2+2)$, the solvent polarizability ..</p>	90
<p>14. Plot of $\bar{\nu}$ in cm^{-1}, the energy of the first intense absorption band and the highest energy emission band of astacene against $(n^2-1)/(n^2+2)$, the solvent pola- rizability</p>	91

FIGURE	PAGE
15. Absorption spectra of α, ω -di-1-naphthylpolyene (I_1)	99
16. Absorption spectra of α, ω -di-1-naphthylpolyene (I_2)	100
17. Absorption spectra of α, ω -di-1-naphthylpolyene (I_3)	101
18. Absorption spectra of α, ω -di-1-naphthylpolyene (I_4)	102
19. Absorption spectra of α, ω -di-1-naphthylpolyene (I_5)	103
20. Absorption and emission bands of α, ω -di-1-naphthylpolyene (I_2)	105
21. Absorption and emission bands of α, ω -di-1-naphthylpolyene (I_4)	106
22. Absorption spectra of α, ω -di-2-naphthylpolyene (I_2')	107
23. Absorption spectra of α, ω -di-2-naphthylpolyene (I_2')	108
24. Absorption spectra of α, ω -di-2-naphthylpolyene (I_3')	109

FIGURE	PAGE
25. Absorption spectra of α, ω -di-2-naphthylpolyene (I_4')	110
26. Absorption spectra of α, ω -di-2-naphthylpolyene (I_5')	111
27. Absorption spectra of α, ω -di-2-naphthylpolyene (I_6')	112
28. Absorption and emission bands of α, ω -di-2-naphthylpolyene (I_2') ..	113
29. Absorption and emission bands of α, ω -di-2-naphthylpolyene (I_3') ..	114
30. Absorption spectra of α, ω -di-1-anthrylpolyene (I_1)	124
31. Absorption spectra of α, ω -di-1-anthrylpolyene (I_2)	125
32. Absorption spectra of α, ω -di-1-anthrylpolyene (I_3)	126
33. Absorption spectra of α, ω -di-1-anthrylpolyene (I_4)	127
34. Absorption spectra of α, ω -di-1-anthrylpolyene (I_5)	128

FIGURE	PAGE
35. Absorption spectra of α, ω -di-1-anthrylpolyene (\bar{I}_G)	129
36. Plot of λ_{max}^2 against n , the number of conjugated double bonds of α, ω -di-1- and -di-2-naphthylpolyenes ..	137
37. Plot of λ_{max}^2 against n , the number of conjugated double bonds of α, ω -di-1-anthrylpolyene	138
38. Plot of ϵ , the molar extinction coefficient against n , the number of conjugated double bonds for the longest wavelength maxima of α, ω -di-1-naphthylpolyene (I_n)	139
39. Plot of ϵ , the molar extinction coefficient against n , the number of conjugated double bonds for the longest wavelength maxima of α, ω -di-1-anthrylpolyene (\bar{I}_n)	142
40. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-1-naphthylpolyene (I_1) against the solvent polarisability ..	145

FIGURE	PAGE
41. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-1-naphthylpolyene (I_2) against $(n^2-1)/(n^2+2)$, the solvent polarizability ..	146
42. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-1-naphthylpolyene (I_3) against $(n^2-1)/(n^2+2)$, the solvent polarizability ..	147
43. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-2-naphthylpolyene (I_1') against $(n^2-1)/(n^2+2)$, the solvent polarizability ..	148
44. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-2-naphthylpolyene (I_2') against $(n^2-1)/(n^2+2)$, the solvent polarizability ..	149

FIGURE	PAGE
45. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-2-naphthylpolyene (I_3) against $\frac{n^2-1}{n^2+2}$, the solvent polarisability ..	150
46. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-2-naphthylpolyene (I_4) against $\frac{n^2-1}{n^2+2}$, the solvent polarisability ..	151
47. Plot of $\bar{\nu}$ in cm^{-1} , the energy of the first absorption band and the highest energy emission band of α, ω -di-1-anthrylpolyene (I_1) against $\frac{n^2-1}{n^2+2}$, the solvent polarisability ..	152
48. Charge transfer spectra of <u>all-trans</u> vitamin A alcohol with various electron acceptors	161
49. Charge transfer spectra of vitamin A alcohol-chloranil complex with different concentrations of the donor and the acceptor	163

FIGURE	PAGE
50. Charge transfer spectra of vitamin A alcohol-bromine complex with different concentrations of the donor and the acceptor	165
51. The plot of $[A]_c/A$ against $1/[A]_0$ to determine the stability constant of vitamin A alcohol-chloranil complex	171
52. The plot of $[A]_c/A$ against $1/[A]_0$ to determine the stability constant of vitamin A alcohol-bromine complex	173
53. The plot of $[A]_c/A$ against $1/[A]_0$ to determine the stability constant of vitamin A alcohol-ICl complex ..	175
54. The plot of $[A]_c/A$ against $1/[A]_0$ to determine the stability constant of vitamin A acetate-bromine complex	177
55. Biphenyl unit cell	187
56. Carbazole unit cell	188

FIGURE	PAGE
57. Phosphorescence spectra of a biphenyl guest-carbazole host mixed crystal at different temperatures ..	190
58. Energy levels of the biphenyl guest-carbazole host mixed crystal ..	198
59. Decays and growths of phosphorescence of biphenyl in carbazole at different temperatures	199
60. Decay and growth of phosphorescence of trap T_1 at 15°K	200
61. Schematic diagram of the observed emitting levels of the biphenyl guest-carbazole host mixed crystal	202
62. Temperature dependence of lifetimes of biphenyl guest in carbazole host	216
63. Arrhenius plot of $\log (K'K_p^2)$ vs $1/T$ for biphenyl in carbazole ..	219
64. Arrhenius plot of $\log [1/\tau_p^D(\tau) - 1/\tau_p^D(0)]$ vs $1/T$ for biphenyl in carbazole ..	221
65. Second order analysis of the experimental decay curve of biphenyl phosphorescence in carbazole host at 75°K	222