

List of Tables

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
1.	Total P content in some Indian soils	7 – 8
2.	Distribution of Indian districts and Union territories into fertility classes according to the status of available phosphorus in soil	16 – 17
3.	Association of soil P fractions with nutrition of crops	21
4.	Fractionation of soil inorganic phosphorus by the modified procedure of Chang and Jackson and after Peterson and Corey	50
5.	Details of five extractants used for estimating available P in this study	51
6.	Sites selected for sampling from different land use patterns of <i>terai</i> agroclimatic zone of West Bengal	51
7.	Some Physico-chemical properties of soils of <i>terai</i> zone of West Bengal	55
8.	Some Physico-chemical properties of soils under different land use patterns	56 – 57
9.	Stepwise regression equations for predicting different types of acidity (Y) by using soil properties	60
10.	Amount of P forms (mgkg^{-1}) in soils of <i>terai</i> agroclimatic zone.	60
11.	Amount of P forms (mgkg^{-1}) under different land use patterns	62
12.	Contribution of different P-forms (%) in soils towards total P/ total inorganic P	65
13.	Correlation coefficients (r) between P fractions and soil properties	66
14.	Stepwise regression equations of total P with soils P forms	69
15.	Simple correlation coefficients (r) between soils P forms and dry matter yield and P uptake by wheat	69

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
16.	Stepwise regression (R^2) between soil P fractions and P uptake by wheat (Y)	70
17.	Amount of P (mgkg^{-1}) removed by five extractants in <i>terai soils of West Bengal</i>	72
18.	Amount of P (mgkg^{-1}) removed by five extractants in different land use patterns	72
19.	Correlation (r) among different extractants-P	77
20.	Correlation (r) between different extractants-P and soil P forms	77
21.	Stepwise regression equations between available P estimates and soil P forms	80
22.	Relationship (r) between soil tests P and soil characters	80
23.	Relationship (r) between soil tests' P with dry matter yield and P uptake by wheat	82
24.	Stepwise multiple regression between P-uptake (Y) and soil P forms/ available P	82
25.	Amount of P sorbed (mgkg^{-1}) by soils of <i>terai</i> zone	85
26.	Amount of P sorbed (mgkg^{-1}) by soils of different land uses of <i>terai</i> zone	87
27.	Goodness of fit of adsorption data to different adsorption isotherms (R^2)	89
28.	P sorption parameters of the soils in <i>terai</i> zone of West Bengal	89
29.	P sorption parameters of soils under different use patterns	91
30.	Langmuir adsorption constants and plant parameters (Mean of fifteen samples for each solution P concentration)	94
31.	Correlation (r) between sorption parameters and physico-chemical properties	94

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
32.	Stepwise multiple regression between P sorbed (Y) at highest solution concentration and soil properties	97
33.	Standard phosphorus requirement (SPR) in mg kg^{-1} soils of different land use patterns	97
34.	Supply parameters (SP) of soils of <i>terai</i> region	97
35.	Supply parameters (SP) of soils in different land use patterns of <i>terai</i> region	99
36.	Amount of P released in first desorption run from soils under different land use patterns of <i>terai</i> region	101
37.	Amount of P released in second desorption run from soils under different land use patterns of <i>terai</i> region	103
38.	Cumulative release of P (CRP) from soils of <i>terai</i> zone of West Bengal	105
39.	Cumulative release of P (CRP) from soils under different land use patterns of <i>terai</i> zone	106 – 107
40.	Phosphorus desorbed by 0.5 M NaHCO_3 (pH 8.5) during two successive desorptions at 100 mg P kg^{-1} added	110